



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IE0000255
SITENAME Croaghill Turlough SAC

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code IE0000255	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Croaghill Turlough SAC

1.4 First Compilation date 1995-12	1.5 Update date 2018-09
--	-----------------------------------

1.6 Respondent:

Name/Organisation: National Parks and Wildlife Service, Department of Culture, Heritage and the Gaeltacht
Address: 90 King Street North, Dublin 7, D07 N7CV, Ireland
Email: datadelivery@chg.gov.ie

Date site proposed as SCI:	1997-11
Date site confirmed as SCI:	No data
Date site designated as SAC:	2016-05
National legal reference of SAC designation:	237/2016

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

B	A053	Anas platyrhynchos			c	50	50	i		G	C	B	C	C
B	A142	Vanellus vanellus			c	150	150	i		G	C	B	C	C

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species				Population in the site				Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
P		Rorippa islandica						R			X			

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N14	1.0
N06	94.0
N10	5.0
Total Habitat Cover	100

Other Site Characteristics

Croaghill Turlough occupies a very undulating basin so that when it dries out it breaks up into a series of

semi-permanent pools with intervening mounds or ridges. The vegetation is correspondingly diverse: most is based on peat and the large area of *Pericaria amphibia* is noteworthy. The site appears eutrophic. There is no marl (CaCo₃) deposition.

4.2 Quality and importance

The site is one of the wettest, peat-filled turloughs known but it also illustrates many fine wet-dry zonations because of the topography it has a long flooding period. It includes a small area of wet annual vegetation including *Rorippa islandica* as a specialist rare species. It has a long flooding period.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
L	A03.02		b
L	A04.02.05		i
M	C01.01.01		o
L	A05.02		i
L	A08		b

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]
L	X		i

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.5 Documentation

Goodwillie, R. (1992). Turloughs Over 10ha - Vegetation Survey & Evaluation. Unpublished report for National Parks and Wildlife Service, Dublin.

6. SITE MANAGEMENT

[Back to top](#)

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/> Yes
<input type="checkbox"/> No, but in preparation
<input checked="" type="checkbox"/> No

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

IE.NPWS.PS.NATURA2000.SAC.IE0000255

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

--