

## National Survey of Native Woodlands 2003-2008



Volume 3a: Site reports 1 - 507

Philip Perrin, James Martin, Simon Barron, Fionnuala O'Neill, Kate McNutt & Aoife Delaney



**Botanical, Environmental & Conservation Consultants Ltd. 2008** 

A report submitted to the National Parks & Wildlife Service

Site no.	0001	FIPS no.	65860	
Date surveyed	02/07/2003			
Woodland name	Ballynabarny Wood	To	wnland name	Ballynabarny
Conservation rating	g and score Very	Good 64	Threa	at rating and score Low 0
Disco. map 6	68 Grid ref.	S995410	6 inch sheet	WX 20 County Wexford
NPWS region	South Eastern NHA	code 746	SAC code	- SPA Code -
National Park	Nature Reserve		\	Woodland present in the 1840s Yes
Ownership	Private - Multiple	Area (ha)	8 Max.	alt. (m) 80 Min. alt. (m) 70
Sub-soil Rckl	NCa/A/GLPSsS/TLPS	Soi	AminSP/All	luvMIN/AminPD
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	35%	Deer	☐ Seasonal flooding ✓
Drumlin	□ WN2	35%	Cattle	<b>✓</b> Springs
Valley	✓ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ✓
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	WN6	30%	Goats	Other
Plain/Lowlands	WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodpla	in 🗌 WD1	0%	Grazing level	1 1
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes			External data sou	urce: not all data recorded
draining brown eart strip of wet woodlat Two types of wood and beech (Fagus aquifolium) and hav sparse in the dry w uniflora also occurs Here, grey willow (\$	th. The wood is on a ste- nd which is subject to se land can be identified at sylvatica) is occasional. wthorn (Crataegus mono oodland, and contains C is in this part of the wood Salix cinerea) is abundar unthe crocata, Filipendula	ep slope, adjacent to asonal flooding. this site. Dry areas Hazel (Corylus avelogyna) also occur he exalis acetosella and Within the wetter a not with alder (Alnus	o a tributary of the of the site are of lana) is abunda ere. Rubus frution Hyacinthoides ireas of the site glutinosa) and a	Co. Wexford. The soil is a moderately freely the River Slaney. There is a small narrow dominated by sessile oak (Quercus petraea), ant in the shrub layer, and holly (llex cosus agg. is abundant. The field layer is a non-scripta among other herbs. Melica wet willow/ash/alder woodland is common. ash (Fraxinus excelsior). The field layer is

Site no.	0002	FIPS no.	53203	
Date surveyed	02/07/2003			
Woodland name	Clone Fox Covert	Tov	wnland name	Clone
Conservation rating	g and score Mod	lerate 46	Threa	at rating and score Low 8
Disco. map 6	9 Grid ref.	T005465	6 inch sheet	WX 19 County Wexford
NPWS region	South Eastern NHA	code 755	SAC code	- SPA Code -
National Park	Nature Reserve		V	Woodland present in the 1840s Yes
Ownership	Private - Single	Area (ha) 5	.9 Max.	alt. (m) 50 Min. alt. (m) 40
Sub-soil Rckl	NCa/TLPS	Soil	AminSW/Ar	minDW
<u>Geography</u>	Woodl	and habitats	Grazing	<u>Hydrological features</u>
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	100%	Cattle	☐ Springs ☐
Valley	<b>✓</b> WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n WD1	0%	Grazing level	0
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes			External data sou	urce: not all data recorded
soil is a moderately occasional beech (I glabra) and wild choliversity of the woo components. The fi	rfreely draining brown e Fagus sylvatica) and syd erry (Prunus avium) are Idland is poor. Holly (llex	arth. The canopy is camore (Acer pseud present. A large ba aquifolium) and ha y Rubus fruticosus	dominated by populatanus). Alou dger sett is loca zel (Corylus ave	northeast of Enniscorthy, Co. Wexford. The bedunculate oak (Quercus robur), with any the boundary ditch, wych elm (Ulmus ated here. The species and structural ellana) are the principal shrub layer um aquilinum and appears highly disturbed

Site no.	000	3	FIPS no.	29448, 29451	, 29443, 41012, 5711	12, 57096, 4393	3, 29447,
Date surveyed	17/06/2	2003		38309, 66044	, 29453, 66036		
Woodland name	Courtown Du	nes/Glen	To	wnland name	Ballinatray Lower, C	ourtown	
Conservation rating	and score	Very Good	70	Thron	t rating and soors	Madarata	
Conservation rating	y and score	very Good		Threa	t rating and score	Moderate	33
Disco. map 6	9 Grid	ref. T200	570	6 inch sheet	WX 12 Cou	nty We	xford
NPWS region	South Eastern	NHA code	757	SAC code		SPA Code	-
National Park	National Park						
Ownership	Local Authori	ty Are	a (ha)	Max.	alt. (m) 25	Min. alt. (m)	0
Sub-soil Rckl	NCa/IrSTLs/A/	/Ws/Mbs	Soi	AminSP/Bm	ninPD/AlluvMIN/AeoU	JND/MarSands	
Geography		Woodland ha	<u>bitats</u>	Grazing	<u>Hydro</u>	ological features	<u>s</u>
Esker		WN1	0%	Deer	Season	al flooding	<b>✓</b>
Drumlin		WN2	3%	Cattle	Springs	•	
Valley	<b>✓</b>	WN3	0%	Sheep	Lakes		
Lakeside		WN4	0%	Rabbits	✓ Rivers/s	streams	<b>✓</b>
Bogland		WN5	0%	Hares	☐ Damp c	elefts/ravines	<b>✓</b>
Hill		WN6	1%	Goats	Other		
Plain/Lowlands		WN7	0%	Horses			
Island		WS1	0%	Other			
Riverside/Floodpla	n 🗌	WD1	25%	Grazing level	1		
Coastal/Estuary	<b>✓</b>	WD2	10%				
	Ot	ther habitats	WD4 60%				
Field notes				External data sou	rce: not all data recorde	ed	
This is a large area	of mixed woo	dland located to	the west and	north of Courto	wn, Co. Wexford. The	e western part o	of the
wood lies along the	lower part of				s adjacent to the coas		
partly on a dune sy The central part of		atchy canopy cov	er and has b	een recently thir	nned of conifers. An a	area in the soutl	neast of
					xinus excelsior) and o		
					y bramble (Rubus fru Acer pseudoplatanus)		
layer dominated by					conifer woodland and	l ook oob bozol	
					h River is a conifer pl		river
floodplain there are remota.	field layer spe	ecies typical of w	et conditions	including Filiper	ndula ulmaria, Angeli	ca sylvestris an	d Carex
In the eastern secti					y Coillte, the dune sl		
either a sycamore of there are small are					s abundant Phyllitis s	colopendrium ir	n places.
A number of exotic	invasive spec	ies occur in the	site. These in	clude rhododen	dron (Rhododendron	ponticum), che	rry
laurel (Prunus lauro	ocerasus), sno	wberry (Sympho	ricarpos albu	s) and box (Bux	us sempervirens).		

Site no.	0004	FIPS no.	58018, 65895		
Date surveyed	25/06/2003	]			
Woodland name	Killoughrum Forest	Tov	vnland name	Killoughrum	
Conservation rating	and score Very	Good 79	Threat	rating and score Lo	8 wc
Disco. map 68	Grid ref.	S904415	6 inch sheet	WX 19 County	Wexford
NPWS region S	South Eastern NHA	code 765	SAC code	- SPA Cod	e -
National Park	Nature Reserve		W	oodland present in the 1840s	s Yes
Ownership F	Private - Multiple	Area (ha) 43	8.8 Max. a	alt. (m) 90 Min. alt.	(m) 40
Sub-soil TLPS	S/A/RckNCa	Soil	AminPD/Allu	uvMIN/AminSP	
<u>Geography</u>	Woodla	and habitats	Grazing	Hydrological fo	eatures eatures
Esker	□ WN1	90%	Deer	Seasonal flooding	g 🗸
Drumlin	□ WN2	5%	Cattle	Springs	
Valley	✓ WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	✓ Rivers/streams	<b>✓</b>
Bogland	□ WN5	0%	Hares	Damp clefts/ravi	nes 🗌
Hill	□ WN6	5%	Goats	Other	
Plain/Lowlands	□ WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplain		0%	Grazing level	1	
Coastal/Estuary	□ WD2	0%			
·	Other habita				
Field notes		ı	External data sour	ce: not all data recorded	
moderately freely-didowny birch (Betula of holly (Ilex aquifol areas are character blackthorn (Prunus There is a strip of w canopy. Additional subcanopy of sessil	raining mineral soil. For pubescens). In these a ium). Hyacinthoides nor ised by a canopy of ash spinosa) shrub layer. He woodland on gleys alspecies found here include oak (Quercus petraea	the most part, the careas, there is a subdates and Teucriu (Fraxinus excelsion yacinthoides non-sclong the stream which de grey willow (Saliza) and a shrub layer	anopy is domina canopy of sessile um scorodonia o ) with a hazel (Cripta and Oxalis the has a downy lex cinerea) and alof holly (llex aquor lex aguers)	butary of the Urrin River. The sted by sessile oak (Quercus e oak (Quercus petraea) and ccur in the field layer. Small, forylus avellana) subcanopy a acetosella occur in the field labirch (Betula pubescens) don Ider (Alnus glutinosa). There suifolium). The field layer contanculus flammula among othe	petraea) and a shrub layer well-drained and a ayer here. hinated is a tins species

Site no.	0005	FIPS	no. 40625,	40640, 59783	3, 59780, 597	'84, 83815, 597	82, 59779,
Date surveyed	08/05/2003		59781				
Woodland name	Oaklands		Townland na	ame Oaklan	nds, Camlin		
Concernation ratio	and seers	Andoroto E	0	Thursday in the second		Madanta	
Conservation rating	g and score	1oderate 5	58	Threat rating	and score	Moderate	25
Disco. map 7	6 Grid ref.	S715255	6 inch sh	neet WX 29/	/34 Cou	unty We	exford
NPWS region	South Eastern	HA code 7	74 SAC	code -		SPA Code	-
National Park	Nature Reserve			Woodlar	nd present in	the 1840s	Yes
Ownership	Coillte	Area (ha)	26	Max. alt. (m)	60	Min. alt. (m)	40
Sub-soil TLP	S/RckNCa		Soil Amin	PD/AminSP/A	AminDW		
<u>Geography</u>	Wo	odland habitats	<u>Gra</u>	zing	<u>Hyd</u> ı	rological feature	<u>es</u>
Esker	□ WN	0%	Deer		Seaso	nal flooding	✓
Drumlin	□ wn		0 "		Spring	S	
Valley	<b>✓</b> WN	0%	Sheep		Lakes		<b>✓</b>
Lakeside	□ WN	0%	Rabbit	s <b>v</b>	Rivers	/streams	<b>✓</b>
Bogland	□ WN	0%	Hares		Damp	clefts/ravines	
Hill	□ WN	0%	Goats		Other		
Plain/Lowlands	□ WN	0%	Horses				
Island	□ ws	0%	Other				
Riverside/Floodpla	in 🗌 WD	100%	Grazin	g level	1		
Coastal/Estuary	□ WD	0%	b				
	Other ha	oitats					
Field notes			External d	ata source: not	all data record	led	
Wexford, on a valle and ash (Fraxinus sylvatica) also pres (llex aquifolium) an	ed broadleaf wood or ey-side near the Rive excelsior), with pedu ent. There are small d hazel (Corylus ave eveloped under beed	Barrow. The can oculate oak (Que areas of conifers lana). Hyacintho	nopy is compris rcus robur), ses throughout. Th ides non-scripta	ed primarily of ssile oak (Que ere is a native a occurs in the	f sycamore ( <i>i</i> rcus petraea e woodland u	Acer pseudopla ) and beech (Fa Inderstorey with	tanus) agus holly

Site no.	0007	FIPS no. 65995, 43947, 41073
Date surveyed	23/07/2003	
Woodland name Ca	amolin	Townland name Camolin Park
Conservation rating a	nd score Moderate	Threat rating and score Moderate 25
Disco. map 69	Grid ref. T054	6 inch sheet WX 11/10 County Wexford
NPWS region Sou	uth Eastern NHA code	- SAC code - SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s Yes
Ownership	Coillte Area	ea (ha) 35 Max. alt. (m) 110 Min. alt. (m) 70
Sub-soil TLPS		Soil AminDW
Geography	Woodland hal	abitats Grazing Hydrological features
Esker	□ WN1	5% Deer Seasonal flooding
Drumlin	□ WN2	5% Cattle Springs
Valley	□ WN3	0% Sheep ✓ Lakes
Lakeside	□ WN4	0% Rabbits ☐ Rivers/streams
Bogland	□ WN5	0% Hares Damp clefts/ravines
Hill	✓ WN6	0% Goats Other
Plain/Lowlands		
Island	□ WN7	070
Riverside/Floodplain	□ WD1	70% Other 2
Coastal/Estuary	□ WD2	20%
Coastal/Estuary	Other habitats	2070
Field water	Other Habitats	
Field notes		External data source: not all data recorded
draining mineral soils on the northern part of sweet chestnut (Casta layer of holly (Ilex aqu downy birch (Betula prescripta and Oxalis accunder the Millenium W	occur on the site. Most of the of the site are mixed broadles anea sativa). The canopy her lifolium). Other tree species in ubescens) and hazel (Corylustosella occur in the field layer Voodland Scheme. The entire	wland area, 7 km northeast of Ferns, Co. Wexford. Moderately freely the property is under intensive conifer plantation, but some compartments saved woodland, with old oak trees (Quercus robur and Q. petraea) and there is composed mainly of sessile oak (Quercus petraea) with a shrub is include sycamore (Acer pseudoplatanus), beech (Fagus sylvatica), lus avellana). Luzula sylvatica, Rubus fruticosus agg., Hyacinthoides nonyer. Some compartments were recently felled and replanted with oak ire site is categorised as an Old Woodland, meaning that it has been 330s. Evidence of grazing by deer and sheep was observed during the

Site no.	8000	FIPS no.	65630, 38922		
Date surveyed	14/04/2003				
Woodland name	Baggot's Wood	To	wnland name	Tiknock	
Conservation rating	g and score Mod	lerate 46	Threat	t rating and score Modera	te 25
Disco. map 6	2 Grid ref.	S930822	6 inch sheet	CW 19 County	Carlow
NPWS region	South Eastern NHA	code 792	SAC code	- SPA Code	-
National Park	Nature Reserve		V	Voodland present in the 1840s	Yes
Ownership	Private - Single	Area (ha)	4 Max.	alt. (m) 120 Min. alt. (m	) 110
Sub-soil Rcki	NCa/A/TGr	Soi	AminSW/All	luvMIN/AminDW/AminPD	
Geography	Woodl	and habitats	Grazing	Hydrological feat	ures
Esker	□ WN1	100%	Deer	Seasonal flooding	
Drumlin	□ WN2	0%	Cattle	<b>✓</b> Springs	
Valley	<b>✓</b> WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	Rivers/streams	
Bogland	□ WN5	0%	Hares	Damp clefts/ravines	; <u></u>
Hill	□ WN6	0%	Goats	Other Se	eepage
Plain/Lowlands	□ WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplai	n WD1	0%	Grazing level	3	
Coastal/Estuary	□ WD2	0%			
	Other habita	ts			
Field notes			External data sour	rce: not all data recorded	
of the Douglas Rive (Quercus petraea) hazel (Corylus avel	er. The soil is a moderat with beech (Fagus sylva lana). Hyacinthoides no	ely freely draining b tica) occasional on n-scripta is abundar	rown earth. The the site. There is nt in the field laye	Carlow, 2 km south of Kiltegan, or main canopy species is sessile or sees a subcanopy of holly (llex aquiter. The site is heavily grazed by sepresent within the wood.	oak olium) and

Site no.	0009	FIPS no.	62608, 62609	9, 62612, 84032, 28383, 72040
Date surveyed	07/05/2003			
Woodland name	Bahana	Tov	vnland name	St Mullins, Bahana
Conservation rating	and score Mod	lerate 46	Threa	at rating and score Low 8
Disco. map 68	Grid ref.	S722397	6 inch sheet	CW 24/26 County Carlow
NPWS region S	outh Eastern NHA	code 793	SAC code	- SPA Code -
National Park	Nature Reserve		\	Woodland present in the 1840s Yes
Ownership	Coillte	Area (ha) 1	5 Max.	alt. (m) 70 Min. alt. (m) 10
Sub-soil RckN	ICa/TGr	Soil	AminSW/A	minDW/AminPD/AminSP
<u>Geography</u>	Woodla	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	5%	Cattle	☐ Springs ☐
Valley	<b>✓</b> WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	10%	Other	
Riverside/Floodplair	n 🗆 WD1	20%	Grazing level	I 0
Coastal/Estuary	□ WD2	10%		
	Other habita	ts WD4 20% W	'S5 35%	
Field notes		F	External data sou	urce: not all data recorded
Graiguenamanagh. canopy species are	The soil is a free draining downy birch (Betula pu	ng brown earth. The bescens) and pedur	site is adjacen nculate oak (Qu	bw in Co. Carlow, 5 km south of to conifer plantation forestry. The main percus robur), with a shrub layer composed non-scripta is common in the field layer.

Site no.	001	0	FIPS no.	29672	
Date surveyed	15/04/2	2003			
Woodland name	Clogheristick	Wood	Tov	vnland name	Clogheristick
Conservation rating	and score	Moderate	54	Threat	t rating and score Moderate 25
Disco. map 61	Grid	ref. S701	698	6 inch sheet	CW 12 County Carlow
NPWS region S	outh Eastern	NHA code	806	SAC code	- SPA Code -
National Park	Nature R	eserve		V	Voodland present in the 1840s Yes
Ownership	Private - Sing	gle Area	a (ha) 1	0 Max.	alt. (m) 50 Min. alt. (m) 40
Sub-soil GLs/	A		Soil	BminSW/All	luvMIN
<u>Geography</u>		Woodland hal	oitats	Grazing	Hydrological features
Esker		WN1	0%	Deer	☐ Seasonal flooding ✓
Drumlin		WN2	0%	Cattle	Springs
Valley	<u> </u>	WN3	0%	Sheep	Lakes
Lakeside		WN4	0%	Rabbits	Rivers/streams
Bogland		WN5	20%	Hares	☐ Damp clefts/ravines ☐
Hill		WN6	0%	Goats	Other
Plain/Lowlands		WN7		Horses	
Island		WS1	0%	Other	Unknown
Riverside/Floodplair	ր 🗆	WD1	0%	Grazing level	1
Coastal/Estuary	'	WD1 WD2	0%	Orazing lover	
Coastal/Estuary	0	ther habitats	076		
Field notes	J	inor riaditato		External data sour	rest not all data recorded
					rce: not all data recorded
with wet willow wood dominated by ash (I holly (Ilex aquifolium Hyacinthoides non-salder (Alnus glutinos purpurea) are prese Angelica sylvestris, wood, but it is largel	dland along the raxinus excention and hazel of scripta is abute about in the carent both in the Urtica dioically ungrazed a	he bottom of the selsior) and beech (Corylus avellana ndant in the field hopy, and grey will and Ranunculus and the field layer	slope by the r (Fagus sylva ) shrub layer. layer here. W low (Salix cin canopy. The ficaria. There is well develo	iver bank. Drier tica), with an un Beech (Fagus s'etter areas on gerea), crack-will field layer here dare tracks (wall pped. Snowberr	ove the River Barrow at Milford, Co. Carlow, areas on grey-brown podzolic soils are derstorey of wych elm (Ulmus glabra), and a sylvatica) is also present in the shrub layer. gleys are characterised by the presence of low (Salix fragilis) and purple willow (Salix contains Rorippa nasturtium-aquaticum, kers, horses, badgers etc.) throughout the ry (Symphoricarpos albus) and cherry laurel to the southern end of the wood.

Site no.	0012	FIPS no.	40971, 29755	, 75223, 29763, 2975	9, 61932, 29756, 61933
Date surveyed	03/10/2003	]			
Woodland name	Oakpark	Tov		Oakpark, Painestown Monaclaudy	n, Ballaghmoon Castle,
Conservation rating	g and score Mod	lerate 52	Threa	t rating and score	Low 8
Disco. map 6	1 Grid ref.	S735803	6 inch sheet	CW 2/KD 39 Coun	nty Carlow
NPWS region	South Eastern NHA	code 810	SAC code	S	PA Code -
National Park	Nature Reserve		V	Voodland present in the	he 1840s Yes
Ownership	Other State Body	Area (ha) 3	9 Max.	alt. (m) 60	Min. alt. (m) 60
Sub-soil A/GI	Ls	Soil	AlluvMIN/Br	minSP/BminSW	
Geography	Woodl	and habitats	Grazing	<u>Hydro</u>	logical features
Esker	□ WN1	0%	Deer	Seasona	al flooding
Drumlin	□ WN2	60%	Cattle	Springs	
Valley	□ WN3	0%	Sheep	Lakes	$\checkmark$
Lakeside	□ WN4	0%	Rabbits	✓ Rivers/st	treams
Bogland	□ WN5	0%	Hares	Damp cl	efts/ravines
Hill	□ WN6	0%	Goats	Other	Drains
Plain/Lowlands	✓ WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplai	in WD1	20%	Grazing level	1	
Coastal/Estuary	□ WD2	20%			
	Other habita	ts			
Field notes		1	External data sou	rce: not all data recorded	L t
woodland area is si mineral soil. Currer woodland with ash Scots pine (Pinus s beech (Fagus sylva (Corylus avellana):	demesne wood located ituated on low-lying land on low-lying land only the wood is unmana. (Fraxinus excelsior) and sylvatica). The understoratica) and sycamore (Acshrubs. The field layer ingg. in places. Some part	around an artificial   ged. The woodland v l beech (Fagus sylva ey and shrub layers er pseudoplatanus), ncludes Hyacinthoide	pond and its isla varies from ash atica), and there are largely com as well as the n es non-scripta a	ands, on a moderately (Fraxinus excelsior) we are areas of mixed be aposed of young ash (more typical holly (llexand Glechoma hederage	reely draining voodland to mixed roadleaf woodland with Fraxinus excelsior), aquifolium) and hazel cea but has abundant

Site no.	0014	FI	PS no.	84615, 61145	, 62615
Date surveyed	21/05/2003				
Woodland name	Drummond Wood		Towr	nland name	Bauck
Conservation rating	and score	Moderate	52	Threat	t rating and score Moderate 33
Disco. map 68	Grid ref.	S735368	6	inch sheet	CW 26 County Carlow
NPWS region S	South Eastern	NHA code	-	SAC code	2162 SPA Code -
National Park	Nature Reser	ve 🗌		V	Voodland present in the 1840s Yes
Ownership	Coillte	Area (ha	a) 10.	2 Max.	alt. (m) 40 Min. alt. (m) 20
Sub-soil RckN	ICa/GLs/A		Soil	AminSW/Br	minSW/AlluvMIN
<u>Geography</u>	<u>V</u>	Voodland habitat	<u>S</u>	Grazing	Hydrological features
Esker	$\Box$ w	N1 6	0%	Deer	Seasonal flooding
Drumlin	$\Box$ w	N2	0%	Cattle	Springs
Valley	<b>✓</b> w		0%	Sheep	Lakes
Lakeside			0%	Rabbits	☐ Rivers/streams ✓
Bogland			0%	Hares	☐ Damp clefts/ravines ☐
Hill			0%	Goats	Other
Plain/Lowlands			0%	Horses	
Island			0%	Other	
Riverside/Floodplair	_		0%	Grazing level	0
Coastal/Estuary			0%		
·	Other I	nabitats			
Field notes			Ex	kternal data soul	rce: not all data recorded
the River Barrow so main canopy specie Beech (Fagus sylva throughout the woo contained the lowes Around the purer co	buth of Saint Mullir es is pedunculate of tica) occurs in both d. The field layer is the density of exotic conifer blocks, esperoughout is indicat	oak (Quercus roboth the canopy and sparse, but Dry species. The other citally close to the ci	The site is bur), and the subcaropteris dilater parts he river, the	s on a modera iis is underlain anopy. Dougla atata does occ ad a higher pro re is a good fri	ation located on the steeply sloping banks of tely freely draining brown earth soil. The by a holly (llex aquifolium) subcanopy. It is fir (Pseudotsuga menziesii) also occurs cur. The area where releve 1 was taken oportion of beech but a similar ground flora. It is inge of hazel (Corylus avellana) and willows. It is deal along fringes, edges or in less dense

Site no. 0015 FIPS no. 62990, 62993, 62994, 43800, 62995, 84060, 65506, 65507
Date surveyed 29/04/2003
Woodland name Borris Townland name Borris, Ballycoppigan, Ballynagrane, Knocknagundarrag
Conservation rating and score Very Good 79 Threat rating and score High 58
Disco. map 68 Grid ref. S723499 6 inch sheet CW 22 County Carlow
NPWS region South Eastern NHA code 799 SAC code 2162 SPA Code -
National Park Nature Reserve Woodland present in the 1840s Yes
Ownership Private - Single Area (ha) 110 Max. alt. (m) 50 Min. alt. (m) 20
Sub-soil GLs/TGr/RckNCa/A Soil AlluvMIN/BminSW/BminSP/AminSW/AminDW
Geography Woodland habitats Grazing Hydrological features
Esker
Drumlin
Valley ✓ WN3 0% Sheep ✓ Lakes ✓
Lakeside
Bogland
Hill WN6 5% Goats Other
Plain/Lowlands
Island WS1 0% Other
Riverside/Floodplain WD1 T0% Grazing level 1
Coastal/Estuary WD2 0%
Other habitats
Field notes External data source: not all data recorded
This is a very large wood located 1.5 km southwest of Borris, on the side of a valley on the banks of the river Barrow, Co. Carlow. There are three major native woodland habitats at the site, and a relevé was recorded at each one. The largest portion of the site is dominated by pedunculate oak (Quercus robur) with sycamore (Acer pseudoplatanus) on freely draining brown earth soil. Hazel (Corylus avellana) and holly (Ilex aquifolium) occur in the shrub layer here, and Hyacinthoides non-scripta occurs in the field layer. The second woodland type is dominated by ash (Fraxinus excelsior) in the canopy and shrub layer, and is on a gley soil. Alder (Alnus glutinosa) also occurs here. Caltha palustris dominates the field layer, and other plants found here include Filipendula ulmaria and Ranunculus ficaria. Finally, there is an area of ash (Fraxinus excelsior) and alder (Alnus glutinosa) woodland with an ash (Fraxinus excelsior), hazel (Corylus avellana) and goat willow (Salix caprea) shrub layer on a gley soil. Species occurring in the field layer include Ranunculus ficaria, Filipendula ulmaria, Crepis paludosa and Hyacinthoides non-scripta. There is some light grazing by sheep and rabbits. Cherry laurel (Prunus laurocerasus) and Rhodendron (Rhodendron ponticum) are highly invasive on this site. A very large oak (30 m tall, 1 m in diameter) was noted and its location recorded (GPS grid ref:S7292949856; error of 7 m). The surrounding landscape is composed of improved grassland and non-native woodland.

Site no.	0017	FIPS no.	28440, 60871	, Non FIPS	
Date surveyed	30/04/2003	]			
Woodland name	Thomastown	To	wnland name	Jerpoint Abbey, Grenan	
Concernation ratio	n and seers Mad	loroto F0	There	t ration and a second Constant	\ <u></u>
Conservation rating	g and score Mod	derate 58	i nrea	at rating and score Moderate 2	25
Disco. map 6	7 Grid ref.	S580409	6 inch sheet	KK 28 County Kilkenny	
NPWS region	South Eastern NHA	code 410	SAC code	- SPA Code -	
National Park	Nature Reserve		V	Noodland present in the 1840s Yes	
Ownership	Private - Multiple	Area (ha)	4.3 Max.	alt. (m) 40 Min. alt. (m) 20	
Sub-soil Rckl	NCa/TLs/GLs/A	So	il AminSW/Br	minDW/BminSW/AlluvMIN	
Geography	Woodl	and habitats	Grazing	Hydrological features	
Esker	□ WN1	10%	Deer	Seasonal flooding	
Drumlin	□ WN2	10%	Cattle	☐ Springs ☐	
Valley	✓ WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	✓ Rivers/streams ✓	
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐	
Hill	WN6	5%	Goats	Other	
Plain/Lowlands	WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodpla	in WD1	75%	Grazing level	1	
Coastal/Estuary	□ WD2	0%			
	Other habita	its		]	
Field notes			External data sou	rce: not all data recorded	
Thomastown, Co. I woodland with wet beech (Fagus sylva (Fagus sylvatica).	Kilkenny. The site is on r willow (Salix sp.) woodla atica). Ash (Fraxinus exc The Hyacinthoides non-s	moderately freely draind at the interface selsior) occurs in the scripta occurs in the	aining mineral so with the wet mea e subcanopy, and e field. Other area	River Nore, 1 km southwest of oil. The main habitat type is dry mixed adow. Most of the wood is dominated by d the shrub layer is dominated by beech as are dominated by ash (Fraxinus g. and Orchis mascula also occur here.	

Site no.	0018		FIPS no.	66762			
Date surveyed	02/04/200	)3					
Woodland name	Ballykeefe Woo	d	Tow	nland name	Ballykeefe Hill		
Conservation rating	g and score	Moderate	58	Threa	t rating and score	Moderate	25
Disco. map 6	7 Grid ref	f. S4075	515	6 inch sheet	KK 22 Cou	unty Kilke	nny
NPWS region	South Eastern	NHA code	400	SAC code	-	SPA Code	-
National Park	Nature Res	erve 🗸		V	Woodland present in	the 1840s	Yes
Ownership	NPWS	Area	(ha) 55	.4 Max.	alt. (m) 210	Min. alt. (m)	120
Sub-soil Rck	Ca/TNSSs		Soil	BminSW/Ar	minDW		
<u>Geography</u>		Woodland hab	oitats	Grazing	Hydr	rological features	
Esker		WN1	0%	Deer	<b>✓</b> Seasor	nal flooding	
Drumlin		WN2	100%	Cattle	Springs	s [	
Valley		WN3	0%	Sheep	Lakes	[	
Lakeside		WN4	0%	Rabbits	✓ Rivers/	streams [	
Bogland		WN5	0%	Hares	☐ Damp o	clefts/ravines	
Hill	<b>✓</b>	WN6	0%	Goats	Other		
Plain/Lowlands		WN7	0%	Horses			
Island		WS1	0%	Other			
Riverside/Floodplai	n 🗌	WD1	0%	Grazing level	1		
Coastal/Estuary		WD2	0%				
	Othe	er habitats			]		
Field notes			E	External data sou	rce: not all data record	ed	
wood on the side of formerly planted in they are still a size oak (Quercus robusubcanopy. Toward fruticosus agg. is the occupied by thicket	f a steep hill, on parts with conife able component or), and these are also the west of the main field layers of ash except are, foxes and son	a freely draining rous species. If of the canopy. underlain by a wood hazel (Ger species. Few at the boundari	g mineral soin many block The main car hawthorn (Corylus avella mature broases and some	, 12 km southw s these have no nopy species ar rataegus mono na) is somewh dleaved trees a occasional ma	s and Wildlife Service vest of Kilkenny town ow largely been reme ash (Fraxinus exceyna) and beech (Faat more abundant thate present. Much of ture specimens in this ite is lightly grazed	n, Co. Kilkenny. It oved, while in oth elsior) and pedunagus sylvatica) an in other parts. the woodland is e wood. The flora	was ers culate Rubus

Site no.	0019	FIPS no.	68950, 65851	I		
Date surveyed	25/06/2003	]				
Woodland name	Ballyhighland	To	wnland name	Ballyhighland		
Conservation rating	and score P	oor 36	Threa	at rating and score	Moderate	33
Disco. map 68	8 Grid ref.	S875405	6 inch sheet	WX 19 County	Wex	ford
NPWS region S	South Eastern NHA	code -	SAC code	- SPA	A Code	-
National Park	Nature Reserve		1	Woodland present in the	1840s	Yes
Ownership	Coillte	Area (ha)	9.6 Max.	alt. (m) 184 Min	n. alt. (m)	120
Sub-soil RckN	NCa/TLPS	Soi	AminSW/A	minDW		
<u>Geography</u>	Woodl	and habitats	Grazing	Hydrolog	gical features	
Esker	□ WN1	0%	Deer	Seasonal fl	looding	
Drumlin	□ WN2	0%	Cattle	Springs		
Valley	WN3	0%	Sheep	Lakes		
Lakeside	WN4	0%	Rabbits	Rivers/stream	ams	
Bogland	WN5	0%	Hares	Damp clefts	s/ravines	
Hill	<b>✓</b> WN6	0%	Goats	Other		
Plain/Lowlands	WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplain	n 🗌 WD1	15%	Grazing level	0		
Coastal/Estuary	□ WD2	15%				
	Other habita	wD4 70%				
Field notes			External data sou	urce: not all data recorded		
The main canopy spetraea) also occur fruticosus agg The	pecies is beech (Fagus . Holly (Ilex aquifolium)	sylvatica), and Euro is the dominant shr	pean larch (Lar ub species, and	nnisorthy, on well drained rix decidua) and sessile of d the dominant field speci a is present in places, inc	oak (Quercus ies is Rubus	

Site no.	0020	FIPS no.	. 61112, 61107	7, 61108, 39175, 64191
Date surveyed	01/05/2003			
Woodland name	Brownstown Wood	-	Townland name	Brownstown, Listerlin
Conservation rating	g and score V	ry Good 61	Threa	at rating and score Low 0
Disco. map 7	6 Grid ref.	S655295	6 inch sheet	KK 37 County Kilkenny
NPWS region	South Eastern N	HA code 827	SAC code	827 SPA Code -
National Park	Nature Reserve		,	Woodland present in the 1840s Yes
Ownership	Coillte	Area (ha)	17 Max.	alt. (m) 150 Min. alt. (m) 50
Sub-soil TLP	SsS/RckNCa/A		Soil AminDW/A	minSW/AlluvMIN
Geography	Wo	dland habitats	Grazing	Hydrological features
Esker	□ WN1	100%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	<b>✓</b> Springs
Valley	<b>✓</b> WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	✓ Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodpla	in 🗌 WD1	0%	Grazing leve	1 1
Coastal/Estuary	□ WD2	0%		
	Other hal	itats		
Field notes			External data sou	urce: not all data recorded
brown earth. Sessil Vaccinium myrtillus prominent in the we (Betula pubescens) The wood is lightly	e oak (Quercus petra , Rubus fruticosus ag est and parts of the so ) canopy and hazel (0	ea) is dominant in the g. and Luzula sylva uth and east of the orylus avellana) und abbits, and is surro	ne canopy, and the tica occur in the fic site. There is a str derstorey along th	s. The soil is a moderately freely draining ere is a holly (Ilex aquifolium) shrub layer. eld layer. Hazel (Corylus avellana) becomes rip of wet woodland with a downy birch e stream that marks the northern boundary. ed grassland, as well as semi-natural

Site no.	0022		FIPS no.	66702	
Date surveyed	28/04/200	3			
Woodland name	Fiddown		Tov	nland name	Fiddown Island
Conservation rating	and score	Moderate	42	Threa	at rating and score Low 17
Disco. map 7	5 Grid ref	. S4632	205	6 inch sheet	KK 42 County Kilkenny
NPWS region S	South Eastern	NHA code	-	SAC code	2137 SPA Code -
National Park	Nature Rese	erve 🗸		V	Woodland present in the 1840s No
Ownership	NPWS	Area	(ha) 1	6 Max.	alt. (m) 5 Min. alt. (m) 2
Sub-soil A			Soil	AlluvMIN	
Geography		Woodland hab	<u>oitats</u>	Grazing	<u>Hydrological features</u>
Esker		WN1	0%	Deer	Seasonal flooding
Drumlin		WN2	0%	Cattle	☐ Springs ☐
Valley		WN3	0%	Sheep	Lakes
Lakeside		WN4	0%	Rabbits	☐ Rivers/streams
Bogland		WN5	100%	Hares	☐ Damp clefts/ravines ☐
Hill		WN6	0%	Goats	Other
Plain/Lowlands		WN7	0%	Horses	
Island		WS1	0%	Other	
Riverside/Floodplai		WD1	0%	Grazing level	0
Coastal/Estuary		WD2	0%		
	Othe	r habitats			]
Field notes			E	External data sou	ırce: not all data recorded
Drainage is strongly alba) is the domina willow (Salix capreadoes hazel (Corylus	y impeded, and the canopy species (s), crack willow (s) avellana). Guel by Carex riparia,	he soil is a gleyes, and grey wil Salix fragilis), a der-rose (Vibur	<ul> <li>It is access low (Salix cir lmond willow rnum opulus)</li> </ul>	ed by a road therea) occurs in (Salix triandra) is locally frequ	am east-southeast of Carrick-on-Suir. That runs through the site. White willow (Salix on the subcanopy and shrub layers. Goat on the subcanopy and shrub layers. Goat on the site (Salix viminalis) also occur, as uent and is regenerating freely. The field ocata are also present. The site does include

Site no.	0026	FIPS no.	54613, 54598,	, 65541, 54637, 6554	10, 68452				
Date surveyed	07/05/2003	]							
Woodland name	Carrickduff Wood	Tov	vnland name	Carrickduff, Deerpar	k Old				
Conservation rating	and score Mod	lerate 54	Threat	rating and score	Moderate	33			
Disco. map 68	8 Grid ref.	S895568	6 inch sheet	CW 21 Cou	nty Ca	ırlow			
NPWS region S	NPWS region South Eastern NHA code 803 SAC code 781 SPA Code -								
National Park	Nature Reserve		V	Voodland present in t	the 1840s	Yes			
Ownership	Private - Single	Area (ha) 27	7.6 Max.	alt. (m) 110	Min. alt. (m)	90			
Sub-soil RckN	NCa/A/TMp/GLPSsS	Soil	AminSW/All	uvMIN/AminDW					
<u>Geography</u>	Woodl	and habitats	Grazing	Hydro	ological feature	<u>S</u>			
Esker	□ WN1	0%	Deer	Season	al flooding				
Drumlin	□ WN2	0%	Cattle	Springs					
Valley	<b>✓</b> WN3	0%	Sheep	Lakes					
Lakeside	□ WN4	0%	Rabbits	Rivers/s	streams	<b>✓</b>			
Bogland	□ WN5	0%	Hares	☐ Damp c	elefts/ravines				
Hill	□ WN6	0%	Goats	Other					
Plain/Lowlands	□ WN7	0%	Horses						
Island	□ WS1	0%	Other						
Riverside/Floodplair		100%	Grazing level	0					
Coastal/Estuary	□ WD2	0%	· ·						
,	Other habita								
Field notes		I	External data soui	ce: not all data recorde	ed 🗌				
part of the wood is reastern part of the sprobably yew (Taxusylvatica) and sessi aquifolium). Rubus conifers have recenoaks and beech (Fa	y wood, located just were more steeply sloping that site, and there is eviden as baccata) planting. Will le oak (Quercus petraer fruticosus agg., Vaccini atly been felled from the agus sylvatica), and the the late 18th century.	at the eastern part. For the ce of horse-chestnur low species (Salix sor) dominant. There in myrtillus and Luz valley floor leaving a	Rhododendron (I t (Aesculus hipp pp.) are abunda s a subcanopy o zula sylvatica oc a large cleared a	Rhododendron pontic locastanum), lime (Ti nt near the stream, v of beech (Fagus sylva cur in the field layer. area. The slopes are	cum) is abunda ilia cordata) and vith beech (Fag atica) and holly In the western planted with ma	nt in the d lus (Ilex area, ature			

Site no.	0027		FIPS no.	57624			
Date surveyed	29/05/200	03					
Woodland name	Dovegrove Call	ows	Tow	nland name	Dovegrove		
Conservation rating	g and score	Moderate	54	Threa	t rating and score	Moderate 33	
Disco. map 5	3 Grid re	f. N0420	)72	6 inch sheet	OF 35	ounty Offaly	
NPWS region North Eastern NHA code 10 SAC code - SPA Code 4137							
National Park	Nature Res	erve 🗌		V	Voodland present in	n the 1840s No	
Ownership	Private - Single	Area	(ha) 9.	8 Max.	alt. (m) 40	Min. alt. (m) 38	
Sub-soil Cut/	A		Soil	Cut/AlluvMI	N		
Geography		Woodland hab	oitats	Grazing	Hyd	drological features	
Esker		WN1	0%	Deer	<b>✓</b> Seaso	onal flooding	
Drumlin		WN2	0%	Cattle	Spring	gs $\square$	
Valley	$\checkmark$	WN3	0%	Sheep	Lakes	<b>✓</b>	
Lakeside		WN4	0%	Rabbits	Rivers	s/streams	
Bogland		WN5	100%	Hares	Damp	clefts/ravines	
Hill		WN6	0%	Goats	Other		
Plain/Lowlands		WN7	0%	Horses			
Island		WS1	0%	Other			
Riverside/Floodplai		WD1	0%	Grazing level	3		
Coastal/Estuary		WD2	0%				
•	Othe	er habitats					
Field notes			E	xternal data soul	rce: not all data recor	ded	
Birr, Co. Offaly. Asl occasional oak (Qu alder (Alnus glutino meadowsweet (Filip frequent in places - lots of surface water	n (Fraxinus exce lercus robur). Th lesa), and juvenile bendula ulmaria) probably a gard er and stagnant p razing is a threat	elsior) is the don the shrub layer is the ash (Fraxinus the and large sed then escape - but the bools. The huming the the done	ninant canopy s infrequent as excelsior). The ges (Carex spect it does not a did atmosphere diderable bark	r former with frend where present field layer is op.). The summippear to be investigated amage, as we damage, as we	equent alder (Alnusent it consists of gredominated by iris (her snowflake (Leudrasive. Soils are postelopment of lichen fell as deer tracks a	ey willow (Salix cinerea), Iris pseudacorus), cojum aestivum) is orly drained gleys with flora, particularly on ash nd grazing of woody	

Site no.	0028	FIPS no.	Non FIPS	
Date surveyed	11/09/2003	]		
Woodland name	Clonfinlough Esker	Tov	wnland name	Clonfinlough
Conservation rating	g and score Mod	derate 42	Threa	at rating and score Low 8
Disco. map 4	7 Grid ref.	N047298	6 inch sheet	OF 06 County Offaly
NPWS region	North Eastern NHA	code 892	SAC code	- SPA Code -
National Park	Nature Reserve		١	Woodland present in the 1840s Yes
Ownership	Private - Single	Area (ha) 2	.5 Max.	alt. (m) 70 Min. alt. (m) 55
Sub-soil Basi	Esk/GLs	Soil	BminSW	
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	✓ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	100%	Cattle	<b>✓</b> Springs
Valley	WN3	0%	Sheep	<b>✓</b> Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	WN6	0%	Goats	Other
Plain/Lowlands	WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n WD1	0%	Grazing level	1 2
Coastal/Estuary	□ WD2	0%		
	Other habita	its		
Field notes			External data sou	urce: not all data recorded
(Corylus avellana) i (Quercus robur) als chamaedrys and Vi	is the most frequent tree so occur. Conopodium n iola sp. Heavy epiphyte	e at the site, and have najus occurs in the fi growth was recorde	vthorn (Crataeg eld layer, as do d in the northerr	aining grey-brown podzolic soil. Hazel lus monogyna) and pedunculate oak o Geum urbanum, Primula vulgaris, Veronica n part of the wood. The western part, which the north, a quarry adjoins the site. Paths run

Site no.	003	0	FIPS no.		6, 28551, 68053, 57656, 107624, 57651, 2, 57832, 28558, 57826, 68048
Date surveyed	29/05/2	2003		01010, 01002	2, 07002, 20000, 07020, 00040
Woodland name	Woodville		Tov	vnland name	Tullynisk, Woodfield, Ballindown, Boolinarig, Glenns
Conservation rating	and score	Moderate	48	Threa	at rating and score High 50
Disco. map 53	Grid	ref. N0650	075	6 inch sheet	OF 35 County Offaly
NPWS region N	lorth Eastern	NHA code	927	SAC code	- SPA Code -
National Park	Nature R	eserve		,	Woodland present in the 1840s Yes
Ownership	Private - Sing	gle Area	a (ha) 6	5 Max.	. alt. (m) 86 Min. alt. (m) 40
Sub-soil GLs/	BasEsk/Cut		Soil	BminSW/C	Cut
<u>Geography</u>		Woodland hat	<u>oitats</u>	Grazing	Hydrological features
Esker	<b>✓</b>	WN1	0%	Deer	Seasonal flooding
Drumlin		WN2	40%	Cattle	☐ Springs ☐
Valley				Sheep	Lakes
Lakeside		WN3	0%	Rabbits	Rivers/streams
		WN4	0%	Hares	☐ Damp clefts/ravines ☐
Bogland		WN5	0%		
Hill		WN6	0%	Goats	U Other
Plain/Lowlands		WN7	0%	Horses	
Island		WS1	0%	Other	
Riverside/Floodplair	n 🗌	WD1	0%	Grazing leve	9 3
Coastal/Estuary		WD2	20%		
	0	ther habitats	Not Recorde	d 40%	
Field notes			ı	External data sou	urce: not all data recorded
Conifers are widely species is ash (Frax such as sessile oak the property. Deer gand holly (Ilex aquif (Fraxinus excelsior) canopy and restricts	planted in va kinus excelsic (Quercus pe grazing is a se olium) do occ dominated a s developmer occurs here a	lleys and hollows. or). Some of these traea), wych elm erious threat and t eur in places. Exte reas. Mercurialis of native woodla nnually. Deer cull	Broadleaf are areas are model (Ulmus glabro), the shrub flor nsive carpets perennis is wand flora drass also occur.	eas are found anaged for time a) and Lombar a is restricted, s of Hyacinthoicery invasive estically. Box (Bu	o. Offaly on freely draining mineral soil. on eskers and slopes, and the main canopy aber production. Some large specimen trees dy poplar (Populus nigra) are found within although pockets of hazel (Corylus avellana) des non-scripta are a feature of ash specially under sessile oak (Quercus petraea) uxus sempervirens) has been planted and een hazel (Corylus avellana) and ivy (Hedera

Site no.	0031		FIPS no.			7590, 93098, 93099,
Date surveyed	04/06/20	003		58273, 93100		
Woodland name	Cloghan Demo Wood	esne Bog and	Tov	wnland name	Cloghan Demesne	
Conservation ratin	g and score	Very Good	64	Threa	t rating and score	Moderate 33
Disco. map 5	Grid re	ef. M968	127	6 inch sheet	OF 29 Co	ounty Offaly
NPWS region	North Eastern	NHA code	1613	SAC code	-	SPA Code 4086
National Park	Nature Re	serve		V	Voodland present in	the 1840s Yes
Ownership	Private - Single	e Area	a (ha) 28	3.3 Max.	alt. (m) 40	Min. alt. (m) 40
Sub-soil Cut/	Mrl/TLs/BasEsk	/GLs	Soil	Cut/AlluvMF	RL/BminPDPT/Bmir	nPD/BminDW/BminSW
<u>Geography</u>		Woodland hat	<u>oitats</u>	Grazing	Hyd	Irological features
Esker		WN1	0%	Deer	Seaso	onal flooding
Drumlin		WN2	0%	Cattle	Spring	js 🗌
Valley	<u> </u>	WN3	0%	Sheep	✓ Lakes	
Lakeside		WN4	0%	Rabbits	Rivers	s/streams
Bogland		WN5	0%	Hares	Damp	clefts/ravines
Hill		WN6	10%	Goats	Other	Ditches
Plain/Lowlands		WN7	0%	Horses		
Island		WS1	10%	Other		
Riverside/Floodpla		WD1	70%	Grazing level	1	
Coastal/Estuary		WD1	5%	J		
Coucial, Lottary	Oth		WS2 5%		]	
Field notes	Our	er riabitats		External data sou	ce: not all data record	ded 🗆
moderately freely of (Fraxinus excelsion occurs in the shrub There is a small ar	th (Fagus sylvat Iraining grey-bro ), oak (Quercus Iayer. Viola rivi ea of wet woodl y willow (Salix c	ica), pedunculate own podzolic soi soi robur), sycamo iniana, Heracleu and on a fen perinerea). Hawtho	te oak (Quero I. Significant re (Acer pse m sphondyliu at with marl. orn (Crataegu	cus robur) and a areas are unde udoplatanus) ar um and Hyacintl Dominants inclu	ash (Fraxinus excels rplanted with beech and conifers. Wych enoides non-scripta and ash (Fraxinus e	sior) and is on (Fagus sylvatica), ash

Site no.	0033		FIPS no.	57473, 57472			
Date surveyed	13/05/20	003					
Woodland name	Camcor Wood	l/Glinsk	Tow	nland name	Forelacka		
Conservation rating	and score	Very Good	61	Threat	t rating and score Low 0		
Disco. map 54	4 Grid r	ef. N218	044	6 inch sheet	OF 36 County Offaly		
NPWS region North Eastern NHA code 889 SAC code - SPA Code -							
National Park	Nature Re	serve		V	Voodland present in the 1840s No		
Ownership	Coillte	Area	a (ha) 5.	5 Max. a	alt. (m) 180 Min. alt. (m) 150		
Sub-soil A/GL	s/TDSs		Soil	AlluvMIN/Bn	minSPPT/AminPDPT		
<u>Geography</u>		Woodland hal	<u>oitats</u>	Grazing	Hydrological features		
Esker		WN1	0%	Deer	Seasonal flooding     ✓		
Drumlin		WN2	0%	Cattle	☐ Springs ☐		
Valley	<b>✓</b>	WN3	0%	Sheep	Lakes		
Lakeside		WN4	0%	Rabbits	☐ Rivers/streams ✓		
Bogland		WN5	0%	Hares	☐ Damp clefts/ravines ☐		
Hill		WN6	70%	Goats	Other		
Plain/Lowlands		WN7	0%	Horses			
Island		WS1	0%	Other	Unknown		
Riverside/Floodplain	n 🗌	WD1	30%	Grazing level	2		
Coastal/Estuary		WD2	0%				
•	Oth	er habitats					
Field notes			E	xternal data sour	rce: not all data recorded		
podzolic type. The s 35 m deep and hav excelsior), and such the flat valley bottor ash (Fraxinus excel	site can be divi e a slope of ov kering wych eln m on either side (sior), with a sh and the woodla	ded into two dister 45 degrees. The contract of the Camcor of the Camcor of hazer of	tinct types. Th These are woo ) with a field la River. The ma el (Corylus av	e steep slopes oded with beech ayer of Polystich ain canopy specellana) and haw	Ifaly. The soil is a poorly drained grey-brown on either side of the Glinsk Stream are c. in (Fagus sylvatica), ash (Fraxinus num setiferum. The main part of the site is cies here are alder (Alnus glutinosa) and withorn (Crataegus monogyna). There are er plantation. There are no invasive shrub		

Site no.	0034	FIPS no.	56329, 56319	, Non FIPS		
Date surveyed	25/04/2003	]				
Woodland name	Quakerstown	Tov	wnland name	Quakerstown, Kilmu	urryley, Doughcl	oyne
Conservation rating	and score Mod	derate 48	Threa	t rating and score	Moderate	25
Disco. map 53	Grid ref.	S040929	6 inch sheet	OF 42/T 10 Cou	unty O	ffaly
NPWS region N	lorth Eastern NHA	code 890	SAC code	-	SPA Code	-
National Park	Nature Reserve		V	Noodland present in	the 1840s	No
Ownership	Coillte	Area (ha)	1.5 Max.	alt. (m) 72	Min. alt. (m)	65
Sub-soil Cut/G	GLs/TLs	Soil	Cut/BminSV	W/BminDW		
<u>Geography</u>	Woodl	and habitats	Grazing	Hydr	ological feature	<u>s</u>
Esker	□ WN1	0%	Deer	✓ Seasor	nal flooding	<b>✓</b>
Drumlin	□ WN2	0%	Cattle	Springs	3	
Valley	□ WN3	0%	Sheep	Lakes		<b>✓</b>
Lakeside	□ WN4	0%	Rabbits	Rivers/	streams	
Bogland	✓ WN5	0%	Hares	☐ Damp o	clefts/ravines	
Hill	□ WN6	0%	Goats	Other		
Plain/Lowlands	□ WN7	40%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplair	n 🗌 WD1	60%	Grazing level	1		
Coastal/Estuary	□ WD2	0%				
	Other habita	its				
Field notes		!	External data sou	rce: not all data record	ed	
The canopy is doming Beech (Fagus sylva such as bell heather	zed wood at the edge o nated by downy birch (I tica) and sessile oak (C r (Erica cinerea) and Go nificant component. Mo	Betula pubescens), v Quercus petraea) are orse (Ulex europaeu	with rowan (Sorbe also present. To s). At the south	bus aucuparia) and h The field layer contai western part the soi	nolly (llex aquifo ns many woody I is more minera	lium). species al and

Site no.	0035		FIPS no.	67989				
Date surveyed	06/05/20	03						
Woodland name	Clorhane Woo	d	Tow	nland name	Clorhane			
Conservation rating	Conservation rating and score Moderate 54 Threat rating and score Low 0							
Disco. map 47	Grid re	ef. M987	284	6 inch sheet	OF 5/13 Co	ounty	ffaly	
NPWS region N	lorth Eastern	NHA code	894	SAC code	-	SPA Code	4096	
National Park	Nature Res	serve		V	Voodland present in	n the 1840s	No	
Ownership	NPWS	Area	a (ha) 27	.4 Max.	alt. (m) 60	Min. alt. (m)	50	
Sub-soil RckC	a		Soil	BminSW				
<u>Geography</u>		Woodland hat	<u>oitats</u>	Grazing	Hyd	Irological feature	<u>s</u>	
Esker		WN1	0%	Deer	Seaso	nal flooding	✓	
Drumlin		WN2	100%	Cattle	Spring	js .		
Valley		WN3	0%	Sheep	Lakes			
Lakeside		WN4	0%	Rabbits	Rivers	s/streams		
Bogland		WN5	0%	Hares	Damp	clefts/ravines		
Hill		WN6	0%	Goats	Other			
Plain/Lowlands	<b>✓</b>	WN7	0%	Horses				
Island		WS1	0%	Other	Unknown			
Riverside/Floodplair	ո 🗌	WD1	0%	Grazing level	1			
Coastal/Estuary		WD2	0%					
	Oth	er habitats						
Field notes			E	External data soui	rce: not all data record	ded		
This is a large undu There is limestone p wood is dominated I stems have a dbh o were not surveyed o spruce (Picea sitche site.	pavement at the by hazel (Coryl f less than 7 cn due to access p	e surface in som us avellana) scr n. Some areas o problems. The m	ne places but rub, up to 10 r of blackthorn nain field spec	the soil has deventall. Most of the (Prunus spinosicies is Rubus fru	veloped to c.30 cm he hazel has multip a) dominated scrub uticosus agg Larch	depth in most paule stems, and monocur. The (Larix decidua)	arts. The ost hese	

Site no.	0036		FIPS no.	58199, 58148,	, 83696, 58196, 68014
Date surveyed	05/06/200	3			
Woodland name	Lough Coura		Tow		Derryad, Whigsborough, Derrymullen, Loughderry
Conservation rating	g and score	Moderate	48	Threat	t rating and score Low 0
Disco. map 5	3 Grid ref	. N1121	30	6 inch sheet	OF 30 County Offaly
NPWS region	North Eastern	NHA code	909	SAC code	- SPA Code -
National Park	Nature Rese	erve 🗌		٧	Voodland present in the 1840s Yes
Ownership	Private - Multiple	Area	(ha) 5	Max.	alt. (m) 60 Min. alt. (m) 55
Sub-soil Basi	Esk/FenPt/Cut		Soil	BminSW/Fe	enPt/Cut
<u>Geography</u>		Woodland hab	<u>itats</u>	Grazing	Hydrological features
Esker	<b>✓</b>	NN1	0%	Deer	Seasonal flooding
Drumlin		NN2	80%	Cattle	☐ Springs ☐
Valley		NN3	0%	Sheep	Lakes
Lakeside		NN4	0%	Rabbits	Rivers/streams
Bogland		NN5	0%	Hares	□ Damp clefts/ravines □
Hill		NN6	0%	Goats	Other
Plain/Lowlands		NN7	20%	Horses	
Island		NS1	0%	Other	
Riverside/Floodplai		ND1	0%	Grazing level	1
Coastal/Estuary		ND2	0%		
	Othe	r habitats			
Field notes		_	E	External data sour	rce: not all data recorded
marsh and conifer oak (Quercus robu (Betula pubescens) pubescens), Rubus but it is composed an area of fen/lake.	plantation. Semi- r) dominated with ) woodland has d s fruticosus agg. of of Hedera helix, ( cutover peat with irch (Betula pube	natural woodlan a hazel (Coryl eveloped in a s dominates the f Circaea lutetian of expanses of cescens) alder (A	nd is located us avellana) series of sma ield layer. Ur a, Anemone conifer planta	in two separate understorey in the lill hillocks and done hazel (Cornemorosa, Sartion. At the edges) and willow services.	HA consisting of an infilled lake with dry fen, ed sections. Most of the site is pedunculate the north-eastern end. Here downy birch depressions. Under downy birch (Betula rylus avellana), there is less field layer cover nicula europaea and mosses. To the west is ges of the conifers can be found some scrub spp (Salix spp.). This area has a field layer

Site no.	0037	FIPS no.	29424, 29425	, 54678, 54680, 6598	7	
Date surveyed	23/09/2003	]				
Woodland name	Curraduff	To	wnland name	Curraduff		
Conservation rating	g and score Mod	derate 42	Threa	t rating and score	Low	8
Disco. map 6	9 Grid ref.	S984551	6 inch sheet	WX 10 Cour	nty Wex	ford
NPWS region	South Eastern NHA	code -	SAC code	S	PA Code	-
National Park	Nature Reserve		V	Woodland present in the	he 1840s	No
Ownership	Private - Single	Area (ha)	8 Max.	alt. (m) 70	Min. alt. (m)	55
Sub-soil A/TL	PSsS	Soi	AlluvMIN/A	minPD		
<u>Geography</u>	Woodl	and habitats	Grazing	Hydro	logical features	
Esker	□ WN1	0%	Deer	Seasona	al flooding	✓
Drumlin	□ WN2	0%	Cattle	Springs		
Valley	WN3	0%	Sheep	Lakes		
Lakeside	□ WN4	0%	Rabbits	Rivers/s	treams	✓
Bogland	□ WN5	100%	Hares	Damp cl	efts/ravines	
Hill	WN6	0%	Goats	Other		
Plain/Lowlands	<b>✓</b> WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplai	n WD1	0%	Grazing level	0		
Coastal/Estuary	□ WD2	0%				
	Other habita	its				
Field notes			External data sou	rce: not all data recorded	d 🗌	
along a stream, and southern half. Alde canopy. eared willo	d on poorly drained gley d was very wet and mar- r (Alnus glutinosa), grey w (Salix aurita) x S. cine main shrub layer specie	shy at the time of su willow (Salix cinere erea, ash (Fraxinus	rvey (late Septe a) and sycamore excelsior), alder	ember), so the survey e (Acer pseudoplatant r (Alnus glutinosa) and	was restricted t us) dominate th I (Crataegus	o the e

Site no.	0038	FIPS no.	65980			
Date surveyed	01/05/2003					
Woodland name	Graiguebeg	То	wnland name	Knockanure, Borris		
Conservation rating	and score F	oor 39	Threa	at rating and score	Moderate	25
Disco. map 69	Grid ref.	S962565	6 inch sheet	WX 10 Cou	unty We	xford
NPWS region S	South Eastern NHA	code -	SAC code	-	SPA Code	-
National Park	Nature Reserve		١	Woodland present in	the 1840s	No
Ownership	Private - Single	Area (ha)	.2 Max.	alt. (m) 60	Min. alt. (m)	60
Sub-soil A/TM	1p	Soi	AlluvMIN/A	minPD		
<u>Geography</u>	Wood	and habitats	Grazing	<u>Hydr</u>	ological feature	<u>8</u>
Esker	□ WN1	0%	Deer	<b>✓</b> Seasor	nal flooding	
Drumlin	□ WN2	0%	Cattle	Springs	3	
Valley	WN3	0%	Sheep	✓ Lakes		
Lakeside	□ WN4	0%	Rabbits		streams	
Bogland	WN5	0%	Hares	Damp o	clefts/ravines	
Hill	□ WN6	0%	Goats	Other		
Plain/Lowlands	✓ WN7	100%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplain	n 🗌 WD1	0%	Grazing level	1 4		
Coastal/Estuary	□ WD2	0%				
	Other habita	ats				
Field notes			External data sou	rce: not all data record	ed	
logged. Many of the (Alnus glutinosa), al grazed by cattle and Occasional uproote	n wood, 3 km north of C e birch are multi-stemm nd downy birch (Betula d is dominated by grass d birch occur. Open are ongoing burning and a	ed. The canopy is do pubescens) is the mees with only small pees occur with Ulex o	ominated by down nain shrub layer atches of herb seuropaeus and ware	wny birch (Betula pub species. The field la species, such as Rar	pescens) with alloyer is apparentl nunculus repens	der y winter

Site no.	0048	FIPS no.	60838, 60837	•
Date surveyed	18/06/2003	]		
Woodland name	Jerpoint Abbey	Tov	wnland name	Jerpoint Abbey
Conservation rating	g and score Mod	lerate 42	Threa	at rating and score Low 17
Disco. map 6	7 Grid ref.	S576400	6 inch sheet	KK 28 County Kilkenny
NPWS region	South Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Woodland present in the 1840s No
Ownership	Private - Single	Area (ha)	5 Max.	alt. (m) 70 Min. alt. (m) 50
Sub-soil Rckl	NCa/TDSs	Soil	AminSW/Ar	minPD
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	100%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	<b>✓</b> WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n WD1	0%	Grazing level	0
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes			External data sou	rce: not all data recorded
dominated by ash ( subcanopy, and is in the subcanopy. L	Fraxinus excelsior), whi the most frequent matur	ch is abundant as a e tree. Apple (Malus eum urbanum, Oxal	pole. Hawthorn s sylvestris sens	sint Abbey, Co. Kilkenny. The canopy is a (Crataegus monogyna) occurs in the s. lat.) and holly (Ilex aquifolium) also occur and Primula vulgaris are found in the field

Site no.	0049	FIPS no.	66905, 60900	, 66904, 60901		
Date surveyed	08/05/2003	]				
Woodland name	Grenan Wood	Tov	vnland name	Grenan		
Conservation rating	and score Very	Good 64	Threa	t rating and score	Moderate	25
Disco. map 67	Grid ref.	S593401	6 inch sheet	KK 28 Cou	inty Kilk	enny
NPWS region S	outh Eastern NHA	code -	SAC code	2162	SPA Code	-
National Park	Nature Reserve		V	Voodland present in	the 1840s	Yes
Ownership	Coillte	Area (ha) 2	Max.	alt. (m) 80	Min. alt. (m)	20
Sub-soil RckN	ICa/TDSs/A	Soil	AminSW/Ar	minDW/AlluvMIN/Am	inPD	
<u>Geography</u>	Woodl	and habitats	Grazing	<u>Hydr</u>	ological feature	<u>S</u>
Esker	□ WN1	0%	Deer	Season	al flooding	
Drumlin	□ WN2	0%	Cattle	Springs	i	
Valley	<b>✓</b> WN3	0%	Sheep	Lakes		
Lakeside	□ WN4	0%	Rabbits	Rivers/s	streams	
Bogland	□ WN5	0%	Hares	☐ Damp o	clefts/ravines	
Hill	□ WN6	0%	Goats	Other		
Plain/Lowlands	□ WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplair	n 🗌 WD1	100%	Grazing level	0		
Coastal/Estuary	□ WD2	0%				
	Other habita	its				
Field notes		1	External data sou	rce: not all data recorde	ed 🗌	
and its meadows. The southern end of the thicketing below and locally abundant and	ed wood 1.5 km south-s he soil is a moderately strip is very uniform, wi d some holly (llex aquifo d scarcer beech (Fagus ccur in the field layer. No	freely draining gley. th a hybrid oak (Que blium) present. The sylvatica). Dryopter	The area to the ercus x rosacea northern end is is affinis, Dryop	west of the site is plants of the site is pl	anted with conif beech (Fagus sy zel (Corylus ave	ers. The ylvatica)

Site no.	0051	FIPS no.	60976, 60977	, 60978		
Date surveyed	08/08/2003					
Woodland name	Kilfane House	To	wnland name	Kilfane		
Conservation rating	and score Mod	lerate 42	Threa	t rating and score	Low	17
Disco. map 67	7 Grid ref.	S596445	6 inch sheet	KK 28 Cou	unty Kilk	enny
NPWS region S	South Eastern NHA	code -	SAC code	-	SPA Code	-
National Park	Nature Reserve		V	Noodland present in	the 1840s	Yes
Ownership	Private - Single	Area (ha)	2 Max.	alt. (m) 50	Min. alt. (m)	40
Sub-soil TLs/	4	Soi	I BminDW/AI	lluvMIN		
Geography	Woodl	and habitats	Grazing	<u>Hydr</u>	rological features	<u>3</u>
Esker	□ WN1	0%	Deer	Seasor	nal flooding	
Drumlin	□ WN2	0%	Cattle	✓ Springs	S	
Valley	□ WN3	0%	Sheep	Lakes		
Lakeside	□ WN4	0%	Rabbits	Rivers/	streams	<b>✓</b>
Bogland	WN5	100%	Hares	☐ Damp	clefts/ravines	
Hill	□ WN6	0%	Goats	Other		
Plain/Lowlands	✓ WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplain	n 🗌 WD1	0%	Grazing level	2		
Coastal/Estuary	□ WD2	0%				
	Other habita	ts		]		
Field notes			External data sou	rce: not all data record	ed	
House were exclude laurocerasus), syca to an area of wet wo glutinosa) occurs he as Agrostis stolonife	or stream-side wood located from the survey due more (Acer pseudoplate bodland along the streatere, with a grey willow (Sera and Holcus lanatus of the river is grazed.	to a high proportion anus) and horse-che m, where the soil is Salix cinerea) and h	of non-native plestnut (Aesculus a poorly drained awthorn (Cratae	lanted trees such as s hippocastanum). The d gley. A small stand egus monogyna) shru	cherry laurel (P he survey was re l of alder (Alnus ub layer. Grasse	runus estricted s such

Site no.	0053	FIPS no.	62730		
Date surveyed	16/09/2003	]			
Woodland name	Kilcullen	Tov	vnland name	Kilcullen	
Conservation rating	g and score Mod	lerate 42	Threa	at rating and score Lov	v 17
Disco. map 6	8 Grid ref.	S623405	6 inch sheet	KK 28 County	Kilkenny
NPWS region	South Eastern NHA	code -	SAC code	- SPA Code	-
National Park	Nature Reserve		١	Woodland present in the 1840s	No
Ownership	Private - Single	Area (ha) 4	.2 Max.	alt. (m) 90 Min. alt. (	m) 70
Sub-soil TLP:	SsS/A	Soil	AminDW/A	minPD/AlluvMIN	
Geography	Woodl	and habitats	Grazing	Hydrological fea	atures _
Esker	□ WN1	0%	Deer	Seasonal flooding	✓
Drumlin	□ WN2	0%	Cattle	Springs	
Valley	□ WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	Rivers/streams	
Bogland	□ WN5	0%	Hares	Damp clefts/ravin	es 🗌
Hill	□ WN6	100%	Goats	Other	
Plain/Lowlands	<b>✓</b> WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplai	n WD1	0%	Grazing level	0	
Coastal/Estuary	□ WD2	0%			
	Other habita	ts			
Field notes		1	External data sou	irce: not all data recorded	
secondary woodlan glutinosa). Pedund robertianum, Vicia	id, dominated by downy culate oak (Quercus robi	birch (Betula pubesour) is occasional with ris occur in the field	cens), grey willo in. Dryopteris c	Co. Kilkenny. It is an immature sow (Salix cinerea) and alder (Aldilatata, Galium palustre, Gerane wet throughout most of the site	nus ium

Site no.	0058	FIPS no.	57797, 57774,	, 43622, 57773	
Date surveyed	15/05/2003	]			
Woodland name	Cullentragh	Tov	wnland name	Cullentragh, Clogaralt	
Conservation rating	g and score Mod	derate 58	Threat	t rating and score Moderate	25
Disco. map 6	8 Grid ref.	S715357	6 inch sheet	KK 33 County Kil	kenny
NPWS region	South Eastern NHA	code -	SAC code	- SPA Code	-
National Park	Nature Reserve		V	Noodland present in the 1840s	Yes
Ownership	Private - Multiple	Area (ha)	1.7 Max.	alt. (m) 110 Min. alt. (m)	40
Sub-soil TGr		Soil	AminDW		
Geography	Woodl	and habitats	Grazing	Hydrological feature	<u>es</u>
Esker	□ WN1	33%	Deer	Seasonal flooding	
Drumlin	□ WN2	33%	Cattle	✓ Springs	
Valley	<b>✓</b> WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	Rivers/streams	✓
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines	
Hill	□ WN6	0%	Goats	Other	
Plain/Lowlands	□ WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplai	n 🗌 WD1	34%	Grazing level	3	
Coastal/Estuary	□ WD2	0%			
	Other habita	its			
Field notes			External data soui	rce: not all data recorded	
site is on a hillside (Quercus petraea),	with improved grassland with a shrub layer of Ho	I and modified wood olly (Ilex aquifolium).	land adjacent to Dryopteris dilata	northeast of The Rower, Co. Kilkenro it. The canopy is dominated by sest ata and Blechnum spicant occur in sus) and Leycesteria formosa are in	ssile oak the field

Site no.	0061	FIPS no.	83954, 61536, 66897
Date surveyed	14/05/2003		
Woodland name	Cullaun	Тс	ownland name Cullaun, Ballygub New
Conservation rating	g and score	loderate 48	Threat rating and score Low 17
Disco. map 6	Grid ref.	S677355	6 inch sheet KK 33 County Kilkenny
NPWS region	South Eastern N	HA code -	SAC code - SPA Code -
National Park	Nature Reserve		Woodland present in the 1840s Yes
Ownership	Private - Multiple	Area (ha)	5.6 Max. alt. (m) 90 Min. alt. (m) 60
Sub-soil A/TL	_PSsS	So	AlluvMIN/AminDW/AminPD
<u>Geography</u>	Woo	dland habitats	Grazing Hydrological features
Esker	□ WN1	0%	Deer Seasonal flooding
Drumlin	□ WN2	30%	Cattle Springs
Valley	✓ WN3	0%	Sheep Lakes
Lakeside	□ WN4	0%	Rabbits
Bogland	□ WN5	0%	Hares Damp clefts/ravines
Hill	□ WN6	0%	Goats Other
Plain/Lowlands	□ WN7	0%	Horses
Island	□ WS1	0%	Other
Riverside/Floodpla	_	70%	Grazing level 1
Coastal/Estuary	□ WD2	0%	
	Other hal		
Field notes			External data source: not all data recorded
moderately freely cagg. and grey willo ficaria, Hyacinthoid (Corylus avellana) sycamore (Acer ps particularly frequenelements of wet wo	draining brown earth. w (Salix cinerea) scrules non-scripta, ferns with some hawthorn (eudoplatanus), pedurat in places. There are podland flora in places	n places the woodland b. Where the wood ha and Carex sylvatica. T Crataegus monogyna culate oak (Quercus of the remains of an old including Filipendula	valley, 4 km southeast of Inistioge, Co. Kilkenny. The soil is a did has a very open canopy and grades into Rubus fruticosus as been least disturbed, there is a field layer with Ranunculus The shrub layer is composed mainly of coppiced hazel a), and holly (llex aquifolium). The canopy is gappy with robur), ash (Fraxinus excelsior) and beech (Fagus sylvatica) dimill race on the south-western edge of the site. There are a ulmaria, Angelica sylvestris and alder (Alnus glutinosa). There parts of the wood.

Site no.	0065	FIPS no.	57889
Date surveyed	30/09/2003		
Woodland name	Bohermore	Tow	wnland name Bohermore
Conservation rating	g and score Po	por 36	Threat rating and score Low 8
Disco. map 6	1 Grid ref.	S722633	6 inch sheet CW 16 County Carlow
NPWS region	South Eastern NHA	code -	SAC code - SPA Code -
National Park	Nature Reserve		Woodland present in the 1840s Yes
Ownership	Private - Single	Area (ha)	2 Max. alt. (m) 90 Min. alt. (m) 70
Sub-soil Gran	nite/rocks rich in silica	Soil	BminSW, AminDW
Geography	Woodla	and habitats	Grazing Hydrological features
Esker	□ WN1	0%	Deer ☐ Seasonal flooding ✓
Drumlin	□ WN2	100%	Cattle Springs
Valley	□ WN3	0%	Sheep Lakes
Lakeside	□ WN4	0%	Rabbits Rivers/streams
Bogland	□ WN5	0%	Hares Damp clefts/ravines
Hill	□ WN6	0%	Goats Other
Plain/Lowlands	✓ WN7	0%	Horses
Island	□ WS1	0%	Other
Riverside/Floodplai	in WD1	0%	Grazing level 0
Coastal/Estuary	□ WD2	0%	
	Other habita	ts	
Field notes		E	External data source: not all data recorded
flooding. The main (Quercus robur), so (Prunus spinosa) a hawthorn (Crataeg setiferum occur in t	soil type is brown earth. ome beech (Fagus sylvat nd sycamore (Acer pseu us monogyna) and wych	The canopy is predoctica) and abundant redoplatanus). There elm (Ulmus glabra). uite a lot of rock at t	Co. Carlow, with small areas that are subject to seasonal dominantly ash (Fraxinus excelsior) with pedunculate oak regeneration of wych elm (Ulmus glabra), blackthorn is a shrub layer of pedunculate oak (Quercus robur), and Agrostis stolonifera, Dryopteris filix-mas and Polystichum the surface and the bryophyte layer is well developed and grazing was found.

Site no.	0069	FIPS no.	57845, 29514	, 29518, 65576, 57842			
Date surveyed	23/05/2003						
Woodland name	Toberbride	To	ownland name	Toberbride, Carrighbeg			
Conservation rating and score Moderate 52 Threat rating and score Low 17							
Disco. map 61	Grid ref.	S740603	6 inch sheet	CW 16 County Carlow			
NPWS region So	outh Eastern N	HA code -	SAC code	- SPA Code -			
National Park	Nature Reserve		V	Voodland present in the 1840s Yes			
Ownership	NPWS	Area (ha)	11.5 Max.	alt. (m) 140 Min. alt. (m) 100			
Sub-soil RckN	Ca/A/TGr	Sc	oil AminSW/Ar	minSP/AlluvMIN/AminPD/AminDW			
<u>Geography</u>	Woo	dland habitats	<u>Grazing</u>	Hydrological features			
Esker	□ WN1	0%	Deer	Seasonal flooding ✓			
Drumlin	□ WN2	45%	Cattle	✓ Springs			
Valley	□ WN3	0%	Sheep	Lakes			
Lakeside	□ WN4	0%	Rabbits	Rivers/streams			
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐			
Hill	✓ WN6	55%	Goats	Other			
Plain/Lowlands	□ WN7	0%	Horses				
Island	□ WS1	0%	Other				
Riverside/Floodplain	_	0%	Grazing level	1			
Coastal/Estuary	□ WD2	0%					
•	Other hab						
Field notes			External data soul	rce: not all data recorded			
under larch (Larix de vegetation types. Be in damper areas. Th cinerea). Dryopteris the drier part contain	ecidua) plantation, re ech (Fagus sylvatica e canopy is underlai dilatata, Carex sylva n occasional pedunct s a field layer rich in	gularly interspersed of the control	with hazel (Corylupsa) and downy bedowny birch (Bettoccur in the field obur), rowan (Sorleripta. There is so	wer slopes of a valley. Most of the site is as avellana) patches. There are two distinct birch (Betula pubescens) dominate on gleys ula pubescens) and grey willow (Salix layer. The hazel patches on brown earth in bus aucuparia) and downy birch (Betula ome light cattle grazing. A very old sign at status is uncertain.			

Site no.	0073	FIPS no.	Non FIPS			
Date surveyed	22/05/2003					
Woodland name	Tinnahinch	Tov	vnland name	Tinnahinch		
Conservation rating	g and score P	oor 33	Threa	t rating and score	Moderate	33
Disco. map 6	8 Grid ref.	S715437	6 inch sheet	CW 24 Cou	inty Ca	rlow
NPWS region	South Eastern NHA	code -	SAC code	2162	SPA Code	-
National Park	Nature Reserve		V	Voodland present in	the 1840s	Yes
Ownership	Private - Single	Area (ha) 2	.9 Max.	alt. (m) 40	Min. alt. (m)	10
Sub-soil Rcki	NCa/A/TGr	Soil	AminSW/All	luvMIN/AminDW		
Geography	Woodl	and habitats	Grazing	Hydr	ological feature	<u>s</u>
Esker	□ WN1	0%	Deer	Seasor	nal flooding	
Drumlin	□ WN2	0%	Cattle	Springs	3	
Valley	<b>✓</b> WN3	0%	Sheep	Lakes		
Lakeside	□ WN4	0%	Rabbits	Rivers/	streams	
Bogland	WN5	0%	Hares	☐ Damp o	clefts/ravines	
Hill	WN6	0%	Goats	Other		
Plain/Lowlands	WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplai	in 🗌 WD1	100%	Grazing level	0		
Coastal/Estuary	□ WD2	0%				
	Other habita	ts				
Field notes		1	External data soul	rce: not all data recorde	ed 🗌	
overlooking the No beech (Fagus sylva scripta occurs in the	ch (Fagus sylvatica) don re River opposite Inistiogatica), hawthorn (Crataege field layer. There are rese, probably owing to the	ge, Co. Kilkenny. Th gus monogyna) and lo invasive shrubby:	e site is on a fre elder (Sambuct species and gra	eely draining brown e us nigra) shrub layer uzing is minimal. Hov	earth soil. There . Hyacinthoides	is a non-

Site no.	0074	FIPS no.	Non FIPS		٦
Date surveyed	02/09/2003				
Woodland name	Knockeen	1	ownland name	Knockeen, Tinnahinch	
Conservation rating	g and score	Poor 39	Threa	at rating and score Low 8	
Disco. map 6	8 Grid ref.	S719432	6 inch sheet	CW 24 County Carlow	
NPWS region	South Eastern NI	IA code -	SAC code	- SPA Code -	
National Park	Nature Reserve		,	Woodland present in the 1840s No	
Ownership	Private - Single	Area (ha)	2.3 Max.	. alt. (m) 60 Min. alt. (m) 45	
Sub-soil TGr		S	oil AminDW		
Geography	Woo	dland habitats	Grazing	<u>Hydrological features</u>	
Esker	□ WN1	100%	Deer	Seasonal flooding	
Drumlin	□ WN2	0%	Cattle	Springs	
Valley	□ WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	Rivers/streams	
Bogland	□ WN5	0%	Hares	Damp clefts/ravines	
Hill	✓ WN6	0%	Goats	Other	╛
Plain/Lowlands	□ WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplai	n 🗌 WD1	0%	Grazing leve	el 0	
Coastal/Estuary	□ WD2	0%			
	Other hab	tats			
Field notes			External data sou	urce: not all data recorded	
draining brown eart abundant holly (llex	th soil. The relatively on a capuifolium), hawthor us agg. are abundant	oen canopy is sess (Crataegus monog	ile oak (Quercus gyna) and blackth	managh, Co. Kilkenny on moderately freely petraea) dominated with a shrub layer of norn (Prunus spinosa). Pteridium aquilinum et patches. Horse riding tracks are evident	

Site no.	0075	F	FIPS no.	Non FIPS			
Date surveyed	08/09/2003						
Woodland name	Knockduff		Tow	nland name	Marley or Knockdo	uff	
Conservation rating	g and score	Poor	39	Threa	at rating and score	Low	8
Disco. map 6	8 Grid ref.	S75342	22	6 inch sheet	CW 24 Co	ounty C	arlow
NPWS region	South Eastern	NHA code	-	SAC code	-	SPA Code	-
National Park	Nature Reser	ve 🗌		,	Woodland present i	n the 1840s	No
Ownership	Private - Single	Area (	ha) 4.	1 Max.	alt. (m) 80	Min. alt. (m)	70
Sub-soil TGr/	Cut		Soil	AminPDPT	/Cut/AminPD		
Geography	<u>V</u>	Voodland habit	<u>ats</u>	Grazing	Hy	drological feature	<u>s</u>
Esker	□ w	N1 1	00%	Deer	Seas	onal flooding	✓
Drumlin	□ w	N2	0%	Cattle	Sprin	gs	
Valley	□ w	N3	0%	Sheep	Lakes	5	
Lakeside	□ w	N4	0%	Rabbits	River	s/streams	✓
Bogland	$\Box$ w	N5	0%	Hares	Damp	clefts/ravines	
Hill	□ w	N6	0%	Goats	Other	r	
Plain/Lowlands	<b>✓</b> W	N7	0%	Horses			
Island	$\Box$ w	S1	0%	Other			
Riverside/Floodplai	n 🗌 W	D1	0%	Grazing leve	0		
Coastal/Estuary	$\square$ w	D2	0%				
	Other	nabitats					
Field notes			E	xternal data sou	urce: not all data reco	rded	
This is a small flat visite is dominated by caerulea and Juncu grassland/marsh ar abundant on this si	y grey willow (Salix us effusus occur in nd Gorse (Ulex eur	cinerea) and on the field layer.	downy birch Areas of w	Betula pubes) oodland are in	scens), with a grey version terspersed with are	willow scrub laye as of wet	r. Molinia

Site no.	0076		FIPS no.	57480				
Date surveyed	22/05/20	003						
Woodland name	Ballybeg Big		Tov	vnland name	Ballybeg Big			
Conservation rating	g and score	Poor	33	Threa	at rating and score Low 17			
	8 Grid re		424	6 inch sheet	CW 24 County Carlow			
NPWS region	NPWS region South Eastern NHA code - SAC code - SPA Code -							
National Park	Nature Re	serve		V	Woodland present in the 1840s No			
Ownership	Private - Single	e Area	a (ha) 3.	5 Max.	alt. (m) 110 Min. alt. (m) 100			
Sub-soil TGr/	/RckNCa		Soil	AminPD/Am	ninPDPT/AminSPPT			
Geography		Woodland hal	oitats	Grazing	Hydrological features			
Esker		WN1	0%	Deer	Seasonal flooding			
Drumlin		WN2	0%	Cattle	✓ Springs			
Valley		WN3	0%	Sheep	Lakes			
Lakeside		WN4	0%	Rabbits	☐ Rivers/streams ✓			
Bogland		WN5	0%	Hares	☐ Damp clefts/ravines ☐			
Hill		WN6	0%	Goats	Other			
Plain/Lowlands	<b>✓</b>	WN7	0%	Horses				
Island		WS1	100%	Other				
Riverside/Floodpla	in 🗌	WD1	0%	Grazing level	3			
Coastal/Estuary		WD2	0%					
	Oth	er habitats						
Field notes			E	External data sou	rrce: not all data recorded			
pubescens) and round holly (llex aquifolium is generally 12-15 r	wan (Sorbus au m) shrub layer. m tall, but has q	icuparia) scrub o Rubus fruticosu juite open rushy	on rough past s agg. and gr areas domina	ure on a flatter asses such as a ated by Gorse (	of an area of downy birch (Betula part of a conifer-wooded slope. There is a Agrostis stolonifera occur in the field layer. It (Ulex europaeus), goat willow (Salix caprea) le but not intensely.			

Site no.	0078	FIPS no.	59178			
Date surveyed	09/05/2003					
Woodland name	Ballintemple	1	ownland name	Ballintemple		
Conservation rating	g and score Ver	y Poor 18	Threa	at rating and score	Moderate	25
Disco. map 6	1 Grid ref.	S884654	6 inch sheet	CW 14 Cou	unty Ca	rlow
NPWS region	South Eastern NH	A code -	SAC code	-	SPA Code	-
National Park	Nature Reserve		,	Woodland present in	the 1840s	No
Ownership	Private - Single	Area (ha)	4.9 Max.	. alt. (m) 110	Min. alt. (m)	100
Sub-soil TGr/	RckNCa	S	oil AminDW/A	minSW		
Geography	Wood	and habitats	Grazing	<u>Hydr</u>	ological feature	<u>8</u>
Esker	□ WN1	0%	Deer	Seasor	nal flooding	
Drumlin	□ WN2	0%	Cattle	Springs	3	
Valley	□ WN3	0%	Sheep	Lakes		
Lakeside	□ WN4	0%	Rabbits	Rivers/	streams	
Bogland	□ WN5	0%	Hares	☐ Damp o	clefts/ravines	
Hill	□ WN6	0%	Goats	Other		
Plain/Lowlands	✓ WN7	0%	Horses			
Island	□ WS1	0%	Other	Unknown		
Riverside/Floodplai	n 🗌 WD1	100%	Grazing leve	1		
Coastal/Estuary	□ WD2	0%				
	Other habit	ats				
Field notes			External data sou	urce: not all data record	ed	
young beech (Fagu the Coillte nursery t woodland, and som lesser extent. The f	ey site overlooking the Fils sylvatica) plantation of the Stownich it belongs. Rhowers (Symphorized layer is very limited are ruins of an old 'pagod'	vith ash (Fraxinus ododendron (Rhod icarpos albus) and , including Hyacin	excelsior) in the o odendron ponticu I cherry laurel (Pro thoides non-scrip	canopy on very flat br im) is present over ab unus laurocerasus) a ta and Arum maculat	rown earth adjact bout a quarter of re present, but t um, and there a	ent to the o a re few

Site no.	0079	FIPS no.	79917						
Date surveyed	09/09/2003								
Woodland name	Doon Demesne East	То	wnland name	Doon Demesne					
Conservation rating	Conservation rating and score Poor 30 Threat rating and score Moderate 25								
Disco. map 4	7 Grid ref.	N113319	6 inch sheet	OF 06 County Offaly					
NPWS region	North Eastern NHA	code -	SAC code	- SPA Code -					
National Park	Nature Reserve		,	Woodland present in the 1840s Yes					
Ownership	Private - Single	Area (ha)	5 Max.	alt. (m) 65 Min. alt. (m) 50					
Sub-soil GLs		Soi	BminSW						
Geography	Woodl	and habitats	Grazing	Hydrological features					
Esker	✓ WN1	0%	Deer	Seasonal flooding					
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐					
Valley	□ WN3	0%	Sheep	Lakes					
Lakeside	□ WN4	0%	Rabbits	Rivers/streams					
Bogland	WN5	0%	Hares	☐ Damp clefts/ravines ☐					
Hill	✓ WN6	0%	Goats	Other					
Plain/Lowlands	□ WN7	0%	Horses						
Island	□ WS1	0%	Other	Unknown					
Riverside/Floodpla	in 🗌 WD1	100%	Grazing leve	1					
Coastal/Estuary	□ WD2	0%							
	Other habita	ts							
Field notes			External data sou	urce: not all data recorded					
an esker), and has excelsior) also occi hawthorn (Crataeg riviniana. Some old	an aspect on every dire urs in the canopy. Native us monogyna) shrub lay I pedunculate oak (Quer	ction. The site is be trees are dominan er. The field layer in cus robur) (127 cm	ech (Fagus sylv t in patches. Th cludes Rubus f dbh), old ash (F	o. Westmeath. The wood is on a hill (possibly vatica) dominated, but ash (Fraxinus ere is an ash (Fraxinus excelsior) and rruticosus agg, Veronica montana and Viola Fraxinus excelsior) (110 cm dbh) and old mooting and the path is used by horse riders.					

Site no.	0080	F	IPS no.	3916, 3907				
Date surveyed	10/09/2003	3						
Woodland name	Doon Demesne	West	Tow	nland name	Doon Demesne			
Conservation rating	Conservation rating and score Moderate 52 Threat rating and score Low 17							
Disco. map 4	7 Grid ref.	N105317	7 6	inch sheet	OF 06 County Offaly			
NPWS region	North Eastern	NHA code	-	SAC code	- SPA Code -			
National Park	Nature Rese	rve		V	Woodland present in the 1840s Yes			
Ownership	Private - Single	Area (h	na) 8.5	Max.	alt. (m) 55 Min. alt. (m) 50			
Sub-soil Cut/	GLs		Soil	Cut/BminSV	W/BminSRPT			
Geography		Woodland habita	<u>its</u>	Grazing	Hydrological features			
Esker	□ v	VN1	0%	Deer	Seasonal flooding			
Drumlin	U	VN2	0%	Cattle	Springs			
Valley	U	VN3	0%	Sheep	Lakes			
Lakeside	□ v	VN4	0%	Rabbits	Rivers/streams			
Bogland	<b>✓</b> ∨	VN5	0%	Hares	☐ Damp clefts/ravines ☐			
Hill	□ v	VN6	0%	Goats	Other			
Plain/Lowlands			00%	Horses				
Island		VS1	0%	Other				
Riverside/Floodplai		VD1	0%	Grazing level	1			
Coastal/Estuary		VD2	0%					
·	Other	habitats						
Field notes			E	xternal data soui	irce: not all data recorded			
bog, and is on mod agricultural fields. I and there is a haze layer. Heavy cherry of the wood. There	lerately freely drai The main canopy: Il (Corylus avellan I laurel (Prunus la are some open a requent on the sic	ining peat, gradir species are pedu a) and holly (llex surocerasus) and ureas at both end de of the site fac	ng to a more unculate oal aquifolium rhododend s of the working the bog	e mineral soil ty k (Quercus rob ) shrub layer. F Iron (Rhododer od. Scots pine , and some Sco	b. Westmeath. The site is at the edge of a type on the side of the wood facing bur) and downy birch (Betula pubescens), Rubus fruticosus agg. occurs in the field endron ponticum) infestation occurs in most of (Pinus sylvestris) and grey willow (Salix cots pine (Pinus sylvestris) is spreading onto			

Site no.	0081	FIPS no.	67986, 67987	
Date surveyed	10/09/2003			
Woodland name	Clonascra	To	ownland name	Clonascra
Conservation rating	g and score	Poor 36	Threa	t rating and score Low 8
Disco. map 4	7 Grid ref.	N048322	6 inch sheet	OF 06 County Offaly
NPWS region	North Eastern NH.	A code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Woodland present in the 1840s No
Ownership	Private - Single	Area (ha)	3 Max.	alt. (m) 45 Min. alt. (m) 40
Sub-soil Cut		So	il Cut	
Geography	Wood	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	✓ Springs
Valley	□ WN3	0%	Sheep	☐ Lakes ✓
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	✓ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	85%	Horses	
Island	□ WS1	5%	Other	
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	2
Coastal/Estuary	□ WD2	0%		
	Other habit	GS 10%		
Field notes			External data sou	rce: not all data recorded
consists of several The east stand is u regenerating and yo	stands dominated by d nderplanted with Sitka	owny birch (Betula p spruce (Picea sitche density. The main	oubescens), of whensis) and has a field layer species	poorly drained peat at the edge of a bog. It hich the southern stand is probably planted. sparse canopy. The north stand is naturally es is Rubus fruticosus agg., and Molinia e bog.

Site no.	0082	FIPS no. 43576
Date surveyed	02/09/2003	
Woodland name	Clongawny More	Townland name Clongawnymore
Conservation rating	g and score Mod	derate 46 Threat rating and score Low 0
Disco. map 5	Grid ref.	N058136 6 inch sheet OF 30 County Offaly
NPWS region	North Eastern NHA	A code - SAC code - SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s No
Ownership	Private - Single	Area (ha) 3.9 Max. alt. (m) 60 Min. alt. (m) 60
Sub-soil Cut		Soil Cut
Geography	Woodl	land habitats Grazing Hydrological features
Esker	□ WN1	0% Deer Seasonal flooding
Drumlin	□ WN2	O% Cattle ✓ Springs □
Valley	□ WN3	0% Sheep Lakes
Lakeside	□ WN4	0% Rabbits ✓ Rivers/streams
Bogland	✓ WN5	0% Hares Damp clefts/ravines
Hill	□ WN6	0% Goats Other
Plain/Lowlands	□ WN7	80% Horses
Island	□ WS1	20% Other
Riverside/Floodplai	in 🗌 WD1	0% Grazing level 1
Coastal/Estuary	□ WD2	0%
	Other habita	ats
Field notes		External data source: not all data recorded
frequent tree in the is the main field lay	canopy, and also occur ver species, and Molinia	southwest of Banagher, Co. Offaly. Downy birch (Betula pubescens) is the most rs in the shrub layer along with grey willow (Salix cinerea). Rubus fruticosus agg. caerulea also occurs. Tracks through the bog divide the wood into several Stands of trees in different areas of the site are of obviously different ages.

Site no.	0083 FIPS no. 68892	
Date surveyed	28/08/2003	
Woodland name	Taylors Cross Townland name Milltown	
Conservation rating	g and score Poor 39 Threat rating and score Moderate 3	33
Disco. map 5	Grid ref. N031117 6 inch sheet OF 30 County Offaly	
NPWS region	North Eastern NHA code - SAC code - SPA Code -	
National Park	Nature Reserve Woodland present in the 1840s No	
Ownership	Private - Single Area (ha) 3.7 Max. alt. (m) 50 Min. alt. (m) 45	5
Sub-soil Gls/	TLs Soil BminSW/BminDW	
Geography	Woodland habitats Grazing Hydrological features	
Esker	✓ WN1 100% Deer ✓ Seasonal flooding	
Drumlin		
Valley	□ WN3 0% Sheep ✓ Lakes □	
Lakeside	□ WN4 0% Rabbits ✓ Rivers/streams □	
Bogland	□ WN5 0% Hares □ Damp clefts/ravines □	
Hill	□ WN6 0% Goats □ Other □	
Plain/Lowlands	□ WN7 0% Horses □	
Island	□ WS1 0% Other	
Riverside/Floodplai		
Coastal/Estuary	□ WD2 0%	
	Other habitats	
Field notes	External data source: not all data recorded	
moineral soil. The r subcanopy and shr dry there are some	od on low-lying land, 4 km southwest of Banagher on the road to Birr, Co. Offaly. The site is on a main canopy species is pedunculate oak (Quercus robur), and hazel (Corylus avellana) dominates the rub layer. Mercurialis perennis occurs in the field layer. It is very heavily grazed and although it is mostle damp areas. There are about 30 old mature pedunculate oaks of considerable dbh. Measurements of 92, 95, 97, 104 and 170 cm.	ly

Site no.	0084		FIPS no.	68047					
Date surveyed	28/08/2003								
Woodland name	Boolinarig		Tow	nland name	Boolinarig				
Conservation rating	and score	Moderate	46	Threat	rating and score Low 8				
'									
NPWS region  National Park	North Eastern  Nature Reserv	NHA code	-	SAC code	SPA Code - Voodland present in the 1840s No				
		_	<i>a</i> >						
Ownership	Private - Single	Area			alt. (m) 50 Min. alt. (m) 50				
Sub-soil Cut			Soil	Cut					
Geography	<u>W</u>	oodland hab	<u>itats</u>	Grazing	<u>Hydrological features</u>				
Esker	W	l1 [	0%	Deer	Seasonal flooding				
Drumlin	W	<b>l</b> 2	0%	Cattle	☐ Springs ☐				
Valley	W	13	0%	Sheep	Lakes				
Lakeside	W	14	0%	Rabbits	✓ Rivers/streams				
Bogland	<b>✓</b> W	<b>I</b> 5	0%	Hares	☐ Damp clefts/ravines ☐				
Hill	W	16	0%	Goats	Other				
Plain/Lowlands	W	17	100%	Horses					
Island	□ W	S1	0%	Other					
Riverside/Floodplai	n 🗌 W	)1	0%	Grazing level	2				
Coastal/Estuary	W	)2	0%						
	Other h	abitats							
Field notes			E	external data sour	rce: not all data recorded				
Downy birch (Betula aquilinum and Callu	a pubescens) domi una vulgaris domin	nates the car te the field la	nopy and shr ayer. Some g	ub layers, and the layers willow (Salix	The soil is a moderately freely draining peat. the canopy is patchy. Patches of Pteridium x cinerea) occurs along the drains that the site, and bark stripping by deer is				

Site no.	0085		FIPS no.	58192, 58190	)		
Date surveyed	27/08/2003	3					
Woodland name	Ballyhealy (Offal	ly)	Tov	vnland name	Ballyhealy		
Conservation rating	g and score	Moderate	46	Threa	at rating and score	Low	8
Disco. map 5	Grid ref.	N1151	128	6 inch sheet	OF 30 Co	ounty O	ffaly
NPWS region	North Eastern	NHA code	-	SAC code	-	SPA Code	-
National Park	Nature Rese	erve 🗌		,	Woodland present i	n the 1840s	Yes
Ownership	Private - Single	Area	(ha) 5	.4 Max.	alt. (m) 70	Min. alt. (m)	60
Sub-soil Basi	Esk/GLs		Soil	BminSW			
Geography		Woodland hab	oitats	Grazing	<u>Hy</u>	drological feature	<u>s</u>
Esker	V	VN1	0%	Deer	Seaso	onal flooding	
Drumlin	v	VN2	100%	Cattle	Spring	gs	
Valley	v	VN3	0%	Sheep	Lakes	3	
Lakeside	□ v	VN4	0%	Rabbits	River	s/streams	
Bogland	v	VN5	0%	Hares	Damp	clefts/ravines	
Hill	v	VN6	0%	Goats	Other	-	
Plain/Lowlands	v	VN7	0%	Horses			
Island	v	WS1	0%	Other	Unknown		
Riverside/Floodplai	in 🗌 V	WD1	0%	Grazing leve	2		
Coastal/Estuary	□ v	ND2	0%				
	Other	r habitats					
Field notes			ŀ	External data sou	urce: not all data recor	rded	
hazel (Corylus avel occur in the field la	Isior), grey willow lana) and holly (II yer. There is evid ood was not owne	(Salix cinerea lex aquifolium) lence of old na ed by Coillte. E	) and Dougla dominate the tive felling. To vidence of ba	is fir (Pseudots e shrub layer. \ he site has bee	draining soil. The m suga menziesii). Ash Veronica chamaedr en underplanted wit served. Parts of the	n (Fraxinus excel ys and Viola rivin h conifers. Local	sior), iana

Site no.	0086	FIPS no.	83695, 58240	), 58181		
Date surveyed	11/09/2003					
Woodland name	Clooneen (Offaly)	To	wnland name	Cloneen		
Conservation rating	g and score Ver	Good 64	Threa	at rating and score	Moderate	25
Disco. map 5	Grid ref.	N083130	6 inch sheet	OF 30 Cou	nty O	ffaly
NPWS region	North Eastern NH	A code 909	SAC code	-	SPA Code	-
National Park	Nature Reserve		١	Woodland present in	the 1840s	Yes
Ownership	Private - Single	Area (ha)	3.5 Max.	alt. (m) 65	Min. alt. (m)	60
Sub-soil Cut/	GLs/FenPt	Soi	Cut/FenPt/8	BminSRPT/BminSP/E	3minSW	
Geography	Wood	and habitats	Grazing	<u>Hydro</u>	ological feature	<u>S</u>
Esker	□ WN1	0%	Deer	Season	al flooding	
Drumlin	□ WN2	30%	Cattle	✓ Springs	i	
Valley	□ WN3	0%	Sheep	Lakes		
Lakeside	□ WN4	0%	Rabbits	Rivers/s	streams	
Bogland	✓ WN5	0%	Hares	☐ Damp o	clefts/ravines	
Hill	□ WN6	0%	Goats	Other		
Plain/Lowlands	□ WN7	40%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplai	in WD1	20%	Grazing level	1		
Coastal/Estuary	□ WD2	10%				
	Other habit	ats				
Field notes			External data sou	rce: not all data recorde	ed 🗌	
are broadleaved pla aucuparia) and dov The shrub layer inc cherry (Prunus pad (Rhododendron por	ized site at the edge of antations, some of which (Betula pubes eludes hawthorn (Cratae lus) also occurs here. Enticum) is dominant aro azed and open under to	h are on cutaway bo cens) dominate the o gus monogyna), bla vidence of roadside und Clooneen house	g. The site is me canopy, and ald ckthorn (Prunus dumping occurs	oderately freely drain ler (Alnus glutinosa) of s spinosa) and hazel s in the wood. Rhodo	ing. Rowan (So occurs in the fie (Corylus avellar dendron	orbus Id layer. na). Bird

Site no.	0089	FIPS no.	56392, 83569	9, 68084	
Date surveyed	19/08/2003				
Woodland name	Ballincor Demesne Bo	gwood To	wnland name	Ballincor Demesne, Cloonaheen	
Conservation rating	g and score Mo	derate 54	Threa	at rating and score Moderate	25
Disco. map 5	3 Grid ref.	S046970	6 inch sheet	OF 38 County Offaly	
NPWS region 1	North Eastern NH	A code -	SAC code	- SPA Code -	
National Park	Nature Reserve		\	Woodland present in the 1840s	es
Ownership	Private - Single	Area (ha)	13 Max.	alt. (m) 50 Min. alt. (m)	50
Sub-soil Cut		So	il Cut		
Geography	Wood	and habitats	Grazing	Hydrological features	
Esker	□ WN1	30%	Deer	Seasonal flooding	
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐	
Valley	□ WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ☐	
Bogland	<b>✓</b> WN5	0%	Hares	☐ Damp clefts/ravines ☐	
Hill	□ WN6	0%	Goats	Other Callows	
Plain/Lowlands	□ WN7	70%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	0	
Coastal/Estuary	□ WD2	0%			
	Other habita	nts			
Field notes			External data sou	urce: not all data recorded	
Shinrone. The cand aquifolium) forms the bog edge Scots pindominated by Rubu	opy is dominated by ses ne understorey. Ash (Fr e (Pinus sylvestris) and is fruticosus agg. and D	sile oak (Quercus p axinus excelsior) an downy birch (Betul ryopteris dilatata an	etraea) and dow d hazel (Corylus a pubescens) ar d is relatively sp	t to the Little Brosna Callows, 4 km north of why birch (Betula pubescens). Holly (Ilex s avellana) occur occasionally in parts. At re regenerating naturally. The field layer is pecies poor, particularly under birch canopicera periclymenum are common field layer.	the

Site no.	0091	FIPS no.	55227	
Date surveyed	07/08/2003			
Woodland name	Big Wood (West Offaly	) Т	ownland name	Big Wood
Conservation rating	g and score Mod	lerate 46	Threa	at rating and score Low 0
Disco. map 5	Grid ref.	N097002	6 inch sheet	OF 38 County Offaly
NPWS region	North Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		\	Woodland present in the 1840s No
Ownership	Private - Single	Area (ha)	24 Max.	alt. (m) 110 Min. alt. (m) 80
Sub-soil Rck	Ca/TLs	Se	oil BminSW/B	minDW/BminPD
<u>Geography</u>	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	90%	Cattle	✓ Springs ✓
Valley	<b>✓</b> WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodpla	in 🗌 WD1	0%	Grazing level	1
Coastal/Estuary	□ WD2	10%		
	Other habita	ts		
Field notes			External data sou	urce: not all data recorded
Offaly in a long stee coppiced hazel (Co	ep-sided narrow valley.	Ash (Fraxinus excomost of the cover.	elsior) forms a sp The field layer is	soil located 5.5 km southeast of Birr, Co larse canopy with a dense shrub layer of depauparate, being grazed and heavily obryum alopecurum.

Site no.	0095	FIPS no. 43628
Date surveyed	26/09/2003	
Woodland name	Drummin (Red Bog)	Townland name Drummin
Conservation rating	g and score P	Poor 33 Threat rating and score Low 17
Disco. map 6	8 Grid ref.	S743371 6 inch sheet CW 26 County Carlow
NPWS region	South Eastern NHA	A code - SAC code - SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s No
Ownership	Private - Single	Area (ha) 4.7 Max. alt. (m) 80 Min. alt. (m) 70
Sub-soil TGr/	/A	Soil AminPDPT/AlluvMIN
<u>Geography</u>	Woodl	land habitats Grazing Hydrological features
Esker	□ WN1	0% Deer Seasonal flooding
Drumlin	□ WN2	
Valley	□ WN3	0% Sheep Lakes
Lakeside	WN4	Rabbits ☐ Rivers/streams ☐
Bogland	□ WN5	0% Hares Damp clefts/ravines
Hill	WN6	0% Goats Other Drains
Plain/Lowlands	✓ WN7	100% Horses
Island	□ WS1	0% Other
Riverside/Floodpla	in 🗌 WD1	0% Grazing level 0
Coastal/Estuary	□ WD2	0%
	Other habita	ats
Field notes		External data source: not all data recorded
main canopy speci-	es is downy birch (Betula	theast of St Mullins, Co. Carlow on moderately freely draining brown earth. The la pubescens), with occasional holly (Ilex aquifolium) and grey willow (Salix uticosus agg., Vaccinium myrtillus, Osmunda regalis and Dryopteris dilatata.

Site no.	0096	FIPS no.	61421, 83944	l, 61422
Date surveyed	19/05/2003			
Woodland name	Kyleadohir Wood	Tov	wnland name	Kyleadohir
Conservation rating	and score Very	Good 61	Threa	at rating and score Low 8
Disco. map 67	7 Grid ref.	S371425	6 inch sheet	KK 26 County Kilkenny
NPWS region S	South Eastern NHA	code 405	SAC code	- SPA Code -
National Park	Nature Reserve	<b>✓</b>	V	Woodland present in the 1840s Yes
Ownership	NPWS	Area (ha)	Max.	alt. (m) 80 Min. alt. (m) 70
Sub-soil TNS	Ss/A	Soil	AminPD/All	luvMIN/AminDW
<u>Geography</u>	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	100%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	✓ Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	<b>✓</b> WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplain	n 🗌 WD1	0%	Grazing level	1
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes			External data sou	rrce: not all data recorded
canopy is varied an pedunculate oak (Q glabra) suckers are Viola sp, Fragaria v	d contains occasional s luercus robur), ash (Fra frequent. A single cher	ilver fir (Abies alba) xinus excelsior) and y laurel (Prunus lau and Primula vulgari	and aspen (Pop hawthorn (Crat rocerasus) plan s. In the smaller	allan, Co. Kilkenny, in two blocks. The bulus tremula) as well as abundant taegus monogyna). Wych elm (Ulmus nt was observed. Field layer species include r (eastern) block, Ophioglossum vulgatum ostly by deer.

Site no.	0100	FIPS no.	57015, 38875
Date surveyed	31/07/2003	]	
Woodland name	Tomnafunshogue	Tov	wnland name Tomnafunshogue, Corbally
Conservation rating	g and score Mod	lerate 48	Threat rating and score Moderate 33
Disco. map 6	9 Grid ref.	T014402	6 inch sheet WX 20 County Wexford
NPWS region	South Eastern NHA	code -	SAC code - SPA Code -
National Park	Nature Reserve		Woodland present in the 1840s Yes
Ownership	Private - Single	Area (ha)	3 Max. alt. (m) 50 Min. alt. (m) 30
Sub-soil Rckl	NCa/TLPS/A	Soil	AminSp/AminPD/AlluvMIN
Geography	Woodl	and habitats	Grazing Hydrological features
Esker	□ WN1	0%	Deer ☐ Seasonal flooding ✓
Drumlin	□ WN2	70%	Cattle Springs
Valley	<b>✓</b> WN3	0%	Sheep ✓ Lakes □
Lakeside	□ WN4	0%	Rabbits ☐ Rivers/streams ✓
Bogland	□ WN5	0%	Hares Damp clefts/ravines D
Hill	□ WN6	20%	Goats Other
Plain/Lowlands	□ WN7	0%	Horses
Island	□ WS1	0%	Other
Riverside/Floodplai		0%	Grazing level 4
Coastal/Estuary	□ WD2	10%	
	Other habita	ts	
Field notes			External data source: not all data recorded
steep hillside, gradi a blackthorn (Prunu Potentilla sterilis oc dominated by alder	ing into a peatier, wet ty us spinosa) and hazel (C ccur in the field layer her (Alnus glutinosa) with c e and the shrub layer is	oe close to the river. Corylus avellana) shi e. Wet woodland oc ccasional ash (Frax	hy, Co. Wexford. There is a well drained mineral soil on the . Drier areas are dominated by ash (Fraxinus excelsior), with rub layer. Hyacinthoides non-scripta, Stellaria holostea and scurs on the flat ground beside river. The canopy is kinus excelsior). This part of the wood has a poorly yer contains abundant Filipendula ulmaria, Rubus fruticosus

Site no.	0102	FIPS no.	61421, 83944	l, 61422	
Date surveyed	11/06/2003				
Woodland name	Ballycrystal	To	wnland name	Ballycrystal, Cloroge Beg	
Conservation rating	g and score Mod	lerate 54	Threa	at rating and score Moder	ate 25
Disco. map 6	8 Grid ref.	S861492	6 inch sheet	WX 14 County	Wexford
NPWS region	South Eastern NHA	code -	SAC code	- SPA Code	-
National Park	Nature Reserve		\	Woodland present in the 1840s	Yes
Ownership	Private - Single	Area (ha)	5.5 Max.	alt. (m) 190 Min. alt. (r	n) 140
Sub-soil Rckl	NCa/TGr/A	Soi	AlluvMIN/A	minPD/AminSP	
<u>Geography</u>	Woodl	and habitats	Grazing	Hydrological fea	<u>tures</u>
Esker	□ WN1	95%	Deer	Seasonal flooding	✓
Drumlin	□ WN2	0%	Cattle	Springs	
Valley	<b>✓</b> WN3	0%	Sheep	Lakes	
Lakeside	WN4	0%	Rabbits	Rivers/streams	$\checkmark$
Bogland	□ WN5	5%	Hares	Damp clefts/ravine	s 🗌
Hill	□ WN6	0%	Goats	Other	
Plain/Lowlands	□ WN7	0%	Horses		
Island	□ WS1	0%	Other	Unknown	
Riverside/Floodplai	in WD1	0%	Grazing level	2	
Coastal/Estuary	□ WD2	0%			
	Other habita	ts			
Field notes			External data sou	urce: not all data recorded	
Ballycrystal Bridge, (Quercus robur), ar (Fagus sylvatica). I	, Co. Wexford. These and rowan (Sorbus aucup	eas are on a minera aria) also occurs. T a, Oxalis acetosella	al soil. The mai here is a shrub and Luzula syl	es on the banks of the Urrin Rive in canopy species is pedunculate layer of holly (Ilex aquifolium) ar vatica occur in the field layer. Pa	e oak nd beech

Site no.	0103	FIPS no.	11944, 39690	), 65913, 65914		
Date surveyed	24/09/2003					
Woodland name	Bolamore	Tov	wnland name	Bolamore		
Conservation rating	g and score P	oor 36	Threa	at rating and score	Low	17
Disco. map 6	8 Grid ref.	S870494	6 inch sheet	WX 14 Cou	unty We	xford
NPWS region	South Eastern NHA	code -	SAC code	-	SPA Code	-
National Park	Nature Reserve		١	Woodland present in	the 1840s	Yes
Ownership	Private - Single	Area (ha)	5 Max.	alt. (m) 165	Min. alt. (m)	145
Sub-soil Rckl	NCa/TGr/A	Soil	AminPD/All	luvMIN/AminSP		
Geography	Woodl	and habitats	Grazing	<u>Hydi</u>	rological feature	<u>s</u>
Esker	□ WN1	0%	Deer	Season	nal flooding	
Drumlin	□ WN2	0%	Cattle	Springs	S	
Valley	□ WN3	0%	Sheep	Lakes		
Lakeside	□ WN4	0%	Rabbits		streams/	<b>V</b>
Bogland	WN5	100%	Hares		clefts/ravines	
Hill	WN6	0%	Goats	Other		
Plain/Lowlands	WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplai	in U WD1	0%	Grazing level	0		
Coastal/Estuary	WD2	0%		_		
	Other habita	ts				
Field notes			External data sou	rce: not all data record	ed	
alder (Alnus glutino are found in the fiel occur throughout, s	d at Bolamore Bridge lo sa) dominated woodlan ld layer. The soil drainag such as pedunculate oak ent. These include Vaco	d along a stream. Do ge is not strongly imp (Quercus robur) ar	ryopteris dilatata beded therefore ad holly (llex aqu	a, Blechnum spicant a good mix of typica uifolium). Some spec	and Potentilla e ally drier site spe	recta ecies

Site no.	0106	FIPS no. 53138	
Date surveyed	01/07/2003		
Woodland name	Tombrick Lower	Townland name Tombrick	
Conservation rating	g and score Mod	erate 42 Threat rating and score	Low 8
Disco. map 6	8 Grid ref.	S953519 6 inch sheet WX 14 County	Wexford
NPWS region	South Eastern NHA	code - SAC code - SPA	Code -
National Park	Nature Reserve	Woodland present in the 1	840s Yes
Ownership	Private - Multiple	Area (ha) 4.8 Max. alt. (m) 50 Min.	. alt. (m) 20
Sub-soil TMp	/RckNCa/GLPSsS	Soil AminDW/AminSW	
Geography	Woodla	nd habitats Grazing Hydrologic	cal features
Esker	□ WN1	100% Deer Seasonal flo	oding $\square$
Drumlin	□ WN2	0% Cattle Springs	
Valley	<b>✓</b> WN3	0% Sheep Lakes	
Lakeside	□ WN4	0% Rabbits Rivers/stream	
Bogland	□ WN5	0% Hares Damp clefts/	/ravines
Hill	□ WN6	0% Goats Other	
Plain/Lowlands	□ WN7	0% Horses	
Island	□ WS1	0% Other	
Riverside/Floodplai	in 🗌 WD1	0% Grazing level 0	
Coastal/Estuary	□ WD2	0%	
	Other habitat	S	
Field notes		External data source: not all data recorded	
is on brown podzoli aquifolium) subcan in the field layer. Th	ic soil. The main canopy opy. Beech (Fagus sylva	mon and Ballycarney in Co. Wexford. The site overlooks the species is sessile oak (Quercus petraea) x Q. robur, and the ica) is scattered throughout. Dryopteris dilatata and Pteridiu s with root plates and some dead wood in places. Some mugers.	ere is a holly (llex m aquilinum occur

Site no.	0108		FIPS no.	66998			
Date surveyed	11/07/20	003					
Woodland name	Troyswood		Tov	vnland name	Keatingstown		
Conservation rating	n and score	Moderate	52	Thres	at rating and score	Low	
Conservation rating				Г			
Disco. map 6	Grid re	ef. S472	610	6 inch sheet	KK 14 Cou	unty Kilk	enny
NPWS region South Eastern NHA code - SAC code - SPA Code -							
National Park	Nature Re	serve		,	Woodland present in	the 1840s	Yes
Ownership	Private - Single	e Area	a (ha) 6	.6 Max.	alt. (m) 150	Min. alt. (m)	90
Sub-soil Rckl	NCa/TLs		Soil	AminSW/B	minDW		
Geography		Woodland ha	<u>bitats</u>	Grazing	Hydi	rological features	<u> </u>
Esker		WN1	0%	Deer	Season	nal flooding	<b>✓</b>
Drumlin		WN2	60%	Cattle	<b>✓</b> Spring:	S	
Valley		WN3	0%	Sheep	Lakes		
Lakeside		WN4	0%	Rabbits	Rivers	streams/	
Bogland		WN5	0%	Hares	Damp	clefts/ravines	
Hill	<b>✓</b>	WN6	0%	Goats	Other		
Plain/Lowlands		WN7	0%	Horses			
Island		WS1	0%	Other			
Riverside/Floodpla	in 🗌	WD1	40%	Grazing leve	1		
Coastal/Estuary		WD2	0%				
	Oth	er habitats					
Field notes			E	External data sou	ırce: not all data record	led	
southwest of the sit northwest of the sit Hyacinthoides non-	te and at the tope. The mid-slope-scripta, Veronic	o of the slope. Go be area is domin ca chamaedrys	Grey willow (Sated by sessi and Potentilla	alix cinerea) is le oak (Quercu sterilis occur i	ech (Fagus sylvatica more common on lo is petraea) & ash (Fr n the field layer. Larg , particularly at the to	wer slopes and i axinus excelsior ge gaps (20 x 40	n ).

Site no.	0109	FIPS no. 412, 426, 415
Date surveyed	10/06/2003	
Woodland name	Jenkinstown Park	Townland name Jenkinstown
Conservation rating	g and score Moderate	Threat rating and score Low 0
Disco. map 6	0 Grid ref. S479	6 inch sheet KK 14 County Kilkenny
NPWS region	South Eastern NHA code	- SAC code - SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s No
Ownership	Coillte Area	ea (ha) 3 Max. alt. (m) 110 Min. alt. (m) 80
Sub-soil Rckl	NCa	Soil AminSW
Geography	Woodland hal	
Esker	WN1	0% Deer Seasonal flooding
Drumlin	□ WN2	100% Cattle Springs
Valley	□ WN3	Sheep
Lakeside	□ WN4	0% Rabbits Rivers/streams
Bogland	□ WN5	0% Hares Damp clefts/ravines
Hill	✓ WN6	0% Goats Other
Plain/Lowlands	□ WN7	0% Horses
Island	□ WS1	0% Other Unknown
Riverside/Floodplai		0% Grazing level 1
Coastal/Estuary	□ WD2	0%
	Other habitats	
Field notes		External data source: not all data recorded
Jenkinstown Park. (Quercus robur) an monogyna). The fie	The park is on a hill 7 km east of there is a subcanopy of holly ald layer includes Glechoma he	mong a mosaic of beech (Fagus sylvatica) and conifer stands within of Freshford, Co. Kilkenny. The main canopy species is pedunculate oak y (Ilex aquifolium), ash (Fraxinus excelsior) and hawthorn (Crataegus ederacea and Hyacinthoides non-scripta. The woodland has a varied present. The soil was generally freely draining, but gleyed in parts.

Site no.	0110	FIPS no.	42962, 364		
Date surveyed	03/06/2003				
Woodland name	Ballyrafton	Tov	vnland name	Ballyrafton	
Conservation rating	and score Mod	lerate 46	Threa	at rating and score Moderate	25
Disco. map 60	Grid ref.	S490634	6 inch sheet	KK 14 County Kilkenny	
NPWS region S	South Eastern NHA	code -	SAC code	- SPA Code -	
National Park	Nature Reserve		\	Woodland present in the 1840s Ye	s
Ownership	Coillte	Area (ha) 11	.5 Max.	alt. (m) 80 Min. alt. (m) 7	0
Sub-soil A/Rc	kNCa/GLs	Soil	BminSW/Al	IluvMIN/AminSW	
<u>Geography</u>	Woodl	and habitats	Grazing	Hydrological features	
Esker	□ WN1	0%	Deer	Seasonal flooding	
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐	
Valley	□ WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ☐	
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐	
Hill	□ WN6	0%	Goats	Other	
Plain/Lowlands	<b>✓</b> WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplain	n 🗌 WD1	100%	Grazing level	I 1	
Coastal/Estuary	□ WD2	0%			
	Other habita	ts		]	
Field notes		E	External data sou	urce: not all data recorded	
Kilkenny city. The ca excelsior) with Doug forms fairly dense p	anopy comprises pedur glas fir (Pseudotsuga m	iculate oak (Quercus enziesii) scattered th rts. Circaea lutetiana	robur), beech roughout. Wyc	nn and to the East by the N78, 5 km north of (Fagus sylvatica) and ash (Fraxinus ch elm (Ulmus glabra) is regenerating and field layer. Grazing is low, and snowberry	of

Site no.	0112	FIPS no.	38765, 61509	), 61532
Date surveyed	25/06/2003			
Woodland name	Maddockstown/Nore C	ottage To	wnland name	Dunbell Big, Maddockstown
Conservation rating	g and score Mod	derate 54	Threa	at rating and score High 42
Disco. map 6	Grid ref.	S545527	6 inch sheet	KK 20 County Kilkenny
NPWS region	South Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Woodland present in the 1840s Yes
Ownership	Private - Multiple	Area (ha)	Max.	alt. (m) 50 Min. alt. (m) 40
Sub-soil GLs		Soi	BminSW/AI	lluvMIN
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	50%	Cattle	<b>✓</b> Springs
Valley	✓ WN3	0%	Sheep	<b>✓</b> Lakes
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ✓
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodpla	in 🗌 WD1	50%	Grazing level	3
Coastal/Estuary	□ WD2	0%		
	Other habita	its		]
Field notes			External data sou	rce: not all data recorded
beech (Fagus sylva stretch with pedund grazed by sheep ar robertianum and V	atica) dominated souther culate oak (Quercus rob nd cattle (it maybe used	n triangle with a dry ur), ash (Fraxinus ex for winter grazing). n the field layer. The	canal and Orob celsior) and so Circaea lutetian ere is a scatterin	wo distinct parts to this site. The first is a banche hederae. The second is a linear me beech (Fagus sylvatica) which is heavily as, Conopodium majus, Geranium ag of goat willow (Salix caprea), crack willow et community.

Site no.	0113		FIPS no.	66977		
Date surveyed	18/06/20	003				
Woodland name	ligh Rath		Tov	vnland name	High Rath, Maddockstown	
Conservation rating a	and score	Poor	39	Thron	at rating and score Low	17
Conservation rating a				F		
Disco. map 67	Grid re	ef. S563	543	6 inch sheet	KK 20 County Kilke	nny
NPWS region So	outh Eastern	NHA code	-	SAC code	- SPA Code	-
National Park	Nature Re	serve		V	Woodland present in the 1840s	No
Ownership P	Private - Single	e Are	a (ha) 3	.2 Max.	alt. (m) 60 Min. alt. (m)	60
Sub-soil TLs			Soil	BminPD		
Geography		Woodland ha	<u>bitats</u>	Grazing	Hydrological features	
Esker		WN1	0%	Deer	Seasonal flooding	
Drumlin		WN2	100%	Cattle	Springs	
Valley		WN3	0%	Sheep	Lakes	
Lakeside		WN4	0%	Rabbits	Rivers/streams	
Bogland		WN5	0%	Hares	☐ Damp clefts/ravines	
Hill		WN6	0%	Goats	Other	
Plain/Lowlands	<b>✓</b>	WN7	0%	Horses		
Island		WS1	0%	Other	Unknown	
Riverside/Floodplain		WD1	0%	Grazing level	1	
Coastal/Estuary		WD2	0%			
	Oth	er habitats				
Field notes				External data sou	rce: not all data recorded	
This is a nice ash (Fr	axinus excels	sior) wood on a	railway line 3	km east of Kilke	enny city, with regenerating wych elm	
(Ulmus glabra), Liste	ra ovata and	Dactylorhiza fud	chsii. Holly (Ile	ex aquifolium) o	occurs in the shrub layer. At least 30 station at railway edge.	tems of
Listera Ovata Were Co	Junteu. There	is some colone	easter (Coton	easter sp.) iilles	station at railway edge.	

Site no.	0114	FIPS no.	66981, 63047	
Date surveyed	19/06/2003			
Woodland name	Gowran	Tov	vnland name	Gowran Demesne, Gowran
Conservation rating	g and score Mod	lerate 54	Threat	t rating and score Low 8
Disco. map 6	8 Grid ref.	S631532	6 inch sheet	KK 20 County Kilkenny
NPWS region	South Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Voodland present in the 1840s Yes
Ownership	Local Authority	Area (ha) 8	.5 Max.	alt. (m) 70 Min. alt. (m) 60
Sub-soil TLs/	A	Soil	BminDW/Br	minPD/AlluvMIN
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	✓ Seasonal flooding
Drumlin	□ WN2	0%	Cattle	✓ Springs □
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ✓
Bogland	□ WN5	80%	Hares	Damp clefts/ravines
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	✓ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗌 WD1	20%	Grazing level	2
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes		1	External data sour	rce: not all data recorded
excelsior), alder (Al hawthorn (Crataegu abundant Urtica dic	nus glutinosa) and white us monogyna) in the und	e poplar (Populus all derstorey. The area t and Valeriana officii	oa) occur in the to the west of the	e oak (Quercus robur), ash (Fraxinus canopy, and elder (Sambucus nigra) and ne road had a well developed field layer with to the east of the road was heavily trampled

Site no.	0116	FIPS no.	Non FIPS	
Date surveyed	02/07/2003	]		
Woodland name	Fanningstown Wood	Tov	vnland name	Fanningstown, Kilmanahin
Conservation rating	g and score Mod	derate 48	Threa	at rating and score Low 8
Disco. map 7	5 Grid ref.	S458257	6 inch sheet	KK 39 County Kilkenny
NPWS region	South Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		\	Woodland present in the 1840s Yes
Ownership	Private - Single	Area (ha) 6	.7 Max.	alt. (m) 30 Min. alt. (m) 40
Sub-soil TDS	s	Soil	AminPD/Ar	minDW
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	100%	Cattle	☐ Springs ☐
Valley	WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	<b>✓</b> WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	1 0
Coastal/Estuary	□ WD2	0%		
	Other habita	its		
Field notes		I	External data sou	urce: not all data recorded
(Quercus robur) an holly (llex aquifoliur	d ash (Fraxinus excelsion	or) canopy, and this i cetosella and Hyacin	s underlain by thoides non-sc	Kilkenny. There is a pedunculate oak a hazel (Corylus avellana) subcanopy and cripta occur in the field layer. There is

Site no.	0117	FIPS no.	66716, 65051	, 58874, 58868, 667	15, 58867	
Date surveyed	20/05/2003					
Woodland name	Mountain Grove	Tov	vnland name	Tinnakilly, Templeo	rum, Oldcourt, F	Raheen
Conservation rating	and score P	oor 39	Threa	t rating and score	Moderate	25
Disco. map 75	Grid ref.	S477250	6 inch sheet	KK 39 Cou	unty Kilk	enny
NPWS region So	outh Eastern NHA	code -	SAC code	-	SPA Code	-
National Park	Nature Reserve		V	Woodland present in	the 1840s	Yes
Ownership	Coillte	Area (ha) 30	).5 Max.	alt. (m) 90	Min. alt. (m)	50
Sub-soil RckN	Ca/TDSs	Soil	AminSW/Ar	minDW/AminPD		
Geography	Woodla	and habitats	Grazing	<u>Hydr</u>	rological feature	<u>S</u>
Esker	□ WN1	0%	Deer	Seasor	nal flooding	
Drumlin	□ WN2	0%	Cattle	Springs	S	
Valley	□ WN3	0%	Sheep	Lakes		
Lakeside	□ WN4	0%	Rabbits	Rivers/	streams/	<b>✓</b>
Bogland	□ WN5	0%	Hares	<b>✓</b> Damp	clefts/ravines	
Hill	□ WN6	0%	Goats	Other		
Plain/Lowlands	<b>✓</b> WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplain	wD1	100%	Grazing level	2		
Coastal/Estuary	□ WD2	0%				
	Other habita	ts		]		
Field notes		F	External data sou	rce: not all data record	ed	
beech (Fagus sylvat	well drained site 1.5 km ica) are abundant at th les non-scripta and Rar re at the site.	s site and ash (Frax	inus excelsior)	is the most frequent	native tree in th	е

Site no.	0122 F	FIPS no. 65664
Date surveyed	05/09/2003	
Woodland name	Creakan Lower	Townland name Creakan Lower
Conservation rating	g and score Poor	Threat rating and score Low 8
Disco. map 7	Grid ref. S71623	6 inch sheet WX 34 County Wexford
NPWS region	South Eastern NHA code	- SAC code - SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s No
Ownership	Private - Single Area (I	(ha) 2 Max. alt. (m) 50 Min. alt. (m) 40
Sub-soil TLP	S/RckNCa	Soil AminPD/AminSP
Geography	Woodland habita	<del></del>
Esker	□ WN1 1	100% Deer Seasonal flooding
Drumlin	□ WN2	0% Cattle Springs
Valley	□ WN3	Sheep
Lakeside	WN4	
Bogland	□ WN5	0% Hares Damp clefts/ravines
Hill	□ WN6	0% Goats Other
Plain/Lowlands	✓ WN7	0% Horses
Island	□ WS1	0% Other
Riverside/Floodplai	in WD1	0% Grazing level 0
Coastal/Estuary	□ WD2	0%
	Other habitats	
Field notes		External data source: not all data recorded
species is downy b beech (Fagus sylva	irch (Betula pubescens) with pedu	d, flat land 3 km south of New Ross, Co. Wexford. The main canopy unculate oak (Quercus robur), ash (Fraxinus excelsior) and occasional shium) shrub layer and Rubus fruticosus agg. occurs in the field layer. A e shade of beech trees.

Site no.	0123	FIPS no.	83814, 59767	,
Date surveyed	08/09/2003	]		
Woodland name	Stokestown Bridge (Dunganstown)	Tov	vnland name	Dunganstown
Conservation rating	g and score Mod	lerate 42	Threa	at rating and score Low 0
Disco. map 7	6 Grid ref.	S700228	6 inch sheet	WX 34 County Wexford
NPWS region	South Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		١	Woodland present in the 1840s No
Ownership	Private - Single	Area (ha) 2	.5 Max.	alt. (m) 30 Min. alt. (m) 0
Sub-soil Rckl	NCa/A	Soil	AminSP/All	luvMIN/AminSW
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	95%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	□ Springs □
Valley	<b>✓</b> WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	5%	Hares	□ Damp clefts/ravines □
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	WN7	0%	Horses	
Island	□ WS1	0%	Other	Unknown
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	2
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		]
Field notes		I	External data sou	urce: not all data recorded
Bridge. The majorit with a holly (llex aq wet woodland with	y of the wood is domina uifolium) shrub layer. Ru	ted by pedunculate of the state	oak (Quercus ro occurs in the fi	Vexford, south of the stream by Stokestown obur) and downy birch (Betula pubescens) eld layer. The site includes a narrow strip of g the southern bank of the stream. About 10-

Site no.	0124	FIPS no. 65702
Date surveyed	15/09/2003	
Woodland name	Ballyleigh	Townland name Ballyleigh
Conservation rating	g and score Mod	derate 48 Threat rating and score Low 17
Disco. map 6	8 Grid ref.	S743334 6 inch sheet WX 23 County Wexford
NPWS region	South Eastern NHA	A code - SAC code - SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s No
Ownership	Private - Single	Area (ha) 3.5 Max. alt. (m) 70 Min. alt. (m) 60
Sub-soil TGr/	/RckNCa	Soil AminPD/AminSP
Geography	Woodla	land habitats Grazing Hydrological features
Esker	□ WN1	80% Deer Seasonal flooding ✓
Drumlin	□ WN2	Cattle ✓ Springs □
Valley	□ WN3	Sheep
Lakeside	□ WN4	0% Rabbits Rivers/streams
Bogland	□ WN5	0% Hares Damp clefts/ravines
Hill	□ WN6	10% Goats Other
Plain/Lowlands	✓ WN7	0% Horses
Island	□ WS1	0% Other
Riverside/Floodpla	in 🗌 WD1	0% Grazing level 3
Coastal/Estuary	□ WD2	0%
	Other habita	ats
Field notes		External data source: not all data recorded
of pedunculate oak	(Quercus robur) and do	d is located 6 km north-northwest of New Ross. The canopy is composed mainly owny birch (Betula pubescens) with a holly (Ilex aquifolium) understorey, with Alnus glutinosa) in places. Carex remota occurs in the field layer. The site is

Site no.	0125 FIPS no	o. 57776, 57777, 57778
Date surveyed	16/09/2003	
Woodland name	Ballynacoolagh	Townland name Ballynacoolagh
Conservation rating	g and score Moderate 46	Threat rating and score Low 17
Disco. map 6	8 Grid ref. \$738348	6 inch sheet WX 23 County Wexford
NPWS region	South Eastern NHA code -	SAC code 2162 SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s Yes
Ownership	Private - Single Area (ha)	7.5 Max. alt. (m) 70 Min. alt. (m) 10
Sub-soil Gran	nite/rocks rich in silica	Soil Blanket peats
Geography	Woodland habitats	Grazing Hydrological features
Esker	□ WN1 100%	Deer Seasonal flooding
Drumlin	□ WN2 0%	Cattle Springs
Valley	<b>✓</b> WN3 0%	Sheep Lakes
Lakeside	□ WN4 0%	Rabbits Rivers/streams
Bogland	□ WN5 0%	Hares Damp clefts/ravines D
Hill	□ WN6 0%	Goats Other
Plain/Lowlands	□ WN7 0%	Horses
Island	□ WS1 0%	Other
Riverside/Floodplai	in	Grazing level 0
Coastal/Estuary	□ WD2 0%	
	Other habitats	
Field notes		External data source: not all data recorded
(Quercus petraea) occur in the shrub I	the most abundant canopy species. Ash ayer. Luzula sylvatica, Polystichum setif was surveyed as the valley becomes da	ne Rower, Co. Carlow. It is a steep valley site with sessile oak in (Fraxinus excelsior) and sycamore (Acer pseudoplatanus) ferum and Dryopteris dilatata are the main field species. Only ingerously steep with cliffs in places. A boat may be needed to

Site no.	0126	FIPS no.	63749, 62076	6, 65716, 12185
Date surveyed	08/09/2003	]		
Woodland name	Curraun	Tov	vnland name	Ballyleigh, Curraun
Conservation rating	g and score Mod	derate 42	Threa	at rating and score Low 8
Disco. map 6	8 Grid ref.	S759349	6 inch sheet	WX 23 County Wexford
NPWS region	South Eastern NHA	code -	SAC code	2162 SPA Code -
National Park	Nature Reserve		,	Woodland present in the 1840s No
Ownership	Private - Multiple	Area (ha) 1	0 Max.	alt. (m) 80 Min. alt. (m) 70
Sub-soil A/Ro	ckNCa/TGr	Soil	AlluvMIN/A	minSP/AminPD
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding  ✓
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	✓ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ✓
Bogland	□ WN5	0%	Hares	□ Damp clefts/ravines
Hill	□ WN6	100%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	in 🗌 WD1	0%	Grazing leve	0
Coastal/Estuary	□ WD2	0%		
	Other habita	ats		
Field notes		I	External data sou	urce: not all data recorded
glutinosa) and ash side above. Conifer Carex remota are for	(Fraxinus excelsior) wor r stands are intersperse ound in the field layer. T t the top of the slope wa	odland alongside Po d with the native sec here is a diverse gro	Ilmonty River, a tions of the woo ound flora and g	ford. It consists of an area of alder (Alnus and similar stands occur on wet the valley-od. Filipendula ulmaria, Juncus effusus and good tree structure, but the site is narrow and ccess, but it appeared drier and scrubby with

Site no.	0127	FIPS no.	Non FIPS	
Date surveyed	13/06/2003	]		
Woodland name	Warrington	Tov	wnland name	Warrington
Conservation rating	g and score Mod	lerate 52	Threa	at rating and score Low 17
Disco. map 6	Grid ref.	S523549	6 inch sheet	KK 19 County Kilkenny
NPWS region	South Eastern NHA	code 2051	SAC code	- SPA Code -
National Park	Nature Reserve		V	Woodland present in the 1840s Yes
Ownership	Private - Single	Area (ha) 4	.3 Max.	alt. (m) 60 Min. alt. (m) 40
Sub-soil A/Ro	ckCa/GLs	Soil	AlluvMIN/Bi	minSW
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	☐ Seasonal flooding ✓
Drumlin	□ WN2	80%	Cattle	☐ Springs ☐
Valley	<b>✓</b> WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodpla	in 🗌 WD1	20%	Grazing level	0
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes			External data sou	irce: not all data recorded
Kilkenny city. Acce (Crataegus monog end is beech domir	ss is via a riding school yna) understorey and a f nated and highly disturbe	to the southeast of t ield layer of Anthriso ed due to horse ridin	he wood. There cus sylvestris ar g. The western	wood on the south-eastern outskirts of e is a hazel (Corylus avellana) and hawthorn and Hyacinthoides non-scripta. The eastern end is also highly disturbed and contains a low strip and less disturbed with a good

Site no.	0128		FIPS no.	62528, 62527	7, 84025, 64106, 62526
Date surveyed	27/05/20	003			
Woodland name	Brown's Wood	I	Tow	nland name	Curraghduff, Upperwood Demesne, Ballyphillip
Conservation rating	g and score	Very Good	61	Threa	at rating and score Low 8
Disco. map 6	0 Grid r	ef. S3976	632	6 inch sheet	KK 13 County Kilkenny
NPWS region	South Eastern	NHA code	-	SAC code	- SPA Code -
National Park	Nature Re	serve		,	Woodland present in the 1840s Yes
Ownership	Coillte	Area	(ha) 18	Max.	alt. (m) 200 Min. alt. (m) 120
Sub-soil Rckl	NCa/RckCa/TN	SSs, GLs, TLs	Soil	AminSW/A	minDW/AminPD/BminSW/BminPD
Geography		Woodland hat	<u>pitats</u>	Grazing	Hydrological features
Esker		WN1	60%	Deer	Seasonal flooding
Drumlin		WN2	40%	Cattle	Springs
Valley		WN3	0%	Sheep	Lakes
Lakeside		WN4	0%	Rabbits	☐ Rivers/streams ✓
Bogland		WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	<u> </u>	WN6	0%	Goats	Other
Plain/Lowlands		WN7	0%	Horses	
Island				Other	
		WS1	0%	Grazing leve	1 1
Riverside/Floodplai Coastal/Estuary		WD1	0%	Grazing leve	'
CoasianEsidary		WD2	0%		
Field notes	Otr	er habitats			
Field notes			Е	xternal data sou	urce: not all data recorded
dominated by pedu subcanopy and a L (Corylus avellana) Rubus fruticosus a 8 m tall) were found Many coppiced oak	nculate oak (Quzula sylvatica and pedunculatigg. is more freed on the site, are shoots occur	uercus robur), w field layer. Elsev te oak (Quercus quent in the field nd there is a sho on the site, with a	ith a hazel (C where, ash (F robur) form th layer. The sit oting club act 3-10 poles an	orylus avelland raxinus excels the subcanopy. The subcanopy. The site at the site. It as tool diam	n be divided into two types. Most of the site is a) and sycamore (Acer pseudoplatanus) sior) dominates the canopy, and hazel Luzula sylvatica is less abundant here, and well drained mineral soil. Tuley tubes (Ash 6-Deer tracks and dumping were observed. eter up to 1m. There are no invasives on the ast, and does not occur.

Site no.	0130	FIPS no.	41262	
Date surveyed	28/05/2003			
Woodland name	Monarche Commons 2	Tov	vnland name	Monarche Commons
Conservation rating	and score P	oor 36	Threa	at rating and score Moderate 25
Disco. map 67	Grid ref.	S391425	6 inch sheet	KK 26 County Kilkenny
NPWS region S	outh Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		\	Woodland present in the 1840s No
Ownership	Coillte	Area (ha) 9	.4 Max.	. alt. (m) 80 Min. alt. (m) 70
Sub-soil TNSS	Ss	Soil	AminPD	
<u>Geography</u>	Woodl	and habitats	Grazing	<u>Hydrological features</u>
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	Springs
Valley	□ WN3	0%	Sheep	☐ Lakes ✓
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	Damp clefts/ravines
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	<b>✓</b> WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplair	n 🗌 WD1	0%	Grazing level	1
Coastal/Estuary	□ WD2	100%		
	Other habita	ats		
Field notes		I	External data sou	urce: not all data recorded
(Fraxinus excelsior) excelsior) in the sub places, especially al	. Hawthorn (Crataegus ocanopy. Older Scots pilong the edges of the winneral soil. There are	monogyna) and syc ne (Pinus sylvestris) ood. Rubus fruticosi	amore (Acer ps and some Eurous as agg. is abun	dunculate oak (Quercus robur) with ash seudoplatanus) occur with ash (Fraxinus ropean silver-fir (Abies alba) are found in idant. The site is flat, moderately freely albus in eastern part of site, and a fox was

Site no.	0131		FIPS no.	61863, 61862			
Date surveyed	26/05/20	003					
Woodland name	Greatwood		Tov	vnland name	Greatwood, Muck		
Conservation rating	and score	Moderate	42	Threa	t rating and score	High	50
Disco. map 6	7 Grid r	ef. S43	0491	6 inch sheet	KK 22 Co	unty Kill	kenny
NPWS region	South Eastern	NHA code	-	SAC code	-	SPA Code	-
National Park	Nature Re	serve		V	Woodland present in	n the 1840s	Yes
Ownership	Coillte	Arc	ea (ha)	2 Max.	alt. (m) 80	Min. alt. (m)	80
Sub-soil TNS	Ss		Soil	AminPD			
Geography		Woodland h	abitats	Grazing	Hyd	Irological feature	<u>s</u>
Esker		WN1	0%	Deer	Seaso	nal flooding	<b>✓</b>
Drumlin		WN2	0%	Cattle	✓ Spring	js .	
Valley		WN3	0%	Sheep	Lakes		
Lakeside		WN4	30%	Rabbits	Rivers	s/streams	
Bogland		WN5	0%	Hares	Damp	clefts/ravines	
Hill		WN6	0%	Goats	Other		
Plain/Lowlands	<b>✓</b>	WN7	0%	Horses			
Island		WS1	0%	Other			
Riverside/Floodplai	n 🗌	WD1	0%	Grazing level	4		
Coastal/Estuary		WD2	70%				
	Oth	er habitats					
Field notes			ı	External data sou	rce: not all data record	ded	
This is a small, wet pedunculate oak (C willow (Salix cinere: ungrazed with a lus the site is owned by willows (Salix spp.) (Quercus robur). So as Poa trivialis whe	Quercus robur)  a) and in some  h field layer of  Mr. & Mrs. Ne  and ash (Fraxione trees are of	and Norway sp places beech Dryopteris dila iil and Kay Wa nus excelsior) old coppice sto	ruce (Picea ab (Fagus sylvation tata, Dryopteric Ish. Their cattle with occasiona	oies) with an unoca). The area has filix-mas, Rub graze the woo al hawthorn (Cra	derstorey of hazel (of the samany uprooted to the samany uprooted to the same sage. It is fulfilled to the same same same same same same same sam	Corylus avellana rees and appear etc. The smaller p is part is domina and pedunculat	), grey s part of ted by e oak

Site no.	0135	FIPS no.	66984, 28411	, 66983, 61814
Date surveyed	09/06/2003	]		
Woodland name	Coill na Fhaltaigh	Tov	vnland name	Woodlands
Conservation rating	and score Mod	derate 52	Threa	t rating and score Low 8
Disco. map 67	7 Grid ref.	S460520	6 inch sheet	KK 19/23 County Kilkenny
NPWS region S	South Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Woodland present in the 1840s Yes
Ownership	Coillte	Area (ha)	5 Max.	alt. (m) 80 Min. alt. (m) 80
Sub-soil A/TN	ISSs	Soil	AlluvMin/An	minPD
<u>Geography</u>	Woodl	and habitats	Grazing	<u>Hydrological features</u>
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	Damp clefts/ravines
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	<b>✓</b> WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplair	n 🗌 WD1	100%	Grazing level	0
Coastal/Estuary	□ WD2	0%		
	Other habita	its		
Field notes		I	External data sou	rce: not all data recorded
drains. This woodla	nd is the remaining sca ulate oak (Quercus rob	ttered mature broadlur) and ash (Fraxinu	eaves following s excelsior). Ho	he area is very wet and contains deep the removal of conifers. The main canopy olly (Ilex aquifolium) and hazel (Corylus old. The trees are scattered and many have

Site no.	0136	FIPS no.	41238, 59992	2, 66751
Date surveyed	04/07/2003	]		
Woodland name	Rossenarra	Tov	vnland name	Rossenarra Demesne
Conservation rating	g and score Mod	derate 58	Threa	at rating and score Low 17
Disco. map 6	7 Grid ref.	S473360	6 inch sheet	KK 31 County Kilkenny
NPWS region S	South Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		\	Woodland present in the 1840s Yes
Ownership	Coillte	Area (ha) 4	.9 Max.	alt. (m) 60 Min. alt. (m) 50
Sub-soil TNS	Ss	Soil	AminPD/An	minDW
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	☐ Seasonal flooding ✓
Drumlin	□ WN2	100%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	<b>✓</b> WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	I 0
Coastal/Estuary	□ WD2	0%		
	Other habita	its		
Field notes		1	External data sou	urce: not all data recorded
(Quercus robur) are layer with holly (llex	eas linked by a short hed aquifolium), hawthorn dare found in the field lay	dgerow. Ash (Fraxin Crataegus monogyr	us excelsior) oc na) and some b	enny. It is composed of two pedunculate oak ccurs in the subcanopy and there is a shrub seech (Fagus sylvatica). Filipendula ulmaria erous plantations and agricultural land. Horse

Site no.	0137		FIPS no.		7, 60790, 60792, 64		
Date surveyed	29/05/20	03			, 66915, 60791, 83 , 60796, 66925	891, 60785, 607	95, 58704,
Woodland name	Knockadrina		Tov	vnland name	Knockadrina, Barro	ettstown, Tinvauı	n
Conservation ratin	g and score	Very Good	64	Threa	t rating and score	Moderate	25
Disco. map 6	Grid re	ef. S5193	395	6 inch sheet	KK 27/31 Co	ounty Kill	kenny
NPWS region	South Eastern	NHA code	-	SAC code	-	SPA Code	-
National Park	Nature Res	serve		V	Woodland present in	n the 1840s	Yes
Ownership	Coillte	Area	(ha) 4	2 Max.	alt. (m) 140	Min. alt. (m)	100
Sub-soil Rck	Ca/TLs		Soil	BminSW/Br	minDW		
<u>Geography</u>		Woodland hab	<u>oitats</u>	Grazing	Hyd	drological feature	<u>s</u>
Esker		WN1	0%	Deer	<b>✓</b> Seaso	onal flooding	
Drumlin		WN2	5%	Cattle	Spring	gs	
Valley		WN3	0%	Sheep	Lakes	<b>;</b>	
Lakeside		WN4	0%	Rabbits	Rivers	s/streams	
Bogland		WN5	0%	Hares	Damp	clefts/ravines	<b>✓</b>
Hill	<u> </u>			Goats	Other		
Plain/Lowlands		WN6	0%	Horses			
Island		WN7	0%	Other			
Riverside/Floodpla		WS1 WD1	95%	Grazing level	1		
Coastal/Estuary	"' <u> </u>	WD2	0%	Grazing love.	•		
Codotai, Lotaary	Oth	er habitats	070		]		
E	Otti	ei Habitats			J		
Field notes			l	External data sou	rce: not all data recor	ded	
vegetation types. To (Euonymus europa oak (Quercus robu (Euonymus europa areas of sycamore general, the site is	There areas of pareus) occurs in the role	lanted beech (Fahe shrub layer and areas, again in the shrub laye atanus) with a shing grey/brown	agus sylvation Rubus frum With ash (Frager. Rubus frum Bubcanopy of podzolic soil	a) with some as atticosus agg. or axinus excelsion ticosus agg. is cash (Fraxinus exit) with a good growth agood growth ago	The site can be diving the site can be diving the field lay or). Here, ash (Fraxing dominant in the field excelsior) and beed ound flora. Conifers or). Broadleaf areas	ior), where spind rer. Planted pedu nus excelsior) an d layer. Finally, th h (Fagus sylvatio cocur occasiona	le inculate d spindle nere are ca). In

Site no.	0138	FIPS no.	59426, 38824	, 59484, 83787
Date surveyed	30/06/2003	]		
Woodland name	Castlemorris Demesne	То	wnland name	Castlemorris
Concernation ratio	n and seers Mas	loroto 12	Th	t ration and asset
Conservation rating	g and score Mod	lerate 42	Inrea	trating and score Low 8
Disco. map 6	7 Grid ref.	S492349	6 inch sheet	KK 31/35 County Kilkenny
NPWS region	South Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		١	Noodland present in the 1840s Yes
Ownership	Coillte	Area (ha)	3.5 Max.	alt. (m) 210 Min. alt. (m) 70
Sub-soil Rckl	NCa/TLs	Soi	I AminSW/Br	minDW
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ☐
Bogland	□ WN5	0%	Hares	□ Damp clefts/ravines □
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	✓ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodpla	in WD1	0%	Grazing level	0
Coastal/Estuary	□ WD2	100%		
	Other habita	ts		
Field notes			External data sou	rce: not all data recorded
native woodland wi divided into two typ layer of wych elm ( Polystichum setifer	thin large areas covered les. There are areas of a Ulmus glabra) and hawtl um, Circaea lutetiana ar th an ash (Fraxinus exce	I by conifers and no ish (Fraxinus excels norn (Crataegus mo id Hyacinthoides no	n-native broadle sior) and hazel ( onogyna). These on-scripta. Other	y. The site is composed of small areas of eaves. Areas of native woodland can be Corylus avellana) woodland with a shrub a parts have a varied herb layer including areas have a pedunculate oak (Quercus ubus fruticosus agg. in the field layer. The

Site no.	0139	FIPS no.	58402			
Date surveyed	06/08/2003					
Woodland name	Twenty Acres	Tov	vnland name	Twenty Acres		
Conservation rating	g and score P	oor 30	Threat	t rating and score	Moderate	33
Disco. map 7	7 Grid ref.	T020159	6 inch sheet	WX 42 Cou	unty We	xford
NPWS region	South Eastern NHA	code -	SAC code	-	SPA Code	-
National Park	Nature Reserve		V	Voodland present in	the 1840s	No
Ownership	Other State Body	Area (ha) 2	.5 Max.	alt. (m) 50	Min. alt. (m)	40
Sub-soil TQz	/A/RckNCa	Soil	AminDW/All	luvMIN/AminSW		
Geography	Woodl	and habitats	Grazing	Hydr	ological feature	<u>s</u>
Esker	□ WN1	0%	Deer	Seasor	nal flooding	✓
Drumlin	□ WN2	0%	Cattle	Springs	3	
Valley	<b>✓</b> WN3	0%	Sheep	Lakes		
Lakeside	□ WN4	0%	Rabbits	Rivers/	streams	<b>✓</b>
Bogland	□ WN5	0%	Hares	☐ Damp o	clefts/ravines	
Hill	□ WN6	0%	Goats	Other		
Plain/Lowlands	□ WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplai	n WD1	0%	Grazing level	0		
Coastal/Estuary	□ WD2	100%				
	Other habita	ts				
Field notes		1	External data sour	rce: not all data record	ed	
and forms part of a and pines. Ash (Fra areas. Ferns such	ned site on mineral soil i larger area of mixed wo axinus excelsior) is domi as Polystichum setiferun ield layer. To the northe	odland which was n nant in some parts v n and Dryopteris dila	ot surveyed as i with sycamore (A atata are commo	it was dominated by Acer pseudoplatanuon on at this site, and B	non-native broa s) dominant in o rachypodium sy	dleaves ther lvaticum

Site no.	0141	FIPS no. 65759	
Date surveyed	09/07/2003		
Woodland name	Johnstown Castle	Townland name Kildavin Lower	
Conservation rating	g and score Mod	erate 42 Threat rating and score	e Low 17
Disco. map 7	7 Grid ref.	T008170 6 inch sheet WX 42	County Wexford
NPWS region	South Eastern NHA	code - SAC code -	SPA Code -
National Park	Nature Reserve	Woodland prese	nt in the 1840s Yes
Ownership	Private - Single	Area (ha) 1 Max. alt. (m) 60	Min. alt. (m) 60
Sub-soil TQz	/ A	Soil AminPD/AlluvMIN	
Geography	Woodl	nd habitats Grazing	Hydrological features
Esker	□ WN1	0% Deer Se	asonal flooding
Drumlin	□ WN2	0% Cattle Sp	rings
Valley	□ WN3	Sheep ☐ La	kes
Lakeside	□ WN4	0% Rabbits 🗌 Riv	vers/streams
Bogland	□ WN5	100% Hares 🗌 Da	mp clefts/ravines
Hill	WN6	0% Goats Ot	ner
Plain/Lowlands	✓ WN7	0% Horses	
Island	□ WS1	0% Other	
Riverside/Floodplai	in WD1	0% Grazing level 0	
Coastal/Estuary	□ WD2	0%	
	Other habita	S	
Field notes		External data source: not all data re	corded
cinerea) and elder		fers just east of Murntown, Co. Wexford, on a gley n the shrub layer, and Rubus fruticosus agg. is abone site.	

Site no.	0145	FIPS no.	68876	
Date surveyed	12/08/2003	]		
Woodland name	Ballybrennan House	Tov	vnland name	Ballybrennan Big
Conservation rating	g and score Mod	derate 54	Threa	at rating and score Moderate 25
Disco. map 7	7 Grid ref.	T068132	6 inch sheet	WX 48 County Wexford
NPWS region	South Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		,	Woodland present in the 1840s Yes
Ownership	Private - Multiple	Area (ha) 2	.3 Max.	. alt. (m) 10 Min. alt. (m) 0
Sub-soil Mes	c/TCSsS/A	Soil	MarSed/An	minPD/AlluvMIN
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	☐ Seasonal flooding ✓
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ✓
Bogland	□ WN5	0%	Hares	□ Damp clefts/ravines □
Hill	□ WN6	100%	Goats	Other
Plain/Lowlands	<b>✓</b> WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n WD1	0%	Grazing leve	0
Coastal/Estuary	□ WD2	0%		
	Other habita	its		
Field notes			External data sou	urce: not all data recorded
northwest of Tagoa occurs in the shrub pedunculate oak (C	it, Co. Wexford. Ash (Fra layer. Filipendula ulmai Quercus robur) trees are	axinus excelsior) is f ia, Carex remota an also present. Symp	ound in the car d Berula erecta horicarpos albu	ea) woodland alongside small stream 4 km nopy in places and wych elm (Ulmus glabra) a occur on the site. A couple of large oak us occurs at the northern end of site. There i. A frog was observed on site.

Site no.	0147	FIPS no.	Non FIPS		
Date surveyed	30/07/2003	]			
Woodland name	Ballycross	Tov	wnland name	Ballycross, Pullingtown, Brid	dgetown South
Conservation rating	g and score P	oor 39	Threa	at rating and score Mo	oderate 25
Disco. map 7	7 Grid ref.	S985087	6 inch sheet	WX 47 County	Wexford
NPWS region	South Eastern NHA	code -	SAC code	- SPA Co	ode -
National Park	Nature Reserve		\	Woodland present in the 184	.0s Yes
Ownership	Private - Single	Area (ha) 4	.3 Max.	alt. (m) 5 Min. al	lt. (m) 7
Sub-soil Mes	c/TCSsS	Soil	MarSed/An	ninDW	
Geography	Woodl	and habitats	Grazing	<u>Hydrological</u>	<u>features</u>
Esker	□ WN1	0%	Deer	Seasonal flood	ling 🗌
Drumlin	□ WN2	0%	Cattle	Springs	
Valley	□ WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	Rivers/streams	<b>y</b>
Bogland	□ WN5	0%	Hares	Damp clefts/ra	vines
Hill	□ WN6	0%	Goats	Other	
Plain/Lowlands	<b>✓</b> WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplai	n WD1	100%	Grazing level	0	
Coastal/Estuary	□ WD2	0%			
	Other habita	its			
Field notes			External data sou	urce: not all data recorded	
Wexford. Beech (Fand grey willow (Saare found in the fiel 9.3m. Some cherry	agus sylvatica) and ped alix cinerea) scattered th Id layer. A very large do	unculate oak (Querc roughout. Rubus fru wny birch (Betula pu asus) and snowberr	cus robur) are co ticosus agg, Dr bescens) of 11	rm, 1 km southwest of Bridge o-dominant, with ash (Fraxin yopteris dilatata and Polystic 0cm dbh was noted at S983 <sup>-</sup> pos albus) are present but th	us excelsior) chum setiferum 1209636 +/-

Site no.	0148	FIPS no.		, 58534, 58539, 58580, 58550, 58563, 58570,
Date surveyed	04/09/2003		40577, 84115,	, 66107, 66108, 58543, 58544
Woodland name	Ballyfad	Том		Gorteen Lower, Gorteen Upper, Oulart, Coolgreany Dme
Conservation rating	and score Mod	lerate 54	Threat	t rating and score Low 17
Disco. map 62	Grid ref.	T173690	6 inch sheet	WX 3 County Wexford
NPWS region S	outh Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Voodland present in the 1840s Yes
Ownership	Coillte	Area (ha) 3	6 Max. a	alt. (m) 130 Min. alt. (m) 70
Sub-soil TLPS	SsS/RckNCa/A	Soil	AminDW/An	minSW/AminPD/AminSP/AlluvMIN
<u>Geography</u>	Woodl	and habitats	Grazing	<u>Hydrological features</u>
Esker	□ WN1	5%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	<b>✓</b> WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ✓
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	✓
Island	□ WS1	0%	Other	
Riverside/Floodplain	n 🗌 WD1	10%	Grazing level	1
Coastal/Estuary	□ WD2	20%		
	Other habita	wD5 15% W	S2 50%	
Field notes		E	External data sour	rce: not all data recorded
wood consists of wi The shrub layer is d thickets of young se	dely spaced mature ses lepauparate, as is the fi essile oak (Quercus petr e sessile oak (Quercus	sile oaks (Quercus p eld layer, which is do aea) and downy bird	petraea). Conife minated by Rub h (Betula pubes	buthwest of Coolgreany, Co. Wexford. The ears have been removed in the recent past. bus fruticosus agg. In places there are scens). Around the periphery of the ea). Buddleja davidii and Leycesteria

Site no.	151	FIPS no.	65780, 57456,	57457
Date surveyed 14/0	8/2003			
Woodland name Bricketsto	wn House	Tow	nland name	Bricketstown, Brownscastle, Cloghultagh
Conservation rating and score	Very Good	73	Threat	rating and score Moderate 25
Disco. map 77 G	rid ref. S917	220	6 inch sheet	WX 36 County Wexford
NPWS region South Easter	ern NHA code	-	SAC code	- SPA Code -
National Park	Reserve		W	/oodland present in the 1840s Yes
Ownership Private - M	ultiple Area	a (ha) 20	.3 Max. a	alt. (m) 60 Min. alt. (m) 20
Sub-soil RckNCa/A/TLP	S	Soil	AminSP/Am	inSW/AlluvMIN/AminDW/AminPD
Geography	Woodland ha	<u>bitats</u>	Grazing	Hydrological features
Esker	WN1	90%	Deer	Seasonal flooding
Drumlin	WN2	0%	Cattle	☐ Springs ☐
Valley <b>✓</b>	WN3	0%	Sheep	Lakes
Lakeside	WN4	0%	Rabbits	Rivers/streams
Bogland	WN5	10%	Hares	☐ Damp clefts/ravines ✓
Hill	WN6	0%	Goats	Other
Plain/Lowlands	WN7	0%	Horses	
Island	WS1	0%	Other	
Riverside/Floodplain	WD1	0%	Grazing level	0
Coastal/Estuary	WD2	0%		
·	Other habitats			
<u>Field notes</u>		E	External data sour	ce: not all data recorded
along the river at the centre. It freely draining mineral soil, bu characterised by hybrid oak (C (Prunus avium) stands in place the field layer here. A larger all downy birch (Betula pubescen and rhododendron (Rhododen the field layer. There is a small with a shrub layer of hawthorn	is located 2 km nor parts of the site and puercus x rosacea), es. Ferns such as Dean of woodland on part and holly (llex and dron ponticum). Dry I area of wet woodla (Crataegus monoge)	th of Taghmore on wetter gle holly (llex aquaryopteris dilat northern side juifolium) with vopteris dilatate and dominated yna) and black	n, Co. Wexford. ey soils. The wo uifolium) and had ata, Dryopteris a of valley is domi some large bloc a, Pteridium aqu by alder (Alnus othorn (Prunus s	sides and a small area of wet woodland For the most part, the site is on moderately odland on the southern side of valley is zel (Corylus avellana) with planted cherry affinis and Blechnum spicant are found in inated by sessile oak (Quercus petraea), cks of cherry laurel (Prunus laurocerasus) uilinum and Teucrium scorodonia occur in seglutinosa) and grey willow (Salix cinerea), spinosa). There is dense Pteridium and Ranunculus repens occur in the field

Site no.	0153	FIPS n	o. 60606			
Date surveyed	03/07/2003					
Woodland name	Ballyvalogue		Townland name	Bregorteen, Ballyva	allogue	
Conservation rating	and score	Poor 33	Threa	at rating and score	Low	17
Disco. map 77	Grid ref.	S960233	6 inch sheet	WX 36/37 Co	unty We	exford
NPWS region S	outh Eastern N	HA code -	SAC code	-	SPA Code	-
National Park	Nature Reserve			Woodland present in	n the 1840s	No
Ownership	Coillte	Area (ha)	1 Max	. alt. (m) 60	Min. alt. (m)	30
Sub-soil TLPS	6/A		Soil AminPD/A	lluvMIN		
Geography	<u>Wc</u>	odland habitats	Grazing	Hyd	Irological feature	<u>s</u>
Esker	□ WN	0%	Deer	Seaso	nal flooding	
Drumlin	□ WN:	100%	Cattle	Spring	js .	
Valley	□ WN:	0%	Sheep	Lakes		
Lakeside	□ WN	0%	Rabbits	Rivers	s/streams	<b>✓</b>
Bogland	□ WN:	0%	Hares	Damp	clefts/ravines	
Hill	✓ WN	0%	Goats	Other		
Plain/Lowlands	□ WN	0%	Horses			
Island	□ ws	0%	Other			
Riverside/Floodplain	n 🗌 WD	0%	Grazing leve	0		
Coastal/Estuary	□ WD:	0%				
	Other ha	itats				
Field notes			External data so	urce: not all data record	ded	
containing hawthorn	prox. 30 yrs old), ar ı (Crataegus monog od (27 ha) was 95%	l ash (Fraxinus ex na). Ferns such as non-native, mostly	celsior) has seeded s Polystichum setife	site consists of a sm d between the oak. T erum are frequent in fers and some beech	here is a shrub I the field layer. T	ayer he

Site no.	0154	FIPS no.	59686, 59688	3, 83807, 59689, 41005
Date surveyed	18/08/2003	]		
Woodland name	Ballyboggan Lower	То	wnland name	Ballyboggan Lower, Artramon, Crory Lower
Conservation rating	and score Very	Good 76	Threa	at rating and score Moderate 33
Conservation rating			_	
Disco. map 7	7 Grid ref.	T041273	6 inch sheet	WX 32 County Wexford
NPWS region	South Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Woodland present in the 1840s Yes
Ownership	Private - Single	Area (ha) 2	8.8 Max.	alt. (m) 40 Min. alt. (m) 10
Sub-soil A/Ro	ckNCa/GLPSsS/TLPS	Soi	I AlluvMIN/A	minSW/AminDW
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding ✓
Drumlin	□ WN2	20%	Cattle	□ Springs □
Valley	✓ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ✓
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ✓
Hill	□ WN6	5%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodpla	in 🗌 WD1	75%	Grazing level	0
Coastal/Estuary	□ WD2	0%		
	Other habita	its		]
Field notes			External data sou	urce: not all data recorded
This is a large site on the steep slopes on either site of the River Sow, 1.5 km northwest of Castlebridge, Co. Wexford. Beech (Fagus sylvatica) is dominant over most of the site, but pedunculate oak (Quercus robur) is frequent throughout and ash (Fraxinus excelsior), hazel (Corylus avellana) and alder (Alnus glutinosa) all dominate in some patches (see map). Where pedunculate oak (Quercus robur) dominates, there is a hazel (Corylus avellana) shrub layer and Luzula sylvatica is found in the field layer. Alder (Alnus glutinosa) dominated areas have ash in the shrub layer. Rubus fruticosus agg. occurs in the field layer along with Carex remota, Apium nodiflorum and Chrysosplenium oppositifolium. The notable ruined remains of an old water mill were noted on site during the survey.				

Site no.	0155	FIPS no.	63665, 63664	1, 61221, 63663, 612	22	
Date surveyed	12/06/2003					
Woodland name	Soldier's Hole	To	wnland name	Dunanore		
Conservation rating	and score P	oor 39	Threa	at rating and score	Moderate	33
Disco. map 68	Grid ref.	S961365	6 inch sheet	WX 25/26 Cou	unty We	xford
NPWS region S	outh Eastern NHA	code -	SAC code	-	SPA Code	-
National Park	Nature Reserve		,	Woodland present in	the 1840s	Yes
Ownership	Coillte	Area (ha)	4 Max.	alt. (m) 30	Min. alt. (m)	20
Sub-soil RckN	ICa/A/TLPS	Soi	AminSP/Ar	minSW/AlluvMIN/Ami	nPD	
<u>Geography</u>	Woodl	and habitats	Grazing	Hydr	ological feature	<u>s</u>
Esker	□ WN1	0%	Deer	Seasor	nal flooding	
Drumlin	□ WN2	100%	Cattle	Springs	5	
Valley	<b>✓</b> WN3	0%	Sheep	Lakes		
Lakeside	□ WN4	0%	Rabbits	Rivers/	streams	<b>✓</b>
Bogland	□ WN5	0%	Hares	Damp of the control of the contro	clefts/ravines	
Hill	□ WN6	0%	Goats	Other		
Plain/Lowlands	□ WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplair	n 🗌 WD1	0%	Grazing leve	0		
Coastal/Estuary	□ WD2	0%				
	Other habita	ats				
Field notes			External data sou	urce: not all data recorde	ed	
draining brown earth (Corylus avellana) a sylvaticum, Arrhena	odland on the slope about a soil. Pedunculate oak and beech (Fagus sylvantherum elatius, Poa trivallong the top of the slop oth abundant.	(Quercus robur) is of tica) also present. Prialis and Holcus mo	dominant in the teridium aquilin Ilis occur in the	canopy with ash (France) num and grasses sucl field layer. Grazing is	axinus excelsior h as Brachypod s absent, althou	), hazel ium

Site no.	0156		FIPS no.	60555, 83874			
Date surveyed	15/07/200	)3					
Woodland name	Garryricken No	rth	Tow	nland name	Garryricken		
Conservation rating	and score	Very Good	64	Threat	rating and score	Low	8
Disco. map 67	7 Grid ref	f. S3993	885	6 inch sheet	KK 30 Cou	ınty Kil	kenny
NPWS region S	outh Eastern	NHA code	403	SAC code	-	SPA Code	-
National Park	Nature Res	erve 🗸		V	Voodland present in	the 1840s	Yes
Ownership	NPWS	Area	(ha) 15	.2 Max. a	alt. (m) 90	Min. alt. (m)	80
Sub-soil TNS	Ss/A		Soil	AminPD/Am	inDW/AlluvMIN		
<u>Geography</u>		Woodland hab	<u>itats</u>	Grazing	<u>Hydr</u>	ological feature	<u>es</u>
Esker		WN1	0%	Deer	Seasor	nal flooding	
Drumlin		WN2	100%	Cattle	Springs	3	
Valley		WN3	0%	Sheep	Lakes		
Lakeside		WN4	0%	Rabbits	Rivers/	streams	
Bogland		WN5	0%	Hares	Damp o	clefts/ravines	
Hill		WN6	0%	Goats	Other	Drair	ns
Plain/Lowlands		WN7	0%	Horses			
Island		WS1	0%	Other	Unknown		
Riverside/Floodplair		WD1	0%	Grazing level	1		
Coastal/Estuary		WD2	0%				
	Othe	er habitats					
Field notes		L	E	External data sour	ce: not all data record	ed 🗌	
This wood is on leve woodland that make oak/ash wood borded dominated by sessi Dryopteris affinis ar the soil was relative minimal grazing and Epipactis helleborin	e up Garryricken ered by conifer p le oak (Quercus nd Deschampsia lly dry at the time d a small amoun	Nature Reservellantation to the petraea), and to cespitosa are to for survey. The tof cherry laure	re. The south northwest and here is a haz found in the force ground florce	ern block is refe nd access to the rel (Corylus ave ield layer. Old d a was also indica	erred to in this datab e reserve is through Ilana) shrub layer. P Irains are present th	pase as 302. 15 this. The canop Polystichum seti roughout the wained soil. The	6 is an by is ferum, bood and re was

Site no.	0157	FIPS no.	81614	
Date surveyed	28/08/2003			
Woodland name	Ballynoe	Тс	wnland name	Ballynoe (Newtown)
Conservation ratio	g and score	Poor 35	Threa	t rating and score Low 0
Disco. map 6	Grid ref.	S865672	6 inch sheet	CW 13 County Carlow
NPWS region	South Eastern N	HA code 815	SAC code	- SPA Code -
National Park	Nature Reserve		V	Voodland present in the 1840s Yes
Ownership	Private - Single	Area (ha)	3.1 Max.	alt. (m) 80 Min. alt. (m) 50
Sub-soil Rck	NCa/TGr	So	I AminSW/Ar	minDW
Geography	<u>Wo</u>	odland habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	50%	Cattle	☐ Springs ☐
Valley	✓ WN3		Sheep	✓ Lakes
Lakeside	□ WN₄		Rabbits	☐ Rivers/streams
Bogland	□ WN5		Hares	☐ Damp clefts/ravines ✓
Hill	□ WN€		Goats	Other
Plain/Lowlands	□ WN7		Horses	
Island	□ WS1	50%	Other	
Riverside/Floodpla			Grazing level	1
Coastal/Estuary	□ WD2			
,	Other ha			
Field notes			External data sou	rce: not all data recorded
broadleaves such a aquifolium), alder ( monogyna) and bla typical ash wood fir Hyacinthoides non	as pedunculate oak (I Alnus glutinosa), row ackthorn (Prunus spin eld layer under the co -scripta, Dryopteris di	Quercus robur), ash (F an (Sorbus aucuparia) osa). Rubus fruticosus ppiced hazel (Corylus	raxinus excelsio, spindle (Euony agg. and Pterid avellana) and the la and mosses.	a mixed canopy containing many native r), hazel (Corylus avellana), holly (Ilex mus europaeus), hawthorn (Crataegus lium aquilinum are abundant. There is a nis is composed of Stellaria holostea, The soil is a moderately freely draining laney.

Site no.	0158	FIPS no. 59190, 29591, 29579	
Date surveyed	21/07/2003		
Woodland name	Altamont Gardens	Townland name Drummin, Kilbride, Altamont	
Conservation rating	and score Modera	rate 54 Threat rating and score Low	8
Disco. map 6	1 Grid ref. S	S872654 6 inch sheet W 13/17/18 County Carlow	
NPWS region S	South Eastern NHA co	ode 815 SAC code - SPA Code -	
National Park	Nature Reserve	Woodland present in the 1840s Ye	es
Ownership	NPWS	Area (ha) 9 Max. alt. (m) 80 Min. alt. (m) 5	50
Sub-soil A/Ro	kNCa	Soil AlluvMIN/AminSW/AminSPPT	
Geography	Woodland	d habitats Grazing Hydrological features	
Esker	□ WN1	0% Deer Seasonal flooding	
Drumlin	□ WN2	100% Cattle Springs	
Valley	<b>✓</b> WN3	Sheep ✓ Lakes □	
Lakeside	□ WN4	0% Rabbits ☐ Rivers/streams	
Bogland	□ WN5	0% Hares Damp clefts/ravines	
Hill	□ WN6	0% Goats Other	
Plain/Lowlands	□ WN7	0% Horses	
Island	□ WS1	0% Other	
Riverside/Floodplai		0% Grazing level 1	
Coastal/Estuary	□ WD2	0%	
	Other habitats		
Field notes		External data source: not all data recorded	
owned Altamont Ga the subcanopy. Ruk	ardens. Sessile oak (Querc ous fruticosus agg. and Hya ow level invasive at the site	ow, is known as 'The Glen' - a woodland walk – and is part of the Dúchas cus petraea) is dominant in the canopy and hazel (Corylus avellana) occurs yacinthoides non-scripta are found in the field layer. Cherry laurel (Prunus le. The site is on a moderately freely draining mineral soil. Disused badger	s in

Site no.	0160	FIPS no.	57613, 57581	1
Date surveyed	27/08/2003			
Woodland name	Ballywilliam	Т	ownland name	Ballywilliam, Ballindown
Conservation rating	g and score M	oderate 46	Threa	at rating and score Low 0
Disco. map 5	3 Grid ref.	N085071	6 inch sheet	OF 35 County Offaly
NPWS region	North Eastern NF	A code -	SAC code	- SPA Code -
National Park	Nature Reserve		,	Woodland present in the 1840s No
Ownership	Private - Single	Area (ha)	12 Max.	. alt. (m) 60 Min. alt. (m) 60
Sub-soil Cut		S	oil Cut	
Geography	<u>Woo</u>	lland habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	✓ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	100%	Horses	
Island	□ WS1	0%	Other	Unknown
Riverside/Floodplai	in  WD1	0%	Grazing leve	1
Coastal/Estuary	□ WD2	0%		
	Other hab	tats		
Field notes			External data sou	urce: not all data recorded
dominates in place (Betula pubescens) aquifolium) are four the woodland are o	s along the west/south ), and pedunculate oal nd in the shrub layer. I f different ages and th	west corner of the n (Quercus robur) all teridium aquilinum s is reflected in the	northern section.  so occurs. Hawth and Rubus frutice pattern of Rubus	the road. Scots pine (Pinus sylvestris) The main canopy species is downy birch norn (Crataegus monogyna) and holly (Ilex osus agg. occur in the field layer. Sections of fruticosus agg. dominance on the woodland woodland, and the peat is fairly well drained.

Site no.	0162	FIPS n	o. 5874, 68897			
Date surveyed	02/09/2003					
Woodland name	Guernal		Townland name	Guernal, Balliver		
Conservation rating	g and score	Poor 39	Threa	at rating and score	Low	17
Disco. map 5	Grid ref.	N056170	6 inch sheet	OF 22 Cou	unty O	ffaly
NPWS region	North Eastern	HA code -	SAC code	-	SPA Code	-
National Park	Nature Reserve			Woodland present in	the 1840s	Yes
Ownership	Private - Single	Area (ha)	1.1 Max	. alt. (m) 70	Min. alt. (m)	70
Sub-soil GLs/	TLs		Soil BminSW/B	BminDW		
Geography	W	odland habitats	Grazing	<u>Hydr</u>	rological feature	<u>s</u>
Esker	□ WN	0%	Deer	Seasor	nal flooding	
Drumlin	□ WN	100%	Cattle	Springs	S	
Valley	□ WN	0%	Sheep	Lakes		
Lakeside	□ WN	0%	Rabbits	Rivers	streams/	
Bogland	□ WN	0%	Hares	Damp	clefts/ravines	
Hill	✓ WN	0%	Goats	Other		
Plain/Lowlands	□ WN	0%	Horses			
Island	□ ws	0%	Other			
Riverside/Floodplai	n 🗌 WD	0%	Grazing leve	0		
Coastal/Estuary	□ WD	2 0%				
	Other ha	oitats				
Field notes			External data so	urce: not all data record	led	
fenced off, and ther main canopy specie Hyacinthoides non-	e is no grazing. Thi es, and there is a ha scripta is found in th of felled mature oak	may be in the land tel (Corylus avellan e field layer. There occur in the wood	lowner's REPS plants    and hawthorn (Colors   is some planted becomes   Sand has been express	part of a much larger n. Pedunculate oak (0 Crataegus monogyna eech (Fagus sylvatica xtracted from the woo	Quercus robur) i ) shrub layer. i) at the southeri	s the

Site no.	0163	FIPS	65956 no.				
Date surveyed	11/06/2003						
Woodland name	Tombrick Wood		Townland r	name Ton	nbrick		
Conservation rating	and score	Poor :	36	Threat rati	ing and score	Low	17
		S945509	6 inch s		X 14 Cou	untv W	exford
Disco. map 68							
NPWS region S	South Eastern N	HA code	- SAC	Code		SPA Code	-
National Park	Nature Reserve			Wood	dland present in	the 1840s	Yes
Ownership	Coillte	Area (ha)	2.7	Max. alt. (	(m) 140	Min. alt. (m)	60
Sub-soil TLPS	SsS/TMp		Soil Ami	nDW			
Geography	Wo	dland habitats	Gra	azing	<u>Hydr</u>	ological feature	es es
Esker	□ WN1	100%	6 Deer		Season	nal flooding	
Drumlin	□ WN2	0%			Springs	3	
Valley	□ WN3	0%	Sheer		Lakes		
Lakeside	□ WN4	0%	Rabbi	ts 🗆	Rivers/s	streams	
Bogland	□ WN5	0%	Hares		Damp o	clefts/ravines	
Hill	□ WN6	0%			Other		
Plain/Lowlands	✓ WN7	0%		s			
Island	□ WS1	0%					
Riverside/Floodplain	n 🗌 WD1	0%	Ξ .	ng level	0		
Coastal/Estuary	□ WD2	0%	6				
	Other hal	itats					
Field notes			External	data source: r	not all data recorde	ed 🗌	
located 3 km northy	ng stand of hybrid oa west of Ballycarney, ( d layer contains Pteri	o. Wexford with	iin a larger Coil	lite site of cle	earfell and Doug	ılas fir (Pseudo	tsuga

Site no.	0166	FIPS no.	68939		
Date surveyed	01/07/2003				
Woodland name	Wilton North	Tov	wnland name	Wilton	
Conservation rating	and score Mod	lerate 52	Threa	at rating and score Low 17	7
Disco. map 69	Grid ref.	S951359	6 inch sheet	WX 25 County Wexford	
NPWS region So	outh Eastern NHA	code -	SAC code	- SPA Code -	
National Park	Nature Reserve		1	Woodland present in the 1840s Yes	
Ownership	Coillte	Area (ha)	3 Max.	. alt. (m) 40 Min. alt. (m) 20	
Sub-soil A/Rck	NCa	Soil	AlluvMIN/A	AminSP/AminSW	
<u>Geography</u>	Woodla	and habitats	Grazing	<u>Hydrological features</u>	
Esker	□ WN1	0%	Deer	Seasonal flooding	
Drumlin	□ WN2	100%	Cattle	☐ Springs ☐	
Valley	<b>✓</b> WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ✓	
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐	
Hill	□ WN6	0%	Goats	Other	
Plain/Lowlands	□ WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplain	WD1	0%	Grazing level	0	
Coastal/Estuary	□ WD2	0%			
	Other habita	ts			
Field notes			External data sou	urce: not all data recorded	
this study as it is dor slope and at the foot there is a hazel (Cor	minated by Pine (Pinus tof the slope along the	sp.) and beech Bee River Boro. Pedunc ((Ilex aquifolium) st	ech (Fagus sylv culate oak (Que nrub layer. Rubi	ord. The south-western area is excluded from vatica). The area which was included is on the ercus robur) dominates in the canopy, and us fruticosus agg., Luzula sylvatica and aining mineral soil.	

Site no.	0167	FIPS no. 83933
Date surveyed	12/06/2003	
Woodland name	Wilton South	Townland name Wilton
Conservation rating	and score Moderate	Threat rating and score Moderate 25
Disco. map 69	Grid ref. S952	6 inch sheet WX 25 County Wexford
NPWS region So	outh Eastern NHA code	- SAC code - SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s Yes
Ownership	Coillte Are	a (ha) 4.6 Max. alt. (m) 30 Min. alt. (m) 20
Sub-soil GLPS	SsS/TLPS	Soil AminSW/AminDW/AminSP
<u>Geography</u>	Woodland ha	<u>Ibitats</u> <u>Grazing</u> <u>Hydrological features</u>
Esker	□ WN1	50% Deer Seasonal flooding
Drumlin	□ WN2	Cattle
Valley	□ WN3	Sheep
Lakeside	WN4	Rabbits ☐ Rivers/streams ☐
Bogland	WN5	Hares ☐ Damp clefts/ravines ☐
Hill	WN6	0% Goats Other Ditches
Plain/Lowlands	<b>✓</b> WN7	0% Horses
Island	□ WS1	50% Other
Riverside/Floodplain	n 🗌 WD1	0% Grazing level 0
Coastal/Estuary	□ WD2	0%
	Other habitats	
Field notes		External data source: not all data recorded
scattered stands wit the canopy, and the	h very open scrub willow (Sal re is a Rubus fruticosus and L	last of Enniscorthy, Co. Wexford. The wood is composed mainly of ix cinerea, Salix aurita) below. Pedunculate oak (Quercus robur) occurs in Luzula sylvatica field layer in places. A woodland flora is still present. The y of this wood has the potential to develop over the next thirty years.

Site no.	0168	FIPS no.	57790, 57792	
Date surveyed	27/08/2003			
Woodland name	Ballinvally Wood	Тс	ownland name	Ballyshancarragh, Cranemore
Conservation rating	g and score P	oor 39	Threat	t rating and score Low 0
Disco. map 6	1 Grid ref.	S870601	6 inch sheet	CW 17 County Carlow
NPWS region	South Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		W	Voodland present in the 1840s No
Ownership	Private - Single	Area (ha)	2 Max. a	alt. (m) 100 Min. alt. (m) 90
Sub-soil TGr/	RckNCa/A	So	oil AminPDPT/	AminSPPT/AlluvMIN
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	☐ Seasonal flooding ✓
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	✓ Lakes ✓
Lakeside	WN4	0%	Rabbits	☐ Rivers/streams ✓
Bogland	□ WN5	100%	Hares	□ Damp clefts/ravines □
Hill	□ WN6	0%	Goats Horses	U Other
Plain/Lowlands	WN7	0%		
Island	WS1 WD1	0%	Other Grazing level	1
Riverside/Floodplai Coastal/Estuary	n <b>⊻</b> WD1	0%	Grazing level	
	Other habita			
Field notes			External data sour	rce: not all data recorded
and is dominated by excelsior) and alder	y alder (Alnus glutinosa r (Alnus glutinosa) occu	), birch (Betula pub r in the shrub layer.	escens) and willo . Rubus fruticosus	e wood lies alongside a meandering stream, by (Salix cinerea) woodland. Ash (Fraxinus is agg. is dominant in the field layer, and some rubbish tipping off a bridge.

Site no.	0169	FIPS no.	15816	
Date surveyed	08/07/2003			
Woodland name	Coonogue Wood	To	wnland name	Coonogue
Conservation rating	g and score P	oor 36	Threa	at rating and score Low 17
Disco. map 6	8 Grid ref.	S793486	6 inch sheet	CW 23 County Carlow
NPWS region S	South Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Woodland present in the 1840s Yes
Ownership	Private - Single	Area (ha)	1 Max.	alt. (m) 140 Min. alt. (m) 100
Sub-soil Rckl	NCa	Soi	AminSW	
Geography	Woodla	and habitats	Grazing	Hydrological features
Esker	□ WN1	100%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	<b>✓</b> Springs
Valley	<b>✓</b> WN3	0%	Sheep	<b>✓</b> Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	3
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes			External data sou	irce: not all data recorded
sessile oak (Querci (Sorbus aucuparia) site has pasture on	us petraea) and downy b shrub layer. Luzula sylv two sides and grazers u	oirch (Betula pubeso ratica occurs in the rise the wood. On th	cens), and there field layer. The v e other side of t	. Carlow. The canopy is dominated by is a holly (Ilex aquifolium) and rowan wood is on a freely draining mineral soil. The the road there is a large area of conifers, at ea that leads into a line of wet woodland

Site no.	0170	FIPS no.	53461, 53462	2, 68856	
Date surveyed	13/08/2003	]			
Woodland name	Coolpuck Wood	To	wnland name	Coolroe	
Conservation rating	and score Mod	lerate 42	Threa	at rating and score Low 1	7
Disco. map 69	Grid ref.	T028516	6 inch sheet	WX 15 County Wexford	
NPWS region S	South Eastern NHA	code -	SAC code	- SPA Code -	
National Park	Nature Reserve		V	Woodland present in the 1840s Yes	
Ownership	Coillte	Area (ha)	Max.	alt. (m) 100 Min. alt. (m) 80	
Sub-soil RckN	NCa/TLPS	Soi	AminSW/ A	minDW	
<u>Geography</u>	Woodl	and habitats	Grazing	<u>Hydrological features</u>	
Esker	□ WN1	0%	Deer	Seasonal flooding	
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐	
Valley	<b>✓</b> WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	Rivers/streams	
Bogland	WN5	0%	Hares	☐ Damp clefts/ravines ☐	
Hill	WN6	0%	Goats	Other	
Plain/Lowlands	WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplain	n 🗌 WD1	100%	Grazing level	0	
Coastal/Estuary	□ WD2	0%			
	Other habita	ts			
Field notes			External data sou	rce: not all data recorded	
sessile oak (Quercu dense Rubus frutico	us petraea) wood with so osus agg. The field laye on-scripta. This is a wel	cattered conifers. The ris composed of fer	nere is a sparse ns such as Dryc	very uniform beech (Fagus sylvatica) and shrub layer of holly (Ilex aquifolium) and opteris dilatata and Blechnum spicant as wel is evidence of felling in the past. Old banks	

Site no.	0172	FIPS no.	29542, 29546, 29	551, 81607
Date surveyed	10/10/2003			
Woodland name	Ballingarry Wood	Том	rnland name Ball	lingarry, Grove Little
Conservation rating	and score Mod	erate 42	Threat rat	ing and score High 42
Disco. map 62	Grid ref.	T125624	6 inch sheet W	/X 6 County Wexford
NPWS region So	outh Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		Wood	dland present in the 1840s Yes
Ownership	Coillte	Area (ha)	Max. alt.	(m) 140 Min. alt. (m) 90
Sub-soil TLPS	/RckNCa/A	Soil	AminDW/AminS	SW/AlluvMIN
<u>Geography</u>	Woodla	and habitats	Grazing	Hydrological features
Esker	□ WN1	80%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	Springs
Valley	<b>✓</b> WN3	0%	Sheep	Lakes
Lakeside	WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	Damp clefts/ravines
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplain	□ WD1	10%	Grazing level	0
Coastal/Estuary	WD2	10%		
	Other habita	ts		
Field notes		E	external data source:	not all data recorded
canopy species is hy mature. There are so the woods. There is seem to be derived to Regeneration of tree	brid oak (Quercus x ro mall amounts of young a holly (Ilex aquifolium) from a previous genera	sacea) with varying a European silver-fir (A subcanopy. The fiel tion that was cut, and	amounts of eucalyp Abies alba) which h d layer is dominate d have a dbh of up	st of Gorey, Co. Wexford. The main oftus (Eucalyptus sp.), which are overlass seeded in from small stands within ed by luxuriant Luzula sylvatica. The oak to 40cm. There is little or no grazing. (Rhododendron ponticum) plant is

Site no.	0173	FIPS no. 68106, 55804, 55803, 28643, 55802
Date surveyed	24/06/2003	
Woodland name	Golden Grove	Townland name Goldengrove, Knocknama
Conservation rating	g and score Poor	Threat rating and score Low 17
Disco. map 53/	Grid ref. S117	7927 6 inch sheet OF 42 County Offaly
NPWS region	North Eastern NHA code	903 SAC code 903 SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s Yes
Ownership	Coillte Are	rea (ha) 47.2 Max. alt. (m) 150 Min. alt. (m) 90
Sub-soil Rck0	Ca/GLs/Cut	Soil BminSW/BminSP/BminSRPT/Cut
Geography	Woodland ha	
Esker	□ WN1	0% Deer Seasonal flooding
Drumlin	□ WN2	0% Cattle Springs
Valley	□ WN3	0% Sheep Lakes
Lakeside	□ WN4	0% Rabbits Rivers/streams
Bogland	WN5	0% Hares Damp clefts/ravines D
Hill	✓ WN6	0% Goats U Other
Plain/Lowlands	WN7	0% Horses
Island	☐ WS1	0% Other
Riverside/Floodplai		90% Grazing level 0
Coastal/Estuary	□ WD2	10%
	Other habitats	
Field notes		External data source: not all data recorded
dominant at the site aquifolium) are occursuch as Blechnum	e with occasional ash (Fraxinus asional in the understorey. The spicant, Dryopteris affinis and	g slopes, 7 km east of Shinrone, Co. Offaly. Beech (Fagus sylvatica) is us excelsior) in the canopy. Hazel (Corylus avellana) and holly (Ilex ne field layer is primarily composed of Rubus fruticosus agg. and ferns d Dryopteris dilatata. A very large pedunculate oak (Quercus robur) with a id reference point: S 11576 93188.

Site no.	0174	FIPS no.	55821, 55822	2, 68104
Date surveyed	24/06/2003			
Woodland name	Drumakeenan School	To	wnland name	Goldengrove, Knocknama
Conservation rating	and score Mod	lerate 42	Threa	at rating and score High 42
Disco. map 53	Grid ref.	S116916	6 inch sheet	OF 42 County Offaly
NPWS region N	lorth Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Noodland present in the 1840s Yes
Ownership	Coillte	Area (ha)	6 Max.	alt. (m) 100 Min. alt. (m) 90
Sub-soil TLs/G	GLs	Soi	BminDW/Br	minSW
<u>Geography</u>	<u>Woodl</u>	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	15%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	□ Damp clefts/ravines □
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	✓ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplain	n 🗌 WD1	85%	Grazing level	0
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes			External data sou	rce: not all data recorded
(Fraxinus excelsior) (Crataegus monogyi affinis and Pteridium	woodland with beech (na) and ash (Fraxinus on aquilinum occur in the	Fagus sylvatica) and excelsior) shrub layer field layer. The site	d sycamore (Ace er. Rubus frutico is on a mineral	is a block of oak (Quercus petraea) and ash er pseudoplatanus). There is a hawthorn osus agg., Dryopteris dilatata, Dryopteris soil. The school adjacent to the wood is a ne field layer is quite diverse and grazing is

Site no.	0175	FIPS no.	68881			
Date surveyed	08/09/2003					
Woodland name	Townparks	Tov	vnland name	Townparks		
Conservation rating	and score Mod	erate 52	Threat	t rating and score	Low	17
Disco. map 53	Grid ref.	N052053	6 inch sheet	OF 35 Cour	nty Of	faly
NPWS region N	NHA	code -	SAC code	S	SPA Code	-
National Park	Nature Reserve		V	Voodland present in t	the 1840s	Yes
Ownership	Private - Single	Area (ha) 3	.9 Max.	alt. (m) 50	Min. alt. (m)	45
Sub-soil A/GL	s/Made	Soil	AlluvMIN/Br	minSP/Made		
<u>Geography</u>	Woodla	and habitats	Grazing	Hydro	ological features	
Esker	□ WN1	0%	Deer	Seasona	al flooding	<b>✓</b>
Drumlin	□ WN2	0%	Cattle	Springs		
Valley	□ WN3	0%	Sheep	Lakes		
Lakeside	WN4	0%	Rabbits	Rivers/s	streams	<b>✓</b>
Bogland	□ WN5	100%	Hares	Damp cl	lefts/ravines	
Hill	□ WN6	0%	Goats	Other		
Plain/Lowlands	□ WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplair	n <b>✓</b> WD1	0%	Grazing level	0		
Coastal/Estuary	□ WD2	0%				
	Other habita	ts				
Field notes		I	External data soui	rce: not all data recorde	d 🗌	
unmanaged, and is cinerea) are the ma europaeus) and blad aquaticus occur in the	a flood plain with imper bordered by ditches and in canopy species, and ck currant (Ribes nigrur he field layer. The rest of ndron (Rhododendron prorthern end.	d a river. Ash (Fraxing there is a shrub layon). Filipendula ulman of the park contains	nus excelsior), a er with buckthori ria, Carex remot parkland and ar	alder (Alnus glutinosa n (Rhamnus cathartic ta, Solanum dulcama menity wood with dive	a) and willow (Sa ca), spindle (Eud ra and Senecio erse exotic spec	ies.

Site no.	0176	FIPS no.	43662			
Date surveyed	03/09/2003					
Woodland name	Cushcallow	To	ownland name	Cushcallow, Cloncal	llow	
Conservation rating	g and score	ery Good 64	Threa	at rating and score	Low	8
Disco. map 5	Grid ref.	N026171	6 inch sheet	OF 21/22 Cou	inty Of	faly
NPWS region	North Eastern	HA code -	SAC code	216	SPA Code	4096
National Park	Nature Reserve		,	Woodland present in	the 1840s	Yes
Ownership	Private - Single	Area (ha)	0.7 Max.	. alt. (m) 40	Min. alt. (m)	40
Sub-soil A/TL	S	So	il AlluvMIN/E	BminPD		
Geography	<u>Wo</u>	odland habitats	Grazing	Hydro	ological feature	<u>s</u>
Esker	□ WN	0%	Deer	Season	al flooding	<b>✓</b>
Drumlin	□ WN:	90%	Cattle	✓ Springs	3	
Valley	□ WN:	0%	Sheep	Lakes		
Lakeside	□ WN4	0%	Rabbits	Rivers/s	streams	<b>✓</b>
Bogland	□ WN:	0%	Hares	☐ Damp o	clefts/ravines	
Hill	□ WN	0%	Goats	Other		
Plain/Lowlands	□ WN	0%	Horses	✓		
Island	□ ws	0%	Other			
Riverside/Floodplai	n 🗹 WD	0%	Grazing leve	1		
Coastal/Estuary	□ WD:	0%				
	Other ha	oitats GS1 10%				
Field notes			External data sou	urce: not all data recorde	ed 🗌	
(Fraxinus excelsior) layer. There are sm Fragaria vesca, Fili the wood, while oth	) is the main canopy nall patches of alder pendula ulmaria and er areas are quite dr	species, and hazel (C Alnus glutinosa) and v Circaea lutetiana occ v. The site is on a wel	orylus avellana) willow (Salix spp ur in the field lay drained, minera	theast of Bannagher, and (llex aquifolium) .). Geum urbanum, G ver. There are patches al soil. Some areas ma es are typical of dry un	occur in the shr eranium roberti s of wet grassla ay be periodical	anum, nd within

Site no.	0177	FIPS no.	41630			
Date surveyed	05/09/2003	]				
Woodland name	Corclogh	Tov	vnland name	Corclogh		
Conservation rating	g and score P	oor 39	Threa	t rating and score	Moderate	25
Disco. map 5	Grid ref.	M969146	6 inch sheet	OF 29 Cou	unty Of	faly
NPWS region	North Eastern NHA	code -	SAC code	-	SPA Code	-
National Park	Nature Reserve		V	Woodland present in	the 1840s	Yes
Ownership	Private - Single	Area (ha) 3	.4 Max.	alt. (m) 40	Min. alt. (m)	40
Sub-soil TLs/	Cut	Soil	BminDW/Cu	ut		
<u>Geography</u>	Woodl	and habitats	Grazing	<u>Hydr</u>	ological feature	<u>s</u>
Esker	□ WN1	0%	Deer	Seasor	nal flooding	
Drumlin	□ WN2	90%	Cattle	Springs	3	
Valley	□ WN3	0%	Sheep	✓ Lakes		
Lakeside	□ WN4	0%	Rabbits	Rivers/	streams	
Bogland	□ WN5	0%	Hares	☐ Damp o	clefts/ravines	
Hill	□ WN6	0%	Goats	Other		
Plain/Lowlands	□ WN7	0%	Horses			
Island	□ WS1	5%	Other			
Riverside/Floodplai	n 🗸 WD1	0%	Grazing level	4		
Coastal/Estuary	□ WD2	0%				
	Other habita	dts GS1 5%				
Field notes		Į.	External data sou	rce: not all data record	ed	
species, though sor (Crataegus monogy wood contains a nu	d on a floodplain 4.5 km me areas are dominated yna) and spindle (Euony imber of small clearings site contains a patch of	I by hawthorn (Crata mus europaeus). Th , and there is some s	egus monogyna e herb layer is s scrub at edges,	<ul><li>a). The shrub layer is sparse due to heavy spreading into adjac</li></ul>	s composed of he grazing by sheet cont grassland.	ep. The

Site no.	0178		FIPS no.	59391			
Date surveyed	17/07/200	3					
Woodland name	Orchard		Tow	nland name	Orchard		
Conservation rating	and score	Moderate	52	Threat	t rating and score	Low	8
Disco. map 61/	Grid ref	S9216	654	6 inch sheet	CW 14/18 C	ounty Ca	arlow
NPWS region S	South Eastern	NHA code	-	SAC code	-	SPA Code	-
National Park	Nature Rese	erve		V	Voodland present	in the 1840s	No
Ownership	Coillte	Area	(ha) 8.	5 Max.	alt. (m) 100	Min. alt. (m)	80
Sub-soil TGr/	RckNCa		Soil	Amin PD/An	minDW/AminPDPT	T/ AminSW/AminS	SPPT
Geography		Woodland hab	oitats	Grazing	<u>Hy</u>	drological feature	<u>es</u>
Esker		WN1	70%	Deer	Seas	onal flooding	
Drumlin		WN2	0%	Cattle	Sprin	igs	
Valley	<b>~</b>	WN3	0%	Sheep	Lake	s	
Lakeside		WN4	0%	Rabbits	River	rs/streams	<b>✓</b>
Bogland		WN5	0%	Hares	☐ Dam	p clefts/ravines	
Hill		WN6	0%	Goats	Othe	r	
Plain/Lowlands		WN7	0%	Horses			
Island		WS1	30%	Other	Unknown		
Riverside/Floodplai	n 🗌 .	WD1	0%	Grazing level	1		
Coastal/Estuary		WD2	0%				
	Othe	r habitats					
Field notes			E	External data sour	rce: not all data reco	rded	
This is a small woo Co. Carlow. There a (Fagus sylvatica) at flatter section with h fruticosus agg. are were seen on site.	are two distinct w re dominant with nazel (Corylus av frequent field lay	voodland types a holly (llex ad vellana) coppic ver species in the	at the site. C juifolium) shrue below. Hya ne wood. A ke	In the sloped ar ub layer. Downy cinthoides non- estrel was heard	reas, sessile oak ( / birch (Betula pub -scripta, Oxalis ac d during the surve	Quercus petraea) pescens) occurs c etosella and Rub y, and a fox and a	and on the us a badger

Site no.	0179	FIPS no.	29559, 65584
Date surveyed	23/06/2003	]	
Woodland name	Clonogan Wood	Том	wnland name Clonogan
Conservation rating	g and score Mod	lerate 46	Threat rating and score Low 8
Disco. map 61/	Grid ref.	S920634	6 inch sheet CW 18 County Carlow
NPWS region	South Eastern NHA	code -	SAC code - SPA Code -
National Park	Nature Reserve		Woodland present in the 1840s Yes
Ownership	Private - Single	Area (ha) 9.	.6 Max. alt. (m) 110 Min. alt. (m) 60
Sub-soil TLP:	SsS/A	Soil	AminDW/AlluvMIN
Geography	Woodl	and habitats	Grazing Hydrological features
Esker	□ WN1	100%	Deer ✓ Seasonal flooding □
Drumlin	□ WN2	0%	Cattle Springs
Valley	□ WN3	0%	Sheep Lakes
Lakeside	□ WN4	0%	Rabbits Rivers/streams
Bogland	□ WN5	0%	Hares Damp clefts/ravines
Hill	✓ WN6	0%	Goats Other
Plain/Lowlands	□ WN7	0%	Horses
Island	□ WS1	0%	Other
Riverside/Floodplai	in WD1	0%	Grazing level 1
Coastal/Estuary	□ WD2	0%	
	Other habita	ts	
Field notes		E	External data source: not all data recorded
rosacea) is the mai subcanopy. Holly (I Hyacinthoides non- includes Chrysospl The wood is genera	in canopy species, and of the color of the c	lowny birch (Betula p the shrub layer. Co atica occur in the field d Cardamine flexuos asional regeneration	ream, 2 km north of Clonegall. Hybrid oak (Quercus x pubescens) and rowan (Sorbus aucuparia) occur in the otoneaster (Cotoneaster sp.) is present in small amounts. It dayer. Some small areas are flushed, and vegetation here sa. The soil is a moderately freely draining brown podzolic. In seen. There is a rather dense canopy and some coppiced which has now been cleared and is being quarried.

Site no.	0180	FIPS no.	29504, 57504	
Date surveyed	11/09/2003			
Woodland name	Glandoran Upper/Carth Wood	y's To	wnland name	Glandoran Upper
Conservation rating	g and score Mod	lerate 58	Threa	at rating and score Low 8
Disco. map 6	9 Grid ref.	T120597	6 inch sheet	WX 6 County Wexford
NPWS region	South Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Woodland present in the 1840s Yes
Ownership	Private - Multiple	Area (ha)	7 Max.	alt. (m) 90 Min. alt. (m) 70
Sub-soil A/Ro	kNCa	Soi	I AlluvMIN/Ar	minSP/AminSW
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	100%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	<b>✓</b> Springs
Valley	<b>✓</b> WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	✓ Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	2
Coastal/Estuary	□ WD2	0%		
	Other habita			
Field notes			External data sou	rce: not all data recorded
clearly defined parts stand of downy bird aquifolium) shrub la dominated by hybrid	s. The southern stretch th (Betula pubescens), h ayer. Dryopteris dilatata	has been cut in the ybrid oak (Quercus and Rubus fruticosi cea) of 20-30 cm db	last 10-15 years x rosacea) and us agg. occur in h, some of which	vest of Gorey, Co. Wexford. There are two is and is now comprised of a dense coppice hazel (Corylus avellana), with a holly (Ilex the field layer. The northern stretch is share derived from older larger stumps. If it is field layer.

Site no.	0183	FIPS no.	29701, 61545	, 84433		
Date surveyed	26/06/2003					
Woodland name	Clogrenan Wood	Tov	vnland name	Clogrenan		
Conservation rating	and score P	oor 30	Threa	t rating and score	Moderate	25
Disco. map 6	1 Grid ref.	S680725	6 inch sheet	CW 6/7 Cou	unty Ca	ırlow
NPWS region S	South Eastern NHA	code -	SAC code	-	SPA Code	-
National Park	Nature Reserve		V	Woodland present in	the 1840s	Yes
Ownership	Coillte	Area (ha)	7.7 Max.	alt. (m) 180	Min. alt. (m)	110
Sub-soil RckN	NCa/TNSSs	Soil	AminSW/Ar	minSP/AminPD		
Geography	Woodl	and habitats	Grazing	<u>Hydr</u>	rological feature	<u>s</u>
Esker	□ WN1	0%	Deer	Seasor	nal flooding	
Drumlin	□ WN2	0%	Cattle	Springs	S	
Valley	□ WN3	0%	Sheep	Lakes		
Lakeside	WN4	0%	Rabbits	☐ Rivers/	streams	<b>✓</b>
Bogland	□ WN5	0%	Hares	☐ Damp	clefts/ravines	
Hill	✓ WN6	0%	Goats	Other		
Plain/Lowlands	□ WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplain	n 🗌 WD1	100%	Grazing level	0		
Coastal/Estuary	□ WD2	0%				
	Other habita	ts		]		
Field notes			External data sou	rce: not all data record	ed	
draining mineral soi native ground flora.	zed site located 5 km so il. Most of the wood con Hyacinthoides non-scri spp.), ash (Fraxinus ex	sists of mixed beech pta occurs in the fiel	n (Fagus sylvation d layer. There is	ca) and conifer block s regeneration of pe	ks (15 ha), with a dunculate oak (	a limited

Site no.	0184	FIPS no.	55270, 55271
Date surveyed	11/09/2003		
Woodland name	Lisnevagh	Tov	wnland name Lisnevagh
Conservation ratin	g and score P	oor 27	Threat rating and score High 58
Disco. map 6	Grid ref.	S891788	6 inch sheet
NPWS region	South Eastern NHA	code -	SAC code - SPA Code -
National Park	Nature Reserve		Woodland present in the 1840s No
Ownership	Private - Single	Area (ha) 6	6.9 Max. alt. (m) 120 Min. alt. (m) 110
Sub-soil TGr	/RckNCa	Soil	AminDW/AminSW
<u>Geography</u>	Woodl	and habitats	Grazing Hydrological features
Esker	□ WN1	0%	Deer ✓ Seasonal flooding □
Drumlin	□ WN2	25%	Cattle Springs
Valley	□ WN3	0%	Sheep Lakes
Lakeside	□ WN4	0%	Rabbits Rivers/streams
Bogland	□ WN5	0%	Hares Damp clefts/ravines
Hill	□ WN6	0%	Goats Other
Plain/Lowlands	✓ WN7	0%	Horses
Island	□ WS1	0%	Other
Riverside/Floodpla		0%	Grazing level 3
Coastal/Estuary	□ WD2	75%	
·	Other habita		
Field notes	2 11.01 1.00		External data source: not all data recorded
Carlow. The site is excelsior), beech ( throughout the woo damage from squir ash woodland are	on flat land with a freely Fagus sylvatica) and hor odland. Sycamore (Acer rels is common here. Th	draining brown eart se-chestnut (Aescul psuedoplatanus) do e field layer is relati , including hazel (Ce	ate oak (Quercus robur), 3 km south of Rathvilly, Co. th soil. Sycamore (Acer psuedoplatanus), ash (Fraxinus ilus hippocastanum) are frequent. Conifers are occasional ominates the understorey and shrub layers, and bark ively species poor, with bare ground frequent. Elements of orylus avellana), elm (Ulmus glabra), Hyacinthoides non-

Site no.	0186	FIPS no.	66798, 64933, 64932	2
Date surveyed	22/08/2003			
Woodland name	Drumgoole	Tow	nland name Drumg	goole, Ardra
Conservation rating	g and score Poo	or 24	Threat rating	and score Moderate 33
Disco. map 6	1 Grid ref.	S537738	6 inch sheet KK 5	County Kilkenny
NPWS region	South Eastern NHA o	code -	SAC code	- SPA Code -
National Park	Nature Reserve		Woodla	nd present in the 1840s Yes
Ownership	Private - Single	Area (ha) 2	Max. alt. (m)	150 Min. alt. (m) 140
Sub-soil GNS	Ss/RckNCa/A/TNSSs	Soil	AminSW/AlluvMIN	/AminPD/AminDW
Geography	Woodlar	nd habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	WN2	0%	Cattle	Springs
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	Damp clefts/ravines
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	<b>✓</b> WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗌 WD1	100%	Grazing level	0
Coastal/Estuary	□ WD2	0%		
	Other habitats	3		
Field notes		E	xternal data source: not	all data recorded
south of this has be pseudoplatanus), y is disturbed, and th checked by shade a	een partly cleared to make ew (Taxus baccata) and a e disturbance is probably	e a golf course. The ash (Fraxinus excels associated with fell rry (Symphoricarpos	woodland is dominate sior). The site is on a ing, drains and soil du s albus) and cherry la	well drained mineral soil. The ground umping. There is a varied flora but it is urel (Prunus laurocerasus) occur in

Site no.	0187	FIPS no.	29391			
Date surveyed	18/09/2003	]				
Woodland name	Ballymore Demesne	To	wnland name	Ballymore Demesno	e	
Conservation rating	g and score P	oor 39	Threa	at rating and score	High	42
Disco. map 6	9 Grid ref.	T100509	6 inch sheet	WX 16 Cou	unty We	xford
NPWS region	South Eastern NHA	code -	SAC code	-	SPA Code	-
National Park	Nature Reserve		,	Woodland present in	the 1840s	Yes
Ownership	Private - Single	Area (ha)	2.5 Max.	alt. (m) 70	Min. alt. (m)	50
Sub-soil TLP	S/IrSTLs/A	Soi	AminPD/Br	minPD/AlluvMIN		
Geography	<u>Woodl</u>	and habitats	Grazing	Hyd	rological feature	<u>s</u>
Esker	□ WN1	0%	Deer	Season	nal flooding	<b>✓</b>
Drumlin	□ WN2	50%	Cattle	Spring	S	
Valley	□ WN3	0%	Sheep	Lakes		<b>✓</b>
Lakeside	□ WN4	0%	Rabbits	Rivers	/streams	<b>✓</b>
Bogland	□ WN5	0%	Hares	Damp	clefts/ravines	
Hill	□ WN6	10%	Goats	Other		
Plain/Lowlands	✓ WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplai	n WD1	40%	Grazing leve	0		
Coastal/Estuary	□ WD2	0%				
	Other habita	ts				
Field notes			External data sou	urce: not all data record	led	
the site, resulting in (Quercus robur) an herbs such as Vero freely draining mine	nd of woodland on flat land wet woodland flora in die ash (Fraxinus excelsion of ash (Fraxinus excelsion) and the confermation of the confermation	many places. The properties of the properties and a had been placed and has been placed by the placed and has been placed by the	predominant wo zel (Corylus ave cripta occur in tl	oodland type, howeve ellana) shrub layer. F he field layer. The sit	er, is a peduncul Rubus fruticosus te is on a moder	ate oak agg and ately

Site no.	0189		FIPS no.	29375, 53576	6, 65942		
Date surveyed	02/09/2003						
Woodland name	Wells East		Tow	vnland name	Wells		
Conservation rating	g and score	Poor	39	Threa	at rating and so	core Moderate	33
Disco. map 6	9 Grid ref.	T12843	33	6 inch sheet	WX 21	County	/exford
NPWS region	South Eastern	NHA code	-	SAC code	-	SPA Code	-
National Park	Nature Reser	ve 🗌		,	Woodland pres	sent in the 1840s	Yes
Ownership	Private - Single	Area (	(ha) 2	0 Max.	alt. (m) 60	Min. alt. (m)	50
Sub-soil TLPS	S/A/IrSTLs		Soil	AminDW/A	minPD/AlluvM	IN/BminPD	
Geography	<u>V</u>	Voodland habit	tats	Grazing		Hydrological featur	<u>res</u>
Esker	$\Box$ w	N1	0%	Deer		Seasonal flooding	
Drumlin	□ w	N2	0%	Cattle		Springs	
Valley	$\Box$ w	N3	0%	Sheep		₋akes	
Lakeside	$\Box$ w	N4	0%	Rabbits	F	Rivers/streams	
Bogland	□ w	N5	0%	Hares		Damp clefts/ravines	
Hill	$\Box$ w	N6	0%	Goats		Other	
Plain/Lowlands	<b>✓</b> W	N7	0%	Horses			
Island	□ w	S1	0%	Other			
Riverside/Floodplai	n 🗌 W	D1	0%	Grazing leve	0		
Coastal/Estuary	W	D2 1	100%				
	Other I	habitats					
Field notes			E	External data sou	urce: not all data	recorded	
dominated by very Cherry laurel (Prun mainly absent. This excelsior) with som	large, tall, spreadir us laurocerasus) is part was excluded e pedunculate oak ative flora. Holly (II	ng oak (Quercus very invasive of from the surva (Quercus robites aquifolium)	us robur) tre in the site, vey. The sou ur), beech (l occurs in th	es with some a and where it do uthern part of the Fagus sylvatica	ash (Fraxinus e ominates the s he site is dominal a) and sycamo	n part of this wood is excelsior) in the cand hrub layer, the native nated by ash (Fraxing re (Acer pseudoplates agg. occurs in the	e flora is us anus) with

Site no.	0190	F	TIPS no.	53573, 53596	6,		
Date surveyed	02/09/2003						
Woodland name	Wells West		Tow	nland name	Wells		
Conservation rating	and score	Poor	33	Threa	at rating and score	Moderate	25
Disco. map 69	Grid ref.	T123435	5	6 inch sheet	WX 21 Co	ounty We	exford
NPWS region S	outh Eastern	IHA code	-	SAC code	-	SPA Code	-
National Park	Nature Reserve			,	Woodland present i	n the 1840s	Yes
Ownership	Private - Single	Area (h	na) 3	Max.	alt. (m) 80	Min. alt. (m)	60
Sub-soil TLPS	3		Soil	AminDW			
<u>Geography</u>	W	odland habita	ats .	Grazing	Hyd	drological feature	<u>s</u>
Esker	□ WN		0%	Deer	Seaso	onal flooding	✓
Drumlin	□ WN	2	0%	Cattle	Spring	gs	
Valley	□ WN	3	0%	Sheep	Lakes	3	
Lakeside	□ WN	1	0%	Rabbits	River	s/streams	
Bogland	□ WN	5	0%	Hares	☐ Damp	clefts/ravines	
Hill	□ WN	6	0%	Goats	Other		
Plain/Lowlands	✓ WN	7	0%	Horses			
Island	□ ws		0%	Other			
Riverside/Floodplair	n 🗌 WD		0%	Grazing leve	I 0		
Coastal/Estuary		2 10	00%				
	Other ha	bitats					
Field notes			E	External data sou	urce: not all data recor	ded	
This is a small site of woodland with old end (Alnus glutinosa), gutwo species are also field layer. Even in the species with the species are also field layer.	exotic planting throu rey willow (Salix cin o found in the shrub	hout, where or rea) and ash layer. Juncus	cherry laure (Fraxinus s effusus, F	el (Prunus laur excelsior) form ilipendula ulma	ocerasus) dominate n the main canopy o aria and Angelica s	es the shrub laye on the site, and thy ylvestris are foun	r. Alder ne last

Site no.	0191	FIPS	S no. 38960,	41051, 53539,	, 53540, 53552,	54237, 661	17, 66118
Date surveyed	04/09/2003						
Woodland name	Island House		Townland na	ame Island,	Ballycough		
Conservation rating	g and score	Moderate	48	Threat rating a	and score	Low	8
Disco. map 6	9 Grid ref.	T133402	6 inch sh	neet WX 21	1 County	We	exford
NPWS region	South Eastern	IHA code	- SAC	code -	SPA	A Code	-
National Park	Nature Reserv			Woodlan	d present in the	1840s	Yes
Ownership	Private - Single	Area (ha)	17	Max. alt. (m)	60 M	in. alt. (m)	50
Sub-soil GLF	SsS		Soil Amin	SW			
<u>Geography</u>	<u>W</u>	odland habitats	Gra	zing	Hydrolo	gical feature	<u>s</u>
Esker	□ WN	1 09	% Deer		Seasonal f	flooding	<b>✓</b>
Drumlin	□ WN	2 09	% Cattle	<b>✓</b>	Springs		
Valley	□ WN	3 09	% Sheep		Lakes		
Lakeside	□ WN	4 09	% Rabbit	s 🗌	Rivers/stre	eams	✓
Bogland	□ WN	5 09	% Hares		Damp clef	ts/ravines	
Hill	□ WN	50%	% Goats		Other		
Plain/Lowlands	<b>✓</b> WN	7 09	% Horses				
Island	□ ws	1 09	% Other				
Riverside/Floodpla	in 🗌 WE	1 09	% Grazin	g level	2		
Coastal/Estuary	□ WE	2 50%	%				
	Other h	bitats					
Field notes			External d	ata source: not a	all data recorded		
north of the site an oppositifolium, Filip shrub layer. There site is a mixture of	ized site, located 3.d is mostly dominate endula ulmaria and is a small area of ha native and non-native laurel (Prunus laure	d by alder (Alnus Urtica dioica are zel (Corylus avel e broadleaves al	s glutinosa) and found in the field lana) coppice to nd large conifers	ash (Fraxinus of layer. Ash (Find the southwest)  The site is or	excelsior). Chry raxinus excelsion tof the house. T	sosplenium or) occurs in he remaind	the er of the

Site no.	0192	FIPS no. 66116, 53598
Date surveyed	22/09/2003	
Woodland name	Litterbeg	Townland name Litterbeg
Conservation rating	g and score Moderate	Threat rating and score Low 17
Disco. map 6	9 Grid ref. T168	6 inch sheet WX 22 County Wexford
NPWS region	South Eastern NHA code	- SAC code - SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s Yes
Ownership	Private - Single Are	ea (ha) 5.2 Max. alt. (m) 45 Min. alt. (m) 40
Sub-soil IrST	Ls/A	Soil BminPD/AlluvMIN
Geography	Woodland ha	abitats Grazing Hydrological features
Esker	□ WN1	0% Deer ☐ Seasonal flooding ✓
Drumlin	□ WN2	0% Cattle Springs
Valley	<b>✓</b> WN3	0% Sheep Lakes
Lakeside	□ WN4	
Bogland	□ WN5	100% Hares Damp clefts/ravines
Hill	□ WN6	0% Goats Other
Plain/Lowlands	□ WN7	0% Horses
Island	□ WS1	0% Other
Riverside/Floodplai	in 🗌 WD1	0% Grazing level 0
Coastal/Estuary	□ WD2	0%
	Other habitats	
Field notes		External data source: not all data recorded
glutinosa) and ash (Fraxinus excelsion	(Fraxinus excelsior) dominated ) occurs in the shrub layer. And r in the field layer. This site is o	f Kilmuckridge, Co. Wexford. It is a remarkably uniform alder (Alnus d riparian wood. White willow (Salix alba) also occurs in the canopy. Ash igelica sylvestris, Chrysosplenium oppositifolium, Filipendula ulmaria and on poorly drained gley soil. There is some beech (Fagus sylvatica) on the

Site no.	0197	FIPS no.	28605, 68115	5		
Date surveyed	11/09/2003					
Woodland name	Milltown	Т	ownland name	Keeloge, Milltown		
Conservation rating	g and score	Poor 39	Threa	at rating and score	Moderate	25
Disco. map 5	3 Grid ref.	S060905	6 inch sheet	OF 42 Cou	inty O	ffaly
NPWS region	North Eastern NH	A code -	SAC code	-	SPA Code	-
National Park	Nature Reserve		,	Woodland present in	the 1840s	Yes
Ownership	Private - Single	Area (ha)	2.4 Max.	. alt. (m) 70	Min. alt. (m)	70
Sub-soil TLs		So	oil BminDW/B	BminPD		
Geography	Wood	land habitats	Grazing	Hydr	ological feature	<u>s</u>
Esker	□ WN1	0%	Deer	Season	nal flooding	
Drumlin	□ WN2	100%	Cattle	Springs	3	
Valley	□ WN3	0%	Sheep	Lakes		
Lakeside	□ WN4	0%	Rabbits		streams	<b>V</b>
Bogland	WN5	0%	Hares		clefts/ravines	
Hill	WN6	0%	Goats	Other		
Plain/Lowlands	WN7	0%	Horses			
Island	☐ WS1	0%	Other			
Riverside/Floodplai		0%	Grazing leve	0		
Coastal/Estuary	□ WD2	0%		_		
	Other habi	ats				
Field notes			External data sou	urce: not all data recorde	ed 🗌	
(Quercus robur), as sylvatica). It is very There is a good div	on flat land 2 km south the (Fraxinus excelsior) narrow to the southea ersity of tree species. The soil id.	and hazel (Corylus st. The area to the r Rubus fruticosus ag	avellana) woodla northwest is fring g., Carex sylvation	and interspersed with jed with downy birch ( ca, Brachypodium syl	beech (Fagus Betula pubesce vaticum and Ci	caea

Site no.	0198	FIPS no.	58040		
Date surveyed	22/09/2003				
Woodland name	Castletown House (Bu Wood)	ilding Tov	nland name C	Castletown	
Conservation rating	g and score F	Poor 33	Threat i	rating and score Moderate 33	3
Disco. map 7	Grid ref.	S433256	6 inch sheet	KK 38 County Kilkenny	
NPWS region	South Eastern NH/	A code -	SAC code	- SPA Code -	
National Park	Nature Reserve		We	oodland present in the 1840s Yes	
Ownership	Private - Single	Area (ha) 8.	4 Max. a	lt. (m) 35 Min. alt. (m) 25	
Sub-soil TDS	s/A	Soil	AminDW/ Allu	uvMIN	
Geography	Wood	land habitats	Grazing	Hydrological features	
Esker	□ WN1	0%	Deer	Seasonal flooding	
Drumlin	□ WN2	0%	Cattle	Springs	
Valley	□ WN3	0%	Sheep	☐ Lakes ✓	
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams	
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐	
Hill	□ WN6	0%	Goats	Other	
Plain/Lowlands	✓ WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplai		100%	Grazing level	0	
Coastal/Estuary		0%	J		
2000.00	Other habita				
Field notes	Curor riabia		External data sourc	ee: not all data recorded	
This small site on fintensively manage area was to the not avellana) and holly beech (Fagus sylvalayer. Ornamental sis evidence that str	ed with small areas of writheast of Castletown He (llex aquifolium) in the atica) and sycamore (Acspecies have been plan imming and spraying happers is a second block controller.	m northeast of Carric codland surrounded l cuse (Building Wood shrub layer with pedu ter pseudoplatanus) i ted around and in wo tive been carried out.	k-on-Suir, on free by gardened gras . The woodland inculate oak (Que n the canopy. Hy oded blocks, the Ivy (Hedera heli	ely draining mineral soil. This site is very say paths and planting beds. The surveyed itself is a mixture of hazel (Corylus ercus robur), ash (Fraxinus excelsior), /acinthoides non-scripta occurs in the field ise include dog-wood and Mimosa. There x) has been cut from the trees. To the only felled some years ago and is now an	

Site no.	0199	FIPS no	. 23555	
Date surveyed	19/08/2003			
Woodland name	Kilmacow	-	Townland name	Granny, Milltown, Kilmacow, Dunkitt, Greenville
Conservation rating	g and score M	oderate 52	Threa	at rating and score Low 17
Disco. map 7	5 Grid ref.	S573165	6 inch sheet	KK 43 County Kilkenny
NPWS region	South Eastern NF	A code -	SAC code	- SPA Code -
National Park	Nature Reserve		,	Woodland present in the 1840s Yes
Ownership	Private - Single	Area (ha)	21.4 Max.	alt. (m) 30 Min. alt. (m) 0
Sub-soil A/Ro	ckCa/TDSs		Soil AlluvMIN/B	minSW/AminDW/AminPD
Geography	Woo	lland habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	5%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	95%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n <b>✓</b> WD1	0%	Grazing level	0
Coastal/Estuary	□ WD2	0%		
	Other habi	ats		]
Field notes			External data sou	urce: not all data recorded
wood was surveyed riverbank, on a min (Fraxinus excelsion pseudoplatanus) od	d (south of Kilmacow E eral soil with impeded ) woodland with willow	ridge on the easte drainage. The can (Salix spp.). Hawth Angelica sylvestris	rn side of the river opy is composed on orn (Crataegus m	ow, Co. Kilkenny. Only the wider part of the ). This consisted of a flat area on the of wet alder (Alnus glutinosa) and ash nonogyna) and sycamore (Acer aria and Rorippa nasturtium-aquaticum occur

Site no.	0200	FIPS no	. 11516, 11517	
Date surveyed	27/08/2003			
Woodland name	Ballytobin/Ballaghto	oin -	Townland name	Ballytobin, Caherlesk
Conservation rating	g and score	ery Good 64	Threat	rating and score Low 17
Disco. map 6	Grid ref.	S442408	6 inch sheet	KK 26 County Kilkenny
NPWS region	South Eastern	HA code -	SAC code	- SPA Code -
National Park	Nature Reserve		W	/oodland present in the 1840s Yes
Ownership	Private - Single	Area (ha)	14 Max. a	alt. (m) 70 Min. alt. (m) 70
Sub-soil TNS	SSs/A	S	Soil AminPD/Allu	ıvMIN/AminDW
Geography	<u>Wc</u>	odland habitats	Grazing	Hydrological features
Esker	□ WN	0%	Deer	Seasonal flooding
Drumlin	□ WN		Cattle	Springs
Valley	□ WN		Sheep	Lakes
Lakeside	□ WN		Rabbits	Rivers/streams
Bogland	□ WN		Hares	☐ Damp clefts/ravines ☐
Hill	□ WN		Goats	Other
Plain/Lowlands	✓ WN		Horses	
Island	□ ws	0%	Other	
Riverside/Floodpla	_	0%	Grazing level	0
Coastal/Estuary	□ WD			
•	Other ha	pitats		
Field notes			External data source	ce: not all data recorded
wood dates from a underplanted with a found in the subca field flora still indica remota and Rubus	t least the 1650s. So ash (Fraxinus excels nopy. There is a shru ates that the drainag fruticosus agg The	ne trees were remover). The main canop be layer with hazel (C is impeded. Specie block edges still hav	red in the last 10 ye y species is pedunc orylus avellana). Dr s which occur in the e plenty of willows (	kenny. The owner has evidence that the ears and most of the wood has been culate oak (Quercus robur), and ash is rainage ditches occur throughout, but the e field layer include Carex pendula, Carex (Salix spp.). Many rides are maintained for oserved. It had a dbh of 1.79m and was

Site no.	0201	FIPS no.	64980		
Date surveyed	28/08/2003	]			
Woodland name	Foulkscourt	To	wnland name	Foulkscourt	
Conservation rating	g and score Mod	lerate 42	Threa	t rating and score Low	17
Disco. map 6	0 Grid ref.	S283671	6 inch sheet	KK 8 County Kill	kenny
NPWS region	South Eastern NHA	code -	SAC code	- SPA Code	-
National Park	Nature Reserve		V	Woodland present in the 1840s	No
Ownership	Private - Single	Area (ha)	Max.	alt. (m) 115 Min. alt. (m)	115
Sub-soil Cut/	TLs/	Soi	Cut/BminPE	D/BminDW	
Geography	Woodl	and habitats	Grazing	Hydrological feature	<u>s</u>
Esker	□ WN1	0%	Deer	Seasonal flooding	$\checkmark$
Drumlin	□ WN2	0%	Cattle	<b>✓</b> Springs	
Valley	□ WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams	
Bogland	□ WN5	100%	Hares	Damp clefts/ravines	
Hill	□ WN6	0%	Goats	Other	
Plain/Lowlands	□ WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplai	n 🗹 WD1	0%	Grazing level	1	
Coastal/Estuary	□ WD2	0%			
	Other habita	ts			
Field notes			External data sou	rce: not all data recorded	
site is old garden w grey willow (Salix c occur. Large areas all but eliminate the	roodland with abandone inerea). Alder (Alnus glu are infested by snowbe e field layer. Mature pedi	d pools and ditches. ttinosa), hawthorn (Grry (Symphoricarpos unculate oak (Quero	. This area is do Crataegus mono s albus) and red- cus robur) occurs	wn, Co. Kilkenny. The eastern portion minated by hazel (Corylus avelland pagyna) and ash (Fraxinus excelsior) -osier dogwood (Cornus sanguinea) salong the track, but is rare within to scrub with some downy birch (Betus et al., 2007).	) with also ), which vood

Site no.	0203	FIPS no.	59159	
Date surveyed	16/09/2003	]		
Woodland name	Coolroebeg	То	wnland name	Coolroebeg
Conservation rating	g and score Mod	lerate 52	Threa	at rating and score Low 0
Disco. map 67/	Grid ref.	S599347	6 inch sheet	KK 32 County Kilkenny
NPWS region S	South Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		١	Woodland present in the 1840s No
Ownership	Private - Single	Area (ha) 1	1.1 Max.	alt. (m) 110 Min. alt. (m) 60
Sub-soil A/Ro	kNCa/TDSs	So	AlluvMIN/A	minSW/AminPD/AminDW
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	☐ Seasonal flooding ✓
Drumlin	□ WN2	100%	Cattle	☐ Springs ☐
Valley	WN3	0%	Sheep	Lakes
Lakeside	WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	<b>✓</b> WN7	0%	Horses	
Island	□ WS1	0%	Other	Unknown
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	1 1
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes			External data sou	urce: not all data recorded
freely draining, min- glutinosa). There is layer. The soil is ge	eral soil. Hazel (Corylus a holly (llex aquifolium)	avellana) is the mashrub layer. Hyacir 0 cm) and quite sto	nin species, and nthoides non-scr ny. Animal track	this is interspersed with taller alder (Alnus ripta and Oxalis acetosella occur in the field as are present throughout, and a small azing pressure is low.

Site no.	0204	FIPS	no. 57877		
Date surveyed	26/08/2003				
Woodland name	Shankill		Townland name	Shankill	
Conservation rating	g and score	Moderate 5	4 Thr	eat rating and score	Low 8
Disco. map 6	1 Grid ref.	S645615	6 inch sheet	KK 16 Count	ty Kilkenny
NPWS region	South Eastern	NHA code	SAC cod	e - SF	PA Code -
National Park	Nature Reser	/e 🗌		Woodland present in th	e 1840s Yes
Ownership	Private - Single	Area (ha)	8 Ma	x. alt. (m) 180	Min. alt. (m) 120
Sub-soil TNS	Ss/RckNCa		Soil AminPD/	AminSW	
Geography	<u>V</u>	oodland habitats	Grazing	Hydrol	ogical features
Esker	W	N1 0%	Deer	Seasona	I flooding
Drumlin	□ w	N2 95%	0-44-	<b>✓</b> Springs	
Valley	□ w	N3 0%	61	Lakes	
Lakeside		N4 0%	5 11%	Rivers/st	reams 🗸
Bogland		N5 0%		☐ Damp cle	efts/ravines
Hill		N6 5%	0 1	Other	
Plain/Lowlands	w		11		
Island	□ w				
Riverside/Floodpla	_			rel 1	
Coastal/Estuary		0%			
•	Other I	nabitats			
Field notes			External data s	ource: not all data recorded	
end of the wood wa coppice. Ash (Frax on mineral soil at the alder (Alnus glutino cespitosa, Carex re (Quercus robur), as	as excluded as it is inus excelsior) area ne bottom of the hill isa). Hawthorn (Cramota, and Galium ish (Fraxinus excels in the far southern	dominated by beed as here have been of this is dominated ataegus monogyna) palustre occur in the ior) and hazel (Cor	h (Fagus sylvatica) extensively felled for by ash (Fraxinus e and holly (Ilex aqu e field layer. The re ylus avellana) wood	est of Bagenalstown, Co and sycamore (Acer pse or hurls. There is a small excelsior) with grey willow ifolium) occur in the shru est of the site is compose lland, although peduncul ecetosella and Brachypoo	eudoplatanus) area of wet woodland v (Salix cinerea) and lb layer. Deschampsia ed of pedunculate oak ate oak (Quercus

Site no.	0205	FIPS no.	62684, 62683	3, 62685, 66882, 62682
Date surveyed	09/09/2003			
Woodland name	Raheendonore	Tov	vnland name	Raheendonore, Tikerlevan, Coolroe
Conservation rating	g and score Mod	lerate 46	Threa	at rating and score Low 8
Disco. map 6	Grid ref.	S679432	6 inch sheet	KK 29 County Kilkenny
NPWS region	South Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		\	Woodland present in the 1840s No
Ownership	Private - Single	Area (ha) 11	.5 Max.	alt. (m) 110 Min. alt. (m) 85
Sub-soil TLP	SsS/RckNCa/A/	Soil	AminDW/A	minSW/AlluvMIN/AminPD
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding  ✓
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	<b>✓</b> WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ✓
Bogland	WN5	100%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	in 🗌 WD1	0%	Grazing level	1 0
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes		E	External data sou	urce: not all data recorded
in steep valley site composed of rowar and Galium palustr dominated by Ulex	located 2.5 km west of 0 n (Sorbus aucuparia) and e occur in the field layer	Braiguenamanagh. It d ash (Fraxinus exce , along with Rubus fr m aquilinum. A track	t is a damp site elsior). Blechnu uticosus agg runs along the	ula pubescens) woodland along small stream e on mineral soil. The shrub layer is um spicant, Oxalis acetosella, Viola palustre. The area towards the top of the slopes is e top of the western slope. Where the site ed stand.

Site no.	0206		FIPS no.	29498, 29499	)		
Date surveyed	18/07/2003	3					
Woodland name	Ballinrush		Tow	nland name	Ballinrush, Bealala	ıw	
Conservation rating	g and score	Poor	36	Threa	at rating and score	Low	8
Disco. map 68	8 Grid ref.	. S8135	91	6 inch sheet	CW 17/20 Co	ounty Ca	arlow
NPWS region S	South Eastern	NHA code	-	SAC code	-	SPA Code	-
National Park	Nature Rese	erve 🗌		\	Woodland present in	n the 1840s	No
Ownership	Private - Single	Area	(ha) 8	Max.	alt. (m) 140	Min. alt. (m)	110
Sub-soil TGr			Soil	AminDW/A	minPDPT		
<u>Geography</u>		Woodland habi	itats	Grazing	Hyd	drological feature	<u>s</u>
Esker	□ v	WN1	0%	Deer	Seaso	onal flooding	
Drumlin	□ v	WN2	0%	Cattle	Spring	gs	
Valley	□ v	WN3	0%	Sheep	Lakes	•	
Lakeside	□ v	NN4	0%	Rabbits	Rivers	s/streams	
Bogland	□ v	NN5	0%	Hares	Damp	clefts/ravines	
Hill	□ v	NN6	100%	Goats	Other		
Plain/Lowlands	V	NN7	0%	Horses			
Island	□ v	WS1	0%	Other			
Riverside/Floodplai	n 🗌 V	ND1	0%	Grazing level	0		
Coastal/Estuary	□ v	ND2	0%				
	Other	r habitats					
Field notes			E	External data sou	urce: not all data recor	ded	
This small site is or soil at the bottom of (Salix cinerea). Gall Rubus fruticosus ag cinerea), alder (Alni aquilinum also occu	f a cattle-grazed u ium palustre, Rar gg Downy birch us glutinosa) and	unimproved fiel nunculus flamm (Betula pubesc	ld. In wetter a nula and Jun eens) is the n	areas, alder (A cus effusus oc nain canopy sp	Inus glutinosa) dom cur in the field layer pecies in drier areas	ninates with grey along with abun , and grey willow	willow dant (Salix

Site no.	0208	FIPS no.	59640, 83802,	, 87317, 87318, 87320		
Date surveyed	30/07/2003	]				
Woodland name	Crane Bridge	To	wnland name	Solsborough, Killabeg		
Concernation ratio	n and seers Mas	doroto 40	<b>T</b> b	t retire and a series [ ]		
Conservation rating	g and score	derate 48	Threat	t rating and score Low 17		
Disco. map 6	9 Grid ref.	T001436	6 inch sheet	WX 20 County Wexford		
NPWS region	South Eastern NHA	code -	SAC code	781 SPA Code -		
National Park	Nature Reserve		V	Voodland present in the 1840s Yes		
Ownership	Coillte	Area (ha) 4	Max.	alt. (m) 20 Min. alt. (m) 10		
Sub-soil Rckl	NCa/A/TLPS/GLPSsS	Soi	AminSP/Allu	uvMIN/ AminPD		
<u>Geography</u>	Woodl	and habitats	Grazing	Hydrological features		
Esker	□ WN1	0%	Deer	Seasonal flooding ✓		
Drumlin	□ WN2	0%	Cattle	✓ Springs		
Valley	✓ WN3	0%	Sheep	Lakes		
Lakeside	WN4	0%	Rabbits	☐ Rivers/streams ✓		
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐		
Hill	□ WN6	20%	Goats	Other		
Plain/Lowlands	□ WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodpla	in WD1	0%	Grazing level	1		
Coastal/Estuary	□ WD2	75%				
	Other habita	wbs WD3 5%				
Field notes			External data sour	rce: not all data recorded		
Crane Bridge is a small, narrow wood most of which is situated on a steep, north facing slope and the floodplain of a small fast-flowing river, 5 km northeast of Enniscorthy, Co. Wexford. Most of the Crane Bridge woodland is owned by Coillte, and these parts are planted with conifers. Crossing the river from the southern, Coillte owned part of the wood there is a small privately owned section on the floodplain which is classified as semi-natural woodland. The canopy here consists of pedunculate oak (Quercus robur) and alder (Alnus glutinosa). The shrub layer includes hazel (Corylus avellana), blackthorn (Prunus spinosa) and elder (Sambucus nigra). The field layer is diverse with Carex paniculata and water tolerant herbs including Filipendula ulmaria, Iris pseudacorus, Oenanthe crocata and Senecio aquaticus.						

Site no.	0209	FIPS no.	65816, 65936	6, 57541	
Date surveyed	03/09/2003				
Woodland name	Mackmine Wood	Т	ownland name	Mackmine, Kilgibbon	
Conservation rating	g and score Mo	derate 52	Threa	at rating and score Lo	w 8
Disco. map 6	9 Grid ref.	S972326	6 inch sheet	WX 26/32 County	Wexford
NPWS region	South Eastern NH	A code -	SAC code	- SPA Code	-
National Park	Nature Reserve			Woodland present in the 1840s	S No
Ownership	Private - Single	Area (ha)	5.5 Max	. alt. (m) 30 Min. alt.	(m) 0
Sub-soil TLP	S/A	So	oil AminDW/A	AminPD/AlluvMIN	
<u>Geography</u>	Wood	lland habitats	Grazing	Hydrological fe	eatures
Esker	□ WN1	0%	Deer	Seasonal flooding	g 🗸
Drumlin	□ WN2	50%	Cattle	Springs	
Valley	□ WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	Rivers/streams	✓
Bogland	□ WN5	0%	Hares	Damp clefts/ravir	nes 🗌
Hill	□ WN6	50%	Goats	Other	
Plain/Lowlands	<b>✓</b> WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplai	in WD1	0%	Grazing leve	0	
Coastal/Estuary	□ WD2	0%			
	Other habi	ats			
Field notes			External data so	urce: not all data recorded	
comprised of two signs floodplain. This is we pseudacorus and F coppice with some	trips at right angles. Th vet woodland with grey ilipendula ulmaria. The	e eastern and soutl willow (Salix cinere north-western area ), and hawthorn (Ci	nern part of the value a) and alder (Alra a) and alder (Alra a) are	rately freely draining mineral so wood runs parallel to the River so wood runs parallel to the River so was glutinosa). The field flora in and dominated by hazel (Coryluyna). A number of very large based on site.	Slaney on the cludes Iris us avellana)

Site no.	0210	FIPS no.	Non FIPS		
Date surveyed	18/09/2003				
Woodland name	Ballynahillen	To	wnland name	Ballynahillen	
Conservation rating	g and score P	oor 36	Threa	t rating and score Low	17
Disco. map 69	9 Grid ref.	T088570	6 inch sheet	WX 11 County	Wexford
NPWS region S	South Eastern NHA	code -	SAC code	781 SPA Code	-
National Park	Nature Reserve		V	Woodland present in the 1840s	Yes
Ownership	Private - Single	Area (ha)	2.4 Max.	alt. (m) 80 Min. alt. (m	60
Sub-soil RckN	NCa	Soi	I AminSW/Ar	minSP	
<u>Geography</u>	<u>Woodl</u>	and habitats	Grazing	Hydrological feat	<u>ures</u>
Esker	□ WN1	100%	Deer	Seasonal flooding	
Drumlin	□ WN2	0%	Cattle	<b>✓</b> Springs	
Valley	✓ WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	Rivers/streams	
Bogland	□ WN5	0%	Hares	Damp clefts/ravines	s 🗌
Hill	□ WN6	0%	Goats	Other	
Plain/Lowlands	□ WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	3	
Coastal/Estuary	□ WD2	0%			
	Other habita	nts			
Field notes			External data sou	rce: not all data recorded	
mainly of peduncula	located on the slopes or ate oak (Quercus robur) are found in the field la	coppice with holly (	llex aquifolium)	theast of Camolin, Co. Wexford. in the shrub layer. Luzula sylvati attle.	It consists ca and

Site no.	0211		FIPS no.	60319, 60316	
Date surveyed	19/08/200	3			
Woodland name	Newtown Lower		Tow	rnland name	Newtown Lower
Conservation rating	g and score	Very Good	67	Threa	t rating and score Low 17
Disco. map 7	7 Grid ref	. S98120	68	6 inch sheet	WX 32/37 County Wexford
NPWS region	South Eastern	NHA code	-	SAC code	781 SPA Code -
National Park	Nature Rese	erve 🗌		V	Woodland present in the 1840s Yes
Ownership	Private - Single	Area	(ha) 10	Max.	alt. (m) 20 Min. alt. (m) 10
Sub-soil A/GI	_PSsS/RckNCa		Soil	AlluvMIN/A	minSP/AminSW
Geography		Woodland habi	tats	Grazing	Hydrological features
Esker		WN1	0%	Deer	Seasonal flooding
Drumlin		WN2	40%	Cattle	☐ Springs ☐
Valley	<b>✓</b> \	WN3	0%	Sheep	Lakes
Lakeside		WN4	0%	Rabbits	☐ Rivers/streams ✓
Bogland		WN5	0%	Hares	□ Damp clefts/ravines □
Hill		NN6	10%	Goats	<b>✓</b> Other
Plain/Lowlands		WN7	0%	Horses	
Island		WS1	0%	Other	
Riverside/Floodplai	in 🗌 🕠	WD1	50%	Grazing level	1
Coastal/Estuary		WD2	0%		
	Othe	r habitats			
Field notes			E	xternal data sou	rce: not all data recorded
Wexford. Most of the part of the site is do shrub layer. Beech Dryopteris dilatata The wet area is in the and pedunculate of	ne site is on freely ominated by pedu (Fagus sylvatica and Polystichum he north of the si ak (Quercus robu Carex riparia, Epil	y draining miner unculate oak (Q ) and conifers a setiferum occur ite, and is comp in the shrub lobium hirsutum	ral soil, but the uercus robuter common in the field I osed primariayer. The field and Calyster and Calyster is a soil.	nere is a small of and ash (Frage throughout this ayer, along with the of alder (Alnald layer contained egia sepium. The	ver Slaney, 5 km south of Oilgate, Co. area of wet woodland. The drier, southern xinus excelsior) with a holly (Ilex aquifolium) area. Ferns such as Dryopteris affinis, h herbs such as Hyacinthoides non-scripta. us glutinosa) with ash (Fraxinus excelsior) as many species, including abundant Carex here is a large badger sett in the centre of 3.

Site no.	0213	FIPS no.	65511, 12112,	, 12111
Date surveyed	12/09/2003			
Woodland name	Seskinnamadra	То	ownland name	Seskinnamadra
Conservation rating	g and score Mc	derate 46	Threat	t rating and score Low 8
Disco. map 6	8 Grid ref.	S782547	6 inch sheet	CW 19/20 County Carlow
NPWS region	South Eastern NH	A code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Voodland present in the 1840s No
Ownership	Private - Single	Area (ha)	5.5 Max. a	alt. (m) 140 Min. alt. (m) 120
Sub-soil TGr/	Ά	Sc	oil AminPD/Allu	uvMIN
Geography	Wood	land habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	✓ Springs
Valley	✓ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ✓
Bogland	□ WN5	100%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	1
Coastal/Estuary	□ WD2	0%		
	Other habit	ats		
Field notes			External data sour	rce: not all data recorded
by grazing land. The drainage is impede areas contain ash (occur in the shrub l	e site is on a mineral s d. The main canopy sp Fraxinus excelsior). Ha ayer. Ferns such as Dr	oil, and the northern ecies in the wood is zel (Corylus avellar yopteris dilatata, Blo	n section is wetter alder (Alnus glutina), holly (llex aque echnum spicant a	consists of two areas of woodland surrounded than the southern section, but overall the cinosa). Birch occurs in wet areas and drier cuilinum) and grey willow (Salix cinerea) and herbs including Ajuga reptans, escripta occur in the field layer. Cattle graze

Date surveyed   10/07/2003	Site no.	0219	FIPS no.	38871, 57761	, 57762, 65586
Conservation rating and score	Date surveyed	10/07/2003			
Disco. map 68 Grid ref. S878595 6 inch sheet W 20/17/1 County Carlow  NPWS region South Eastern NHA code - SAC code - SPA Code -  National Park Nature Reserve Woodland present in the 1840s No  Ownership Private - Multiple Area (ha) 16 Max. alt. (m) 110 Min. alt. (m) 60  Sub-soil TMp/TMp/A/TGr Soil AminDW/AminPDPT/AlluvMIN  Geography Woodland habitats Grazing Hydrological features  Esker WN1 0% Deer Seasonal flooding Privalley WN2 0% Cattle Springs Valley WN3 0% Sheep Lakes  Lakeside WN4 0% Rabbits Rivers/streams Damp clefts/ravines  Bogland WN5 60% Hares Damp clefts/ravines  Hill WN6 40% Goats Other  Horses  Hill WN6 40% Goats Other  Flain/Lowlands WN7 0% Other  Rivers/streamy WD2 0% Other  Flain/Lowlands WN1 0% Grazing level 0  This medium sized site is located alongside a stream on a valley-side in Co. Carlow, 5km northwest of Bunclody, Co. Wexford. The uphill area is wetter and consists of a downy birch (Betula pubescens) and grey willow (Salix cinerea) in the field layer, and Sphagnum palustre is abundant. Close to the stream, the site is somewhat better drained. Here, alder ((Alnus glutinosa) and (Betula pubescens) dominate in the canopy, with grey willow (Salix cinerea) and Gorse (Ulex equropaeus) in the spens and	Woodland name	Ballypierce	То	wnland name	Ballypierce, Ballyshancarragh
Disco. map 68 Grid ref. S878595 6 inch sheet W 20/17/1 County Carlow  NPWS region South Eastern NHA code - SAC code - SPA Code -  National Park Nature Reserve Woodland present in the 1840s No  Ownership Private - Multiple Area (ha) 16 Max. alt. (m) 110 Min. alt. (m) 60  Sub-soil TMp/TMp/A/TGr Soil AminDW/AminPDPT/AlluvMIN  Geography Woodland habitats Grazing Hydrological features  Esker WN1 0% Deer Seasonal flooding Privalley WN2 0% Cattle Springs Valley WN3 0% Sheep Lakes  Lakeside WN4 0% Rabbits Rivers/streams Damp clefts/ravines  Bogland WN5 60% Hares Damp clefts/ravines  Hill WN6 40% Goats Other  Horses  Hill WN6 40% Goats Other  Flain/Lowlands WN7 0% Other  Rivers/streamy WD2 0% Other  Flain/Lowlands WN1 0% Grazing level 0  This medium sized site is located alongside a stream on a valley-side in Co. Carlow, 5km northwest of Bunclody, Co. Wexford. The uphill area is wetter and consists of a downy birch (Betula pubescens) and grey willow (Salix cinerea) in the field layer, and Sphagnum palustre is abundant. Close to the stream, the site is somewhat better drained. Here, alder ((Alnus glutinosa) and (Betula pubescens) dominate in the canopy, with grey willow (Salix cinerea) and Gorse (Ulex equropaeus) in the spens and					
NPWS region South Eastern NHA code - SAC code - SPA Code - National Park Nature Reserve Woodland present in the 1840s No Ownership Private - Multiple Area (ha) 16 Max. alt. (m) 110 Min. alt. (m) 60 Sub-soil TMp/TMp/A/TGr Soil AminDW/AminPDPT/AlluvMIN  Geography Woodland habitats Grazing Hydrological features  Esker WN1 0% Deer Seasonal flooding Prumlin WN2 0% Cattle Springs Valley WN3 0% Sheep Lakes  Lakeside WN4 0% Rabbits Rivers/streams Damp clefts/ravines  Bogland WN5 60% Hares Damp clefts/ravines  Hill WN6 40% Goats Other  Hain/Lowlands WN7 0% Horses  Island WS1 0% Other  Riverside/Floodplain WD1 0% Grazing level O  Coastal/Estuary WD2 0% Other  This medium sized site is located alongside a stream on a valley-side in Co. Carlow, 5km northwest of Bunclody, Co. Wexford. The uphill area is wetter and consists of a downy birch (Betula pubescens) and grey willow (Salix cinerea) in the canopy, with ash in the shrub layer, on a peaty gley. Blechnum spicant, Molinia caerulea and Juncus effusus occur in the field layer, and Sphagnum palustre is abundant. Close to the stream, the site is somewhat better drained. Here, alder ((Alnus glutinosa) and (Betula pubescens) and grey willow (Salix cinerea) and Gorey curins the field layer, carex remota, Hyacinthoides non-scripta, Cenanthe crocata, Ranunculus repens and	Conservation rating	g and score Mo	derate 58	Threa	t rating and score Low 17
National Park Nature Reserve	Disco. map 6	8 Grid ref.	S878595	6 inch sheet	CW 20/17/18 County Carlow
Ownership Private - Multiple Area (ha) 16 Max. alt. (m) 110 Min. alt. (m) 60  Sub-soil TMp/TMp/A/TGr Soil AminDW/AminPDPT/AlluvMIN  Geography Woodland habitats Grazing Hydrological features  Esker WN1 0% Deer Seasonal flooding Prumlin WN2 0% Cattle Springs Sulley WN3 0% Sheep Lakes  Lakeside WN4 0% Rabbits Rivers/streams Private Damp clefts/ravines  Bogland WN5 60% Hares Damp clefts/ravines  Hill WN6 40% Goats Other  Plain/Lowlands WN7 0% Horses  Island WS1 0% Other  Riverside/Floodplain WD1 0% Grazing level 0  This medium sized site is located alongside a stream on a valley-side in Co. Carlow, 5km northwest of Bunclody, Co. Wexford. The uphill area is wetter and consists of a downy birch (Betula pubescens) and grey willow (Salix cinerea) in the canopy, with ash in the shrub layer, on a peaty gley. Blechnum spicant, Molinia caerulea and Juncus effusus occur in the field layer, and Sphagnum palustre is abundant. Close to the stream, the site is somewhat better drained. Here, alder (Alnus glutinosa) and (Betula pubescens) dominate in the canopy, with grey willow (Salix cinerea) and Gorse (Ulex europaeus) in the shrub layer. Carex remota, Hyacinthoides non-scripta, Oenanthe crocata, Ranunculus repens and	NPWS region	South Eastern NH.	A code -	SAC code	- SPA Code -
Sub-soil TMp/TMp/A/TGr  Soil AminDW/AminPDPT/AlluvMIN  Geography Woodland habitats Grazing Hydrological features  Esker WN1 0% Deer Seasonal flooding V Drumlin WN2 0% Cattle Springs  Valley WN3 0% Sheep Lakes Lakeside WN4 0% Rabbits Rivers/streams WN5 60% Hares Damp clefts/ravines  Hill WN6 40% Goats Other  Plain/Lowlands WN7 0% Horses Island WS1 0% Other Riverside/Floodplain WD1 0% Grazing level 0  Coastal/Estuary WD2 0%  Other habitats  External data source: not all data recorded  This medium sized site is located alongside a stream on a valley-side in Co. Carlow, 5km northwest of Bunclody, Co. Wexford. The uphill area is wetter and consists of a downy birch (Betula pubescens) and grey willow (Salix cinerea) in the canopy, with ash in the shrub layer, on a peaty gley. Blechnum spicant, Molinia caerulea and Juncus effusus occur in the field layer, and Sphagnum palustre is abundant. Close to the stream, the site is somewhat better drained. Here, alder (Alnus glutinosa) and (Betula pubescens) dominate in the canopy, with grey willow (Salix cinerea) and Gorse (Ulex europaeus) in the shrub layer. Carex remota, Hyacinthoides non-scripta, Oenanthe crocata, Ranunculus repens and	National Park	Nature Reserve		V	Woodland present in the 1840s No
Geography       Woodland habitats       Grazing       Hydrological features         Esker       WN1       0%       Deer       Seasonal flooding       ✔         Drumlin       WN2       0%       Cattle       Springs       □         Valley       WN3       0%       Sheep       Lakes       □         Valley       WN3       0%       Rabbits       Rivers/streams       ✔         Lakeside       WN4       0%       Rabbits       Rivers/streams       ✔         Bogland       WN5       60%       Hares       Damp clefts/ravines       □         Hill       WN6       40%       Goats       Other       □         Plain/Lowlands       WN7       0%       Horses       □         Island       WS1       0%       Other       □         Riverside/Floodplain       WD1       0%       Grazing level       0         Coastal/Estuary       WD2       0%       Wexford. The uphill area is wetter and consists of a downy birch (Betula pubescens) and grey willow (Salix cinerea) in the canopy, with ash in the shrub layer, on a peaty gley. Blechnum spicant, Molinia caerulea and Juncus effusus occur in the field layer, and Sphagnum palustre is abundant. Close to the stream, the site is somewhat better drained. Here, alder (Alnus glutinosa) and (Betula pubescens) dominate in the	Ownership	Private - Multiple	Area (ha)	16 Max.	alt. (m) 110 Min. alt. (m) 60
Esker	Sub-soil TMp	/TMp/A/TGr	Soi	I AminDW/Ar	minPDPT/AlluvMIN
Drumlin	<u>Geography</u>	Wood	land habitats	Grazing	Hydrological features
Valley  Valley	Esker	□ WN1	0%	Deer	Seasonal flooding
Valley  Valley	Drumlin	□ WN2		Cattle	☐ Springs ☐
Lakeside	Valley	<b>✓</b> WN3		Sheep	Lakes
Bogland	Lakeside	□ WN4		Rabbits	☐ Rivers/streams
Hill WN6 40% Goats Other  Plain/Lowlands WN7 0% Horses  Island WS1 0% Other  Riverside/Floodplain WD1 0% Grazing level 0  Coastal/Estuary WD2 0%  Other habitats  External data source: not all data recorded  This medium sized site is located alongside a stream on a valley-side in Co. Carlow, 5km northwest of Bunclody, Co. Wexford. The uphill area is wetter and consists of a downy birch (Betula pubescens) and grey willow (Salix cinerea) in the canopy, with ash in the shrub layer, on a peaty gley. Blechnum spicant, Molinia caerulea and Juncus effusus occur in the field layer, and Sphagnum palustre is abundant. Close to the stream, the site is somewhat better drained. Here, alder (Alnus glutinosa) and (Betula pubescens) dominate in the canopy, with grey willow (Salix cinerea) and Gorse (Ulex europaeus)in the shrub layer. Carex remota, Hyacinthoides non-scripta, Oenanthe crocata, Ranunculus repens and	Bogland	□ WN5		Hares	☐ Damp clefts/ravines ☐
Plain/Lowlands		□ WN6		Goats	Other
Island	Plain/Lowlands			Horses	
Riverside/Floodplain	Island			Other	
Coastal/Estuary  Other habitats  External data source: not all data recorded  This medium sized site is located alongside a stream on a valley-side in Co. Carlow, 5km northwest of Bunclody, Co. Wexford. The uphill area is wetter and consists of a downy birch (Betula pubescens) and grey willow (Salix cinerea) in the canopy, with ash in the shrub layer, on a peaty gley. Blechnum spicant, Molinia caerulea and Juncus effusus occur in the field layer, and Sphagnum palustre is abundant. Close to the stream, the site is somewhat better drained. Here, alder (Alnus glutinosa) and (Betula pubescens) dominate in the canopy, with grey willow (Salix cinerea) and Gorse (Ulex europaeus)in the shrub layer. Carex remota, Hyacinthoides non-scripta, Oenanthe crocata, Ranunculus repens and	Riverside/Floodpla	in WD1		Grazing level	0
Field notes  External data source: not all data recorded  This medium sized site is located alongside a stream on a valley-side in Co. Carlow, 5km northwest of Bunclody, Co. Wexford. The uphill area is wetter and consists of a downy birch (Betula pubescens) and grey willow (Salix cinerea) in the canopy, with ash in the shrub layer, on a peaty gley. Blechnum spicant, Molinia caerulea and Juncus effusus occur in the field layer, and Sphagnum palustre is abundant. Close to the stream, the site is somewhat better drained. Here, alder (Alnus glutinosa) and (Betula pubescens) dominate in the canopy, with grey willow (Salix cinerea) and Gorse (Ulex europaeus)in the shrub layer. Carex remota, Hyacinthoides non-scripta, Oenanthe crocata, Ranunculus repens and	Coastal/Estuary	□ WD2			·
This medium sized site is located alongside a stream on a valley-side in Co. Carlow, 5km northwest of Bunclody, Co. Wexford. The uphill area is wetter and consists of a downy birch (Betula pubescens) and grey willow (Salix cinerea) in the canopy, with ash in the shrub layer, on a peaty gley. Blechnum spicant, Molinia caerulea and Juncus effusus occur in the field layer, and Sphagnum palustre is abundant. Close to the stream, the site is somewhat better drained. Here, alder (Alnus glutinosa) and (Betula pubescens) dominate in the canopy, with grey willow (Salix cinerea) and Gorse (Ulex europaeus)in the shrub layer. Carex remota, Hyacinthoides non-scripta, Oenanthe crocata, Ranunculus repens and		Other habit	ats		
Wexford. The uphill area is wetter and consists of a downy birch (Betula pubescens) and grey willow (Salix cinerea) in the canopy, with ash in the shrub layer, on a peaty gley. Blechnum spicant, Molinia caerulea and Juncus effusus occur in the field layer, and Sphagnum palustre is abundant. Close to the stream, the site is somewhat better drained. Here, alder (Alnus glutinosa) and (Betula pubescens) dominate in the canopy, with grey willow (Salix cinerea) and Gorse (Ulex europaeus)in the shrub layer. Carex remota, Hyacinthoides non-scripta, Oenanthe crocata, Ranunculus repens and	Field notes			External data sou	rce: not all data recorded
	Wexford. The uphil canopy, with ash in field layer, and Sph (Alnus glutinosa) a europaeus)in the s	I area is wetter and cor the shrub layer, on a phagnum palustre is abuind (Betula pubescens) hrub layer. Carex remo	sists of a downy bird eaty gley. Blechnum ndant. Close to the s dominate in the cand a, Hyacinthoides no	th (Betula pubes spicant, Molinia tream, the site is opy, with grey wi n-scripta, Oenar	scens) and grey willow (Salix cinerea) in the a caerulea and Juncus effusus occur in the s somewhat better drained. Here, alder illow (Salix cinerea) and Gorse (Ulex on the crocata, Ranunculus repens and

Site no.	0221	FIPS no.	66745, 72139	)
Date surveyed	18/08/2003			
Woodland name	Kilmacoliver	To	wnland name	Kilmacoliver, Baunreagh
Conservation rating	g and score Mod	derate 48	Threa	at rating and score Low 8
Disco. map 6	Grid ref.	S426302	6 inch sheet	KK 34 County Kilkenny
NPWS region	South Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		\	Woodland present in the 1840s Yes
Ownership	Private - Single	Area (ha) 8	.6 Max.	alt. (m) 110 Min. alt. (m) 70
Sub-soil Rckl	NCa/A/TLPSsS/TDSs	Soi	AminSW/A	IluvMIN/AminDW
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	100%	Cattle	☐ Springs ☐
Valley	<b>✓</b> WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ✓
Bogland	WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	WN6	0%	Goats	Other
Plain/Lowlands	WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodpla	in 🗌 WD1	0%	Grazing level	1 0
Coastal/Estuary	□ WD2	0%		
	Other habita	its		
Field notes			External data sou	urce: not all data recorded
woodland on the so pedunculate oak (C	outhern side of the road	in a valley on freely (Fraxinus excelsior),	draining minera and there is a	outheast of Ninemilehouse. It is a strip of al soil. The canopy is composed mainly of hazel (Corylus avellana) shrub layer. r in the field layer.

Site no.	0223	FIPS no.	42942	
Date surveyed	12/09/2003	]		
Woodland name	Johnswell	Tov	vnland name	Johnswell
Conservation rating	g and score Mod	lerate 46	Threat	t rating and score Low 8
Disco. map 6	1 Grid ref.	S562610	6 inch sheet	KK 15 County Kilkenny
NPWS region	South Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Voodland present in the 1840s Yes
Ownership	Private - Single	Area (ha) 5	.7 Max. a	alt. (m) 140 Min. alt. (m) 120
Sub-soil Rckl	NCa/TNSSs	Soil	AminSW/An	ninPD/AminDW
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	☐ Seasonal flooding ✓
Drumlin	□ WN2	95%	Cattle	☐ Springs ☐
Valley	<b>✓</b> WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ☐
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	5%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	in WD1	0%	Grazing level	0
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes		E	External data sour	rce: not all data recorded
with the majority of (Quercus robur), wisetiferum, Phyllitis At the bottom of the	it east of the road. Most ith a shrub layer of elder scolopendrium and Gera e slope there is a twenty able rookery in the tall ca	of the site is domina (Sambucus nigra) a anium robertianum o metre wide section	ated by ash (Fra and hawthorn (C ccur in the field of wet woodland	wn, Co. Kilkenny. The site is split by a road axinus excelsior) and pedunculate oak crataegus monogyna). Polystichum layer. There is a freely draining mineral soil. It which is bisected by the road. There is e presence of abundant droppings, feathers

Site no.	0225	5	FIPS no.	22373, 22374			
Date surveyed	20/08/2	003					
Woodland name	Newrath		Tow	nland name	Newrath, Mullinbro		
Conservation ratin	Conservation rating and score Moderate 58 Threat rating and score Moderate 33						
Disco. map 7	5 Grid ı	ref. S592	145	6 inch sheet	KK 43 County Kilkenny		
NPWS region	South Eastern	NHA code	-	SAC code	- SPA Code -		
National Park	Nature Re	eserve		V	Voodland present in the 1840s Yes		
Ownership	Private - Sing	e Area	a (ha) 7.	4 Max.	alt. (m) 10 Min. alt. (m) 10		
Sub-soil TDS	s/A/ RckNCa		Soil	AminPD/Allu	uvMIN/AminDW/AminSW		
<u>Geography</u>		Woodland hal	<u>oitats</u>	Grazing	Hydrological features		
Esker		WN1	0%	Deer	☐ Seasonal flooding ✓		
Drumlin		WN2	30%	Cattle	☐ Springs ☐		
Valley		WN3	0%	Sheep	Lakes		
Lakeside		WN4	0%	Rabbits	☐ Rivers/streams		
Bogland		WN5	0%	Hares	☐ Damp clefts/ravines ☐		
Hill		WN6	70%	Goats	Other		
Plain/Lowlands		WN7	0%	Horses			
Island		WS1	0%	Other			
Riverside/Floodpla		WD1	0%	Grazing level	0		
Coastal/Estuary		WD2	0%	g			
Ocaciai, Ectaary	O+	ner habitats	0 70				
Field notes	Oti	iei ilabitats	F	external data sour	rce: not all data recorded		
	4h Di O	. in the ended to be a different					
This small wood is on the River Suir floodplain adjacent to the main road 3 km north of Waterford City. It is on mineral soil. The site is very overgrown with dense Rubus fruticosus agg. and Urtica dioica. Part of the site is composed of ash (Fraxinus excelsior), pedunculate oak (Quercus robur) and beech (Fagus sylvatica) woodland, on fairly dry soil. Arum maculatum, Circaea lutetiana, Polystichum setiferum and Phyllitis scolopendrium are found in the field layer. An old wall running across the middle of the site divides this drier part from the wetter grey willow (Salix cinerea) dominated part. Here, ash (Fraxinus excelsior) and holly (Ilex aquifolium) occur in the shrub layer. Grasses such as Agrostis stolonifera and Glyceria fluitans occur in the field layer, as well as herbs such as Angelica sylvestris, Eupatorium cannabinum and Filipendula ulmaria. Some ash has been taken from the wood, apparently for hurley making.							

Site no.	0226	FIPS no.	63211	
Date surveyed	19/09/2003			
Woodland name	Skehana	Tov	nland name	Shehana
Conservation rating	g and score Mod	lerate 42	Threat	rating and score Low 0
Disco. map 6	0 Grid ref.	S510753	6 inch sheet	KK 5 County Kilkenny
		code -	SAC code	- SPA Code -
National Park	Nature Reserve		L	/oodland present in the 1840s Yes
Ownership	Private - Single	Area (ha) 7.		alt. (m) 190 Min. alt. (m) 150
	Ss/A/RckNCa	Soil		uvMIN/AminDW/AminSW
3ub-soii 1143	35/A/RCKINGA	5011	AMINPD/AIIU	
Geography	<u>Woodl</u>	and habitats	<u>Grazing</u>	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	✓ Springs
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	50%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	<b>✓</b> WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗌 WD1	50%	Grazing level	1
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes		E	External data source	ce: not all data recorded
quarrying is carried pedunculate oak (C linear stretch along regeneration from s Glyceria fluitans, as	out in the area. The site Querus robur) are the ma the road has a fair amo seed throughout. The fie	e is on moderately fro ain canopy species, a unt of beech (Fagus ld layer is grassy, wi	eely draining mir and hazel (Coryl sylvatica). Ther th Deschampsia	of Coolbaun, Co. Kilkenny. A lot of neral soil. Ash (Fraxinus excelsior) and lus avellana) occurs in the shrub layer. The re is plenty of hazel (Corylus avellana) a cespitosa, Agrostis stolonifera and a moderately freely draining grey/brown

Site no.	0227	FIPS no.	672, 43201			
Date surveyed	11/08/2003					
Woodland name	Lisdowney Wood	Tov	vnland name	Lisdowney		
Conservation rating	and score Mod	lerate 46	Threat	t rating and score	Moderate	33
Disco. map 60	Grid ref.	S410695	6 inch sheet	KK 9 Cou	inty Kilk	enny
NPWS region S	South Eastern NHA	code -	SAC code	-	SPA Code	-
National Park	Nature Reserve		٧	Voodland present in	the 1840s	Yes
Ownership	Coillte	Area (ha)	).4 Max.	alt. (m) 130	Min. alt. (m)	80
Sub-soil RckN	NCa/RckCa/TNSSs	Soil	AminSW/Bn	minSW/AminPD		
<u>Geography</u>	Woodl	and habitats	Grazing	<u>Hydr</u>	ological feature	<u>s</u>
Esker	□ WN1	0%	Deer	Seasor	nal flooding	
Drumlin	□ WN2	100%	Cattle	Springs	3	
Valley	□ WN3	0%	Sheep	Lakes		
Lakeside	□ WN4	0%	Rabbits	Rivers/	streams	
Bogland	WN5	0%	Hares	☐ Damp o	clefts/ravines	<b>✓</b>
Hill	✓ WN6	0%	Goats	Other		
Plain/Lowlands	WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplain	n 🗌 WD1	0%	Grazing level	0		
Coastal/Estuary	□ WD2	0%				
	Other habita	ts				
Field notes		1	External data sour	rce: not all data recorde	ed	
draining mineral soi beech (Fagus sylva the northern part of	wood on a steep hill is I I. The main canopy spe tica) also occur. Rubus the site. Occasional syn nd badger setts were ob	cies is ash (Fraxinus fruticosus agg. occu camore (Acer pseud	s excelsior), and irs in the field la	l pedunculate oak (C yer. Ash (Fraxinus e	Quercus robur) a excelsior) domin	ates in

Site no.	0228	FIPS no. 68075
Date surveyed	06/08/2003	
Woodland name	Crumlin/Tulla	Townland name Crumlin, Tulla
Conservation rating	and score Poor	Threat rating and score Low 17
Disco. map 54	4 Grid ref. N19	99007 6 inch sheet OF 39 County Offaly
NPWS region N	North Eastern NHA cod	de - SAC code - SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s No
Ownership	Coillte	Area (ha) 3 Max. alt. (m) 230 Min. alt. (m) 190
Sub-soil RckN	NCa/TDSs	Soil AminSRPT/AminPDPT/AminSP/AminSW
<u>Geography</u>	Woodland h	habitats Grazing Hydrological features
Esker	□ WN1	0% Deer ✓ Seasonal flooding □
Drumlin	□ WN2	100% Cattle Springs
Valley	<b>✓</b> WN3	Sheep
Lakeside	□ WN4	Rabbits
Bogland	□ WN5	0% Hares Damp clefts/ravines
Hill	□ WN6	0% Goats Other
Plain/Lowlands	□ WN7	0% Horses
Island	□ WS1	0% Other
Riverside/Floodplair		0% Grazing level 3
Coastal/Estuary	□ WD2	0%
	Other habitats	
Field notes		External data source: not all data recorded
pedunculate oak (Q layer. The field laye	uercus robur) and downy bir	Kinnitty, Co. Offaly, on a freely draining mineral soil. The canopy species are irch (Betula pubescens), and hazel (Corylus avellana) occurs in the shrub draitica, and Oxalis acetosella and Stellaria holostea also occur here. The diffied woodland.

Site no.	0229		FIPS no.	11736, 712, 5	5718, 5610, 5	335, 554		
Date surveyed	07/08/2003							
Woodland name	Castle Bernard De	mense	Tow	nland name	Castletown,	Glinsk		
Conservation rating	and score	Moderate	54	Threa	at rating and s	score Mod	derate	25
Disco. map 54	Grid ref.	N2100	55	6 inch sheet	OF 36	County	Of	faly
NPWS region N	orth Eastern	NHA code	-	SAC code	-	SPA Coo	de	-
National Park	Nature Reserv	е 🗌		\	Woodland pre	esent in the 1840	Os [	Yes
Ownership	Coillte	Area	(ha) 2	1 Max.	alt. (m) 2	20 Min. alt	t. (m)	140
Sub-soil TLs/F	RckNCa/TDSs/A		Soil	BminPDPT	/AminSRPT/A	AminPDPT/Alluv	/MIN	
<u>Geography</u>	<u>W</u>	oodland hab	<u>itats</u>	Grazing		Hydrological	features	<u> </u>
Esker	1W	N1	0%	Deer	<b>✓</b>	Seasonal floodi	ng	
Drumlin		<b>√</b> 2	0%	Cattle		Springs		
Valley	lw l	<b>1</b> 3	0%	Sheep		Lakes		
Lakeside	lw 🗆	<b>N</b> 4	0%	Rabbits		Rivers/streams		
Bogland	lw l	\5	0%	Hares		Damp clefts/rav	vines	<b>✓</b>
Hill	✓ WI	<b>\</b> 6	0%	Goats		Other		
Plain/Lowlands			0%	Horses				
Island	□ ws	_	0%	Other				
Riverside/Floodplair		_	100%	Grazing level	2			
Coastal/Estuary	□ WI	_	0%					
•	Other h	abitats			]			
Field notes			E	xternal data sou	ırce: not all data	a recorded		
This is a large wood converted to conifer present. The first hat (Crataegus monogy Oxalis acetosella ocash (Fraxinus excels the field layer. Ferns frequent here. Vario (Prunus Lauroceras is evident.	woodland, but son is a canopy of ped na) occurs in the secur in the field layer sior) and beech (F is such as Dryopter us non-native spe	ne broadleav unculate oak hrub layer he er. The secor agus sylvatic is filix-mas, F cies occur thi	red stands re (Quercus ro ere. Rubus fr nd type has a a). Agrostis s Pteridium aqu roughout the	main. There and bur), with some uticosus agg., a canopy of pectolonifera, Junuillinum, Dryopte site, and these	re two differere beech (Fague Circaea lutetion dunculate oak nous effusus a eris affinis and include the i	nt types of native us sylvatica). Ha iana, Dryopteris (Quercus petra and Circaea lute d Dryopteris dila invasive species	e woodla awthorn filix-mas aea), wit tiana oc atata are s cherry	s and h some cur in laurel

Site no.	0230	FIPS no.	61833
Date surveyed	28/08/2003		
Woodland name	Ballymack	Tow	vnland name Ballymack
Conservation rating	g and score Mo	derate 42	Threat rating and score Low 8
Disco. map 6	Grid ref.	S459463	6 inch sheet KK 23 County Kilkenny
NPWS region	South Eastern NH/	A code -	SAC code - SPA Code -
National Park	Nature Reserve		Woodland present in the 1840s No
Ownership	Private - Single	Area (ha) 5.	.7 Max. alt. (m) 90 Min. alt. (m) 70
Sub-soil TNS	SSs	Soil	AminPD
<u>Geography</u>	Wood	and habitats	Grazing Hydrological features
Esker	□ WN1	0%	Deer ☐ Seasonal flooding ✓
Drumlin	□ WN2	100%	Cattle ✓ Springs
Valley	□ WN3	0%	Sheep Lakes
Lakeside	□ WN4	0%	Rabbits Rivers/streams
Bogland	□ WN5	0%	Hares Damp clefts/ravines
Hill	□ WN6	0%	Goats Other
Plain/Lowlands	✓ WN7	0%	Horses
Island	□ WS1	0%	Other
Riverside/Floodpla	_	0%	Grazing level 1
Coastal/Estuary	□ WD2	0%	
·	Other habita		
Field notes		E	External data source: not all data recorded
(Fraxinus excelsion number (fewer than hawthorn (Crataeg the field layer. The perimeter, just inside site is generally no	<ul> <li>and hazel (Corylus aver n ten) of conifers were four us monogyna) and blact site is on a moderately de the wood and a heave</li> </ul>	ellana) wood, and the bund at the northern of kthorn (Prunus spinos freely drained minera ily grazed and trampl undance of saplings	Co. Kilkenny. It is a pedunculate oak (Quercus robur), ash e canopy dominance varies among these species. A small edge and north-western corner. There is a shrub layer with sa), and Dryopteris dilatata and Geum urbanum occur in al soil. There are well trampled cattle tracks around the led area just along the eastern boundary. Otherwise, the of various spp. Some ash has recently been felled for tion.

Site no.	0234	FIPS no.	61369		
Date surveyed	29/08/2003	]			
Woodland name	Monassa	Tov	wnland name	Monassa	
Conservation rating	g and score Mod	lerate 52	Threa	at rating and score Moderate	25
Disco. map 6	Grid ref.	S446386	6 inch sheet	KK 30/31 County Kilkenn	У
NPWS region	South Eastern NHA	code -	SAC code	- SPA Code	-
National Park	Nature Reserve		,	Woodland present in the 1840s	Yes
Ownership	Private - Single	Area (ha) 4	.5 Max.	alt. (m) 68 Min. alt. (m)	65
Sub-soil TNS	SSs	Soil	AminPD		
<u>Geography</u>	Woodl	and habitats	Grazing	Hydrological features	
Esker	□ WN1	0%	Deer	Seasonal flooding	
Drumlin	□ WN2	100%	Cattle	☐ Springs ☐	
Valley	WN3	0%	Sheep	Lakes	
Lakeside	WN4	0%	Rabbits	Rivers/streams	
Bogland	□ WN5	0%	Hares	Damp clefts/ravines	
Hill	□ WN6	0%	Goats	Other	
Plain/Lowlands	✓ WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodpla	in 🗌 WD1	0%	Grazing leve	0	
Coastal/Estuary	□ WD2	0%			
	Other habita	ts			
Field notes			External data sou	urce: not all data recorded	
Pedunculate oak (0 pseudoplatanus), h fruticosus agg. and	Quercus robur) is domina nawthorn (Crataegus mo	ant with ash (Fraxinungyna), and grey woundant. The wood	us excelsior) ab villow (Salix cine has recently be	ilkenny, on freely draining mineral soil. bundant beneath. Sycamore (Acer erea) occur in the shrub layer. Rubus een thinned and the canopy is very open.	This

Site no.	0236	FIPS no.	41260	
Date surveyed	19/09/2003	]		
Woodland name	Flagmount North	Tov	vnland name	Flagmount North
Conservation rating	g and score P	oor 39	Threa	at rating and score Low 0
Disco. map 6	8 Grid ref.	S613579	6 inch sheet	KK 20 County Kilkenny
NPWS region	South Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Noodland present in the 1840s No
Ownership	Private - Single	Area (ha) 3	.7 Max.	alt. (m) 210 Min. alt. (m) 170
Sub-soil Rckl	NCa/TNSSs	Soil	AminSW/Ar	minDW
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	100%	Cattle	✓ Springs
Valley	<b>✓</b> WN3	0%	Sheep	✓ Lakes □
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ☐
Bogland	□ WN5	0%	Hares	□ Damp clefts/ravines □
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	in 🗌 WD1	0%	Grazing level	2
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes		1	External data sou	rce: not all data recorded
and ash (Fraxinus of fruticosus agg, Circ layer. The wood is	excelsior) are the domin caea lutetiana, Geranium on a freely draining min	ant canopy species, robertianum, Geun eral soil. At the lowe	with a hawthorn n urbanum, and er part of the site	Ikenny. Pedunculate oak (Quercus robur) n (Crataegus monogyna) shrub layer. Rubus I Lysimachia nemorum occur in the field e there is a small area of grey willow (Salix ng over a large proportion of the site.

Site no.	0237		FIPS no.	58592			
Date surveyed	09/09/200	03					
Woodland name	Broughal		Tov	vnland name	Broughal		
Conservation rating	g and score	Moderate	46	Threa	at rating and score	Low	8
Disco. map 5	4 Grid ref	f. N1591	157	6 inch sheet	OF 23	ounty C	ffaly
NPWS region	North Eastern	NHA code	-	SAC code	-	SPA Code	-
National Park	Nature Rese	erve 🗌		,	Woodland present i	n the 1840s	Yes
Ownership	Private - Single	Area	(ha) 13	8.5 Max.	alt. (m) 60	Min. alt. (m)	60
Sub-soil Cut/	TLs		Soil	Cut/BminP	DPT		
Geography		Woodland hab	oitats	Grazing	Hyd	drological feature	<u>s</u>
Esker		WN1	0%	Deer	<b>✓</b> Seaso	onal flooding	
Drumlin		WN2	0%	Cattle	Spring	gs	
Valley		WN3	0%	Sheep	Lakes	6	
Lakeside		WN4	0%	Rabbits	Rivers	s/streams	
Bogland		WN5	0%	Hares	☐ Damp	clefts/ravines	
Hill		WN6	0%	Goats	Other	-	
Plain/Lowlands	<b>✓</b>	WN7	100%	Horses			
Island		WS1	0%	Other			
Riverside/Floodplai	n 🗌 🕠	WD1	0%	Grazing leve	I 1		
Coastal/Estuary		WD2	0%				
	Othe	r habitats					
Field notes			1	External data sou	urce: not all data recor	rded	
This is a medium sibirch (Betula pubes occasional. Regence sessile oak (Querce dominated by Hede poor.	scens) dominated eration of ash (Fr us petraea), Scot	d woodland. Ro raxinus excelsion ts pine (Pinus s	wan (Sorbus or) and holly sylvestris) an	aucuparia) an (Ilex aquifolium d rowan (Sorbu	d sessile oak (Quer n) is frequent, while us aucuparia) are ra	cus petraea) are seedlings and sa are. The field laye	plings of

Site no.	0238	FIPS no.	11646	
Date surveyed	04/09/2003			
Woodland name	Barnaboy	Tov	vnland name	Killnagall, Barnaboy
Conservation rating	g and score P	oor 33	Threa	at rating and score Low 8
Disco. map 5	Grid ref.	N181161	6 inch sheet	OF 23 County Offaly
NPWS region	North Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		\	Woodland present in the 1840s No
Ownership	Private - Single	Area (ha)	2.5 Max.	alt. (m) 60 Min. alt. (m) 55
Sub-soil Cut		Soil	Cut	
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	✓ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	in 🗌 WD1	0%	Grazing level	0
Coastal/Estuary	□ WD2	0%		
	Other habita	ts WS2 100%		
Field notes		1	External data sou	urce: not all data recorded
downy birch (Betula Rubus fruticosus ag europaeus)and hea	a pubescens) wood with gg. and Pteridium aquilir	eared willow (Salix a num. The wood is ve ound at the edge of	aurita) in the sh ry uniform, alth the site. It was	Offaly. It is a grey willow (Salix cinerea) and brub layer. The field layer is dominated by lough some scrub patches with Gorse (Ulex very dry at the time of survey. This site

Site no.	0240	)	FIPS no.	14093		
Date surveyed	09/09/2	003				
Woodland name	Clonmacnoise	)	Tov	vnland name	Clonmacnoise	
Conservation ratin	g and score	Poor	36	Threa	t rating and score Low 17	,
Disco. map	7 Grid r	ef. N022	300	6 inch sheet	OF 5 County Offaly	
	North Eastern	NHA code	-	SAC code	- SPA Code -	
National Park	Nature Re				Woodland present in the 1840s No	
Ownership	Private - Singl		a (ha)		alt. (m) 40 Min. alt. (m) 40	
	Filvate - Sirigi	e Ale			ait. (III) 40 Iviiii. ait. (III) 40	
Sub-soil Cut			Soil	Cut		
<u>Geography</u>		Woodland ha	<u>bitats</u>	<u>Grazing</u>	Hydrological features	
Esker		WN1	0%	Deer	Seasonal flooding	
Drumlin		WN2	0%	Cattle	✓ Springs □	
Valley		WN3	0%	Sheep	Lakes	
Lakeside		WN4	0%	Rabbits	Rivers/streams	
Bogland		WN5	0%	Hares	Damp clefts/ravines	
Hill		WN6	0%	Goats	Other	
Plain/Lowlands	✓	WN7	100%	Horses		
Island		WS1	0%	Other		
Riverside/Floodpla	in 🗌	WD1	0%	Grazing level	3	
Coastal/Estuary		WD2	0%			
	Otl	ner habitats				
Field notes			1	External data soul	rce: not all data recorded	
This is a small area The area is eviden stolonifera and Ant	tly winter graze	d with cattle and	I grassy speci	ies dominant, in	aty soil next to Clonmacnoise, Co. Offaly. ncluding Agrostis capillaris, Agrostis e ground.	

Site no.	0241		FIPS no.	Non FIPS	
Date surveyed	17/09/2003				
Woodland name	Clonassy Wood		Tow	nland name	Clonassy
Concernation rating	and soors	Poor	39	Three	t retire and core
Conservation rating	g and score	FUUI		inrea	t rating and score Low 8
Disco. map 75/	Grid ref.	S55822	26	6 inch sheet	KK 40 County Kilkenny
NPWS region	South Eastern	IHA code	-	SAC code	- SPA Code -
National Park	Nature Reserve			V	Woodland present in the 1840s Yes
Ownership	Private - Single	Area	(ha) 8.	9 Max.	alt. (m) 130 Min. alt. (m) 60
Sub-soil Rckl	NCa/TDSs		Soil	AminSW/Ar	minDW
Geography	We	odland habi	tats	Grazing	Hydrological features
Esker	□ WN	1	100%	Deer	Seasonal flooding
Drumlin	□ WN	2	0%	Cattle	□ Springs □
Valley	<b>✓</b> WN	3	0%	Sheep	Lakes
Lakeside	□ WN	1	0%	Rabbits	☐ Rivers/streams ☐
Bogland	□ WN	5	0%	Hares	□ Damp clefts/ravines □
Hill	□ WN	6	0%	Goats	Other
Plain/Lowlands	□ WN	7	0%	Horses	
Island	□ ws		0%	Other	
Riverside/Floodplai	n 🗌 WD	I	0%	Grazing level	0
Coastal/Estuary	□ WD	2	0%		
	Other ha	bitats			]
Field notes			E	xternal data sou	rce: not all data recorded
robur) with some de	owny birch (Betula p	ubescens), d	occasional b	eech (Fagus sy	is dominated by pedunculate oak (Quercus ylvatica) and holly (Ilex aquifolium) in the d layer. The site is on a freely draining

Site no.	0242	FIPS no.	597, 596, 595	5, 79703, 43540		
Date surveyed	23/07/2003					
Woodland name	Grantstown Wood	То	wnland name	Grantstown		
Conservation rating	and score Ve	y Good 61	Threa	at rating and score	Moderate	25
Disco. map 60	Grid ref.	S336801	6 inch sheet	LA 28 Cou	unty L	aois
NPWS region N	lorth Eastern NH	A code 417	SAC code	-	SPA Code	-
National Park	Nature Reserve	✓	\	Woodland present in	the 1840s	No
Ownership	NPWS	Area (ha) 4	9.8 Max.	alt. (m) 100	Min. alt. (m)	100
Sub-soil FenP	t/TLs	Soi	FenPt/Bmir	nPD/BminDW		
<u>Geography</u>	Wood	lland habitats	Grazing	Hydr	rological feature	<u>s</u>
Esker	□ WN1	0%	Deer	Seasor	nal flooding	<b>✓</b>
Drumlin	□ WN2	0%	Cattle	Springs	S	
Valley	□ WN3	0%	Sheep	Lakes		<b>✓</b>
Lakeside	□ WN4	100%	Rabbits		streams	<b>V</b>
Bogland	□ WN5	0%	Hares	Damp o	clefts/ravines	
Hill	□ WN6	0%	Goats	Other		
Plain/Lowlands	✓ WN7	0%	Horses			
Island	□ WS1	0%	Other	Unknown		
Riverside/Floodplain	n 🗌 WD1	0%	Grazing level	I 1		
Coastal/Estuary	□ WD2	0%				
	Other habi	ats				
Field notes			External data sou	ırce: not all data record	ed	
(Fraxinus excelsior) becomes more frequenticosus agg. is ab throughout but is thing	reserve 5 km east of and downy birch (Bet uent to the west of the bundant in the field lay ckest near car park. Ted trees were observed	ula pubescens) occu lake. There is a shru er. Some conifer bloo here is a degree of a	r in the canopy, ub layer with hav cks are present a umenity developa	and pedunculate oal withorn (Crataegus m and sycamore (Acer ment including fishing	k (Quercus robu lonogyna), and l pseudoplatanus	ur) Rubus s) occurs

Site no.	0245	FIPS no.	18661, 72192	
Date surveyed	15/09/2003	]		
Woodland name	Dunamase Woods	Том	rnland name	Park or Dunamase
Conservation rating	g and score Mod	derate 46	Threat r	rating and score Low 0
Disco. map 54/	/55 Grid ref.	S519982	6 inch sheet	LA 13 County Laois
NPWS region	North Eastern NHA	code 1494	SAC code	- SPA Code -
National Park	Nature Reserve		Wo	poodland present in the 1840s Yes
Ownership	Private - Single	Area (ha) 13	.9 Max. al	lt. (m) 170 Min. alt. (m) 145
Sub-soil Rck0	Ca/TLs	Soil	BminSW/Bmi	inDW
<u>Geography</u>	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	✓ Seasonal flooding
Drumlin	□ WN2	100%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	✓ WN6	0%	Goats	<b>✓</b> Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	in WD1	0%	Grazing level	1
Coastal/Estuary	□ WD2	0%		
	Other habita	its		
Field notes		E	external data source	e: not all data recorded
site is on a freely d species. Hazel (Co Glechoma hederac area of exposed ro	raining mineral soil. Ash rylus avellana) occurs in the field layer ck on a cliff on the east badger setts are found	(Fraxinus excelsior) the shrub layer. Herer. Parts of the wood side of the larger sec	and pedunculate acleum sphondy are dominated b tion. The occasion	limestone hill 3 km east of Portlaoise. The e oak (Quercus robur) are the main canopy viium, Hyacinthoides non-scripta and by beech (Fagus sylvatica). There is an onal fallen tree is cut for firewood. Both olding by deer and goats, and fungus of the

Site no.	0246	FIPS no.	Non FIPS	
Date surveyed	15/09/2003			
Woodland name	Rock of Dunamase	Tow	nland name	Dunamase, Park
Conservation rating	g and score Mod	lerate 46	Threa	at rating and score Low 0
Disco. map 5	5 Grid ref.	S530980	6 inch sheet	LA 13 County Laois
NPWS region	North Eastern NHA	code 878	SAC code	- SPA Code -
National Park	Nature Reserve		\	Woodland present in the 1840s Yes
Ownership	NPWS	Area (ha) 3.	3 Max.	alt. (m) 170 Min. alt. (m) 150
Sub-soil Rck0	Ca/TLs	Soil	BminSW/B	minDW
Geography	Woodla	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	WN2	95%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	WN4	0%	Rabbits	☐ Rivers/streams ☐
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	✓ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	5%	Other	Unknown
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	1
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes		E	External data sou	urce: not all data recorded
draining mineral so mas and Hyacintho	il. Hawthorn (Crataegus	monogyna) occurs i nd in the field layer.	n the shrub lay Much of the gro	Portlaoise, Co. Laoise. It is on a freely rer. Polystichum setiferum, Dryopteris filixowth is quite young. Patches of grassland

Site no.	0249	FIPS no.	62875		
Date surveyed	20/08/2003				
Woodland name	Clopook Wood	То	wnland name	Clopook	
Conservation rating	g and score	Poor 33	Threa	at rating and score Low	0
Disco. map 55/	Grid ref.	S585907	6 inch sheet	LA 19 County	Laois
NPWS region	North Eastern NH	A code 860	SAC code	- SPA Code	-
National Park	Nature Reserve		V	Woodland present in the 1840s	Yes
Ownership	Private - Single	Area (ha)	2.5 Max.	alt. (m) 175 Min. alt. (m)	160
Sub-soil Rck0	Ca	Soi	I BminSW		
Geography	Wood	land habitats	Grazing	Hydrological featu	res
Esker	□ WN1	0%	Deer	Seasonal flooding	
Drumlin	□ WN2	85%	Cattle	Springs	
Valley	□ WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	Rivers/streams	
Bogland	□ WN5	0%	Hares	Damp clefts/ravines	
Hill	✓ WN6	0%	Goats	Other	
Plain/Lowlands	□ WN7	0%	Horses		
Island	WS1	15%	Other	Unknown	
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	I1	
Coastal/Estuary	WD2	0%		_	
	Other habit	ats			
Field notes			External data sou	ırce: not all data recorded	
pseudoplatanus) ar and hazel (Corylus wood is on a freely survey. Exposed lin	nd ash (Fraxinus excels avellana). Circaea lute draining mineral soil, a	ior) occur in the can tiana, Geum urbanul nd the ground is mot bundant throughout	opy, and there is m and Polystich stly very dry, with	buth of Stradbally. Sycamore (Acer s a shrub layer with elder (Sambuc um setiferum are found in the field th much withering of vegetation at the are rocks and stones covered where are rocks and stones covered where the st	cus nigra) layer. The time of

Site no.	0250	FIPS no.	63062, 63061			
Date surveyed	20/08/2003					
Woodland name	Clopook Valley	Tov	wnland name	Clopook		
Conservation rating	and score Mo	derate 58	Threa	t rating and score	Low	8
Disco. map 55	Grid ref.	S578906	6 inch sheet	LA 19 Co	unty L	aois
NPWS region N	North Eastern NH	A code -	SAC code	-	SPA Code	-
National Park	Nature Reserve		V	Voodland present in	the 1840s	Yes
Ownership F	Private - Multiple	Area (ha) 4	.5 Max.	alt. (m) 115	Min. alt. (m)	100
Sub-soil RckC	Ca/TLs/GLs/A	Soil	BminSW/Br	minDW/BminSP/Allu	ıvMIN	
<u>Geography</u>	Wood	and habitats	Grazing	<u>Hyd</u>	rological feature	<u>s</u>
Esker	□ WN1	0%	Deer	Seaso	nal flooding	<b>✓</b>
Drumlin	□ WN2	0%	Cattle	<b>✓</b> Spring	s	
Valley	<b>✓</b> WN3	0%	Sheep	Lakes		
Lakeside	□ WN4	0%	Rabbits	Rivers	/streams	✓
Bogland	□ WN5	0%	Hares	Damp	clefts/ravines	
Hill	□ WN6	30%	Goats	Other		
Plain/Lowlands	□ WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplair		60%	Grazing level	2		
Coastal/Estuary	□ WD2	0%				
•	Other habita					
Field notes			External data soul	rce: not all data record	led	
on a mineral soil, ar mixed broadleaf wo underlain by hazel ( Hyacinthoides non- dominated by alder layer. Grasses such along with Filipendu grazed by cattle, wh	d located on the eastern of can be divided into to divided into to odland, with ash (Fraxi (Corylus avellana) and scripta occur in the field (Alnus glutinosa) and on as Agrostis stoloniferalla ulmaria, Galium apanile other areas are not Some ash (Fraxinus experience)	wo distinct types. The nus excelsior) and synawthorn (Crataegus I layer here. Lower of grey willow (Salix cine), Arrhenatherum elarine and Ranunculus grazed at all. The western in the we	e well drained a /camore (Acer page of the common of the comment	rea on a steep hill obseudoplatanus) in to bystichum setiferum y, the wood is on wo horn (Crataegus mo podium sylvaticum gother species. Son e wood is a patchy i	overlooking the rance canopy, which canopy, which can can can be ground, and honogyna) in the saccur in the field the areas are hear	iver is th is una, and ere it is shrub d layer, avily

Site no.	0251		FIPS no.	62868, 18590,	, 62869
Date surveyed	16/09/20	03			
Woodland name	Timahoe Eske	rs	Tow	nland name	Coolnabacky, Esker
Conservation rating	and score	Moderate	52	Threat	t rating and score Low 17
Disco. map 55	Grid re	ef. S5399	915	6 inch sheet	LA 18/19 County Laois
NPWS region N	lorth Eastern	NHA code	421	SAC code	- SPA Code -
National Park	Nature Res	serve 🗸		V	Voodland present in the 1840s Yes
Ownership	NPWS	Area	a (ha) 14	Max.	alt. (m) 115 Min. alt. (m) 110
Sub-soil BasE	sk/A		Soil	BminSW/All	luvMIN
<u>Geography</u>		Woodland hat	<u>oitats</u>	Grazing	Hydrological features
Esker	<b>✓</b>	WN1	0%	Deer	Seasonal flooding
Drumlin		WN2	100%	Cattle	☐ Springs ☐
Valley		WN3	0%	Sheep	Lakes
Lakeside		WN4	0%	Rabbits	Rivers/streams
Bogland		WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill		WN6	0%	Goats	Other
Plain/Lowlands		WN7	0%	Horses	
Island		WS1	0%	Other	Unknown
Riverside/Floodplair	_ n	WD1	0%	Grazing level	1
Coastal/Estuary		WD2	0%		
·	Oth	er habitats			
Field notes			E	xternal data soui	rce: not all data recorded
woodland, two of whether the site is on a free (Quercus robur) and shrub layer. The field fenced off and the goonifers. Some part	nich form a naturally draining mind grey willow (State of layer contain grazing level is son the norther western side.	ure reserve calle eral soil. The manalix cinerea), wi s Hyacinthoides dow. There are come side are dom Coarse dead wo	ed Timahoe E ain canopy sp ith hawthorn ( s non-scripta, old tracks in w iinated by bee	sker. The Tima ecies are ash (Crataegus mon Ajuga reptans aood which are och (Fagus sylv	is. It consists of three small patches of thoe River runs between these two parcels. (Fraxinus excelsior), pedunculate oak nogyna) and hazel (Corylus avellana) in the and Polystichum setiferum. The wood is used for access, probably when clearing ratica), and wild cherry (Prunus avium) is praint was seen near the river. There is

Site no.	0252	FIPS no.	58049, 58043	8, 58040, 58050
Date surveyed	01/10/2003	]		
Woodland name	Clonaslee Eskers	Tov	wnland name	Coolagh, Garryhedder
Conservation rating	g and score Mod	derate 42	Threa	at rating and score Low 8
Disco. map 5	4 Grid ref.	S261115	6 inch sheet	LA 2/6A County Laois
NPWS region	North Eastern NHA	code -	SAC code	859 SPA Code -
National Park	Nature Reserve		V	Woodland present in the 1840s Yes
Ownership	Private - Multiple	Area (ha)	Max.	alt. (m) 120 Min. alt. (m) 110
Sub-soil GLs	/BasEsk/Cut	Soil	BminSW/Br	minSW/Cut
<u>Geography</u>	Woodl	and habitats	Grazing	Hydrological features
Esker	✓ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	100%	Cattle	✓ Springs
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	✓ Rivers/streams
Bogland	□ WN5	0%	Hares	□ Damp clefts/ravines □
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	in 🗌 WD1	0%	Grazing level	1
Coastal/Estuary	□ WD2	0%		
	Other habita	its		
Field notes			External data sou	rce: not all data recorded
composed of ash (I layers are dominate pseudoplatanus) are occurring in the fiel the forest floor and	Fraxinus excelsior), with ed by hazel (Corylus ave re occasional. The field l d layer include Viola rivi	small amounts of dellana), with holly (lleayer is dominated boniana, Sanicula eurollonga and Thamnob	owny birch (Beto ex aquifolium) bo y Hedera helix, opaea and Oxali	freely draining mineral soil. The canopy is ula pubescens). The understorey and shrub ushes frequent. Sycamore saplings (Acer with abundant Rubus fruticosus agg Herbs is acetosella. Bryophytes are common on um. The grazing level is low and fallen trees

Date surveyed    22/08/2003	Site no.	0253		FIPS no.	39869, 677, 6	76		
Conservation rating and score	Date surveyed	22/08/200	03					
Disco. map 55 Grid ref. S544984 6 inch sheet LA 13/14 County Laois  NPWS region North Eastern NHA code 867 SAC code - SPA Code -  National Park Nature Reserve Woodland present in the 1840s Yes  Ownership Private - Multiple Area (ha) 11.3 Max. alt. (m) 205 Min. alt. (m) 180  Sub-soil RckCa Soil BminSW  Geography Woodland habitats Grazing Hydrological features  Esker WN1 0% Deer Seasonal flooding Drumlin WN2 90% Cattle Springs Valley WN3 0% Sheep Lakes  Lakeside WN4 0% Rabbits Rivers/streams Bogland WN5 0% Hares Damp clefts/ravines  Hill WN6 0% Goats Other  Hail WN7 0% Horses Rivers/streams Stand WN7 0% Grazing level 2  Coastal/Estuary WD2 0% Other Stand Grazing level 2  This is a medium sized wood on a hill with aspects on all directions. It is located 3 km northwest of Stradbally, Co. Laois, on a moderately freely draining mineral soil. The main canopy species are hazel (Corylus avellana) and grey willow (Salix cinerea), and hazel (Corylus avellana) also occur in the shrub layer. Hyacinhoides non-scripta, Geum urbanum and Circaea lutetiana occur in the field layer. There is a small portion of mature ash (Fraxinus excelsior) dominated wood at south-western corner, and scattered ash (Fraxinus excelsior) occurs in the eastern side. In the southeast, some conifers are present. Cattle have access to a small part of the western side. Badger setts and tracks are present. An old path leads	Woodland name	Kilteale Hill		Tov	vnland name	Kilteale, Park Uppe	er	
Disco. map 55 Grid ref. S544984 6 inch sheet LA 13/14 County Laois  NPWS region North Eastern NHA code 867 SAC code - SPA Code -  National Park Nature Reserve Woodland present in the 1840s Yes  Ownership Private - Multiple Area (ha) 11.3 Max. alt. (m) 205 Min. alt. (m) 180  Sub-soil RckCa Soil BminSW  Geography Woodland habitats Grazing Hydrological features  Esker WN1 0% Deer Seasonal flooding Drumlin WN2 90% Cattle Springs Valley WN3 0% Sheep Lakes  Lakeside WN4 0% Rabbits Rivers/streams Bogland WN5 0% Hares Damp clefts/ravines  Hill WN6 0% Goats Other  Hail WN7 0% Horses Rivers/streams Stand WN7 0% Grazing level 2  Coastal/Estuary WD2 0% Other Stand Grazing level 2  This is a medium sized wood on a hill with aspects on all directions. It is located 3 km northwest of Stradbally, Co. Laois, on a moderately freely draining mineral soil. The main canopy species are hazel (Corylus avellana) and grey willow (Salix cinerea), and hazel (Corylus avellana) also occur in the shrub layer. Hyacinhoides non-scripta, Geum urbanum and Circaea lutetiana occur in the field layer. There is a small portion of mature ash (Fraxinus excelsior) dominated wood at south-western corner, and scattered ash (Fraxinus excelsior) occurs in the eastern side. In the southeast, some conifers are present. Cattle have access to a small part of the western side. Badger setts and tracks are present. An old path leads								
NPWS region  North Eastern  NHA code  867  SAC code	Conservation rating	g and score	Moderate	46	Threa	at rating and score	Low	8
National Park  Nature Reserve	Disco. map 5	5 Grid re	ef. S544	984	6 inch sheet	LA 13/14 Co	ounty L	aois
Ownership Private - Multiple Area (ha) 11.3 Max. alt. (m) 205 Min. alt. (m) 180  Sub-soil RckCa Soil BminSW  Geography Woodland habitats Grazing Hydrological features  Esker WN1 0% Deer Seasonal flooding Drumlin WN2 90% Cattle Springs Sulley  Valley WN3 0% Sheep Lakes  Lakeside WN4 0% Rabbits Rivers/streams Bogland WN5 0% Hares Damp clefts/ravines  Hill WWN6 0% Goats Other  Plain/Lowlands WN7 0% Horses  Island WS1 0% Other  Riverside/Floodplain WD1 10% Grazing level 2  This is a medium sized wood on a hill with aspects on all directions. It is located 3 km northwest of Stradbally, Co. Laois, on a moderately freely draining mineral soil. The main canopy species are hazel (Corylus avellana) and grey willow (Salix cinerea), and hazel (Corylus dellang) also occurs in the shrub layer. Hyacintholides non-scripta, Geum urbanum and Circaea lutetiana occur in the field layer. There is a small portion of mature ash (Fraxinus excelsior) dominated wood at south-western corner, and scattered ash (Fraxinus excelsior) occurs in the eastern side. In the southeast, some conifers are present. Cattle have access to a small part of the western side. Badger setts and tracks are present. An old path leads	NPWS region	North Eastern	NHA code	867	SAC code	-	SPA Code	-
Sub-soil RckCa  Geography  Woodland habitats Grazing Hydrological features  Esker   WN1   0%   Deer   Seasonal flooding   Drumlin   WN2   90%   Cattle   Springs   Valley   WN3   0%   Sheep   Lakes   Lakeside   WN4   0%   Rabbits   Rivers/streams   Bogland   WN5   0%   Hares   Damp clefts/ravines   Hill   W WN6   0%   Goats   Other   Plain/Lowlands   WN7   0%   Horses   Island   WS1   0%   Other   Riverside/Floodplain   WD1   10%   Grazing level   2  This is a medium sized wood on a hill with aspects on all directions. It is located 3 km northwest of Stradbally, Co. Laois, on a moderately freely draining mineral soil. The main canopy species are hazel (Corylus avellana) and grey willow (Salix cinerea), and hazel (Corylus avellana) also occurs in the shrub layer. Hyacinthoides non-scripta, Geum urbanum and Circaea lutetiana occur in the field layer. There is a small portion of mature ash (Fraxinus excelsior) dominated wood at south-western corner, and scattered ash (Fraxinus excelsior) occurs in the eastern side. In the southeast, some conifers are present. Cattle have access to a small part of the western side. Badger setts and tracks are present. An old path leads	National Park	Nature Res	serve 🗌		V	Noodland present in	n the 1840s	Yes
Esker	Ownership	Private - Multiple	e Area	a (ha) 11	Max.	alt. (m) 205	Min. alt. (m)	180
Esker   WN1   0%   Deer   Seasonal flooding   Drumlin   WN2   90%   Cattle   Springs   Valley   WN3   0%   Sheep   Lakes   Lakeside   WN4   0%   Rabbits   Rivers/streams   Bogland   WN5   0%   Hares   Damp clefts/ravines   Hill   W   WN6   0%   Goats   Other   Modern   Goats   Other   Modern   Goats   Other   Modern   Goats   Goats	Sub-soil Rck	Ca		Soil	BminSW			
Drumlin	<u>Geography</u>		Woodland ha	<u>oitats</u>	Grazing	Hyc	drological feature	<u> </u>
Valley	Esker		WN1	0%	Deer	<b>✓</b> Seaso	onal flooding	
Lakeside	Drumlin		WN2		Cattle	<b>✓</b> Spring	js .	
Lakeside	Valley		WN3		Sheep	Lakes	i	
Bogland	Lakeside		WN4		Rabbits	Rivers	s/streams	
Plain/Lowlands	Bogland		WN5		Hares	Damp	clefts/ravines	
Plain/Lowlands	Hill	<b>✓</b>	WN6	0%	Goats	Other		
Island	Plain/Lowlands		WN7		Horses			
Coastal/Estuary  WD2  Other habitats  External data source: not all data recorded  This is a medium sized wood on a hill with aspects on all directions. It is located 3 km northwest of Stradbally, Co. Laois, on a moderately freely draining mineral soil. The main canopy species are hazel (Corylus avellana) and grey willow (Salix cinerea), and hazel (Corylus avellana) also occurs in the shrub layer. Hyacinthoides non-scripta, Geum urbanum and Circaea lutetiana occur in the field layer. There is a small portion of mature ash (Fraxinus excelsior) dominated wood at south-western corner, and scattered ash (Fraxinus excelsior) occurs in the eastern side. In the southeast, some conifers are present. Cattle have access to a small part of the western side. Badger setts and tracks are present. An old path leads	Island		WS1		Other			
Other habitats  External data source: not all data recorded  This is a medium sized wood on a hill with aspects on all directions. It is located 3 km northwest of Stradbally, Co. Laois, on a moderately freely draining mineral soil. The main canopy species are hazel (Corylus avellana) and grey willow (Salix cinerea), and hazel (Corylus avellana) also occurs in the shrub layer. Hyacinthoides non-scripta, Geum urbanum and Circaea lutetiana occur in the field layer. There is a small portion of mature ash (Fraxinus excelsior) dominated wood at south-western corner, and scattered ash (Fraxinus excelsior) occurs in the eastern side. In the southeast, some conifers are present. Cattle have access to a small part of the western side. Badger setts and tracks are present. An old path leads	Riverside/Floodpla	in 🗌	WD1	10%	Grazing level	2		
Field notes  External data source: not all data recorded  This is a medium sized wood on a hill with aspects on all directions. It is located 3 km northwest of Stradbally, Co. Laois, on a moderately freely draining mineral soil. The main canopy species are hazel (Corylus avellana) and grey willow (Salix cinerea), and hazel (Corylus avellana) also occurs in the shrub layer. Hyacinthoides non-scripta, Geum urbanum and Circaea lutetiana occur in the field layer. There is a small portion of mature ash (Fraxinus excelsior) dominated wood at south-western corner, and scattered ash (Fraxinus excelsior) occurs in the eastern side. In the southeast, some conifers are present. Cattle have access to a small part of the western side. Badger setts and tracks are present. An old path leads	Coastal/Estuary		WD2	0%				
This is a medium sized wood on a hill with aspects on all directions. It is located 3 km northwest of Stradbally, Co. Laois, on a moderately freely draining mineral soil. The main canopy species are hazel (Corylus avellana) and grey willow (Salix cinerea), and hazel (Corylus avellana) also occurs in the shrub layer. Hyacinthoides non-scripta, Geum urbanum and Circaea lutetiana occur in the field layer. There is a small portion of mature ash (Fraxinus excelsior) dominated wood at south-western corner, and scattered ash (Fraxinus excelsior) occurs in the eastern side. In the southeast, some conifers are present. Cattle have access to a small part of the western side. Badger setts and tracks are present. An old path leads		Othe	er habitats			]		
on a moderately freely draining mineral soil. The main canopy species are hazel (Corylus avellana) and grey willow (Salix cinerea), and hazel (Corylus avellana) also occurs in the shrub layer. Hyacinthoides non-scripta, Geum urbanum and Circaea lutetiana occur in the field layer. There is a small portion of mature ash (Fraxinus excelsior) dominated wood at south-western corner, and scattered ash (Fraxinus excelsior) occurs in the eastern side. In the southeast, some conifers are present. Cattle have access to a small part of the western side. Badger setts and tracks are present. An old path leads	Field notes			!	External data sou	rce: not all data record	ded	
	on a moderately fre cinerea), and haze Circaea lutetiana o south-western corn are present. Cattle	eely draining min I (Corylus avella ccur in the field l er, and scattere have access to	neral soil. The nance na	nain canopy s in the shrub a small portic s excelsior) o	species are haz layer. Hyacinth in of mature ash ccurs in the eas	el (Corylus avellana oides non-scripta, C n (Fraxinus excelsio stern side. In the so	a) and grey willow Seum urbanum a or) dominated wo utheast, some co	w (Salix and ood at onifers

Site no.	0254	FIPS no.	9351	
Date surveyed	18/08/2003			
Woodland name	Knockbawn	To	wnland name	Garragh Lower, Garragh Upper, Ross
Concernation ratio	g and seers Van	Cood 67	Th	tartian and assess
Conservation ratin	g and score very	Good 67	Inrea	at rating and score Low 8
Disco. map 5	Grid ref.	N310088	6 inch sheet	LA 2/6 County Laois
NPWS region	North Eastern NHA	A code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Woodland present in the 1840s No
Ownership	Private - Single	Area (ha)	4.6 Max.	alt. (m) 190 Min. alt. (m) 160
Sub-soil A/TI	OSs/RckNCa	Soi	AlluvMIN/A	minPDPT/AminSRPT
Geography	Wood	and habitats	Grazing	Hydrological features
Esker	□ WN1	80%	Deer	✓ Seasonal flooding
Drumlin	□ WN2	10%	Cattle	✓ Springs □
Valley	✓ WN3	0%	Sheep	☐ Lakes ✔
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ✓
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	10%	Other	
Riverside/Floodpla	in 🗌 WD1	0%	Grazing level	2
Coastal/Estuary	□ WD2	0%		
	Other habita	ats		]
Field notes			External data sou	irce: not all data recorded
Clonaslee, Co. Lac holly (llex aquifoliu cespitosa, Anthoxa adjacent fields are	ois. The canopy is domir m) and hazel (Corylus a anthum odoratum, Agros planted with conifers. P ub through the birch in th	nated by downy birch vellana) in the shrub tis capillaris and Ag arts of the wood hav	n (Betula pubeso o layer. Grasses rostis canina are re been planted	e Gorragh river, 3.5 km southwest of cens) and rowan (Sorbus aucuparia), with such as Holcus lanatus, Deschampsia e frequent in the field layer. To the south, with downy birch (Betula pubescens). There oping from wet grassland. There is a badger

Site no.	0255	FIPS no.		2, 41597, 55977, 55978, 560	000, 56001, 72076,
Date surveyed	31/07/2003		72198		
Woodland name	Morton's Grove	To	ownland name	Garranbaun, Glenconra, Ko	eeloge North
Conservation rating	and score Vei	y Good 67	Threa	at rating and score Mo	oderate 33
Disco. map 54	4 Grid ref.	S226947	6 inch sheet	LA 15 County	Laois
NPWS region N	North Eastern NH	A code -	SAC code	- SPA Co	ode -
National Park	Nature Reserve		١	Woodland present in the 184	40s Yes
Ownership	Coillte	Area (ha)	16 Max.	alt. (m) 215 Min. a	alt. (m) 160
Sub-soil RckN	ICa/A/TDSs	So	il AminSW/Al	IluvMIN/AminDW/AminPDP	Т
<u>Geography</u>	Wood	land habitats	Grazing	<u>Hydrologica</u>	Il features
Esker	□ WN1	80%	Deer	Seasonal floor	ding 🗌
Drumlin	□ WN2	0%	Cattle	Springs	
Valley	<b>✓</b> WN3	0%	Sheep	✓ Lakes	
Lakeside	□ WN4	0%	Rabbits	Rivers/streams	s 🗸
Bogland	□ WN5	0%	Hares	Damp clefts/ra	avines 🗸
Hill	WN6	0%	Goats	Other	
Plain/Lowlands	□ WN7	0%	Horses		
Island	□ WS1	20%	Other		
Riverside/Floodplain	n 🗌 WD1	0%	Grazing level	3	
Coastal/Estuary	□ WD2	0%			
	Other habit	ats			
Field notes			External data sou	irce: not all data recorded	
on a mineral soil, w robur) and downy b close to the river. A in the field layer. So	hich becomes wet at the irch (Betula pubescent grostis stolonifera, Fra ome flat wetter areas a	te bottom of the valle). Hazel (Corylus avgaria vesca, Geum or present at the bot	ey. The canopy i vellana) is found urbanum, Circae tom of the valley	northwest of Coolrain, Co. I is dominated by pedunculate in the shrub layer, and is most lutetiana and Veronica characteristics. There is heavy cherry laur of the wood was not surveyed.	e oak (Quercus ore dominant amaedrys occur rel (Prunus

Site no.	0256		FIPS no.	56711, 56712	, 75914, 75915	
Date surveyed	15/08/20	003				
Woodland name	Coolnamony		Tow	vnland name	Glebe, Coolnamony Upper, Ballynalug	
Conservation rating	g and score	Very Good	67	Threa	t rating and score Low	8
Disco. map 5	4 Grid r	ef. N337	088	6 inch sheet	LA 6/2 County Laois	
NPWS region	North Eastern	NHA code	-	SAC code	- SPA Code -	
National Park	Nature Re	serve		V	Voodland present in the 1840s	No
Ownership	Coillte	Are	a (ha) 10	0.7 Max.	alt. (m) 180 Min. alt. (m)	135
Sub-soil A/Ro	kNCa/TDSs		Soil	AminSRPT/	'AlluvMIN/AminPDPT	
Geography		Woodland ha	bitats	Grazing	<u>Hydrological features</u>	
Esker		WN1	100%	Deer	Seasonal flooding	
Drumlin		WN2	0%	Cattle	☐ Springs ☐	
Valley	<u> </u>	WN3	0%	Sheep	Lakes	
Lakeside		WN4	0%	Rabbits	Rivers/streams	
Bogland				Hares	□ Damp clefts/ravines ✓	
Hill		WN5	0%	Goats	Other	
		WN6	0%	Horses		
Plain/Lowlands		WN7	0%			
Island		WS1	0%	Other		
Riverside/Floodplai	n 📙	WD1	0%	Grazing level	2	
Coastal/Estuary		WD2	0%			
	Oth	er habitats				
Field notes			E	External data soul	rce: not all data recorded	
hillsides which over type, the main cand shrub layer of haze robertianum, Oxalis dominates the cand Luzula sylvatica an this area, as was he	clook it. It is on opy species are I (Corylus avells acetosella and opy, and hazel d Rubus fruticoeavy cattle poa	a moderately we sessile oak (Quana) and holly (diana) and holly (diana) anicula europ (Corylus avellanisus agg. occur ching. Mature o	ell drained mir uercus petrae llex aquifoliun paea occur in a) and holly ( in the field lay ak is more pro	neral soil. The sa), and downy ba), Rubus frutico the field layer. I llex aquifolium) ver. Cherry laure ominent deep in	the banks of the Glenlahan River and the tite can be divided into two types. In the foirch (Betula pubescens), and there is a posus agg., Fragaria vesca, Geranium In the second type, ash (Fraxinus excels occur in the shrub layer. Oxalis acetose of (Prunus laurocerasus) was recorded in the valley, while birch dominates along stripping by deer. Aquatic plants are four	ior) lla, n the

Site no.	0257		FIPS no.	2602			
Date surveyed	18/07/2003						
Woodland name	Capard		Tov	vnland name	Capard		
Conservation rating	g and score	Moderate	52	Threa	at rating and score	Low	8
Disco. map 5	Grid ref.	N37506	65	6 inch sheet	LA 7 C	ounty L	aois
NPWS region	North Eastern	NHA code	-	SAC code	-	SPA Code	-
National Park	Nature Reser	ve 🗌		'	Woodland present	in the 1840s	Yes
Ownership	Coillte	Area	(ha) 4	.7 Max.	alt. (m) 230	Min. alt. (m)	210
Sub-soil Rckl	NCa/TDSs		Soil	AminSW/A	minDW		
Geography	<u>V</u>	Noodland habi	tats	Grazing	<u>Hy</u>	drological feature	<u>es</u>
Esker	$\Box$ w	/N1	0%	Deer	Seas	onal flooding	
Drumlin	$\Box$ w	/N2	0%	Cattle	Sprin	ngs	
Valley	$\Box$ w	/N3	0%	Sheep	Lake	s	
Lakeside	$\Box$ w	/N4	60%	Rabbits	River	rs/streams	✓
Bogland	$\Box$ w	/N5	0%	Hares	Dam	p clefts/ravines	
Hill	<b>✓</b> W	/N6	0%	Goats	Othe	r Flush	nes
Plain/Lowlands	$\Box$ w	/N7	0%	Horses			
Island	$\Box$ w	/S1	0%	Other	Unknown		
Riverside/Floodplai	n 🗌 W	/D1	40%	Grazing level	1		
Coastal/Estuary	$\square$ w	/D2	0%				
	Other	habitats					
Field notes			E	External data sou	urce: not all data reco	rded	
This is a small site a moderately freely sycamore (Acer psi cover is dominated pubescens) and ald as do Filipendula u	draining mineral seudoplatanus) with by beech litter. The der (Alnus glutinos	soil. The drier and some mature the some mature here is a young sa) with a wette	area of the varea	vood is domina nus excelsior) a containing ash ( ey and wet flus	nted by mature been and oak (Quercus p (Fraxinus excelsior hes. Grey willow (S	ch (Fagus sylvation etraea). Here, tho ), downy birch (B	ca) and e ground etula

Site no.	0258	3	FIPS no.	41456			
Date surveyed	14/08/20	003					
Woodland name	Brittas		To	ownland name	Brittas		
Conservation rating	g and score	Modera	ate 46	Threa	at rating and score	Low	8
Disco. map 5	4 Grid r	ref. N	1299108	6 inch sheet	LA 2	ounty L	aois
NPWS region	North Eastern	NHA co	ode -	SAC code	-	SPA Code	-
National Park	Nature Re	eserve			Woodland present i	n the 1840s	Yes
Ownership	Coillte		Area (ha)	3 Max	. alt. (m) 170	Min. alt. (m)	150
Sub-soil Rckl	NCa/TDSs		Sc	oil AminSPPT	「/AminPDPT		
Geography		Woodland	d habitats	Grazing	Hye	drological feature	<u>es</u>
Esker		WN1	100%	Deer	<b>✓</b> Seaso	onal flooding	
Drumlin		WN2	0%	Cattle	Spring	gs	
Valley		WN3	0%	Sheep	Lakes	5	<b>~</b>
Lakeside		WN4	0%	Rabbits	River	s/streams	
Bogland		WN5	0%	Hares	Damp	clefts/ravines	
Hill	<b>✓</b>	WN6	0%	Goats	Other		
Plain/Lowlands		WN7	0%	Horses			
Island		WS1	0%	Other			
Riverside/Floodplai	n 🗌	WD1	0%	Grazing leve	2		
Coastal/Estuary		WD2	0%				
	Otl	ner habitats					
Field notes				External data sou	urce: not all data recor	rded	
soil. The canopy is aucuparia). There is dilatata occur in the the path. Rocks cov	dominated by s a shrub layer e field layer. A p vered with vego	sessile oak of holly (llest path allows a setation are p	(Quercus petrae x aquifolium), ar amenity use of t present. There is	ea), Scots Pine (land Luzula sylvation he wood. Scots land rhododendron (	te is on a moderatel Pinus sylvestris) and ca, Pteridium aquilir Pine is more prevald (Rhododendron pon ylvatica) runs along	d rowan (Sorbus num and Dryopte ent in the section ticum) infestatior	eris east of along

Site no.	0259	FIPS no.	2854		
Date surveyed	30/07/2003	]			
Woodland name	Garryhinch Demesne	To	wnland name	Tinnakill	
Conservation rating	and score Mod	derate 48	Threa	at rating and score Low	17
Disco. map 54	Grid ref.	N495102	6 inch sheet	LA 4 County Laois	
NPWS region N	lorth Eastern NHA	code -	SAC code	- SPA Code -	
National Park	Nature Reserve		١	Woodland present in the 1840s Ye	s
Ownership	Coillte	Area (ha)	2 Max.	alt. (m) 70 Min. alt. (m) 7	0
Sub-soil TLs/A	VCut	Soi	BminPD/All	luvMIN/Cut	
Geography	Woodl	and habitats	Grazing	Hydrological features	
Esker	□ WN1	0%	Deer	Seasonal flooding	
Drumlin	□ WN2	100%	Cattle	☐ Springs ☐	
Valley	□ WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ✓	
Bogland	□ WN5	0%	Hares	□ Damp clefts/ravines □	
Hill	□ WN6	0%	Goats	Other	
Plain/Lowlands	□ WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplair	n <b>✓</b> WD1	0%	Grazing level	0	
Coastal/Estuary	□ WD2	0%			
	Other habita	its			
Field notes			External data sou	urce: not all data recorded	
moderately freely dr with hazel (Corylus young ash (Fraxinus Rubus fruticosus ag	raining mineral soil. Pec avellana) and hawthorn is excelsior) is frequent ig., and the grasses Bra ed. Surrounding areas c	lunculate oak (Quer (Crataegus monog n the shrub layer. T achypodium sylvatic	cus robur) domi yna). The wood his may have bo um and Agrostis	ountmellick, Co. Laois. The site is on a inates the canopy, and there is a shrub lay I has undergone management recently, and een planted in. There is a dense field layer is stolonifera occur. Spruce (Picea sp.) has y beech (Fagus sylvatica), spruce (Picea sp.) has y beech (Fagus sylvatica).	d of

Site no.	60	FIPS no.	620, 622, 652,	42334				
Date surveyed 13/08	/2003							
Woodland name Ballyfin Der	nesne	Tow	nland name E	Ballyfin Demesne				
Conservation rating and score Very Good 70 Threat rating and score Low 17								
Disco. map 54 Gri	d ref. N388	007	6 inch sheet	LA 12 County Laois				
NPWS region North Easter	n NHA code	-	SAC code	- SPA Code -				
National Park Nature	Reserve		W	oodland present in the 1840s Yes				
Ownership Private - Sir	ngle Area	a (ha) 14	4 Max. a	ılt. (m) 150 Min. alt. (m) 125				
Sub-soil TDSs/A/RckNCa		Soil	AminPD/Allu	vMIN/AminSP				
Geography	Woodland hal	<u>oitats</u>	Grazing	Hydrological features				
Esker	WN1	0%	Deer	Seasonal flooding				
Drumlin	WN2	60%	Cattle	✓ Springs				
Valley	WN3	0%	Sheep	Lakes				
Lakeside	WN4	0%	Rabbits	☐ Rivers/streams ✓				
Bogland	WN5	0%	Hares	☐ Damp clefts/ravines ☐				
Hill 🔽	WN6	20%	Goats	Other				
Plain/Lowlands	WN7	0%	Horses					
Island	WS1	0%	Other					
Riverside/Floodplain	WD1	20%	Grazing level	2				
Coastal/Estuary	WD2	0%						
	Other habitats							
Field notes		E	external data source	ce: not all data recorded				
Three distinct woodland types of a shrub layer of hawthorn (Crat remota, Luzula sylvatica and Ju (Quercus robur), alder (Alnus g aquifolium) occurs in the shrub layer. Finally, there is an area of Hawthorn, grey willow (Salix cir Deschampsia cespitosa and Gl woodland, the canopy is patchy	an be identified at aegus monogyna) ancus effusus. In the lutinosa) and beech layer. The birch he f woodland with an aerea) and holly occyceria fluitans occurin places and a nurowberry (Sympholiaegus and suppossible).	this site. The and ash (Frax e second	first is dominate tinus avellana). Ition, downy birchatica) are the ma Agrostis stolonif glutinosa) and glb layer. Agrostis ayer here. A rivec species occur.	Co. Laois. The site is on a mineral soil. d by pedunculate oak (Quercus robur) with The main field layer species are Carex in (Betula pubescens), pedunculate oak ain canopy species, and holly (Ilex fera and Oxalis acetosella occur in the field irey willow (Salix cinerea) canopy. Se stolonifera, Ranunculus repens, Fer runs through this area. In areas of oak in These include the invasive species cherry dogwood (Cornus sericea). Evidence of				

Site no.	0262	FIPS no.	5794, 72166	
Date surveyed	15/08/2003			
Woodland name	Rathcoffey	Т	ownland name	Rathcoffey, Afoley
Conservation rating	g and score	oderate 52	Threa	at rating and score Moderate 25
Disco. map 5	Grid ref.	N347115	6 inch sheet	LA 2/3 County Laois
NPWS region	North Eastern N	HA code -	SAC code	- SPA Code -
National Park	Nature Reserve		,	Woodland present in the 1840s No
Ownership	Private - Single	Area (ha)	12 Max.	. alt. (m) 95 Min. alt. (m) 90
Sub-soil A/TL	_s/GLs	So	oil AlluvMIN/B	BminDW/BminPD/BminSP
<u>Geography</u>	Woo	dland habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	✓ Lakes
Lakeside	□ WN4	100%	Rabbits	☐ Rivers/streams ✓
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodpla	in 🗹 WD1	0%	Grazing leve	2
Coastal/Estuary	□ WD2	0%		
	Other hal	itats		
Field notes			External data sou	urce: not all data recorded
draining mineral so there is a shrub lay Filipendula ulmaria cleared and bulldo	il, but some areas are er with holly (llex aqu , and Chrysospleniun	seasonally flooded. folium) and guelder- oppositifolium were oto was taken. Som	The main canop rose (Viburnum or present in the fie e parts have bee	, Co. Laois. The site is mainly on a freely by species is ash (Fraxinus excelsior) and opulus). Geum urbanum, Arum maculatum, eld layer. Parts of eastern side have been en thinned on western side of the river. Past

Site no.	0263	FIPS no.	1641	
Date surveyed	22/08/2003	]		
Woodland name	Vicarstown	Tov	vnland name	Vicarstown (Dodd)
Conservation rating	g and score Mod	lerate 54	Threat	t rating and score Low 8
Disco. map 5	5 Grid ref.	N633022	6 inch sheet	LA 14 County Laois
NPWS region	North Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Voodland present in the 1840s Yes
Ownership	Private - Single	Area (ha) 9	.3 Max.	alt. (m) 60 Min. alt. (m) 60
Sub-soil A		Soil	AlluvMIN	
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	50%	Cattle	✓ Springs
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	25%	Other	
Riverside/Floodplai	in <b>✓</b> WD1	0%	Grazing level	2
Coastal/Estuary	□ WD2	0%		
-	Other habita			
Field notes			External data soui	rce: not all data recorded
freely draining mine Elsewhere, the can layer. The field layer	eral soil. A significant po opy is dominated by ash er contains Filipendula u	rtion with few large t n (Fraxinus excelsion Imaria, Geum urban	rees is dominate ) with a hawthor um, Sanicula eu	ally, Co. Laois. The wood is on a moderately ed by hawthorn (Crataegus monogyna). rn and blackthorn (Prunus spinosa) shrub uropaea and Urtica dioica, among other tes that the wood is heavily grazed by cattle.

02/08/200 Ballhuppahane and score Grid re	Very Good	64	vnland name Threa	Ballhuppahai					
and score	Very Good	64							
Grid re	f. N372		Threa						
Grid re	f. N372		Threa						
Grid re	f. N372		Ihrea						
		047		at rating and so	core Low	8			
orth Eastern	Ahoo AHM		6 inch sheet	LA 7	County	Laois			
	1411/1 0000	-	SAC code	-	SPA Code	-			
Nature Res	serve		,	Woodland pre	sent in the 1840s	No			
Private - Single	Area	a (ha) 5	.4 Max.	alt. (m) 20	Min. alt. (m	) 180			
NCa/TDSs		Soil	AlluvMIN/A	minSP/AminP	סי				
	Woodland ha	oitats	Grazing		Hydrological feat	<u>ures</u>			
	WN1	0%	Deer	<b>✓</b>	Seasonal flooding	<b>✓</b>			
	WN2	20%	Cattle		Springs				
	WN3	0%	Sheep		Lakes				
	WN4	0%	Rabbits		Rivers/streams	<b>✓</b>			
	WN5	0%	Hares		Damp clefts/ravines	;			
✓	WN6	60%	Goats		Other				
	WN7	0%	Horses						
	WS1	10%	Other						
	WD1	0%	Grazing leve	1					
	WD2	0%							
Othe	er habitats	WS 10%							
		1	External data sou	ırce: not all data	a recorded				
This is a small site on a hillside located 7.5 km west-southwest of Mountmellick, Co. Laois. It consists of a mosaic of wet and dry woodland, scrub and wet grassland, on a mineral soil. Wetter areas have a downy birch (Betula pubescens) and alder (Alnus glutinosa) canopy, with a hazel (Corylus avellana) and Gorse (Ulex europaeus) shrub layer. Here, Filipendula ulmaria, Mentha aquatica, Juncus effusus and Carex remota occur in the field layer. Drier areas have a downy birch (Betula pubescens) canopy and a holly (Ilex aquifolium) shrub layer, and the field layer is fern-rich, with Blechnum spicant, Dryopteris affinis, Dryopteris filix-mas and Dryopteris dilatata. Some of the wet grassland is rich in orchids, but the woodland is spreading internally into open patches. The area is being managed under the REPS scheme.									
	o opon patono.				ET C GONGMO.				
	Nature Res  Private - Single  NCa/TDSs  Other  a hillside located and wet gallocanopy, with attica, Juncus ecanopy and a hyopteris filix-m	Nature Reserve  Private - Single Area  NCa/TDSs  Woodland hale  WN1  WN2  WN3  WN4  WN5  WN6  WN7  WN1  WD1  WD2  Other habitats  A hillside located 7.5 km we crub and wet grassland, on a land canopy, with a hazel (Corylatica, Juncus effusus and Calcanopy and a holly (Ilex aquifo yopteris filix-mas and Dryopte	Nature Reserve   Private - Single Area (ha) 5  NCa/TDSs Soil  Woodland habitats  WN1 0% WN2 20% WN3 0% WN4 0% WN5 0% WN5 0% WN6 60% WN7 0% WN7 0% WN1 10% WN1 0% WN1 0% WN1 10% WN1 0% WN1 0% WN1 0% WN1 0% WN1 0% WN2 0% WN2 0% WN3 0% WN3 0% WN5 0% WN6 60% WN7 0% WN6 60% WN7 0% WN8 10% WN8 10% WN8 10% WN9 10% W	Nature Reserve	Nature Reserve	Nature Reserve			

Site no.	0266	FIPS no.	75825, 83712	2
Date surveyed	14/08/2003			
Woodland name	Cush Upper	1	ownland name	Cush Upper, Brockagh
Conservation rating	g and score Mo	derate 48	Threa	at rating and score Low 8
Disco. map 5	4 Grid ref.	N316148	6 inch sheet	LA 2 County Laois
NPWS region	North Eastern NH	A code 413	SAC code	- SPA Code -
National Park	Nature Reserve		,	Woodland present in the 1840s No
Ownership	Private - Multiple	Area (ha)	5 Max.	alt. (m) 90 Min. alt. (m) 90
Sub-soil Cut/l	FenPt	S	coil Cut/FenPt	
Geography	Wood	land habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	<b>✓</b> Springs
Valley	□ WN3	0%	Sheep	☐ Lakes ✓
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	<b>✓</b> WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	80%	Horses	
Island	□ WS1	20%	Other	
Riverside/Floodplai	n WD1	0%	Grazing leve	I 1
Coastal/Estuary	□ WD2	0%		
	Other habi	ats		
Field notes			External data sou	urce: not all data recorded
birch (Betula pubes Molinia caerulea, D past 5 years in part	scens) and (Salix ciner Pryopteris dilatata and F	ea), and there is a seteridium aquilinum been thinned and	shrub layer with he noccur in the field coppiced. There i	o. Laois. The canopy is dominated by downy olly (llex aquifolium) and downy birch. I layer. There has been some felling in the is a small road through the wood. Some turf in cut away peat.

Site no.	0268	FIPS no. 1499
Date surveyed	29/07/2003	
Woodland name	Cappagh North	Townland name Cappagh North
Conservation rating	g and score Mod	derate 46 Threat rating and score Low 8
Disco. map 5	4 Grid ref.	N441020 6 inch sheet LA 12 County Laois
NPWS region	North Eastern NHA	A code - SAC code - SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s No
Ownership	Private - Single	Area (ha) 6.5 Max. alt. (m) 90 Min. alt. (m) 85
Sub-soil Cut		Soil Cut
<u>Geography</u>	Woodla	and habitats Grazing Hydrological features
Esker	□ WN1	0% Deer Seasonal flooding
Drumlin	□ WN2	Cattle ✓ Springs □
Valley	□ WN3	Sheep ☐ Lakes ✔
Lakeside	□ WN4	Rabbits ☐ Rivers/streams ☐
Bogland	<b>✓</b> WN5	0% Hares Damp clefts/ravines
Hill	□ WN6	0% Goats Other
Plain/Lowlands	□ WN7	100% Horses
Island	□ WS1	0% Other
Riverside/Floodpla	n WD1	0% Grazing level 2
Coastal/Estuary	□ WD2	0%
	Other habita	ats
Field notes		External data source: not all data recorded
Laois. The soil is a (Ilex aquifolium) sh	fairly well drained peat.	n an old railway line at the edge of a bog 3 km northwest of Portlaoise, Co.  Downy birch (Betula pubescens) dominates the canopy, and there is a holly uilinum, Geum urbanum, Geranium robertianum and Fragaria vesca occur in the ent at the site.

Site no.	0269		FIPS no.	9054						
Date surveyed	25/08/20	03								
Woodland name	Glenmalyre De	mesne	Tow	nland name	Ballybrittas					
Conservation rating and score Moderate 52 Threat rating and score Low 17										
Disco. map 55 Grid ref. N579075 6 inch sheet LA 9 County Laois										
NPWS region	NPWS region North Eastern NHA code - SAC code - SPA Code -									
National Park	Nature Res	serve		V	Voodland present	in the 1840s	Yes			
Ownership	Private - Single	Area	a (ha) 3.	3 Max.	alt. (m) 80	Min. alt. (m)	80			
Sub-soil A/TL	S		Soil	AlluvMIN/Br	minDW/BminPD					
Geography		Woodland hal	oitats	Grazing	Hy	drological feature	<u>s</u>			
Esker		WN1	0%	Deer	Seas	onal flooding				
Drumlin		WN2	70%	Cattle	Sprin	ngs				
Valley		WN3	0%	Sheep	Lake	s				
Lakeside		WN4	0%	Rabbits	River	rs/streams	✓			
Bogland		WN5	0%	Hares	Dam	p clefts/ravines				
Hill		WN6	30%	Goats	Othe	r				
Plain/Lowlands	<b>✓</b>	WN7	0%	Horses						
Island		WS1	0%	Other	Unknown					
Riverside/Floodplai	n 🗌	WD1	0%	Grazing level	1					
Coastal/Estuary		WD2	0%							
	Othe	er habitats								
Field notes			E	External data sour	ce: not all data reco	orded				
This is a small site mineral soil. The wo (Populus deltoides contains hazel (Cor Deschampsia cesp to a flushed area al and ash. The field I mature pedunculate	ood can be divid x P. nigra), been ylus avellana), litosa and Carex ong a stream. H ayer contains A	ded into two typ ch (Fagus sylva holly (Ilex aquifo sylvatica occur dere, the main o grostis stolonifo	es. In the drie atica) and alde blium), ash (F in the field la anopy specie ara, Filipendul	r section, ash (ler (Alnus glutino raxinus excelsion raxinus excelsion). In the west are grey willo a ulmaria and li	Fraxinus excelsion osa) form the cand or) and spindle (Extern part of the wo w (Salix cinerea),	), hybrid black po ppy. The shrub lay uonymus europae od, the ground is alder (Alnus glutii	plar er eus). wet due nosa)			

Site no.	0270	FIPS no. Non FIPS
Date surveyed	07/07/2003	
Woodland name	Ballybeg Mill	Townland name Ballybeg, Dungeer
Conservation rating	g and score Mod	derate 48 Threat rating and score Low 8
Disco. map 7	Grid ref.	S914217 6 inch sheet WX 36 County Wexford
NPWS region	South Eastern NHA	A code - SAC code - SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s No
Ownership	Private - Single	Area (ha) 3.3 Max. alt. (m) 50 Min. alt. (m) 30
Sub-soil A/Ro	ckNCa/TLPS	Soil AlluMIN/AminSP/AminPD
Geography	Woodl	land habitats Grazing Hydrological features
Esker	□ WN1	10% Deer ☐ Seasonal flooding ✓
Drumlin	□ WN2	0% Cattle ✓ Springs
Valley	✓ WN3	0% Sheep Lakes
Lakeside	□ WN4	
Bogland	□ WN5	0% Hares Damp clefts/ravines
Hill	□ WN6	90% Goats Other
Plain/Lowlands	□ WN7	0% Horses
Island	□ WS1	0% Other
Riverside/Floodpla	in 🗌 WD1	0% Grazing level 1
Coastal/Estuary	□ WD2	0%
	Other habita	ats
Field notes		External data source: not all data recorded
drained mineral soi (Corylus avellana)	il. Most of the wood is do in the shrub layer. Oena	of Taghmon, Co. Wexford, on the slopes of a valley. The site is on a poorly cominated by alder (Alnus glutinosa) and grey willow (Salix cinerea), with hazel anthe crocata, Carex remota, Chrysosplenium oppositifolium and Filipendula small area of acid oak wood, with hybrid oak trees (Quercus x rosacea).

Site no.	0273		FIPS no.	72094			
Date surveyed	25/07/2003						
Woodland name	Barkmill		Tov	vnland name	Barkmill		
Conservation rating	g and score	Poor	36	Threa	at rating and sc	ore Moderate	25
Disco. map 5	4 Grid ref.	N41104	17	6 inch sheet	LA 7	County	_aois
	North Eastern	NHA code	-	SAC code	-	SPA Code	-
National Park	Nature Reserv	e 🗌		,	Woodland pres	ent in the 1840s	No
Ownership	Private - Single	Area (	(ha) 1	.8 Max.	. alt. (m) 95	Min. alt. (m)	95
Sub-soil TLs			Soil	BminPD			
Geography	W	odland habit	tats	Grazing		Hydrological featur	<u>es</u>
Esker		1	0%	Deer		Seasonal flooding	<b>✓</b>
Drumlin		2	0%	Cattle		Springs	
Valley		3	0%	Sheep		akes	
Lakeside		4	0%	Rabbits	R	Rivers/streams	
Bogland		5	0%	Hares		Damp clefts/ravines	
Hill		6	40%	Goats		Other Dam	np areas
Plain/Lowlands	✓ WI	7	0%	Horses		_	
Island	□ ws	1	0%	Other			
Riverside/Floodplai	n 🗌 W[	1	60%	Grazing leve	0		
Coastal/Estuary	□ W[	2	0%				
	Other h	abitats					
Field notes			1	External data sou	urce: not all data	recorded	
main canopy specie Juncus effusus, Ga island in the middle	es are alder (Alnus dium palustre and F e of the pond is now avily trampled. This	glutinosa) and anunculus re dominated by	d downy biro pens occur y mixed bro	ch (Betula pube in the field laye adleaved wood	escens). Agrost er. The wood w dland. The secti	ely draining mineral s tis stolonifera, Carex ras part of a mill pond ion across the road i rough the wood. A sp	flacca, d and the s grazed

Site no.	0274		FIPS no.	55459, 16468	3		
Date surveyed	01/08/20	003					
Woodland name	Bughorn		To	wnland name	Bughorn		
Conservation rating	g and score	Moderate	42	Threa	at rating and score	Low	0
Disco. map 5	4 Grid re	ef. S30	0965	6 inch sheet	LA 11/16 C	ounty L	aois
NPWS region	North Eastern	NHA code	-	SAC code	-	SPA Code	-
National Park	Nature Re	serve		,	Woodland present	in the 1840s	No
Ownership	Private - Multip	le Ar	ea (ha) 5	.5 Max.	alt. (m) 135	Min. alt. (m)	130
Sub-soil Cut			Soi	Cut			
<u>Geography</u>		Woodland h	<u>abitats</u>	Grazing	<u>Hy</u>	drological feature	<u>s</u>
Esker		WN1	0%	Deer	<b>✓</b> Seas	onal flooding	<b>✓</b>
Drumlin		WN2	0%	Cattle	Sprin	gs	
Valley		WN3	0%	Sheep	Lakes	S	✓
Lakeside		WN4	0%	Rabbits	River	s/streams	
Bogland	<b>✓</b>	WN5	0%	Hares	Damp	clefts/ravines	
Hill		WN6	0%	Goats	<b>✓</b> Other	r	
Plain/Lowlands		WN7	60%	Horses			
Island		WS1	5%	Other			
Riverside/Floodplai	n 🗌	WD1	0%	Grazing leve	I 1		
Coastal/Estuary		WD2	0%				
	Oth	er habitats	GS 5% HD 3	30%			
Field notes				External data sou	urce: not all data reco	rded	
This is a small site downy birch (Betula occurs in the field la There are areas of	a pubescens) a ayer. The site c	nd rowan (Sorl ontains patche	ous aucuparia es of grassland	with a holly (Ile	ex aquifolium) shru	b layer. Molinia c	aerulea

Site no.	0275	FIPS no.	18657, 18659				
Date surveyed	04/07/2003	]					
Woodland name	Ballina	Tov	vnland name	Ballina			
Conservation rating	g and score Mod	lerate 42	Threat	t rating and score Low 8			
Disco. map 5	4 Grid ref.	S432981	6 inch sheet	LA 12 County Laois			
NPWS region	NPWS region North Eastern NHA code - SAC code - SPA Code -						
National Park	National Park  Nature Reserve  Woodland present in the 1840s No						
Ownership	Private - Multiple	Area (ha)	6 Max.	alt. (m) 110 Min. alt. (m) 100			
Sub-soil Cut		Soil	Cut				
<u>Geography</u>	Woodl	and habitats	Grazing	Hydrological features			
Esker	□ WN1	0%	Deer	Seasonal flooding			
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐			
Valley	□ WN3	0%	Sheep	☐ Lakes ✓			
Lakeside	□ WN4	0%	Rabbits	Rivers/streams			
Bogland	✓ WN5	0%	Hares	☐ Damp clefts/ravines ☐			
Hill	□ WN6	0%	Goats	Other			
Plain/Lowlands	WN7	90%	Horses				
Island	□ WS1	10%	Other				
Riverside/Floodplai	in WD1	0%	Grazing level	0			
Coastal/Estuary	□ WD2	0%					
	Other habita	ts					
Field notes		ı	External data soul	rce: not all data recorded			
willow (Salix aurita (Ulex europaeus).	x S. cinerea) dominate t The field layer contains	he canopy, and ther Dryopteris dilatata aı	e is a shrub laye nd Pteridium aq	Laois. Downy birch (Betula pubescens) and er with holly (Ilex aquifolium) and Gorse juilinum. Birch is spreading on to the ea sitchensis) along the northern edge.			

Site no.	0276	FIPS no.	251, 252	
Date surveyed	18/09/2003	]		
Woodland name	Maidenhead	Tov	vnland name	Maidenhead, Ballynagall
Conservation rating	g and score Mod	derate 52	Threa	at rating and score Low 0
Disco. map 6	Grid ref.	S647839	6 inch sheet	LA 26 County Laois
NPWS region	North Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		1	Woodland present in the 1840s Yes
Ownership	Private - Single	Area (ha) 8	.6 Max.	alt. (m) 175 Min. alt. (m) 90
Sub-soil Rckl	NCa/TNSSs	Soil	AminDW/A	minSW
<u>Geography</u>	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	100%	Cattle	✓ Springs
Valley	<b>✓</b> WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodpla	in 🗌 WD1	0%	Grazing level	1 2
Coastal/Estuary	□ WD2	0%		
	Other habita	its		
Field notes		I	External data sou	urce: not all data recorded
part there is a fairly Hazel (Corylus ave oppositifolium and	r freely draining mineral ellana) is found in the shi	soil, but there are we rub layer. Agrostis st in the field layer. The	etter areas. Ald olonifera, Ranu ere has been so	buth of Ballylynan, Co. Laois. For the most er (Alnus glutinosa) occurs in these areas. unculus repens, Chrysosplenium ome felling of native trees. A track runs were noted.

Site no.	0278		FIPS no.	72108, 18560	)		
Date surveyed	18/09/2003						
Woodland name	Derrykearn		Tow	nland name	Derrykearn, Clond	ouglas	
Conservation rating	g and score	Moderate	48	Threa	at rating and score	Low	0
Disco. map 6	0 Grid ref.	S42488	35	6 inch sheet	LA 23 Co	ounty L	aois
NPWS region	North Eastern	NHA code	-	SAC code	-	SPA Code	-
National Park	National Park  Nature Reserve  Woodland present in the 1840s No						
Ownership	Private - Multiple	Area	(ha) 6.	3 Max.	alt. (m) 100	Min. alt. (m)	95
Sub-soil Cut/	TLs		Soil	Cut/BminPl	DPT		
Geography	<u>V</u>	Noodland habit	tats	Grazing	Hyd	drological feature	<u>es</u>
Esker	□ w	/N1	0%	Deer	Seaso	onal flooding	
Drumlin	□ w	/N2	0%	Cattle	✓ Spring	gs	
Valley	□ w	/N3	0%	Sheep	Lakes	3	✓
Lakeside	$\Box$ w	/N4	0%	Rabbits	Rivers	s/streams	
Bogland	<b>✓</b> W	/N5	0%	Hares	Damp	clefts/ravines	
Hill	□ w	/N6	0%	Goats	Other		
Plain/Lowlands	□ w	/N7	100%	Horses			
Island	□ w	/S1	0%	Other			
Riverside/Floodpla	n 🗌 W	/D1	0%	Grazing level	1 2		
Coastal/Estuary	□ w	/D2	0%				
	Other	habitats					
Field notes			E	External data sou	ırce: not all data recor	ded	
This is a small dow aquifolium) occurs Pteridium aquilinun conifers have been the edges of the sit	in the shrub layer. n and Dryopteris d planted in the woo	Rubus fruticos lilatata. A track	sus agg. and running thro	d Molinia caeru ough wood pro	lea occur in the field vides access to the	d layer, as well a bog for turbary.	s Some

Site no.	0280	FIPS no.	72148, 39892,	, 478, 479, 79693, 480, 477
Date surveyed	01/10/2003	]		
Woodland name	Kilcruise	Tov	vnland name	Kilcruise
Conservation rating	g and score Mod	lerate 54	Threat	t rating and score Low 8
Disco. map 6	1 Grid ref.	S622847	6 inch sheet	LA 25 County Laois
		code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Voodland present in the 1840s Yes
Ownership	Private - Single	Area (ha) 9	.8 Max.	alt. (m) 140 Min. alt. (m) 110
Sub-soil Rck	NCa/A/TNSSs/TLs	Soil	AminSP/Allu	uvMIN/AminPD/BminPD
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	100%	Cattle	☐ Springs ✓
Valley	✓ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ✓
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ✓
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai		0%	Grazing level	0
Coastal/Estuary	□ WD2	0%		
	Other habita	ıts		
Field notes		E	External data sour	rce: not all data recorded
The site is on a free The stream bed is a Some fallen trees a	ely draining mineral soil. Very wide with exposed	Brachypodium sylva areas of rocks and s esent in the stream.	aticum and Poly tones and has o	in a valley with a stream flowing through it. stichum setiferum occur in the field layer. cut into the surrounding bedrock in places. ive coverage of liverworts, bryophytes and

Site no.	0281	FIPS no.	59313			
Date surveyed	26/08/2003					
Woodland name	Kilkoke	Tow	wnland name Kilcoke			
Conservation rating	g and score Mod	erate 48	Threat rating and score Low 8			
Disco. map 6	0 Grid ref.	S276834	6 inch sheet LA 22/28 County Laois			
NPWS region	North Eastern NHA	code -	SAC code - SPA Code -			
National Park	National Park Nature Reserve Woodland present in the 1840s Yes					
Ownership	Private - Single	Area (ha) 5.	Max. alt. (m) 130 Min. alt. (m) 120			
Sub-soil TDS	s/FenPt	Soil	AminPDPT/FenPt/AminPD			
Geography	Woodla	and habitats	Grazing Hydrological features			
Esker	□ WN1	0%	Deer ☐ Seasonal flooding ✓			
Drumlin	□ WN2	100%	Cattle Springs			
Valley	□ WN3	0%	Sheep Lakes			
Lakeside	□ WN4	0%	Rabbits ☐ Rivers/streams ✓			
Bogland	□ WN5	0%	Hares Damp clefts/ravines			
Hill	□ WN6	0%	Goats Other			
Plain/Lowlands	<b>✓</b> WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level 0			
Coastal/Estuary	□ WD2	0%				
	Other habita	ts				
Field notes		E	External data source: not all data recorded			
dominated by haze pubescens). Ash ar Viola sp. occur in the and cracked, which dumping in the wood	I (Corylus avellana) with nd hawthorn (Crataegus ne field layer. At the time may be the result of per nd. The wood is used by	some ash (Fraxinus monogyna) occur in of survey, the site v riodic waterlogging. the Laois Fox Hunt,	d 5 km north of Rathdowny, Co. Laois. The wood is sexcelsior), alder (Alnus glutinosa) and downy birch (Betula in the shrub layer. Rubus fruticosus agg., Fragaria vesca and was fairly well drained, although large areas of soil are bare. A large ditch runs through site. There is evidence of and there are some signs of possible horse trampling. The nity of regeneration throughout wood.			

Site no.	0282	FIPS no.	742	
Date surveyed	28/07/2003			
Woodland name	Castledurrow Deme	ne T	ownland name	Castledurrow Demesne
Conservation rating	g and score	oderate 46	Threa	t rating and score Low 17
Disco. map 6	0 Grid ref.	S391775	6 inch sheet	LA 29/35 County Laois
NPWS region	North Eastern N	HA code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Woodland present in the 1840s Yes
Ownership	Coillte	Area (ha)	1.5 Max.	alt. (m) 80 Min. alt. (m) 80
Sub-soil Fenf	Pt	S	oil FenPt	
Geography	<u>Wo</u>	dland habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	100%	Cattle	Springs
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ✓
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ ws1	0%	Other	
Riverside/Floodplai	n 🗹 WD1	0%	Grazing level	0
Coastal/Estuary	□ WD2	0%		
	Other ha	itats		
Field notes			External data sou	rce: not all data recorded
Durrow, Co. Laois. pedunculate oak (C europaeus) occurs scripta and Geraniu	There is a fairly well duercus robur) and as in the shrub layer. The robertianum. In we inerea, S. caprea) and the shrub layers are shown in the shrub layers.	rained mineral soil. n (Fraxinus excelsio e ground flora is rep tter places, Filipend	Downy birch (Betoment) are common wiresentative of national ulmaria, Eupa	located on a flood plain 1.5 km outside of ula pubescens), hazel (Corylus avellana), thin the plantation, and spindle (Euonymus ive woodland, with Hyacinthoides nontorium cannabinum and Valeriana officinalis cathartica) is occasional at the edge. Overall

Site no.	0283		FIPS no.			43524, 791, 82475	, 717, 715,
Date surveyed	24/07/200	3		43523, 698, 7	72081, 72290, 710	6 	
Woodland name	Dunmore Deme	sne	Tov	vnland name	Dunmore, Swan	, Course	
Conservation rating	and score	Moderate	52	Thros	at rating and score	e Moderate	25
	g and score	Woderate	32	r			
Disco. map 6	O Grid ref	S4107	793	6 inch sheet	LA 29	County L	aois
NPWS region N	North Eastern	NHA code	-	SAC code	2162	SPA Code	-
National Park	Nature Rese	erve 🗌		,	Woodland presen	t in the 1840s	Yes
Ownership	Coillte	Area	(ha) 76	6.3 Max.	alt. (m) 100	Min. alt. (m)	80
Sub-soil TLs/	A		Soil	BminDW/A	lluvMIN		
Geography		Woodland hab	oitats	Grazing	H	lydrological feature	s
Esker		WN1	0%	Deer	_	asonal flooding	
Drumlin		WN2	0%	Cattle		ings	
Valley		WN3	0%	Sheep	Lak	es	
Lakeside		WN4	0%	Rabbits	Rive	ers/streams	<b>✓</b>
Bogland		WN5	0%	Hares	Dar	mp clefts/ravines	
Hill		WN6	0%	Goats	Oth	er	
Plain/Lowlands	<b>V</b>	WN7	0%	Horses			
Island		WS1	0%	Other			
Riverside/Floodplai	n 🗌 🕠	WD1	100%	Grazing leve	0		
Coastal/Estuary		WD2	0%				
	Othe	r habitats					
Field notes			ı	External data sou	ırce: not all data red	corded	
This is a large site of the west of the site. Norway spruce (Picthestnut (Aesculus (Corylus avellana) a occur in the field lay	The site is on a sea abies), beech hippocastanum) and holly (llex aq	freely draining n (Fagus sylvat n occur through	mineral soil. ica), sycamo out the cano	Pedunculate on The (Acer pseudon) Py. These are ι	oak (Quercus robu oplatanus), lime ( underlain by rowa	ur), ash (Fraxinus e Tilia cordata), and n (Sorbus aucupar	xcelsior), horse- ia), hazel

Site no.	0284	FIPS no. 690
Date surveyed	25/07/2003	
Woodland name	Course Wood	Townland name Course
Conservation rating	and score Moderate	Threat rating and score Moderate 25
Disco. map 60	Grid ref. S416	6782 6 inch sheet LA 29 County Laois
NPWS region N	NHA code	- SAC code 2162 SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s Yes
Ownership	Coillte Are	ea (ha) 3.9 Max. alt. (m) 90 Min. alt. (m) 75
Sub-soil TLs/0	GLs	Soil BminDW/BminSW
Geography	Woodland ha	abitats Grazing Hydrological features
Esker	□ WN1	0% Deer Seasonal flooding
Drumlin	□ WN2	100% Cattle Springs
Valley	□ WN3	0% Sheep Lakes
Lakeside	□ WN4	0% Rabbits ☐ Rivers/streams
Bogland	□ WN5	0% Hares Damp clefts/ravines
Hill	□ WN6	0% Goats Other
Plain/Lowlands	✓ WN7	0% Horses
Island	□ WS1	0% Other
Riverside/Floodplair	<u> </u>	0% Grazing level 0
Coastal/Estuary	□ WD2	0%
	Other habitats	
Field notes		External data source: not all data recorded
a pedunculate oak ( monogyna), hazel ( to southern end. Th	(Quercus robur) dominated wo Corylus avellana) and ash (Fra	rest of Durrow, Co. Laois. The site is on a freely draining mineral soil. It is bodland on the west bank of the River Nore, with a hawthorn (Crataegus axinus excelsior) shrub layer. There is a small patch of old hazel coppice parallel to river on eastern side of wood. Campanula trachelium is presenting the survey.

Site no.	0286	FIPS no.	705, 727, 728	3, 730, 41227, 43543, 43544
Date surveyed	28/07/2003	]		
Woodland name	Knocknatrina Wood	Tov	vnland name	Durrow, Townparks
Conservation rating	g and score Mod	lerate 46	Threa	at rating and score Low 17
Disco. map 6	0 Grid ref.	S421766	6 inch sheet	LA 29/35 County Laois
NPWS region	North Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		\	Woodland present in the 1840s Yes
Ownership	Coillte	Area (ha) 2	4 Max.	alt. (m) 90 Min. alt. (m) 90
Sub-soil A/GL	_s/TLs/RckNCa	Soil	AlluvMIN/B	minSW/BminDW/AminSW
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ✓
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	<b>✓</b> WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗌 WD1	100%	Grazing level	1 0
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes		E	External data sou	urce: not all data recorded
This site consists or within a mixed broat avellana) and roward and Carex sylvatical	f an area of beech (Fag Idleaf and conifer wood. n (Sorbus aucuparia). D	us sylvatica), ash (Fi The shrub layer con ryopteris dilatata, Fil There is a small scr	raxinus excelsionsists of hawthor ipendula ulmar ubby area with	he wood is on a freely draining mineral soil. or) and pedunculate oak (Quercus robur) orn (Crataegus monogyna), hazel (Corylus ria, Circaea lutetiana, Glechoma hederacea wych elm (Ulmus glabra), buckthorn orn

Site no.	0287	FIPS no.	29764		
Date surveyed	30/09/2003	]			
Woodland name	Knockbeg College	To	wnland name	Knockbeg	
Conservation rating	g and score Mod	derate 46	Threa	at rating and score Low	8
Disco. map 6	1 Grid ref.	S717805	6 inch sheet	LA 32 County I	_aois
NPWS region	North Eastern NHA	code -	SAC code	- SPA Code	-
National Park	Nature Reserve		\	Woodland present in the 1840s	No
Ownership	Private - Single	Area (ha) 4	.6 Max.	alt. (m) 50 Min. alt. (m)	40
Sub-soil GLs	/A	Soi	BminSP/All	luvMIN	
Geography	Woodl	and habitats	Grazing	Hydrological feature	<u>es</u>
Esker	□ WN1	0%	Deer	Seasonal flooding	<b>✓</b>
Drumlin	□ WN2	0%	Cattle	✓ Springs	
Valley	✓ WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	Rivers/streams	<b>✓</b>
Bogland	□ WN5	100%	Hares	Damp clefts/ravines	
Hill	WN6	0%	Goats	Other	
Plain/Lowlands	WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodpla	in 🗌 WD1	0%	Grazing level	1	
Coastal/Estuary	□ WD2	0%			
	Other habita	its			
Field notes			External data sou	urce: not all data recorded	
woodland located in canopy, and includ is abundant here. I ulmaria, Lycopus e	n a valley 3 km north of es Viburnum opulus. Th The northern area is feno uropaeus and Urtica dio	Carlow town. The we e area to the south it and the field ica occur in the field	ood is on wet gl s not fenced an layer is more de l layer. Part of tl	glutinosa) and ash (Fraxinus excels ley soil. The shrub layer is similar to help to be soil. The shrub layer is similar to help to be soil. The shrub layer is similar to help to be soil. The similar to help to be soil. The similar to help to be soil. The similar to help to be soil.	the ca dioica ipendula

Site no.	0289		FIPS no.	67113			
Date surveyed	26/08/200	)3					
Woodland name	Crush Wood		Tow	nland name	Lisduff		
Conservation rating	g and score	Poor	30	Threat	rating and score	Low	0
		f. S2087	760	6 inch sheet		unty L	aois
				_		,	
_	North Eastern	NHA code	-	SAC code	- Vandland present in	SPA Code	- No
National Park	Nature Res	erve 🔛			Voodland present ir		No
Ownership	Private - Single	Area	(ha) 3	Max.	alt. (m) 140	Min. alt. (m)	130
Sub-soil Cut/	TLs		Soil	Cut/BminPD	PT		
Geography		Woodland hab	oitats	Grazing	Hyd	rological feature	es es
Esker		WN1	0%	Deer	✓ Seaso	nal flooding	
Drumlin		WN2	0%	Cattle	Spring	S	
Valley		WN3	0%	Sheep	Lakes		
Lakeside		WN4	0%	Rabbits	Rivers	/streams	
Bogland	•	WN5	0%	Hares	Damp	clefts/ravines	
Hill		WN6	0%	Goats	Other		
Plain/Lowlands		WN7	100%	Horses			
Island		WS1	0%	Other			
Riverside/Floodplai	in 🗌	WD1	0%	Grazing level	1		
Coastal/Estuary		WD2	0%				
	Othe	er habitats					
Field notes			E	xternal data sour	ce: not all data record	ded	
This is a small, wet Rowan (Sorbus aud fruticosus agg. and were observed on s	cuparia), holly (II Pteridium aquili	ex aucuparia) a	and peduncula	ate oak (Quercu	us robur) occur in th	ne shrub layer. F	Rubus

Site no.	0290	FIPS no.	11173, 16879	, 16887, 16891					
Date surveyed	03/09/2003								
Woodland name	Warren Hill	Tov	wnland name	Haywood Demense					
Concernation ratios	y and seers Mad	doroto 42	Th	t action and according to the control of the contro					
Conservation rating	g and score	derate 42	Inrea	t rating and score High 42					
Disco. map 6	0 Grid ref.	S474810	6 inch sheet	LA 30 County Laois					
NPWS region	North Eastern NHA	code -	SAC code	- SPA Code -					
National Park	Nature Reserve		V	Woodland present in the 1840s Yes					
Ownership	Coillte	Area (ha)	5.5 Max.	alt. (m) 170 Min. alt. (m) 130					
Sub-soil GLs		Soil	BminSW						
Geography	Woodl	and habitats	Grazing	Hydrological features					
Esker	□ WN1	0%	Deer	Seasonal flooding					
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐					
Valley	□ WN3	0%	Sheep	☐ Lakes ✓					
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ☐					
Bogland	□ WN5	0%	Hares	□ Damp clefts/ravines □					
Hill	<b>✓</b> WN6	0%	Goats	Other					
Plain/Lowlands	WN7	0%	Horses						
Island	□ WS1	0%	Other						
Riverside/Floodplai	n 🗌 WD1	100%	Grazing level	0					
Coastal/Estuary	□ WD2	0%							
	Other habita	ats							
Field notes			External data sou	rce: not all data recorded					
This is a medium sized site on a hill just east of Ballinakill, Co. Laois, on a freely draining mineral soil. The site is dominated by beech (Fagus sylvatica), particularly in the southern part. The northern section has many large pedunculate oaks (Quercus robur), and ash (Fraxinus excelsior) trees are frequent. Holly (Ilex aquifolium) and hawthorn (Crataegus monogyna) occur in the shrub layer here. Rubus fruticosus, Conopodium majus and Hyacinthoides non-scripta are found in the field layer. The central section has been thinned or felled and small areas of ash and hazel (Corylus avellana) scrub are developing here. A large oak tree was observed with a diameter at breast height of 190cm at the following coordinates: Irish grid reference S 47424 82140 +/- 11.5. Symphoricarpos albus is present in the wood.									
insi gila relerence	S 47424 6214U +/- 11.6	. Symphonicarpos a	ibus is present i	in the wood.					

Site no.	0294 FIPS no. 67075	
Date surveyed	15/08/2003	
Woodland name	Scotchrath House Townland name Scotchrath	
Conservation rating	g and score Poor 27 Threat rating and score Low 1	7
Disco. map 6	Grid ref. S375852 6 inch sheet LA 23 County Laois	
NPWS region	North Eastern NHA code - SAC code - SPA Code -	
National Park	Nature Reserve Woodland present in the 1840s Yes	
Ownership	Private - Single Area (ha) 2.7 Max. alt. (m) 110 Min. alt. (m) 90	
Sub-soil Rck	Ca/TLs Soil BminSW/BminDW	
Geography	Woodland habitats Grazing Hydrological features	
Esker	☐ WN1 0% Deer ☐ Seasonal flooding ☐	
Drumlin	□ WN2 0% Cattle □ Springs □	
Valley	□ WN3 0% Sheep □ Lakes □	
Lakeside	□ WN4 0% Rabbits □ Rivers/streams □	
Bogland	□ WN5 □ Damp clefts/ravines □	
Hill	✓ WN6 0% Goats □ Other	
Plain/Lowlands	□ WN7 0% Horses □	
Island	□ WS1 0% Other □	
Riverside/Floodpla		
Coastal/Estuary	□ WD2 0%	
·	Other habitats	
Field notes	External data source: not all data recorded	
dominated by beed pedunculate oaks (	od on a hilltop 3.5 km north of Ballycolla, Co. Laois. The site is on a well drained mineral soil. It is ch but there is a good mixture of native trees including ash (Fraxinus excelsior) and several large (Quercus robur). Hawthorn (Crataegus monogyna) is particularly abundant in the shrub layer. The field poor with elder (Sambucus nigra), Urtica dioica and Arctium minus sens. lat. the most plentiful species. resent on site.	

Site no.	0296	FIPS no.	63076, 7865,	Non FIPS	
Date surveyed	22/09/2003	]			
Woodland name	Corbally	Tov	vnland name	Corbally	
Conservation rating	g and score Mod	lerate 52	Threa	at rating and score Low	8
Disco. map 6	1 Grid ref.	S602890	6 inch sheet	LA 25 County Laois	
NPWS region	North Eastern NHA	code -	SAC code	- SPA Code -	
National Park	Nature Reserve		\	Woodland present in the 1840s	s
Ownership	Private - Multiple	Area (ha) 8	.4 Max.	alt. (m) 140 Min. alt. (m) 12	20
Sub-soil Rckl	NCa/A	Soil	AminSW/A	lluvMIN	
Geography	Woodl	and habitats	Grazing	Hydrological features	
Esker	□ WN1	0%	Deer	Seasonal flooding	
Drumlin	□ WN2	50%	Cattle	☐ Springs ☐	
Valley	<b>✓</b> WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ✓	
Bogland	□ WN5	0%	Hares	□ Damp clefts/ravines ✓	
Hill	□ WN6	0%	Goats	Other	
Plain/Lowlands	□ WN7	0%	Horses		
Island	□ WS1	30%	Other	Unknown	
Riverside/Floodplai	in WD1	0%	Grazing level	I 1	
Coastal/Estuary	□ WD2	0%			
	Other habita	ds 20%			
Field notes		ı	External data sou	urce: not all data recorded	
freely draining mine dominates the cand Heracleum sphond There is a small str	eral soil. It is composed opy, and there is a shrub ylium, Hyacinthoides no	of a mosaic of scrub layer with hawthorn n-scripta, Glechoma et grassland, patche	and woodland (Crataegus mon hederacea and es of grey willow	nan, Co. Laois. The site is on a moderately on both sides. Ash (Fraxinus excelsior) onogyna) and elder (Sambucus nigra). d Veronica montana occur in the field layer v (Salix cinerea) and scrub. There are som attraction.	

Site no.	0297	FIPS no.	570	
Date surveyed	25/08/2003			
Woodland name	Killeany	Tov	vnland name	Killeany
Conservation rating a	and score Mod	erate 42	Threa	at rating and score Low 8
Disco. map 60	Grid ref.	S360878	6 inch sheet	LA 23 County Laois
NPWS region No	orth Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Woodland present in the 1840s No
Ownership	Coillte	Area (ha) 6	.3 Max.	alt. (m) 90 Min. alt. (m) 80
Sub-soil Cut		Soil	Cut	
<u>Geography</u>	Woodla	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	<b>✓</b> WN7	100%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplain	□ WD1	0%	Grazing level	I 0
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes		I	External data sou	urce: not all data recorded
dominated by downy (Quercus robur) and in the shrub layer her	birch (Betula pubesce rowan (Sorbus aucupa re. Other 20 percent is ayer. The site is surrou	ns) with holly (llex a aria). Rubus fruticosi composed of young	quifolium), Scot us agg., Dryopt birch (Betula p	D percent of the wood, the canopy is ts pine (Pinus sylvestris), pedunculate oak teris dilatata and Pteridium aquilinum occur bubescens) and Scots pine, with Molinia ugh these have mainly been felled adjacent to

Site no.	0300	FIPS no.	56033		
Date surveyed	12/08/2003	]			
Woodland name	Ballaghmore Upper	То	wnland name	Balaghmore Upper	
Conservation rating	g and score P	oor 39	Threa	at rating and score Moderate	25
Disco. map 5	Grid ref.	S190902	6 inch sheet	LA 15 County L	aois
NPWS region	North Eastern NHA	code -	SAC code	- SPA Code	-
National Park	Nature Reserve		,	Woodland present in the 1840s	Yes
Ownership	Private - Single	Area (ha)	1.6 Max.	alt. (m) 150 Min. alt. (m)	130
Sub-soil TDS	s/RckNCa	So	I AminPD/Ar	minDW/AminSP	
Geography	Woodl	and habitats	Grazing	Hydrological feature	es .
Esker	□ WN1	100%	Deer	Seasonal flooding	✓
Drumlin	□ WN2	0%	Cattle	Springs	
Valley	□ WN3	0%	Sheep	✓ Lakes	
Lakeside	□ WN4	0%	Rabbits	Rivers/streams	<b>✓</b>
Bogland	□ WN5	0%	Hares	Damp clefts/ravines	
Hill	✓ WN6	0%	Goats	Other	
Plain/Lowlands	□ WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplai	in 🗌 WD1	0%	Grazing leve	3	
Coastal/Estuary	□ WD2	0%			
	Other habita	ats			
Field notes			External data sou	urce: not all data recorded	
sessile oak (Querci sylvatica). There is stolonifera, Oxalis a pasture and the wo	us petraea) and downy l a shrub layer with holly acetosella and Rorippa and itself is heavily graze	oirch (Betula pubeso (Ilex aquifolium) an nasturtium-aquaticued by sheep. The fie	cens) with grey or d sycamore (Ac m are found in to ld layer is very s	Roscrea. The main canopy species willow (Salix cinerea) and beech (Faser pseudoplatanus). Carex remota, the field layer. The site is surrounder sparse except in the frequent wetter and structure with many oaks and the structure with the structu	gus Agrostis d by areas

Site no.	0302		FIPS no.	66735			
Date surveyed	05/08/200	03					
Woodland name	Garryricken So	uth	Tov	vnland name	Knockbutton		
Conservation rating	and score	Moderate	58	Threa	t rating and score	Moderate	25
Disco. map 6	7 Grid re	f. S400	380	6 inch sheet	KK 30 C	ounty Kil	kenny
NPWS region S	South Eastern	NHA code	403	SAC code	-	SPA Code	-
National Park	Nature Res	serve		١	Woodland present	in the 1840s	Yes
Ownership	NPWS	Area	a (ha) 1	3 Max.	alt. (m) 155	Min. alt. (m)	110
Sub-soil RckN	NCa/TDSs/TNS	Ss	Soil	AminSP/An	ninDW		
Geography		Woodland hal	<u>bitats</u>	Grazing	Hy	drological feature	<u>s</u>
Esker		WN1	50%	Deer	Seas	onal flooding	
Drumlin		WN2	50%	Cattle	Sprin	ngs	
Valley		WN3	0%	Sheep	Lake	s	
Lakeside		WN4	0%	Rabbits	River	rs/streams	
Bogland		WN5	0%	Hares	Dam	p clefts/ravines	
Hill	<b>✓</b>	WN6	0%	Goats	Othe	r	
Plain/Lowlands		WN7	0%	Horses			
Island		WS1	0%	Other			
Riverside/Floodplai	n 🗌	WD1	0%	Grazing level	0		
Coastal/Estuary		WD2	0%				
	Othe	er habitats					
Field notes			E	External data sou	rce: not all data reco	orded	
This wood is the so on a hillside with fre robur) and beech (F (Fagus sylvatica) for Dryopteris affinis or by downy birch (Be (Corylus avellana). amounts. No evider	eely draining mir Fagus sylvatica) orm the shrub lay ocur in the field I tula pubescens) Rubus fruticosu	neral soil. The value of the comment	wood is divide canopy. Holly as Polystich Hyacinthoide ayer of rowan	ed into two type (llex aquifolium um setiferum, I es non-scripta. (Sorbus aucup	s. In the first type, h), wych elm (Ulmu Dryopteris filix-mas The second type caria), holly (Ilex aq	pedunculate oak is glabra) and been is, Dryopteris dilata if woodland is dor uifolium) and haz	(Quercus ech ata, and minated el

Site no.	0303	FIPS no.	38881	
Date surveyed	07/08/2003			
Woodland name	Harperstown	To	wnland name	Harperstown
Conservation rating	g and score Mod	derate 48	Threa	at rating and score Low 0
Disco. map 7	7 Grid ref.	S927167	6 inch sheet	WX 41 County Wexford
NPWS region S	South Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		\	Woodland present in the 1840s Yes
Ownership	Private - Single	Area (ha) 1	.6 Max.	alt. (m) 60 Min. alt. (m) 50
Sub-soil TLPS	3	Soi	AminPD/An	minDW
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	☐ Seasonal flooding ✓
Drumlin	□ WN2	100%	Cattle	□ Springs □
Valley	□ WN3	0%	Sheep	✓ Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	WN6	0%	Goats	Other
Plain/Lowlands	<b>✓</b> WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	1
Coastal/Estuary	□ WD2	0%		
	Other habita	nts		
Field notes			External data sou	urce: not all data recorded
(Quercus x rosacea dominated by Care sylvatica) in north-e	a) wood with hazel (Cory x remota, Deschampsia eastern corner of the site ocerasus) present. A lov	rlus avellana) and hat cespitosa and Agro e (about 6 large tree	awthorn (Cratae stis stolonifera. s), and the field	on, Co. Wexford. It is a small hybrid oak egus monogyna). The field layer is mainly. There is a small area of beech (Fagus I layer is lacking here. There is some cherry te. There is evidence of past grazing. A

Site no.	0304	FIPS no.	12163, 12162	2	
Date surveyed	01/09/2003	]			
Woodland name	Garrylough Lower	Tov	vnland name	Garrylough Lower, Ballymore	
Conservation rating	g and score Mod	derate 46	Threa	at rating and score Low 1	7
Disco. map 7	7 Grid ref.	T072296	6 inch sheet	WX 33 County Wexford	
NPWS region	South Eastern NHA	code -	SAC code	- SPA Code -	
National Park	Nature Reserve		\	Woodland present in the 1840s No	
Ownership	Private - Single	Area (ha)	6 Max.	alt. (m) 30 Min. alt. (m) 10	
Sub-soil A/GL	_PSsS	Soil	AlluvMIN/A	minSW	
Geography	Woodl	and habitats	Grazing	Hydrological features	
Esker	□ WN1	0%	Deer	Seasonal flooding	
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐	
Valley	✓ WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ☐	
Bogland	□ WN5	0%	Hares	□ Damp clefts/ravines □	
Hill	□ WN6	100%	Goats	Other	
Plain/Lowlands	□ WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	I 0	
Coastal/Estuary	□ WD2	0%			
	Other habita	ats			
Field notes		ı	External data sou	urce: not all data recorded	
Wexford. The main hazel (Corylus avel urbanum, Equisetu	canopy species are asl lana) and pedunculate of m telmateia and Dryoptor) at the edge of the site	n (Fraxinus excelsior pak (Quercus robur) eris dilatata occur in	) and grey willo also occur. Aju the field layer.	atted 2 km northwest of Curracloe, Co. bw (Salix cinerea). Alder (Alnus glutinosa), liga reptans, Filipendula ulmaria, Geum There is a small patch of recently planted vellana) in places in the wood. The wood is	

Site no.	0305		FIPS no.	81000			
Date surveyed	05/08/200	03					
Woodland name	Pollfur Bridge V	Vood	Tov	nland name	Grange		
Conservation rating	a and score	Poor	39	Throo	t rating and again	Madarata	25
Conservation rating	y and score			iniea	t rating and sco		25
Disco. map 7	Grid re	f. S7830	066	6 inch sheet	WX 50	County We	exford
NPWS region	South Eastern	NHA code	-	SAC code	-	SPA Code	4033
National Park	Nature Res	erve		V	Noodland prese	nt in the 1840s	No
Ownership	Private - Single	Area	(ha) 1.	4 Max.	alt. (m) 10	Min. alt. (m)	0
Sub-soil Rckl	NCa/TLPS/A		Soil	AminSP/An	ninPD/AminSW/	AlluvMIN	
<u>Geography</u>		Woodland hab	<u>oitats</u>	Grazing		Hydrological feature	<u>9S</u>
Esker		WN1	0%	Deer	Se	easonal flooding	✓
Drumlin		WN2	100%	Cattle	Sp	orings	
Valley	<b>✓</b>	WN3	0%	Sheep	La	kes	
Lakeside		WN4	0%	Rabbits	Riv	vers/streams	✓
Bogland		WN5	0%	Hares	□ Da	amp clefts/ravines	
Hill		WN6	0%	Goats	Ot	her	
Plain/Lowlands		WN7	0%	Horses			
Island		WS1	0%	Other			
Riverside/Floodpla	in 🗌	WD1	0%	Grazing level	0		
Coastal/Estuary		WD2	0%				
	Othe	er habitats					
Field notes			E	External data sou	ırce: not all data re	ecorded	
Wexford. The site i	s on a fairly freel b layer with syca um and Rubus fi	ly draining mine Imore (Acer pse ruticosus agg. c	eral soil. The eudoplatanus occur in the fi	canopy is domi ) and hawthorn eld layer. There	inated by pedund (Crataegus mode is a patch of sy	northwest of Fethard culate oak (Quercus nogyna). Dryopteris ycamore (Acer	robur),

Site no.	0307		FIPS no.	79702			
Date surveyed	21/08/200	03					
Woodland name	Donore House	Wood	Tow	nland name	Donore		
Conservation rating	and score	Moderate	42	Threa	t rating and score	Moderate	25
Disco. map 6	0 Grid re	f. S3688	882	6 inch sheet	LA 23 Cou	unty L	aois
NPWS region	North Eastern	NHA code	-	SAC code	-	SPA Code	-
National Park	Nature Res	erve		V	Woodland present in	the 1840s	Yes
Ownership	Private - Single	Area	(ha) 2	2 Max.	alt. (m) 90	Min. alt. (m)	90
Sub-soil A/Cu	ıt/TDSs		Soil	AlluvMIN/C	ut/AminDW		
<u>Geography</u>		Woodland hab	oitats	Grazing	Hydi	rological feature	<u> </u>
Esker		WN1	0%	Deer	Season	nal flooding	$\checkmark$
Drumlin		WN2	0%	Cattle	✓ Springs	S	
Valley		WN3	0%	Sheep	✓ Lakes		
Lakeside		WN4	100%	Rabbits	Rivers	streams	
Bogland		WN5	0%	Hares	Damp	clefts/ravines	
Hill		WN6	0%	Goats	Other		
Plain/Lowlands	<b>✓</b>	WN7	0%	Horses			
Island		WS1	0%	Other			
Riverside/Floodplai	n 🗌	WD1	0%	Grazing level	3		
Coastal/Estuary		WD2	0%				
	Othe	er habitats			]		
Field notes			E	External data sou	rce: not all data record	ed 🗌	
and has a moderate alder (Alnus glutino that low woody spe the trees) and the fi present in any amo	ely freely drainin sa) and hazel (C cies are almost leld layer is dom unt are thorny s ch elms (Ulmus o	g mineral soil. T Corylus avellana absent (no Rub inated by Urtica pecies such as glabra) (one aln	The site is do a). The flora i us fruticosus a dioica and g blackthorn (F	minated by old s severely chec agg. was recor grasses such as Prunus spinosa)	th of Ballycolla, Co. ash (Fraxinus excel cked by grazing (proloted, and Hedera he s Agrostis stolonifera) and Hawthorn (Craler shoots) closer to	sior), with abun bably cattle in w lix was only pre a. The only sapl taegus monogy	dant vinter) so esent in ings vna), but

Site no.	0308	FIPS no.	66881		٦
Date surveyed	09/09/2003	]			
Woodland name	Barleagh Wood	To	wnland name	Barleagh	
Conservation rating	and score Mod	lerate 42	Threa	at rating and score Moderate 25	
Disco. map 68	Grid ref.	S676436	6 inch sheet	KK 29 County Kilkenny	
NPWS region S	South Eastern NHA	code -	SAC code	- SPA Code -	
National Park	Nature Reserve		\	Woodland present in the 1840s Yes	
Ownership	Coillte	Area (ha)	Max.	alt. (m) 140 Min. alt. (m) 90	
Sub-soil TLPS	SsS	Soi	AminPD		
<u>Geography</u>	Woodl	and habitats	Grazing	<u>Hydrological features</u>	
Esker	□ WN1	0%	Deer	Seasonal flooding	
Drumlin	□ WN2	0%	Cattle	Springs	
Valley	□ WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	Rivers/streams	
Bogland	□ WN5	0%	Hares	Damp clefts/ravines	
Hill	✓ WN6	0%	Goats	Other	╛
Plain/Lowlands	□ WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplain	n 🗌 WD1	0%	Grazing level	0	
Coastal/Estuary	□ WD2	0%			
	Other habita	ws2 100%			
Field notes			External data sou	urce: not all data recorded	
mineral soil. The ca sessile oak (Quercu (Pseudotsuga mena	nopy is dominated by ir us petraea). The oak tre ziesii) are frequent but a	nmature downy birc es are largely growi ppear self-seeded r	h (Betula pubes ng from stools. ather than plan	kenny. The site is on fairly freely draining scens), rowan (Sorbus aucuparia) and Non-native conifers such as Douglas fir sted. Luzula sylvatica and Dryopteris dilatata may be abandoned clearfell.	

Site no.	0309		FIPS no.	55715		
Date surveyed	10/09/200	3				
Woodland name	Emmel West		Tow	nland name	Emmel West	
Conservation rating	and score	Poor	30	Threa	at rating and score Low	8
				F		
Disco. map 59			355	6 inch sheet	OF 44 County Off	aly
NPWS region N	lorth Eastern	NHA code	-	SAC code	- SPA Code	-
National Park	Nature Rese	erve 🗌		١	Woodland present in the 1840s	No
Ownership	Coillte	Area	(ha) 2.	5 Max.	alt. (m) 95 Min. alt. (m)	95
Sub-soil Cut			Soil	Cut		
<u>Geography</u>		Woodland hab	oitats	Grazing	Hydrological features	
Esker		NN1	0%	Deer	Seasonal flooding	<b>✓</b>
Drumlin		NN2	0%	Cattle	Springs	
Valley		NN3	0%	Sheep	Lakes	<b>✓</b>
Lakeside		NN4	0%	Rabbits	Rivers/streams	
Bogland	<b>✓</b>	NN5	0%	Hares	Damp clefts/ravines	
Hill		NN6	0%	Goats	Other	
Plain/Lowlands		NN7	100%	Horses		
Island		NS1	0%	Other		
Riverside/Floodplain	n 🗌 🛝 \	ND1	0%	Grazing level	1 0	
Coastal/Estuary		ND2	0%			
	Othe	r habitats				
Field notes			E	External data sou	urce: not all data recorded	
located in Co. Offaly monogyna). Open a	y, 3 km south of treas are dominal Rubus fruticosu	Cloghjordan, C nted by Molinia s agg. dominat	o. Tipperary. caerulea with	There is a shr n Calluna vulga	grey willow (Salix cinerea) on cutover rub layer with hawthorn (Crataegus aris and Pteridium aquilinum. Osmunda good range of acidic species. This s	la

Site no.	0310	FIPS no.		9, 65538, 54665, 41079, 43980, 65544, 54611
Date surveyed	02/10/2003		65537, 65568	8
Woodland name	Coolaphuca	To	wnland name	Carrickduff, Bunnagurragh, Glebe
Conservation rating	g and score Very	Good 70	Threa	at rating and score Low 17
Disco. map 6	8 Grid ref.	S900577	6 inch sheet	CW 21 County Carlow
NPWS region	South Eastern NHA	code 803	SAC code	781 SPA Code -
National Park	Nature Reserve		\	Woodland present in the 1840s Yes
Ownership	Private - Single	Area (ha)	Max.	. alt. (m) 95 Min. alt. (m) 30
Sub-soil TMp	/RckNCa/A/GLs	Soi	AminDW/A	minSW/AlluvMIN/BminSW
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	100%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	<b>✓</b> WN3	0%	Sheep	Lakes
Lakeside	WN4	0%	Rabbits	☐ Rivers/streams ✓
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n WD1	0%	Grazing level	1
Coastal/Estuary	□ WD2	0%		
	Other habita	its		
Field notes			External data sou	urce: not all data recorded
along the Slaney va Luzula sylvatica an	alley. The site is on a fre d Vaccinium myrtillus ar	ely draining mineral e abundant in the fi	soil. Holly (llex eld layer. There	est of Bunclody, Co. Wexford, on the slopes aquifolium) occurs in the shrub layer, and is little evidence of grazing. Much of the re areas of semi-natural woodland remain.

Site no.	0311	FIPS no.	7527	
Date surveyed	17/09/2003			
Woodland name	Barnadown Wood	Tov	vnland name	Barnadown Lower
Conservation rating	and score P	oor 21	Threa	at rating and score Low 0
Disco. map 69	Grid ref.	T142543	6 inch sheet	WX 17 County Wexford
NPWS region So	outh Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		١	Woodland present in the 1840s Yes
Ownership	Coillte	Area (ha) 1	.5 Max.	alt. (m) 40 Min. alt. (m) 30
Sub-soil IrSTL	s	Soil	BminPD	
Geography	Woodla	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	<b>✓</b> WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplain	WD1	100%	Grazing level	I1
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes		Į.	External data sou	rce: not all data recorded
is on moderately free pubescens), with hol Rubus fruticosus, Ca	ely draining mineral soi Ily (Ilex aquifolium), haz	l. There is a canopy zel (Corylus avellana Carex sylvatica occ	of ash (Fraxinua), and hawthor cur in the shrub	north of Ballycanew, Co. Wexford. The site us excelsior) and downy birch (Betula in (Crataegus monogyna) in the shrub layer. layer. Some conifers are present, and any iss).

Site no.	0313	FIPS no. 55775	
Date surveyed	15/09/2003		
Woodland name	Kilballyskea Bog	Townland name Kilballyskea	
Conservation rating	g and score P	or Threat rating and s	score Low 8
Disco. map 5	Grid ref.	S070922 6 inch sheet OF 42	County Offaly
NPWS region	North Eastern NHA	code - SAC code -	SPA Code -
National Park	Nature Reserve	Woodland pre	esent in the 1840s No
Ownership	Private - Single	Area (ha) 2 Max. alt. (m)	80 Min. alt. (m) 70
Sub-soil Cut/	TLs	Soil Cut/BminPD	
<u>Geography</u>	Woodl	nd habitats Grazing	Hydrological features
Esker	□ WN1	0% Deer	Seasonal flooding
Drumlin	□ WN2	0% Cattle	Springs
Valley	□ WN3	0% Sheep	Lakes
Lakeside	□ WN4	0% Rabbits	Rivers/streams
Bogland	✓ WN5	0% Hares	Damp clefts/ravines
Hill	□ WN6	0% Goats	Other
Plain/Lowlands	□ WN7	100% Horses	
Island	□ WS1	0% Other	
Riverside/Floodpla	in 🗌 WD1	0% Grazing level 0	
Coastal/Estuary	□ WD2	0%	
	Other habita	S	
Field notes		External data source: not all dat	ta recorded
pubescens) domina robur). The site is o	ates the canopy over hol on a well drained peat. R	a bog 1.5 km southwest of Shinrone, Co. Offaly (Ilex aquifolium) and occasional ash (Fraxinus ibus fruticosus agg. and Dryopteris dilatata occ A drain prevented access to part of the site.	s excelsior) and oak (Quercus

Site no.	0316 FIPS no. 57971, 57972	
Date surveyed	23/09/2003	
Woodland name	Ballynattin Townland name Ba	allynattin
Conservation rating	ng and score Moderate 48 Threat ra	ating and score Low 8
Disco. map 6	68 Grid ref. S750520 6 inch sheet C	CW 22 County Carlow
NPWS region	South Eastern NHA code - SAC code	- SPA Code -
National Park	Nature Reserve Woo	odland present in the 1840s Yes
Ownership	Private - Multiple Area (ha) 5.3 Max. alt.	(m) 70 Min. alt. (m) 50
Sub-soil GGr	Sr/A Soil AminSP/AlluvN	ЛIN
Geography	Woodland habitats Grazing	Hydrological features
Esker	□ WN1 0% Deer [	Seasonal flooding
Drumlin	□ WN2 0% Cattle	Springs
Valley	✓ WN3 0% Sheep	Lakes
Lakeside	☐ WN4 0% Rabbits	Rivers/streams
Bogland	□ WN5 0% Hares	Damp clefts/ravines
Hill	□ WN6 100% Goats	Other
Plain/Lowlands	WN7 0% Horses	
Island	□ WS1 0% Other	
Riverside/Floodplai	ain  WD1  Grazing level	0
Coastal/Estuary	□ WD2 0%	
	Other habitats	
Field notes	External data source:	not all data recorded
soil with gravel and and grey willow (Sa field layer contains	d along a small stream in a valley 2 km northeast of Borris, Co. (d rock below 10cm. The wood consists of downy birch (Betula p Salix cinerea) over a shrub layer of ash (Fraxinus excelsior) and is Mentha aquatica, Juncus effusus, Rubus fruticosus agg., and ad cattle on the site up to two years ago. The survey focussed or	hawthorn (Crataegus monogyna). The Agrostis stolonifera among other species.

Site no.	0320	FIPS no.	41060, 62101	1
Date surveyed	16/09/2003			
Woodland name	Big Wood (Wexford)	Tov	vnland name	Ballyleigh
Conservation rating	and score F	oor 30	Threa	at rating and score Low 17
Disco. map 68	Grid ref.	S747353	6 inch sheet	WX 23 County Wexford
NPWS region S	outh Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		,	Woodland present in the 1840s Yes
Ownership	Coillte	Area (ha)	1 Max.	alt. (m) 100 Min. alt. (m) 70
Sub-soil TGr		Soil	AminDW	
<u>Geography</u>	Wood	and habitats	Grazing	Hydrological features
Esker	□ WN1	100%	Deer	☐ Seasonal flooding ☐
Drumlin	□ WN2	0%	Cattle	□ Springs □
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	✓ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplair	n 🗌 WD1	0%	Grazing leve	0
Coastal/Estuary	□ WD2	0%		
	Other habita	ats		
Field notes			External data sou	urce: not all data recorded
hybrid oak (Quercus soil. There is a holly	s x rosacea) woodland	on a Coillte site, surn layer, and Dryopter	ounded by con	le site consists of a small pocket of mature diferous wood, on a freely draining mineral leaves.  Luzula sylvatica occur in the field layer.

Site no.	0321		FIPS no.	Non FIPS			
Date surveyed	25/09/200	3					
Woodland name	Brownstown		Tow	nland name	Brownstown, Ballag	hveny, Woodville	
Conservation rating	g and score	Very Good	64	Threa	at rating and score	Moderate 25	
Disco. map 5	9 Grid ref	. R9718	31	6 inch sheet	OF 44/46 Cou	unty Offaly	
NPWS region	North Eastern	NHA code	-	SAC code	-	SPA Code -	
National Park	National Park						
Ownership	Private - Single	Area	(ha) 10	.1 Max.	alt. (m) 105	Min. alt. (m) 100	
Sub-soil Cut			Soil	Cut			
Geography		Woodland habi	<u>tats</u>	Grazing	Hydr	ological features	
Esker		WN1	0%	Deer	Seasor	nal flooding	
Drumlin		NN2	80%	Cattle	Springs	<b></b>	
Valley		WN3	0%	Sheep	Lakes		
Lakeside		WN4	0%	Rabbits	Rivers/	streams	
Bogland		NN5	0%	Hares	☐ Damp o	clefts/ravines	
Hill		NN6	0%	Goats	Other		
Plain/Lowlands	✓ v	WN7	20%	Horses			
Island		WS1	0%	Other			
Riverside/Floodplai	in 🗌 🕠	WD1	0%	Grazing leve	0		
Coastal/Estuary		ND2	0%				
	Othe	r habitats			]		
Field notes			E	external data sou	rce: not all data record	ed	
moderately freely of (Salix caprea), haz procera) and ash (I dilatata, Circaea lui peaty soil, with a ca (Sorbus aucuparia)	raining, raised ar el (Corylus avella Fraxinus excelsio tetiana and Oxali anopy dominated and holly (llex a inia caerulea occ	rea of mineral so ana) and bird ch or) occur in the s s acetosella occ by downy birch quifolium) in the ur in the field la	oil surrounde erry (Prunus hrub layer. F cur in the fiel (Betula pub shrub layer	ed by bog land padus). Haze Rubus fruticoso d layer. The re escens), and s . Rubus frutico	est of the wood at the sessile oak (Quercus sus agg., Dryopteris	cosed of goat willow English elm (Ulmus setiferum, Dryopteris edge of the site is on a petraea) with rowan	

Site no.	0322	FIPS no.	75808			
Date surveyed	25/09/2003					
Woodland name	North Brow	To	wnland name	Northgrove		
Conservation rating	g and score Mod	derate 46	Threa	at rating and score	Moderate	25
Disco. map 5	4 Grid ref.	S288980	6 inch sheet	LA 11 Cou	inty La	aois
NPWS region	North Eastern NHA	code -	SAC code	-	SPA Code	-
National Park	Nature Reserve		١	Woodland present in	the 1840s	Yes
Ownership	Private - Single	Area (ha) 2	.8 Max.	alt. (m) 170	Min. alt. (m)	150
Sub-soil TDS	s/A	Soi	AminDW/A	minPD/AlluvMIN		
Geography	Woodl	and habitats	Grazing	<u>Hydr</u>	ological feature	<u>3</u>
Esker	□ WN1	70%	Deer	Seasor	nal flooding	
Drumlin	□ WN2	0%	Cattle	✓ Springs	3	
Valley	✓ WN3	0%	Sheep	Lakes		
Lakeside	□ WN4	0%	Rabbits	Rivers/	streams	✓
Bogland	□ WN5	0%	Hares	☐ Damp o	clefts/ravines	
Hill	□ WN6	30%	Goats	Other		
Plain/Lowlands	□ WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplai	in WD1	0%	Grazing level	3		
Coastal/Estuary	□ WD2	0%				
	Other habita	nts				
Field notes			External data sou	urce: not all data recorde	ed 🗌	
mineral soil. The si glutinosa) and grey ulmaria in the field downy birch (Betula of wood has been h	d on the slopes of a vall te can be divided into two willow (Salix cinerea) wall ayer. The rest of the work a pubescens). Oxalis acheavily grazed by cattle atica) occurs in the wood	or types. On the low roodland with Desch god is composed of I etosella and Hyacin but the remainder is	er slopes, near ampsia cespitos nazel (Corylus a thoides non-scri	a stream, there is an sa, Ranunculus repe avellana) and holly (Il ipta occur in the field	area of alder (Ans and Filipender ex aquifolium) valuer here. At le	Alnus ula vith east half

Site no.	0324	FIPS no.	62724		
Date surveyed	26/09/2003	]			
Woodland name	Cloghscregg	To	wnland name	Cloghscregg	
Conservation rating	g and score P	oor 36	Threa	at rating and score Low 1	7
Disco. map 68	8 Grid ref.	S634452	6 inch sheet	KK 28 County Kilkenny	
NPWS region S	South Eastern NHA	code -	SAC code	- SPA Code -	
National Park	Nature Reserve		١	Woodland present in the 1840s No	
Ownership	Coillte	Area (ha)	2 Max.	. alt. (m) 180 Min. alt. (m) 175	;
Sub-soil A/TD	Sc/RckNCa	Soi	I AlluvMIN/A	AminDW/AminSW	
Geography	Woodl	and habitats	Grazing	Hydrological features	
Esker	□ WN1	0%	Deer	Seasonal flooding	
Drumlin	□ WN2	100%	Cattle	☐ Springs ☐	
Valley	<b>✓</b> WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ✓	
Bogland	WN5	0%	Hares	□ Damp clefts/ravines □	
Hill	□ WN6	0%	Goats	Other	
Plain/Lowlands	□ WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	0	
Coastal/Estuary	□ WD2	0%			
	Other habita	ts			
Field notes			External data sou	urce: not all data recorded	
freely draining mine are grey willow (Sal layer. Elder (Sambu ponticum) is scatter	eral soil. The wood is im lix cinerea), downy birch ucus nigra) and hazel (C	mature and the can (Betula pendula), a corylus avellana) are Grazing seems to b	opy reaches 16 and ash (Fraxinu e found in the sh e absent and th	nanagh, Co. Kilkenny. It is on a moderately metres in height. The main canopy species us excelsior), which also occurs in the shrub hrub layer. Rhododendron (Rhododendron ne field layer is dominated by Rubus	

Site no.	0326	FIPS no.	Non FIPS	
Date surveyed	29/09/2003			
Woodland name	Brownstown East	Tov	vnland name	Brownstown
Conservation rating	g and score P	oor 30	Threa	at rating and score Low 17
Disco. map 5	9 Grid ref.	R975837	6 inch sheet	OF 44/46 County Offaly
NPWS region	North Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		\	Woodland present in the 1840s No
Ownership	Private - Single	Area (ha) 1	.9 Max.	. alt. (m) 105 Min. alt. (m) 100
Sub-soil Cut		Soil	Cut	
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	<b>✓</b> WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	100%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	0
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes		1	External data sou	urce: not all data recorded
wood is dominated include rowan (Sort and Rubus fruticos)	by downy birch (Betula bus aucuparia), grey will	pubescens). Other s ow (Salix cinerea) a field layer. The woo	pecies which o nd eared willow	m south of Cloghjordan, Co. Tipperary. The occur in the subcanopy and shrub layers w (Salix aurita) x S. cinerea. Molinia caerulea larger complex of several habitat types.

Site no.	0327	FIPS no.	41077
Date surveyed	29/09/2003		
Woodland name	Carrhill Wood	Tow	vnland name Carrhill
Conservation rating	g and score P	por 24	Threat rating and score High 42
Disco. map 6	8 Grid ref.	S914575	6 inch sheet WX 9 County Wexford
	South Eastern NHA	code 754	SAC code 781 SPA Code -
National Park	Nature Reserve		Woodland present in the 1840s Yes
Ownership	Private - Single	Area (ha) 6.	.5 Max. alt. (m) 70 Min. alt. (m) 30
Sub-soil Rckl	NCa/TMp/A	Soil	AminSW/AminDW/AlluvMIN
<u>Geography</u>	Woodla	and habitats	Grazing Hydrological features
Esker	□ WN1	0%	Deer Seasonal flooding
Drumlin	□ WN2	0%	Cattle Springs
Valley	□ WN3	0%	Sheep Lakes
Lakeside	□ WN4	0%	Rabbits Rivers/streams
Bogland	□ WN5	0%	Hares Damp clefts/ravines
Hill	□ WN6	0%	Goats Other
Plain/Lowlands	✓ WN7	0%	Horses
Island	□ WS1	0%	Other
Riverside/Floodpla	in 🗌 WD1	100%	Grazing level 0
Coastal/Estuary	□ WD2	0%	
	Other habita	ts	
Field notes		E	External data source: not all data recorded
The canopy is com (Fagus sylvatica), a hippocastanum). B wood is quite distur- present. Cherry lau	posed of quite widely sp ash (Fraxinus excelsior), eech is found in the shru rbed with wide tracks ma	aced, big, old pedun sycamore (Acer pse b layer. Pteridium a intained by JCB. The s) forms dense clum	Co. Wexford. The wood is on a freely draining mineral soil. Inculate oaks (Quercus robur) around 30m tall, with beech eudoplatanus) and horse-chestnut (Aesculus quilinum and Dryopteris dilatata occur in the field layer. The ere is evidence of use by horse riders and jumps are ups in places. Occasional mature rhododendron eedlings.

Site no.	032	8	FIPS no.	57584, 68054	I, Non FIPS	
Date surveyed	11/08/2	2003				
Woodland name	Lisheen		To	wnland name	Lisheen, Ballywilliam	
					·	
		Madausta		<del>-</del>		
Conservation rating	and score	Moderate	46	Inrea	at rating and score Low	8
Disco. map 53	Grid	ref. N08	6060	6 inch sheet	OF 35 County C	Offaly
NPWS region N	orth Eastern	NHA code	-	SAC code	- SPA Code	-
National Park	Nature R	eserve		V	Woodland present in the 1840s	No
Ownership	Private - Sing	le Are	ea (ha)	9 Max.	alt. (m) 60 Min. alt. (m)	60
Sub-soil Cut			So	il Cut		
Geography		Woodland h	abitats	Grazing	Hydrological feature	es es
Esker		WN1	0%	Deer	Seasonal flooding	<b>✓</b>
Drumlin		WN2	0%	Cattle	✓ Springs	
Valley		WN3	0%	Sheep	✓ Lakes	
Lakeside		WN4	0%	Rabbits	Rivers/streams	
Bogland	<b>✓</b>	WN5	0%	Hares	Damp clefts/ravines	
Hill		WN6	0%	Goats	Other	
Plain/Lowlands		WN7	30%	Horses		
Island		WS1	20%	Other		
Riverside/Floodplair	n 🗌	WD1	0%	Grazing level	1	
Coastal/Estuary		WD2	0%			
	Ot	her habitats	WD4 50%			
Field notes				External data sou	rce: not all data recorded	
Downy birch (Betula	pubescens) endula ulmai	dominates the dria, Agrostis stol	canopy, while onifera, Brach	grey willow (Sali nypodium sylvati	Co. Offaly. The wood is on wet cut- ix cinerea) is found in the shrub layer icum, Festuca rubra and Polystichur	er. Rubus

Site no.	0329	FIPS no.	57880	
Date surveyed	11/08/2003			
Woodland name	Clondallow	То	wnland name	Clondallow
Conservation rating	g and score Mod	lerate 42	Threa	at rating and score Low 0
Disco. map 53	Grid ref.	N049085	6 inch sheet	OF 35 County Offaly
NPWS region N	North Eastern NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Noodland present in the 1840s No
Ownership	Private - Single	Area (ha)	Max.	alt. (m) 50 Min. alt. (m) 50
Sub-soil FenF	Pt	Soi	l FenPt	
<u>Geography</u>	Woodl	and habitats	Grazing	Hydrological features
Esker	<b>✓</b> WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	✓ Springs
Valley	□ WN3	0%	Sheep	✓ Lakes ✓
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	✓ WN5	0%	Hares	Damp clefts/ravines
Hill	□ WN6	0%	Goats	Other Wet hollows
Plain/Lowlands	□ WN7	80%	Horses	
Island	□ WS1	20%	Other	
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	1
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes			External data sou	rce: not all data recorded
Birr, Co. Offaly. Gre of very wet hollows Molinia caerulea, G occur include Mentl	ey willow (Salix cinerea) and drier mounds. The llyceria fluitans, Holcus l	is abundant in the s field layer in the we anatus, Agrostis sto ustre and Epilobium	subcanopy and a t hollows is dom blonifera and An palustre. In drie	t the edge of a bog, 3 km north-northwest of also in the shrub layer. The site is a mosaic hinated by sedges and grasses, such as thoxanthum odoratum. Other herbs which er areas, the field layer is largely composed ris dilatata.

Site no.	0330	FIPS no.	75081				
Date surveyed	13/07/2004						
Woodland name	Rinn Lough Woods	7	ownland name	Clooncoe			
Concernation ratio	and soors Ma	doroto E4	<b>T</b> la	Madaget	- 05		
Conservation rating	g and score with	derate 54	ınrea	at rating and score Moderat	e 25		
Disco. map 3	Grid ref.	N108920	6 inch sheet	LE 35/36 County	Leitrim		
NPWS region N	North Midlands NH	A code 424	SAC code	- SPA Code	-		
National Park	Nature Reserve		,	Woodland present in the 1840s	No		
Ownership	Coillte	Area (ha)	28 Max.	alt. (m) 45 Min. alt. (m)	40		
Sub-soil Cut		S	oil Cut				
<u>Geography</u>	Wood	land habitats	<u>Grazing</u>	<u>Hydrological featu</u>	<u>ires</u>		
Esker	□ WN1	0%	Deer	Seasonal flooding	<b>✓</b>		
Drumlin	□ WN2	0%	Cattle	Springs			
Valley	□ WN3	0%	Sheep	Lakes			
Lakeside	<b>✓</b> WN4	0%	Rabbits	Rivers/streams			
Bogland	<b>✓</b> WN5	0%	Hares	Damp clefts/ravines			
Hill	□ WN6	10%	Goats	Other			
Plain/Lowlands	□ WN7	90%	Horses				
Island	□ WS1	0%	Other				
Riverside/Floodpla	in 🗌 WD1	0%	Grazing leve	1 0			
Coastal/Estuary	□ WD2	0%					
	Other habi	ats					
Field notes			External data sou	urce: not all data recorded			
This is a large site on regenerating cutover peat by a lake, located 5 km southwest of Mohill, Co. Leitrim. The soil is moderately freely draining. The majority of site is dominated by downy birch (Betula pubescens) and there are localised stands of Scots pine (Pinus sylvestris). There is extensive Rhododendron (Rhododendron ponticum) invasion. Open areas have a field layer of Pteridium aquilinum and Rubus fruticosus agg. An area of wet woodland occurs along the western shore of Clooncoe Lough. Here, there is a canopy of grey willow (Salix cinerea), ash (Fraxinus excelsior) and alder (Alnus glutinosa). Hawthorn (Crataegus monogyna), ash and alder (Alnus glutinosa) are found in the shrub layer with Filipendula ulmaria and Phalaris arundinacea in the field layer.							

Site no.	0331	F	TPS no.	71821, 2297			
Date surveyed	01/09/2004						
Woodland name	Ardagh		Tow	nland name	Roosky, Ardagh (Sh	eeran)	
Conservation rating	g and score	Moderate	58	Threa	t rating and score	Low	0
Disco. map 1	6 Grid ref.	G90551	8	6 inch sheet	LE 4/5 Cou	inty Le	itrim
NPWS region	Northern	NHA code	-	SAC code		SPA Code	-
National Park	Nature Reserv	re 🗌		V	Woodland present in t	the 1840s	Yes
Ownership	Private - Single	Area (	ha) 19	.6 Max.	alt. (m) 50	Min. alt. (m)	20
Sub-soil TNS	Ss/RckCa		Soil	AminPD/Bn	ninSP		
Geography	<u>W</u>	oodland habit	ats	<u>Grazing</u>	Hydro	ological feature	<u>s</u>
Esker	□ W	N1	0%	Deer	<b>✓</b> Season	al flooding	
Drumlin	□ w	N2	0%	Cattle	<b>✓</b> Springs	3	<b>✓</b>
Valley	□ w	N3	0%	Sheep	Lakes		<b>✓</b>
Lakeside	<b>✓</b> W	N4	0%	Rabbits	Rivers/s	streams	
Bogland	□ W	N5	0%	Hares	☐ Damp c	clefts/ravines	
Hill	□ W	N6 1	00%	Goats	Other	Ditch	es
Plain/Lowlands	W		0%	Horses			
Island	□ W	S1 =	0%	Other			
Riverside/Floodplai	n 🗌 W	D1	0%	Grazing level	1		
Coastal/Estuary	W	02	0%				
	Other h	abitats			]		
Field notes			E	xternal data sou	rce: not all data recorde	ed 🗌	
This is a narrow are developed field layer	ea of wet woodland er. There is a sprin	beside a lake.	The canop od creating	y of the woodla wet conditions	and is open in parts a	and there is a w	ell

Site no.	0332		FIPS no.	2353				
Date surveyed	27/07/2004							
Woodland name	Buckode		Tow	nland name	Buckode			
Conservation rating	g and score	Moderate	54	Threat	t rating and score	Low	0	
Disco. map 1	6 Grid ref.	G8705	527	6 inch sheet	LE 2/4 Co	unty Le	eitrim	
NPWS region	Northern	NHA code	-	SAC code		SPA Code	-	
National Park								
Ownership	Private - Single	Area	(ha) 19	.7 Max. a	alt. (m) 130	Min. alt. (m)	60	
Sub-soil TNS	Ss	<u> </u>	Soil	AminPD				
Geography	<u></u>	oodland hab	oitats	Grazing	Hyd	rological feature	<u>es</u>	
Esker	□ w	<b>N</b> 1	0%	Deer	Seaso	nal flooding		
Drumlin		<b>\</b> 2	0%	Cattle	✓ Spring	s	<b>✓</b>	
Valley	□ w	<b>N</b> 3	0%	Sheep	✓ Lakes			
Lakeside	□ w	N4	0%	Rabbits	Rivers	/streams	<b>✓</b>	
Bogland	$\Box$ w	<b>N</b> 5	0%	Hares	Damp	clefts/ravines		
Hill	<b>✓</b> W	<b>N</b> 6	95%	Goats	Other			
Plain/Lowlands	$\Box$ w	<b>N</b> 7	0%	Horses				
Island	$\Box$ w	S1 [	0%	Other				
Riverside/Floodplai	n 🗆 W	<b>D1</b>	0%	Grazing level	1			
Coastal/Estuary	$\Box$ w	D2	0%					
	Other I	abitats	GS4 5%					
Field notes		_	E	xternal data sour	rce: not all data record	led		
This is a very wet, searthbanks and stresurrounded to east, (Coillte estate). The	eams within the site west and south by	e are notable wet grasslar	features. The	e field layer is d to the north. T	lominated by Carex	remota. The sit		

Site no.	0333		FIPS no.	76339, 1807,	1829, 79787			
Date surveyed	04/08/2004							
Woodland name	Stonepark		Tow	nland name	Stonepark			
Conservation rating	g and score	Very Good	64	Threa	at rating and score Low 8			
Disco. map 2	5 Grid ref.	G7963	329	6 inch sheet	LE 10/14 County Leitrim			
NPWS region	Northern	NHA code	_	SAC code	- SPA Code -			
National Park	National Park Nature Reserve Woodland present in the 1840s Yes							
Ownership	Private - Multiple	Area	(ha) 19	.1 Max.	alt. (m) 60 Min. alt. (m) 40			
Sub-soil Rckl	NCa/Cut		Soil	AminSRPT	//Cut			
Geography	<u>7</u>	Noodland hab	oitats	Grazing	Hydrological features			
Esker		/N1	100%	Deer	Seasonal flooding			
Drumlin		/N2	0%	Cattle	☐ Springs ☐			
Valley		/N3	0%	Sheep	Lakes			
Lakeside	w	/N4	0%	Rabbits	Rivers/streams			
Bogland	W	/N5	0%	Hares	☐ Damp clefts/ravines ☐			
Hill	<b>✓</b> W	/N6	0%	Goats	Other			
Plain/Lowlands	w	/N7	0%	Horses				
Island	W	/S1	0%	Other				
Riverside/Floodplai	n 🗆 🕠	/D1	0%	Grazing level	0			
Coastal/Estuary	W	/D2	0%					
	Other	habitats			]			
Field notes			E	xternal data sou	ırce: not all data recorded			
communities through	phout. The canopy rub layer with man	contains ses y open space	sile oak (Que	rcus petraea) a	own earths with similar vegetation and downy birch (Betula pubescens). There ance which gives rise to a multistructural			

Site no.	0334	FIPS no.	34272		
Date surveyed	15/07/2004				
Woodland name	Garadice Lough Penins	sula To	wnland name	Cully	
Conservation rating	g and score Very	Good 67	Threa	at rating and score Lo	8 wo
Disco. map 2	Grid ref.	H197118	6 inch sheet	LE 25/26 County	Leitrim
NPWS region N	North Midlands NHA	code -	SAC code	- SPA Cod	e -
National Park	Nature Reserve		١	Woodland present in the 1840	s Yes
Ownership	Private - Single	Area (ha)	6 Max.	alt. (m) 65 Min. alt.	(m) 50
Sub-soil TCS	SsCh	Soi	I AminPD/An	minDW	
<u>Geography</u>	Woodl	and habitats	Grazing	Hydrological f	<u>eatures</u>
Esker	□ WN1	100%	Deer	Seasonal flooding	ng 🗌
Drumlin	✓ WN2	0%	Cattle	Springs	
Valley	□ WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	Rivers/streams	$\checkmark$
Bogland	□ WN5	0%	Hares	Damp clefts/ravi	nes 🗌
Hill	□ WN6	0%	Goats	Other	
Plain/Lowlands	WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodpla	in 🗌 WD1	0%	Grazing level	0	
Coastal/Estuary	□ WD2	0%			
	Other habita	its			
Field notes			External data sou	irce: not all data recorded	]
Downy birch (Betul field layer of Hycar (Salix cinerea) with abundant. Grey wil	a pubescens) is co-don hthoides non-scripta, Oxa downy birch (Betula pul low, eared willow (S. au	ninant in places. Ro alis acetosella and S bescens); hawthorn rita) and alder (Alnu	wan (Sorbus au Silene dioica. Ot (Crataegus mo s glutinosa) are	erstorey of mature holly (llex a cuparia) is present throughout ther areas of wood contained a nogyna) and Rubus fruticosus present at the lake shore. The native planting is evident at the	t. There is a grey willow s agg. are e perimeter of

Site no.	0335	FIPS no.	101679, 71982	2, 19037
Date surveyed	02/08/2004			
Woodland name	Faslowart	Tow	nland name	Faslowart, Cartron
Conservation rating	g and score Very	Good 61	Threat	rating and score Low 0
Disco. map	Grid ref.	G780359	6 inch sheet	LE 10/14 County Leitrim
NPWS region	Northern NHA	A code -	SAC code	1976 SPA Code -
National Park	Nature Reserve		W	/oodland present in the 1840s Yes
Ownership	Coillte	Area (ha)	Max. a	alt. (m) 100 Min. alt. (m) 30
Sub-soil Rck0	Ca	Soil	BminSW	
<u>Geography</u>	Wood	and habitats	<u>Grazing</u>	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	100%	Cattle	✓ Springs
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	Damp clefts/ravines
Hill	✓ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	WS1	0%	Other	
Riverside/Floodplai	n WD1	0%	Grazing level	1
Coastal/Estuary	WD2	0%		
	Other habita	ats		
Field notes		E	xternal data sourc	ce: not all data recorded
border. Limestone of is very little mature	outcrops occur through	out and there are mar ) present and no oak	ny old stone wall	thorn (Prunus spinosa) scrub to the outer alls. This is quite possibly old coppice. There between, there are many young ash

Site no.	0336	FIPS no.	55086	
Date surveyed	24/06/2004			
Woodland name	Ballard Hill	To	wnland name	Ballard
Conservation rating	and score Very	Good 61	Threa	at rating and score Low 17
Disco. map 56	Grid ref.	T146955	6 inch sheet	WI 23/24 County Wicklow
NPWS region S	South Eastern NHA	code -	SAC code	2122 SPA Code -
National Park	Nature Reserve		,	Woodland present in the 1840s Yes
Ownership	Coillte	Area (ha)	7.4 Max.	alt. (m) 180 Min. alt. (m) 120
Sub-soil TLPS	SsS/RckNCa/GLPSsS/A	Soi	AminPDPT	/AminSRPT/AlluvMIN
<u>Geography</u>	Woodla	and habitats	Grazing	Hydrological features
Esker	□ WN1	100%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	Springs
Valley	<b>✓</b> WN3	0%	Sheep	Lakes
Lakeside	WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	Unknown
Riverside/Floodplain	n 🗌 WD1	0%	Grazing leve	1 1
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes			External data sou	urce: not all data recorded
frequent in the unde little evidence of gra are some small fring	erstorey. Dense field lay azing. Beech is regenera ging areas of conifers. T	er of Vaccinium my ating well in the und to the north of the si	tillus, Luzula sy erstorey but ha te is an area of	e. Holly (Ilex aquifolium) and rowan are ylvatica and Pteridium aquilinum, there is s yet to impact greatly in the canopy. There is birch (Betula pubescens) and Gorse (Ulex is road was excluded from the survey on non-

Site no.	0337	FIPS no.	65370, 38700, 539, 598
Date surveyed	17/06/2004	]	
Woodland name	Massy's Wood	Tow	wnland name Killakee
Conservation rating	g and score Mod	derate 42	Threat rating and score Low 17
Disco. map 5	0 Grid ref.	O124336	6 inch sheet DU 25 County Dublin
NPWS region	North Eastern NHA	code -	SAC code - SPA Code -
National Park	Nature Reserve		Woodland present in the 1840s Yes
Ownership	Coillte	Area (ha)	20 Max. alt. (m) 300 Min. alt. (m) 220
Sub-soil TLP	SsS/GLs/RckNCa	Soil	AminPDPT/BminSPPT/AminSRPT
Geography	Woodl	and habitats	Grazing Hydrological features
Esker	□ WN1	0%	Deer ✓ Seasonal flooding □
Drumlin	□ WN2	0%	Cattle Springs
Valley	<b>✓</b> WN3	0%	Sheep Lakes
Lakeside	□ WN4	0%	Rabbits ☐ Rivers/streams ✓
Bogland	□ WN5	0%	Hares Damp clefts/ravines D
Hill	□ WN6	0%	Goats Other
Plain/Lowlands	□ WN7	0%	Horses
Island	□ WS1	0%	Other
Riverside/Floodpla		100%	Grazing level 1
Coastal/Estuary	□ WD2	0%	
	Other habita	its	
Field notes		E	External data source: not all data recorded
dominance of conif beech and pedunct the woodland floor. Rhododendron por	ers, beech (Fagus sylva ulate oak (Quercus robu Several non-native shru ticum) but these are not properties in some patch	tica) and sycamore ( r). There is a very so ubs are present (Prui abundant within the	bunding the surveyed site were excluded due to the (Acer pseudoplatanus). The surveyed area is dominated by carce understorey and field layer, with leaf litter dominating inus laurocerasus, Symphoricarpos albus and e surveyed area. The soil is a brown earth - the flora an acidic site. The site has a poor native status but is a

Site no.	0338	FIPS no.		, 77836, 29833, 75122, 54948, 54921, 54945,
Date surveyed	06/07/2004		38941, 77936	5, 53995, 77935, 83408, 53994
Woodland name	Vale of Clara	Tov	vnland name	Stump of the Castle, Cronybyrne, Clarabeg South,
Conservation rating	and score Very God	od 73	Threa	t rating and score Low 17
Disco. map 56/	Grid ref. T1	83915	6 inch sheet	WI 24/30 County Wicklow
NPWS region S	outh Eastern NHA coo	le -	SAC code	733 SPA Code -
National Park	Nature Reserve 🗸		V	Woodland present in the 1840s Yes
Ownership	NPWS A	rea (ha) 5	9 Max.	alt. (m) 200 Min. alt. (m) 100
Sub-soil A/TL	PSsS/RckNCa/GLPSsS	Soil	AlluvMIN/A	minDW/AminSW
<u>Geography</u>	Woodland	habitats	Grazing	Hydrological features
Esker	□ WN1	60%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	<b>✓</b> WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams
Bogland	□ WN5	0%	Hares	□ Damp clefts/ravines
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	5%	Other	
Riverside/Floodplair	n 🗌 WD1	0%	Grazing level	1
Coastal/Estuary	□ WD2	35%		
	Other habitats			
Field notes		E	External data sou	rce: not all data recorded
myrtillus, Luzula syl (iii) areas of birch so	vatica and Pteridium aquilin crub-woodland and (iv) area ed by wet species along rive	um abundant in s of recent felling	the field layer, g which have d	f mature oak-holly woodland with Vaccinium (ii) areas of oak-holly-scots pine woodland, eveloped into low, open scrub communities. rse riding. There are a few non-native

Site no.	0339	FIPS no.	9025, 9023, 9	0026, 102055	
Date surveyed	20/07/2004				
Woodland name	O' Donnell's Rock Wo	od To	ownland name	Boggaun, Larkfield	
Conservation rating	and score Mo	derate 54	Threa	at rating and score Low	0
Disco. map 16	6 Grid ref.	G878352	6 inch sheet	LE 11 County Le	eitrim
NPWS region	Northern NH	A code 1418	SAC code	- SPA Code	-
National Park	Nature Reserve		\	Woodland present in the 1840s	Yes
Ownership	Coillte	Area (ha) 2	20.9 Max.	alt. (m) 260 Min. alt. (m)	100
Sub-soil Rck0	Ca	So	il BminSP/Bn	ninSW	
<u>Geography</u>	Wood	land habitats	Grazing	Hydrological feature	<u>s</u>
Esker	□ WN1	0%	Deer	Seasonal flooding	
Drumlin	□ WN2	100%	Cattle	Springs	
Valley	□ WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	Rivers/streams	
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines	
Hill	✓ WN6	0%	Goats	Other	
Plain/Lowlands	□ WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplain	n 🗌 WD1	0%	Grazing level	1	
Coastal/Estuary	□ WD2	0%			
	Other habit	ats			
Field notes			External data sou	rce: not all data recorded	
It is grazed by shee	e area of ash (Fraxinus op but the field layer is requent wet flushes wit	abundant with Filipe	ndula ulmaria, G	ina) woodland on a steep limestone feum urbanum and Hyacinthoides no	hillside.

Site no.	0340	FIPS no. 3702, 76462	
Date surveyed	23/07/2004		
Woodland name	Killygar House	Townland name Killygar	
Conservation rating	g and score Mod	derate 54 Threat rating and score Moderate 3	33
Disco. map 3	4 Grid ref.	H260066 6 inch sheet LE 30 County Leitrim	
NPWS region N	NHA	A code - SAC code - SPA Code -	
National Park	Nature Reserve	Woodland present in the 1840s Yes	3
Ownership	Private - Single	Area (ha) 23 Max. alt. (m) 80 Min. alt. (m) 48	3
Sub-soil TCS	sCh/Cut	Soil AminPD/AminPDPT/Cut	
<u>Geography</u>	Woodl	land habitats Grazing Hydrological features	
Esker	□ WN1	0% Deer Seasonal flooding	
Drumlin	✓ WN2	100% Cattle Springs	
Valley	□ WN3	Sheep ☐ Lakes ✓	
Lakeside	□ WN4	0% Rabbits Rivers/streams	
Bogland	□ WN5	0% Hares Damp clefts/ravines	
Hill	□ WN6	0% Goats Other	
Plain/Lowlands	□ WN7	0% Horses	
Island	□ WS1	0% Other	
Riverside/Floodpla	in 🗌 WD1	0% Grazing level 0	
Coastal/Estuary	□ WD2	0%	
	Other habita	ats	
Field notes		External data source: not all data recorded	
horse-chestnut (Ae	sculus hippocastanum),	urrounding Killegar House, - some very large pedunculate oak (Quercus robur), ash (Fraxinus excelsior) and Hornbeam (Carpinus betulus). Several conifers 1820s by John Godley. Extensive Prunus laurocerasus invasion was observed	3.

Site no.	0341	FIPS no.	77821		
Date surveyed	24/06/2004				
Woodland name	Ballard Bridge	Tov	vnland name	Ballard	
Conservation rating	and score Mod	lerate 48	Threa	at rating and score Low	17
Disco. map 56	Grid ref.	T146955	6 inch sheet	WI 23/24 County Wicklow	
NPWS region So	outh Eastern NHA	code -	SAC code	- SPA Code 404	0
National Park 🗸	Nature Reserve	<b>✓</b>	\	Woodland present in the 1840s	es
Ownership	Coillte	Area (ha) 3	.3 Max.	alt. (m) 125 Min. alt. (m) 1	20
Sub-soil A/GLI	PSsS	Soil	AlluvMIN/A	minSRPT	
Geography	Woodla	and habitats	Grazing	Hydrological features	
Esker	□ WN1	0%	Deer	Seasonal flooding	
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐	
Valley	<b>✓</b> WN3	0%	Sheep	☐ Lakes ✓	
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ☐	
Bogland	□ WN5	100%	Hares	□ Damp clefts/ravines □	
Hill	□ WN6	0%	Goats	Other	
Plain/Lowlands	□ WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplain	wD1	0%	Grazing level	0	
Coastal/Estuary	□ WD2	0%			
	Other habita	ts			
Field notes			External data sou	urce: not all data recorded	
dominated by birch ( (Ilex aquifolium) occ Rhododendron ponti	(Betula pubescens) exc eur. Molinia caerulea do icum is present but sca	ept for a drier area minates the quite di ttered. Scots pine (F	on the bank wh verse field layer Pinus sylvestris	to a conifer plantation. The canopy is here sessile oak (Quercus petraea) and how with Sphagnum abundant beneath.  The canopy is abundant beneath.  The canopy is and how with Sphagnum abundant beneath.  The canopy is a second of the canopy is a constant.	et

Site no.	0344	FIPS no.	48251, 48253,	48252
Date surveyed	21/07/2004			
Woodland name	Cappog	Town	nland name	Derrydamah, Lisdonan, Corleck
Conservation rating	g and score Moderate	48	Threat	rating and score Low 17
Disco. map 3	5 Grid ref. H65	2034 6	inch sheet	CV 28 County Cavan
NPWS region N	lorth Midlands NHA code	-	SAC code	- SPA Code -
National Park	Nature Reserve		V	Voodland present in the 1840s No
Ownership	Private - Multiple Are	ea (ha) 9	Max. a	alt. (m) 130 Min. alt. (m) 125
Sub-soil TLP	SsS/Cut	Soil	AminPD/Cut	t
Geography	Woodland ha	abitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	☐ Lakes ✓
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ☐
Bogland	✓ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	100%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai		0%	Grazing level	0
Coastal/Estuary	□ WD2	0%		
	Other habitats			
Field notes		Ex	xternal data sour	rce: not all data recorded
and pools. Pools ar north-western end	re surrounded by wetter veget of the site is drier with mature	ation, typically g trees and field l	rey willow (Sal ayer dominate	on old cutover peat with numerous banks lix cinerea) and Equisetum sylvaticum. The d by Dryopteris dilatata. A small pocket has ible due to its strongly impeded nature and

Site no. 0345 FIPS no. 49015
Date surveyed 30/07/2004
Woodland name Ballyconnell Demesne Townland name Annagh
Conservation rating and score Excellent 85 Threat rating and score Low 0
Disco. map 27A Grid ref. H290194 6 inch sheet CV 10 County Cavan
NPWS region North Midlands NHA code 974 SAC code - SPA Code -
National Park  Nature Reserve  Woodland present in the 1840s Yes
Ownership NPWS Area (ha) 52.7 Max. alt. (m) 72 Min. alt. (m) 40
Sub-soil FenPt/TNSSs/A Soil FenPt/AminPD/AlluvMIN
Geography Woodland habitats Grazing Hydrological features
Esker
Drumlin ✓ WN2 85% Cattle ☐ Springs
Valley
Lakeside
Bogland ✓ WN5 0% Hares □ Damp clefts/ravines □
Hill
Plain/Lowlands WN7 10% Horses
Island WS1 0% Other
Riverside/Floodplain WD1 O% Grazing level 1
Coastal/Estuary WD2 0%
Other habitats
Field notes External data source: not all data recorded
This is an extensive woodland located on the eastern half of a drumlin and around the adjacent lough. On top of the drumlin, the wood is dominated by pedunculate oak (Quercus robur), ash (Fraxinus excelsior) and hazel (Corylus avellana) with Luzula sylvatica, Deschampsia cespitosa, Stellaria holostea and Circaea lutetiana abundant in the field layer. Along the lower southern and eastern flanks, wetter ash-hazel woodland occurs with Filipendula ulmaria, Carex strigosa, Geranium robertianum and Circaea lutetiana. The eastern part of the site is grazed by feral goats (eight were observed during the survey). In the south-eastern corner of the site is an alder-ash-sally stand on quaking fen peat with Filipendula, Carex remota, Valeriana officinalis and Thalictrum flavum. The southwest portion of the site which borders a conifer plantation is a heterogenous area of successional birch-holly woodland on cutover peat, with open areas dominated by Pteridium aquilinum, Molinia caerulea and Calluna vulgaris. Vaccinium myrtillus and Dryopteris dilatata predominate beneath the canopy. There is very little non-native vegetation present on the site as a whole, with only a few mature beech trees and saplings observed. There are several large badger setts and an abundance of frogs with Jay being recorded.

Site no.	0346		FIPS no.	71778, 71779	, 71780, 22273, 222	264	
Date surveyed	08/07/2004						
Woodland name	Deerpark (Cavan)		Tow	nland name	Deerpark		
Consorvation rating	and score	Very Good	67	Throo	t rating and accre	Lliab	
Conservation rating	g and score	very Good	67	ınrea	t rating and score	High	58
Disco. map 3	5 Grid ref.	N5848	372	6 inch sheet	CV 39 Cou	unty Ca	avan
NPWS region N	lorth Midlands	NHA code	8	SAC code	-	SPA Code	-
National Park	Nature Reserv	е 🗌		V	Woodland present in	the 1840s	No
Ownership	Coillte	Area	(ha) 52	.1 Max.	alt. (m) 105	Min. alt. (m)	80
Sub-soil TLP	SsS/RckNCa		Soil	AminPD/An	ninSW		
Geography	<u>W</u>	oodland hab	<u>itats</u>	Grazing	<u>Hydr</u>	rological feature	<u>s</u>
Esker	lw 🗆	<b>J</b> 1	0%	Deer	Seasor	nal flooding	<b>✓</b>
Drumlin	1W	12	0%	Cattle	Springs	S	
Valley	1W	13	0%	Sheep	Lakes		
Lakeside	<b>✓</b>	14	0%	Rabbits	Rivers/	streams/	✓
Bogland	1W	15	0%	Hares	☐ Damp	clefts/ravines	
Hill	1W	16	5%	Goats	Other		
Plain/Lowlands	1W	<b>1</b> 7	0%	Horses			
Island	□ ws	S1	0%	Other			
Riverside/Floodpla	n 🗌 W[	)1	95%	Grazing level	0		
Coastal/Estuary	□ wi	)2	0%				
	Other h	abitats			]		
Field notes			E	external data sou	rce: not all data record	led	
Sycamore (Acer ps Geranium robertian	eudoplatanus). The ium and Hycanthoid	field layer is les non-scrip	s dominated lota. There is	by Rubus frutic a thin strip of m	raea), beech (Fagus osus agg.icosus, Ox nore native wet wood cinerea) with a diver	calis acetosella, dland along the l	lough

Site no.	0347	FIPS no.	12319, 12320	)
Date surveyed	21/07/2004			
Woodland name	Annaghduff	Tov	vnland name	Annaghduff, Elteen
Conservation rating	and score Mod	derate 46	Threa	at rating and score Low 8
Disco. map 27	A Grid ref.	H440119	6 inch sheet	CV 15 County Cavan
NPWS region N	orth Midlands NHA	code 7	SAC code	7 SPA Code -
National Park	Nature Reserve		\	Woodland present in the 1840s No
Ownership	Coillte	Area (ha)	3.5 Max.	alt. (m) 60 Min. alt. (m) 60
Sub-soil A/TL	PSsS	Soil	AlluvMIN/A	minPD
<u>Geography</u>	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding ✓
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	☐ Lakes ✓
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	100%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplair	n 🗹 WD1	0%	Grazing level	I 0
Coastal/Estuary	□ WD2	0%		
	Other habita	ats		]
Field notes		ı	External data sou	urce: not all data recorded
pools. The southern dominated by spraw arundinacea. Glyce	n end has a stronger ald vling Grey willow (Salix	ler (Alnus glutinosa) cinerea). The field la on the north easterr	component. The syer is dominated	n) wet woodland with abundant ditches and the northern end is less dense and is led by Filipendula ulmaria and Phalaris strive management is apparent, though the

Site no.	0348	FIPS no.	71714, 71715	
Date surveyed	16/07/2004			
Woodland name	Lismore Demesne	Tov	wnland name	Lismore Demesne
Conservation rating	and score P	por 33	Threat	t rating and score Low 8
Disco. map 34	Grid ref.	H361003	6 inch sheet	CV 25 County Cavan
NPWS region No	orth Midlands NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Voodland present in the 1840s No
Ownership	Coillte	Area (ha)	2 Max.	alt. (m) 55 Min. alt. (m) 50
Sub-soil A		Soil	AlluvMIN	
Geography	Woodla	and habitats	Grazing	Hydrological features
Esker	□ WN1	100%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	Springs
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ☐
Bogland	□ WN5	0%	Hares	□ Damp clefts/ravines □
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	<b>✓</b> WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplain	n ☐ WD1	0%	Grazing level	0
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes			External data sour	rce: not all data recorded
aquifolium) and pedu	unculate oak (Quercus	robur). The field lay	er is dominated	by Rubus fruticosus agg. and Dryopteris excluded due to conifer dominance or recent

Site no.	0349	FIPS no.	134, 80762	
Date surveyed	27/07/2004	]		
Woodland name	Bellamont Forest	Том	nland name	Bellamont
Conservation rating	g and score Mod	lerate 54	Threa	at rating and score Low 8
Disco. map 28	Grid ref.	H600153	6 inch sheet	CV 17 County Cavan
NPWS region N	lorth Midlands NHA	code 1	SAC code	- SPA Code -
National Park	Nature Reserve		١	Woodland present in the 1840s Yes
Ownership	Coillte	Area (ha)	Max.	alt. (m) 90 Min. alt. (m) 80
Sub-soil TLPS	SsS/Cut	Soil	AminPD/Cu	ut
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	☐ Seasonal flooding ✓
Drumlin	WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	☐ Lakes ✓
Lakeside	<b>✓</b> WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	70%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	1 0
Coastal/Estuary	□ WD2	30%		
	Other habita	ts		
Field notes		E	External data sou	urce: not all data recorded
specimen oaks (Qu planting to the east Carex vesicaria and (approx. 8 years old platanoides), Quero	ercus spp.) on drier gro of this narrow lakeshore d Carex elata are freque d) planted wood of mixe	und near the track the strip. Viburnum opunt in the lakeshore fid broadleaved specificus excelsior) and S	at forms the ear ulus is common eld layer. Near es, mainly beed sitka spruce (Pi	attinosa) and ash (Fraxinus excelsior). Some astern boundary. Much recent conifer in the understorey. Phalaris arundinacea, carpark by R188 (see map) there is a young ch (Fagus sylvatica), sycamore (Acericea sitchensis). This wood has quite an t releved.

Site no.	0350		FIPS no.	1453, 60754, 7	79765, 65198, 71741, 65201
Date surveyed	22/07/2004	4			
Woodland name	Mullaghahy		Tow	nland name	Loughan
Conservation rating	and score	Moderate	42	Threat	t rating and score Low 8
Disco. map 2	Grid ref.	. H0513	881 6	inch sheet	CV 2 County Cavan
NPWS region N	orth Midlands	NHA code	986	SAC code	- SPA Code -
National Park	Nature Rese	erve 🗌		W	Voodland present in the 1840s No
Ownership	Coillte	Area	(ha) 2.9	Max. a	alt. (m) 100 Min. alt. (m) 50
Sub-soil Rck0	Ca/TNSSs		Soil	BminSW/Am	ninPD
Geography		Woodland hab	<u>itats</u>	Grazing	Hydrological features
Esker		NN1	0%	Deer	Seasonal flooding
Drumlin		NN2	100%	Cattle	☐ Springs ☐
Valley		NN3	0%	Sheep	Lakes
Lakeside		//\\4 //N4	0%	Rabbits	Rivers/streams
Bogland		//N <del>-1</del> //N5	0%	Hares	☐ Damp clefts/ravines ☐
Hill		WN6		Goats	✓ Other
Plain/Lowlands		L	0%	Horses	
		NN7	0%	Other	
Island	_	<i>N</i> S1	0%		2
Riverside/Floodplai		<i>N</i> D1	0%	Grazing level	Z
Coastal/Estuary		ND2	0%		
	Other	r habitats			
Field notes					ce: not all data recorded
County Cavan. Ash extensive bryophyte Oxalis acetosella, F where it borders a creaching the canop (Fagus sylvatica) st	(Fraxinus excels e cover. Herb cover. Phyllitis scolopend conifer plantation y in general. Towands. The site re	sior and hazel over is low, partidrium and Poly, there is abundards the lakes eaches down to	Corylus avellally due to de stichum setife dant invasion hore the surventhe lake edg	ana) dominate er grazing, moserum. Especially of Douglas fir (eyed area is boe, which consis	e leading down to Lough Macnean Upper, the canopy. The ground is carpeted by st common species being Primula vulgaris, y towards the south of the surveyed area, Pseudotsuga menziesii), but this is not yet ordered by almost monospecific beech sts of small cliffs in areas - this part of the long the shore at Glenfarne, Site 0499).

Site no.	0351	FIPS no.	83193, 71481	, 71482, 50432, 50433
Date surveyed	20/07/2004			
Woodland name	Kingscourt Forest Park	Town	nland name	Cabra, Drumpeak, Lisnaclea, Corrinshigo, Marahill
Conservation rating	g and score Very G	Good 61	Threa	t rating and score High 42
Disco. map 3	5 Grid ref.	N794968 6	inch sheet	CV 35 County Cavan
NPWS region N	orth Midlands NHA o	code -	SAC code	- SPA Code -
National Park	Nature Reserve	]	V	Voodland present in the 1840s Yes
Ownership	Coillte	Area (ha) 42	Max.	alt. (m) 80 Min. alt. (m) 60
Sub-soil Rckl	NCa/TLPSsS/A	Soil	AminSW/Ar	minDW/AminPD/AlluvMIN
Geography	Woodlan	nd habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	✓ WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ✓
Bogland	□ WN5	0%	Hares	□ Damp clefts/ravines
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	0
Coastal/Estuary	□ WD2	100%		
	Other habitats	; <u> </u>		
Field notes		E	xternal data sou	rce: not all data recorded
conifers with ash (F Diverse ground flor scripta. Areas of wo	raxinus excelsior), beech a present including variou	(Fagus sylvatica) a s Dryopteris spp., C en spaces with large	nd sycamore ( Circea lutetiana	riveyed were mixed broadleaved and (Acer pseudoplatanus) being most abundant. a, Primula vulgaris and Hyacinthoides nond trees such as sweet chestnut (Castanea

Site no.	0353	F	FIPS no.	76338			
Date surveyed	04/08/2004						
Woodland name	Greenaun North		Tow	nland name	Greenaun North		
Conservation rating	and score	Moderate	58	Threa	at rating and score	Low	0
Disco. map 2	Grid ref.	G79234	0	6 inch sheet	LE 10	ounty Le	eitrim
NPWS region	Northern	IHA code	-	SAC code	1976	SPA Code	-
National Park	Nature Reserv			١	Woodland present i	in the 1840s	Yes
Ownership	Private - Single	Area (	ha) 13	.4 Max.	alt. (m) 100	Min. alt. (m)	40
Sub-soil Rck0	Ca		Soil	BminSW/A	minSW		
<u>Geography</u>	<u>W</u>	odland habita	ats	Grazing	<u>Hy</u>	drological feature	<u>es</u>
Esker		1	0%	Deer	<b>✓</b> Seas	onal flooding	
Drumlin		2 1	00%	Cattle	Sprin	gs	
Valley	_ w	3	0%	Sheep	Lakes	S	
Lakeside	□ wn	4	0%	Rabbits	River	s/streams	
Bogland		5	0%	Hares	☐ Damp	clefts/ravines	
Hill	<b>✓</b> WN	6	0%	Goats	Other	r	
Plain/Lowlands	□ wn	7	0%	Horses			
Island	□ ws	1	0%	Other			
Riverside/Floodplai	n 🗌 WE	1	0%	Grazing level	1		
Coastal/Estuary		2	0%				
	Other h	bitats					
Field notes			E	External data sou	irce: not all data reco	rded	
This medium sized mixed and commer by ash (Fraxinus expast. There are also the field layer includand Brachypodium	cial coniferous) on ccelsior) with some o many old stone w de Geranium robert	djacent lands reas domina lls present in anum, Geum	s. Quite roc ted by haze ternally pro urbanum, s	ky terrain with sel (Corylus avel viding excellen sanicula europa	shallow soils and s lana), which may h it bryophyte habitat aea, Phyllitis scolop	teep in parts. Don ave been coppic . Typical species	minated ed in the within

Site no.	0355	FIPS no.	71861, 10161	6, 101615		
Date surveyed	20/07/2004					
Woodland name	Treankillew Wood	Tov	wnland name	Treankillew		
Conservation rating	g and score Mod	derate 48	Threa	at rating and score	Low	0
Disco. map 1	6 Grid ref.	G752437	6 inch sheet	LE 6 Cou	unty Le	itrim
NPWS region	Northern NHA	A code -	SAC code	623	SPA Code	-
National Park	Nature Reserve		\	Woodland present in	the 1840s	Yes
Ownership	Private - Single	Area (ha) 3	Max.	alt. (m) 50	Min. alt. (m)	40
Sub-soil TnS	Ss/RckCa	Soil	AminSW/B	minSW		
Geography	Wood	and habitats	Grazing	<u>Hydr</u>	ological feature	<u>s</u>
Esker	□ WN1	0%	Deer	Season	nal flooding	
Drumlin	□ WN2	100%	Cattle	Springs	5	
Valley	<b>✓</b> WN3	0%	Sheep	Lakes		
Lakeside	□ WN4	0%	Rabbits	✓ Rivers/s	streams	<b>✓</b>
Bogland	□ WN5	0%	Hares	✓ Damp of	clefts/ravines	<b>✓</b>
Hill	□ WN6	0%	Goats	Other		
Plain/Lowlands	□ WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplai	in WD1	0%	Grazing level	1		
Coastal/Estuary	□ WD2	0%				
	Other habita	ats				
Field notes			External data sou	urce: not all data recorde	ed	
by wet grass land. conservation status (Fraxinus excelsior	k-ash-hazel woodland is Old earthbanks are press is as WN2 woodland and ) and holly (llex aquifolionemota, Circea lutetiana, in spicant.	sent to the north. Thi its well developed f um) are abundant ar	s site is relative lora it was cons id typical field la	ely narrow 35-40m wid sidered very suitable f ayer species include l	de approx but d for survey. Ash Brachypodium	ue to its

Site no.	0356	FIPS no.	7977, 80137	
Date surveyed	14/07/2004	]		
Woodland name	Mount Campbell Wood	s South Tov	wnland name	Mount Campbell, Crickeen
Conservation rating	and score Mod	derate 46	Threa	at rating and score Low 17
Disco. map 33	Grid ref.	M994983	6 inch sheet	LE 31 County Leitrim
NPWS region N	orth Midlands NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		\	Woodland present in the 1840s No
Ownership	Coillte	Area (ha) 1	.5 Max.	alt. (m) 40 Min. alt. (m) 35
Sub-soil A		Soil	AlluvMIN	
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding ✓
Drumlin	WN2	20%	Cattle	☐ Springs ☐
Valley	WN3	0%	Sheep	Lakes
Lakeside	WN4	0%	Rabbits	Rivers/streams
Bogland	WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	80%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗹 WD1	0%	Grazing level	0
Coastal/Estuary	□ WD2	0%		
	Other habita	its		
Field notes			External data sou	rce: not all data recorded
dominated by grey field layer include P Polystichum setifer	willow (Salix cinerea) ar halaris arundinacea, Ca um. There is some very	nd ash (Fraxinus exc altha palustris, Filipe little sessile oak (Qu	elsior). No alde ndula ulmaria, I uercus petraea)	o max 15 m approx. from water. It is er was observed. Important species of the Mentha aquatica, Rumex sanguineus and present in the WN2 oak-ash-hazel areas. o their small size, they did not warrant

Site no.	0360		FIPS no.	18859			
Date surveyed	17/08/200	14					
Woodland name	Woodford		Tow	nland name	Woodford Demesn	e	
Conservation rating	g and score	Poor	33	Throat	rating and soors	Low	
Conservation rating	g and score				rating and score	Low	] [ 0 ]
Disco. map 27	7A Grid ref	H2042	203	6 inch sheet	LE 26 Co	unty Leit	rim
NPWS region N	North Midlands	NHA code	-	SAC code	-	SPA Code	-
National Park	Nature Rese	erve 🗌		V	Voodland present in	the 1840s	Yes
Ownership	Private - Single	Area	a (ha) 1.	5 Max. a	alt. (m) 90	Min. alt. (m)	60
Sub-soil TCS	SsCh		Soil	AminPD/Am	inPDPT		
<u>Geography</u>		Woodland hat	oitats	Grazing	<u>Hyd</u>	rological features	
Esker		WN1	0%	Deer	Seaso	nal flooding	
Drumlin	<b>✓</b>	WN2	0%	Cattle	<b>✓</b> Spring	s	
Valley		WN3	0%	Sheep	Lakes		
Lakeside		WN4	0%	Rabbits	Rivers	/streams	
Bogland		WN5	0%	Hares	Damp	clefts/ravines	
Hill		WN6	0%	Goats	Other		
Plain/Lowlands		WN7	0%	Horses			
Island		WS1	0%	Other			
Riverside/Floodpla	in 🗌 ,	WD1	0%	Grazing level	2		
Coastal/Estuary		WD2	100%				
	Othe	r habitats					
Field notes			E	External data sour	ce: not all data record	led	
					ite oak (Quercus ro		
wood. Structural de				, 0			

Site no.	0361	FIPS no.	14518
Date surveyed	17/08/2004	]	
Woodland name	Carrickataeane	Tow	wnland name Woodford Demense
Conservation rating	g and score Mod	lerate 54	Threat rating and score Low 0
Disco. map 27	'A Grid ref.	H203110	6 inch sheet LE 26 County Leitrim
NPWS region N	lorth Midlands NHA	code -	SAC code - SPA Code -
National Park	Nature Reserve		Woodland present in the 1840s No
Ownership	Private - Single	Area (ha) 2.	.2 Max. alt. (m) 70 Min. alt. (m) 60
Sub-soil TCS	sCh/Water	Soil	Amin PD/AminPDPT/Water
Geography	Woodl	and habitats	Grazing Hydrological features
Esker	□ WN1	0%	Deer ☐ Seasonal flooding ✓
Drumlin	□ WN2	100%	Cattle ✓ Springs
Valley	□ WN3	0%	Sheep Lakes
Lakeside	<b>✓</b> WN4	0%	Rabbits Rivers/streams
Bogland	□ WN5	0%	Hares Damp clefts/ravines
Hill	□ WN6	0%	Goats Other
Plain/Lowlands	□ WN7	0%	Horses
Island	□ WS1	0%	Other
Riverside/Floodplai	n WD1	0%	Grazing level 2
Coastal/Estuary	□ WD2	0%	
	Other habita	ts	
Field notes		E	External data source: not all data recorded
high canopy types aquifolium) are all focasionally. An even Chrysosplenium op dialtata. Some fellir	present. Ash (Fraxinus erequent, whilst peduncuren diversity of herbs ocupositifolium, Circea luite	excelsior), hazel (Cor late oak (Quercus ro curs within the field la tiana, Galium palusti e past. A high propor	very narrow site and quite open in some areas with few rylus avellana), alder (Alnus glutinosa) and holly (Ilex obur) and hawthorn (Crataegus mongyna) also occur layer, including such species as Veronica montanum, tre, Filipendula ulmaria, Sanicula europaea and Dryopteris rition of deadwood is present and evidence of dead animal occurs on a lakes edge.

Site no.	0362	FIPS no.	71998	
Date surveyed	04/08/2004			
Woodland name	Cloonaquin Wood	To	wnland name	Cloonaquin
Conservation rating	g and score Mod	derate 46	Threa	at rating and score Low 0
Disco. map 10	6 Grid ref.	G859367	6 inch sheet	LE 11 County Leitrim
NPWS region	Northern NHA	A code -	SAC code	- SPA Code -
National Park	Nature Reserve		١	Woodland present in the 1840s Yes
Ownership	Coillte	Area (ha)	Max.	alt. (m) 100 Min. alt. (m) 70
Sub-soil RckN	NCa	Soi	AminSRPT	
Geography	Wood	and habitats	Grazing	Hydrological features
Esker	□ WN1	100%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	✓ Lakes □
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ☐
Bogland	□ WN5	0%	Hares	□ Damp clefts/ravines □
Hill	<b>✓</b> WN6	0%	Goats	Other
Plain/Lowlands	WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	2
Coastal/Estuary	□ WD2	0%		
	Other habita	ats		
Field notes			External data sou	irce: not all data recorded
slopes are very stee present and the tree aquifolium) and row	ep on upper the reache es are very stunted as a /an (Sorbus aucuparia)	s with plenty of bould a result of environme are frequent within t	der scree prese ental factors. Se he canopy. Ulex	teep slope with shallow rocky soils. The nt. There is not a particularly diverse flora issile oak (Quercus petraea), holly (Ilex x europaeus occurs within the shrub.  Blechnum spicant and Hyacinthoides non-

Site no.	0364	FIPS no.	18702, 18703,	, 79637
Date surveyed	11/08/2004	]		
Woodland name	Keelrin	To	wnland name	Ardunsaghan, Mullaghboy, Keelrin
Concernation ratio	a and score	loroto 52	<b>T</b> la	L
Conservation rating	g and score Mod	lerate 52	ınrea	t rating and score Low 17
Disco. map 27	7A Grid ref.	H186961	6 inch sheet	LE 25 County Leitrim
NPWS region N	North Midlands NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Voodland present in the 1840s No
Ownership	Private - Single	Area (ha)	5 Max.	alt. (m) 110 Min. alt. (m) 60
Sub-soil TCS	SsCh/A/Cut	Soi	Amin PD/All	luvMIN/Cut
<u>Geography</u>	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	100%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	□ Damp clefts/ravines
Hill	✓ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodpla	in 🗌 WD1	0%	Grazing level	0
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes			External data sour	rce: not all data recorded
petraea), birch (Be monogyna) and ha scrub. There are m upper and lower sk not typical of this ty	tula pubescens) and rov zel (Corylus avellana). I nany open spaces and e opes of a hill and access	ran (Sorbus aucupa is a multistructured arth banks within the is problematic over to Fossitt (2000),	ria). Subcanopy woodland with pe site. The bryope the area due to including such s	py species include sessile oak (Quercus species include hawthorn (Crataegus pockets of Ulex europaeus dominated obyte layer is well developed. The site spans of dense vegetation. The field layer flora are species as Blechnum spicant, Dryopteris and Agrostis spp.

Site no.	0365	FIPS no.	79641, 3883	
Date surveyed	11/08/2004	]		
Woodland name	Mullaghboy South	Tov	wnland name	Keeirin, Mullaghboy
Conservation rating	g and score Mod	derate 54	Threa	at rating and score Low 0
Disco. map 27	'A Grid ref.	H193867	6 inch sheet	LE 25 County Leitrim
NPWS region N	lorth Midlands NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		\	Woodland present in the 1840s No
Ownership	Private - Single	Area (ha)	3 Max.	alt. (m) 100 Min. alt. (m) 80
Sub-soil Cut		Soil	Cut	
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	5%	Cattle	<b>✓</b> Springs
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	95%	Rabbits	☐ Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗹 WD1	0%	Grazing level	1 2
Coastal/Estuary	□ WD2	0%		
	Other habita	its		
Field notes			External data sou	rce: not all data recorded
through it. The woo avellana) in the shr Juncus spp., Brach	d is dominated by alder ub. An even diversity of	(Alnus glutinosa) ar species occurs in th pendula ulmaria, Ox	nd ash (Fraxinus ne field layer, ind kalis acetosella	w and steep sided with a river running s excelsior) with ash and hazel (Corylus cluding Carex remota, Rubus fruticosus, and Ranunculus repens. There is a small

Site no.	0366	FIPS no.	18678, 79638	3
Date surveyed	11/08/2004	]		
Woodland name	Mullaghboy	Tov	vnland name	Mullaghboy, Keelrin
Conservation rating	g and score Mod	derate 52	Threa	at rating and score Low 0
Disco. map 27	'A Grid ref.	H190898	6 inch sheet	LE 25 County Leitrim
NPWS region N	lorth Midlands NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		١	Woodland present in the 1840s No
Ownership	Private - Single	Area (ha)	Max.	alt. (m) 100 Min. alt. (m) 90
Sub-soil Rck0	Ca/TCSsCh/A	Soil	BminSP/An	nin PD/AlluvMIN/AminPDPT
<u>Geography</u>	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	<b>✓</b> Springs
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	100%	Rabbits	☐ Rivers/streams
Bogland	□ WN5	0%	Hares	□ Damp clefts/ravines □
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n <b>✓</b> WD1	0%	Grazing level	2
Coastal/Estuary	□ WD2	0%		
	Other habita	its		
Field notes			External data sou	irce: not all data recorded
composed of alder	(Alnus glutinosa) and as Carex remota are found	sh (Fraxinus excelsion	or), with hazel (	with steep sides in places. The canopy is Corylus avellana) in the shrub layer. Rubus e of cattle poaching of soil in some areas. A

Site no.	0367	FIPS no.	18718		
Date surveyed	14/07/2004	]			
Woodland name	Keelrin East	Tov	vnland name	Keelrin	
Conservation rating	and score Very	Good 61	Threa	at rating and score Low 8	
Disco. map 27/	A Grid ref.	H190101	6 inch sheet	LE 25 County Leitrim	
NPWS region No	orth Midlands NHA	code -	SAC code	- SPA Code -	
National Park	Nature Reserve		,	Woodland present in the 1840s No	
Ownership	Coillte	Area (ha)	Max.	. alt. (m) 60 Min. alt. (m) 50	
Sub-soil TCSs	sCh/A/Cut	Soil	AminPD/Ar	minPDPT/AlluvMIN/Cut	
<u>Geography</u>	Woodl	and habitats	Grazing	Hydrological features	
Esker	□ WN1	0%	Deer	Seasonal flooding	
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐	
Valley	□ WN3	0%	Sheep	Lakes	
Lakeside	✓ WN4	0%	Rabbits	☐ Rivers/streams ✓	
Bogland	□ WN5	0%	Hares	□ Damp clefts/ravines	
Hill	□ WN6	100%	Goats	Other	
Plain/Lowlands	□ WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplain	n 🗌 WD1	0%	Grazing leve	0	
Coastal/Estuary	□ WD2	0%			
	Other habita				
Field notes		1	External data sou	urce: not all data recorded	
flora. Carex remota willow (Salix cinerea abundant throughou	dominant in wetter area  a) confined to wetter pare  at. Understorey of holly	as; Circaea lutetiana rts at lake shore; haz (llex aquilifolium) an	abundant throizel (Corylus ave d hawthorn (Cr	Leitrim. Ravine present on site. Diverse ughout. Alder (Alnus glutinosa) and grey ellana) and ash (Fraxinus excelsior) rataegus monogyna). Exotics also present. (Rhamnus cathartica) is present.	

Site no.	0373 F	FIPS no. 48222, 48223, 48224, 48225
Date surveyed	22/07/2004	
Woodland name	Corleck/Derrydamph	Townland name Corleck, Derrydamph, Skeagh
Conservation rating	g and score Moderate	Threat rating and score Low 8
Disco. map 3	5 Grid ref. H65702	6 inch sheet CV 28 County Cavan
NPWS region N	Iorth Midlands NHA code	- SAC code - SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s No
Ownership	Private - Multiple Area (I	(ha) 15 Max. alt. (m) 170 Min. alt. (m) 155
Sub-soil TLP:	SsS/RckNCa/Cut	Soil AminPD/AminSW/Cut
Geography	Woodland habita	tats Grazing Hydrological features
Esker	□ WN1	0% Deer Seasonal flooding
Drumlin	□ WN2	0% Cattle Springs
Valley	□ WN3	Sheep ☐ Lakes ✔
Lakeside	□ WN4	0% Rabbits Rivers/streams
Bogland	✓ WN5	0% Hares Damp clefts/ravines
Hill	□ WN6	0% Goats Other
Plain/Lowlands	□ WN7 1	100% Horses
Island	□ WS1	0% Other
Riverside/Floodplai	in WD1	0% Grazing level 0
Coastal/Estuary	□ WD2	0%
	Other habitats	
Field notes		External data source: not all data recorded
of a bog. Some row Vaccinium myrtillus	van (Sorbus aucuparia) present, a s and Dryopteris dilatata in drier a	also Scots pine (Pinus sylvestris) at bog edge. Field layer dominated by areas. Wetter areas characterised by Juncus effusus and Sphagnum are main body of bog quite dry. Numerous birch seedlings encroaching

Site no.	0374	FIPS no.	Non FIPS			
Date surveyed	28/07/2004	]				
Woodland name	Srabragan	Tov	vnland name	Srabragan		
Conservation rating	g and score Mod	lerate 48	Threa	at rating and score	Low	0
Disco. map 2	6 Grid ref.	G951151	6 inch sheet	RO 2 Cour	nty Rosco	ommon
NPWS region N	lorth Midlands NHA	code -	SAC code	S	SPA Code	-
National Park	Nature Reserve		\	Woodland present in the	he 1840s	No
Ownership	Other State Body	Area (ha)	2 Max.	alt. (m) 75	Min. alt. (m)	48
Sub-soil Rck(	Ca/TNSSs	Soil	BminSW/A	minDW		
Geography	Woodl	and habitats	Grazing	<u>Hydro</u>	ological features	<u>8</u>
Esker	□ WN1	0%	Deer	Seasona	al flooding	✓
Drumlin	□ WN2	30%	Cattle	<b>✓</b> Springs		
Valley	□ WN3	0%	Sheep	Lakes		
Lakeside	<b>✓</b> WN4	0%	Rabbits	Rivers/s	treams	
Bogland	□ WN5	0%	Hares	☐ Damp cl	lefts/ravines	
Hill	□ WN6	70%	Goats	Other		
Plain/Lowlands	□ WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	1		
Coastal/Estuary	□ WD2	0%				
	Other habita	ts				
Field notes			External data sou	rce: not all data recorded	d 🗌	
Roscommon. Domi Filipendula ulmaria of WN2 oak-ash-ha	o of lough-shore woodla inated by alder (Alnus gl , Phalaris arundinacea a azel woodland on a slopi ation is abundant. The no	utinosa), ash (Fraxii Ind Prunella vulgaris ng bank with hazel (	nus excelsior), a frequent in the Corylus avellar	and grey willow (Salix is field layer. Above the na ) and ash. The site	cinerea) with foreshore is a is grazed by st	n area raying

Site no.	0379	FIPS no.	43122, 43090,	, 2301
Date surveyed	01/09/2004			
Woodland name	Roosky Hill	Tov	vnland name	Cloghan, Shasgar, Roosky
Conservation rating	g and score Mod	lerate 54	Threat	t rating and score Low 0
Disco. map 1	6 Grid ref.	G894521	6 inch sheet	LE 4 County Leitrim
NPWS region	North Midlands NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Voodland present in the 1840s Yes
Ownership	Private - Single	Area (ha)	6 Max. a	alt. (m) 100 Min. alt. (m) 50
Sub-soil TNS	SSs/RckCa	Soil	AminPD/Bm	ninSP
<u>Geography</u>	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	✓ Seasonal flooding
Drumlin	□ WN2	0%	Cattle	☐ Springs ✓
Valley	□ WN3	0%	Sheep	✓ Lakes
Lakeside	□ WN4	100%	Rabbits	☐ Rivers/streams ✓
Bogland	□ WN5	0%	Hares	□ Damp clefts/ravines
Hill	✓ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodpla	in 🗌 WD1	0%	Grazing level	1
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes		1	External data sour	rce: not all data recorded
This woodland covexcelsior). Hazel (0 woodland flora.	ers a steep hillside with a	a river at bottom. It in the shrub layer. C	s dominated by Deadwood is ple	alder (Alnus glutinosa) and Ash (Fraxinus ntiful and there is a good representation of

Site no.	0381	FIPS no.	76376, 1279		
Date surveyed	19/08/2004				
Woodland name	Killavoggy Wood	Tov	vnland name	Killavoggy	
Conservation rating	g and score P	oor 33	Threa	at rating and score Low 17	7
Disco. map 2	6 Grid ref.	G847262	6 inch sheet	LE 17 County Leitrim	
NPWS region	Northern NHA	code -	SAC code	- SPA Code -	
National Park	Nature Reserve		V	Woodland present in the 1840s No	
Ownership	Coillte	Area (ha) 1	.5 Max.	alt. (m) 140 Min. alt. (m) 110	
Sub-soil TNS	Ss/RckCa	Soil	AminPD/Bn	minSW	
Geography	Woodla	and habitats	Grazing	Hydrological features	
Esker	□ WN1	0%	Deer	Seasonal flooding	
Drumlin	□ WN2	0%	Cattle	✓ Springs	
Valley	<b>✓</b> WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams	
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐	
Hill	□ WN6	100%	Goats	Other	
Plain/Lowlands	□ WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	3	
Coastal/Estuary	□ WD2	0%			
	Other habita	ts			
Field notes		I	External data sou	urce: not all data recorded	
Dominated by matu blackthorn (Prunus dominated field laye	ire alder (Alnus glutinos: spinosa). Extensive use er. Bramble (Rubus fruti	a) with some grey we of site by cattle has cosus) occurs in def	illow (Salix cine s created a grea ined thickets. M	ounty Leitrim on waterlogged clay soil. erea), hawthorn (Crataegus monogyna) and at deal of soil poaching and a grass Main field layer species are Agrostis positifolium. Very little regeneration observed.	

Site no.	0382	FIPS no.	2377, 2378			
Date surveyed	20/08/2004					
Woodland name	Lavagh Wood	Tov	vnland name	Lavagh		
Conservation rating	and score Mod	lerate 54	Threat	t rating and score	Moderate	33
Disco. map 26	Grid ref.	G903254	6 inch sheet	LE 17 Cou	unty Le	itrim
NPWS region	Northern NHA	code -	SAC code	-	SPA Code	-
National Park	Nature Reserve		V	Voodland present in	the 1840s	Yes
Ownership	Coillte	Area (ha)	4 Max.	alt. (m) 70	Min. alt. (m)	60
Sub-soil TNS	Ss/A	Soil	AminPD/Allu	uvMIN		
<u>Geography</u>	Woodl	and habitats	Grazing	Hydr	rological feature	<u>s</u>
Esker	□ WN1	0%	Deer	Seasor	nal flooding	<b>✓</b>
Drumlin	□ WN2	100%	Cattle	<b>✓</b> Springs	S	
Valley	<b>✓</b> WN3	0%	Sheep	Lakes		
Lakeside	□ WN4	0%	Rabbits	Rivers/	streams	<b>✓</b>
Bogland	WN5	0%	Hares	Damp o	clefts/ravines	
Hill	WN6	0%	Goats	Other		
Plain/Lowlands	WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplain	n 🗌 WD1	0%	Grazing level	3		
Coastal/Estuary	□ WD2	0%				
	Other habita	ts				
Field notes		Į.	External data soui	rce: not all data record	ed	
The southern bank woodland- over 50 vacetosella, Sanicula disturbed by forestr	2 oak-ash-hazel woodla is steeper, supporting a vascular species record a europea, Carex flacca y operations, supporting n abundance of grasses	highly diverse streto ed in the releve. Fiel , Viola sp and Gerar , an area of willow-a	ch of ash (Fraxir ld layer is domir nium robertianur lder scrub (Salix	nus excelsior) and hated by Ranunculus n. The northern ban spp. and Alnus glu	azel (Corylus av s repens, Oxalis k is less steep a tinosa). Heavy p	rellana) and more

Site no.	0386	FIPS no.	102572		
Date surveyed	17/08/2004	]			
Woodland name	Glassalt Wood	Tov	wnland name	Glassalt	
Conservation rating	g and score P	oor 36	Threa	at rating and score Low 0	
Disco. map 2	6 Grid ref.	G893225	6 inch sheet	LE 17 County Leitrim	
NPWS region	Northern NHA	code -	SAC code	- SPA Code -	
National Park	Nature Reserve		V	Woodland present in the 1840s No	
Ownership	Coillte	Area (ha)	1 Max.	alt. (m) 200 Min. alt. (m) 150	
Sub-soil TNS	Ss/RckNCa	Soil	AminPD/An	minSRPT	
Geography	Woodl	and habitats	Grazing	Hydrological features	
Esker	□ WN1	0%	Deer	Seasonal flooding	
Drumlin	□ WN2	100%	Cattle	☐ Springs ☐	
Valley	<b>✓</b> WN3	0%	Sheep	✓ Lakes	
Lakeside	□ WN4	0%	Rabbits	Rivers/streams	
Bogland	WN5	0%	Hares	☐ Damp clefts/ravines ✓	
Hill	WN6	0%	Goats	Other Waterfall	
Plain/Lowlands	WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplai	n WD1	0%	Grazing level	1 2	
Coastal/Estuary	□ WD2	0%			
	Other habita	ats			
Field notes			External data sou	rce: not all data recorded	
robur) and ash (Fra and rowan (Sorbus Deschampsia cesp grazed by sheep. T	axinus excelsior) are onl aucuparia) are scattere itosa, with Chrysospleni	y locally frequent wh d throughout. The fi um oppositifolium be abundantlly covere	ereas birch (Be eld layer is dom eing abundant a	I woodland. Pedunculate oak (Quercus etula pubescens), grey willow (Salix cinerea) ninated by Luzula sylvatica, Oxalis and along the stream. The site is moderately nosses wihere the water drips down. Halfway	

Site no.	0387	FIPS no.	Non FIPS		
Date surveyed	18/08/2004				
Woodland name	Camalt Wood	Tov	vnland name	Camalt	
Conservation rating	g and score Mod	derate 46	Threa	at rating and score Low 0	
Disco. map 2	5 Grid ref.	G877233	6 inch sheet	LE 7 County Leitrim	
NPWS region	Northern NHA	code -	SAC code	- SPA Code -	
National Park	Nature Reserve		V	Woodland present in the 1840s No	
Ownership	Private - Single	Area (ha) 1	.7 Max.	alt. (m) 165 Min. alt. (m) 140	
Sub-soil TNS	Ss/A	Soil	AminPD/Am	ninPDPT/AlluvMIN	
<u>Geography</u>	Woodl	and habitats	Grazing	<u>Hydrological features</u>	
Esker	□ WN1	0%	Deer	Seasonal flooding	
Drumlin	□ WN2	100%	Cattle	✓ Springs	
Valley	<b>✓</b> WN3	0%	Sheep	✓ Lakes □	
Lakeside	□ WN4	0%	Rabbits	Rivers/streams	
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ✓	
Hill	□ WN6	0%	Goats	Other	
Plain/Lowlands	□ WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplai	n WD1	0%	Grazing level	2	
Coastal/Estuary	□ WD2	0%			
	Other habita	its			
Field notes		1	External data sou	irce: not all data recorded	
avellana) and ash ( and rowan (Sorbus Geranium robertian Chrysosplenium op	Fraxinus excelsior) with aucuparia) scattered th aucuparia) scattered th aum, Athyrium filix-femin positifolium. Site is graz	grey willow (Salix ci roughout. Field layer a, Circaea lutetiana, ed by sheep and ca	nerea), goat wil r dominated by and in the lowe ttle which have	Largely dominated by hazel (Corylus llow (Salix caprea), holly (Ilex aquifolium) Luzula sylvatica, Oxalis acetosella, er areas,Ranunculus repens and poached the ground in many areas. Mosses I, hazel stools (> 1m diameter) give evidence	

Site no.	0388		FIPS no.	15358, 48578,	, 42440, 15339, 76499, 48575
Date surveyed	12/08/20	004			
Woodland name De	errycarne De	emesne South	Tov	nland name	Derrycarne Demesne
Conservation rating a	nd score	Very Good	76	Threat	t rating and score Low 17
Disco. map 33	Grid r	ef. N030	900	6 inch sheet	LE 35 County Leitrim
NPWS region North Midlands NHA code - SAC code 1642 SPA Code -					
National Park	Nature Re	serve		V	Voodland present in the 1840s Yes
Ownership	Coillte	Area	a (ha) 3	8 Max. a	alt. (m) 55 Min. alt. (m) 38
Sub-soil TLPSs	S/L		Soil	AminPD/Lac	С
<u>Geography</u>		Woodland ha	<u>bitats</u>	Grazing	Hydrological features
Esker		WN1	0%	Deer	Seasonal flooding
Drumlin		WN2	75%	Cattle	☐ Springs ☐
Valley		WN3	0%	Sheep	☐ Lakes ✓
Lakeside	<b>✓</b>	WN4	0%	Rabbits	☐ Rivers/streams ☐
Bogland		WN5	0%	Hares	□ Damp clefts/ravines □
Hill		WN6	20%	Goats	<b>✓</b> Other
Plain/Lowlands		WN7	0%	Horses	
Island		WS1	0%	Other	
Riverside/Floodplain		WD1	0%	Grazing level	1
Coastal/Estuary		WD2	5%		
	Oth	ner habitats			
Field notes			E	External data sour	rce: not all data recorded
robur) scattered throu	ghout. Wych	elm (Ulmus gla	bra) is fairly f	requent in the u	ash-hazel wood with mature oaks (Quercus understorey along with hawthorn (Crataegus

Large area of woodland occupying lough peninsula. Derrygrasten Wood is an ash-hazel wood with mature oaks (Quercus robur) scattered throughout. Wych elm (Ulmus glabra) is fairly frequent in the understorey along with hawthorn (Crataegus monogyna) and holly (Ilex aquifolium). Sycamore is also fairly frequent but there is little beech present. The field layer is dominated by Rubus, Carex strigosa, Circaea lutetiana, Geum urbanum, Geranium robertianum, Oxalis acetosella, Lonicera periclymenum and Polystichum setiferum. Hyacinthoides non-scripta and Conopodium majus would appear to be abundant earlier in the year. Broad-leaved helleborine (Epipactis helleborine) is present along old tracks. A large population (> 100 individuals) of ivy broomrape (Orobanche hederae) was found near the eastern shore. In the northern part of the wood areas of trees have recently been felled and post and rail fencing erected. Sallow Island, Otter Island and adjacent low-lying areas are occupied by alder-willow marsh woodland. Buckthorn (Rhamnus cathartica) is frequent as a shrub here. Tussock forming sedges dominate the field layer, the main species being Carex elata. The notable species Lathyrus palustris was found just west of Sallow Island. Other abundant species are Lycopus europaeus, Phalaris arundinacea, Filipendula ulmaria, Mentha aquatica and Lythrum salicaria. To the north of Rabbit Island is a ploughed area planted with conifers which have largely failed and is dominated by alder (Alnus glutinosa) and willow \*Salix cinerea). Rabbit Island itself is dominated by a mature conifer stand. The lakeshore edge here is covered by a narrow strip of native woodland 10-20m wide, which is fairly steep and dry and may loosely be classified as WN2. Alder and blackthorn occur along the water's edge with Fagus more abundant to the rear.

Site no.	0389	FIPS no.	7917		
Date surveyed	24/08/2004				
Woodland name	Lough MacHugh Wood	Тс	wnland name	Carrigeen	
Conservation rating	g and score P	oor 27	Threa	at rating and score Low 8	
Disco. map 3	Grid ref.	N048975	6 inch sheet	LE 32 County Leitrim	
NPWS region North Midlands NHA code - SAC code - SPA Code -					
National Park	Nature Reserve		١	Woodland present in the 1840s No	
Ownership	Private - Multiple	Area (ha)	1 Max.	alt. (m) 50 Min. alt. (m) 50	
Sub-soil Cut		So	il Cut		
<u>Geography</u>	Woodl	and habitats	Grazing	Hydrological features	
Esker	□ WN1	0%	Deer	Seasonal flooding	
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐	
Valley	□ WN3	0%	Sheep	☐ Lakes ✓	
Lakeside	✓ WN4	0%	Rabbits	Rivers/streams	
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐	
Hill	□ WN6	100%	Goats	Other	
Plain/Lowlands	WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodpla	in 🗌 WD1	0%	Grazing level	I 0	
Coastal/Estuary	□ WD2	0%			
	Other habita	ts			
Field notes			External data sou	urce: not all data recorded	
alder-ash woodalnowith eared willow (Simolinia caerulea. Simolinia caerulea.	d in County Leitrim, the o S. aurita) and S. x multin	canopy is composed ervis in the shrub la mpeded - releve in	d of alder (Alnus ayer. Field layer	throughout site. A small WN6 wet willow- s glutinosa) and grey willow (Salix cinerea) dominated by Phragmites australis and water. The site was burned annually up to 18	

Site no.	039	0	FIPS no.	7791			
Date surveyed	20/08/2	2004					
Woodland name	Aghadrumca	rn Wood	То	wnland name	Aghadrumcarn		
Conservation rating	and score	Poor	36	Threa	at rating and score	Low	8
		ref. H773		6 inch sheet			eitrim
'	orth Midlands	_	-	SAC code	-	SPA Code	-
_	National Park Nature Reserve Woodland present in the 1840s No						
	Private - Multi	ple Are	a (ha)	3 Max.	. alt. (m) 80	Min. alt. (m)	70
Sub-soil Cut/T	CSsCh		So	il Cut/AminP	DPT		
<u>Geography</u>		Woodland ha	<u>ıbitats</u>	Grazing	<u>Hyd</u>	rological feature	<u>es</u>
Esker		WN1	0%	Deer	Seaso	nal flooding	
Drumlin		WN2	0%	Cattle	Spring	s	
Valley		WN3	0%	Sheep	Lakes		<b>✓</b>
Lakeside		WN4	0%	Rabbits	<del>-</del>	/streams	
Bogland	✓	WN5	0%	Hares	Damp	clefts/ravines	
Hill		WN6	0%	Goats	Other		
Plain/Lowlands		WN7	100%	Horses			
Island		WS1	0%	Other			
Riverside/Floodplair	n 🗌	WD1	0%	Grazing leve	0		
Coastal/Estuary		WD2	0%				
	Ot	her habitats					
Field notes				External data sou	urce: not all data record	led	
	This is a birch (Betula pubescens) dominated wood on peat. The canopy also contains grey willow (Salix cinerea). Ash (Fraxinus excelsior) is rare throughout. The field layer was dominated by Rubus fruticosus agg. and Pteridium aquilinum.						
The wood is narrow	throughout.	Rubus caesius is	present.	ilinated by Rubi	us irulicosus agg. arr	u Fteriulum aqu	illitiatii.

Site no.	0394	FIPS no.	63141			
Date surveyed	25/08/2004					
Woodland name	Corraleskin Wood	То	wnland name	Corraleskin		
Conservation rating	g and score Mod	derate 42	Threa	t rating and score	Moderate	25
Disco. map 1	7 Grid ref.	G970458	6 inch sheet	LE 8 Cou	unty Le	itrim
NPWS region	Northern NHA	code -	SAC code	-	SPA Code	-
National Park	Nature Reserve		V	Noodland present in	the 1840s	No
Ownership	Private - Single	Area (ha)	8 Max.	alt. (m) 90	Min. alt. (m)	60
Sub-soil TNC	SSs/A	Soi	AminPD/All	luvMIN		
<u>Geography</u>	Woodl	and habitats	Grazing	<u>Hydr</u>	ological feature	<u>S</u>
Esker	□ WN1	100%	Deer	✓ Seasor	nal flooding	
Drumlin	□ WN2	0%	Cattle	Springs	3	
Valley	□ WN3	0%	Sheep	✓ Lakes		
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/	streams	
Bogland	□ WN5	0%	Hares	☐ Damp o	clefts/ravines	
Hill	<b>✓</b> WN6	0%	Goats	Other		
Plain/Lowlands	WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	4		
Coastal/Estuary	□ WD2	0%				
	Other habita	nts				
Field notes			External data sou	rce: not all data record	ed 🗌	
layer dominated by Sphagnum is abundoak (Quercus petra	a pubescens) woodland grass species (Agrostis dant in the ground layer ea), beech (Fagus sylva d to these old field walls	capillaris, Anthoxa The woodland has atica), rowan (Sorbu	nthum odoratum developed on a s aucuparia) an	n, Holcus lanatus) an a network of small old d grey willow (Salix o	d Potentilla ered d fields. Pedunci cinerea). Also od	cta. ulate ccur but

Site no.	0396	FIPS no.	8283, 28454,	76276
Date surveyed	16/09/2004			
Woodland name	Summerhouse Wood	То	wnland name	Moneyduff, Annagh
Conservation rating	g and score Mo	derate 52	Threa	at rating and score Low 17
Disco. map 2	6 Grid ref.	H194384	6 inch sheet	LE 13 County Leitrim
NPWS region	Northern NH	A code -	SAC code	- SPA Code -
National Park	Nature Reserve		,	Woodland present in the 1840s No
Ownership	Private - Single	Area (ha)	10 Max.	alt. (m) 70 Min. alt. (m) 60
Sub-soil TNS	Ss/RckNCa/A	So	il AminPD/Ar	minSP/AlluvMIN
Geography	Wood	land habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	✓ Springs
Valley	<b>✓</b> WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	<b>✓</b> Other
Plain/Lowlands	□ WN7	100%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗌 WD1	0%	Grazing leve	1 2
Coastal/Estuary	□ WD2	0%		
	Other habit	ats		
Field notes			External data sou	urce: not all data recorded
aucuparia), pedunc has invaded parts o Ranunculus specie	culate oak (Quercus rob of the wood, especially	ur) and holly (llex ad that north of the rive um. Both cattle and	quifolium) prese r. Field layer ma	peat in County Leitrim. Rowan (Sorbus nt also throughout. Rhododendron ponticum ainly Luzula sylvatica and grass species with wood. The wood north of the river was not

Site no.	0397	FIPS no. 36774, 36776
Date surveyed	30/08/2004	
Woodland name	Cloone Lough Woods	Townland name Drumhallagh, Cloone
Conservation rating	g and score Moderate	Threat rating and score Low 8
Disco. map 3	Grid ref. N1379	7997 6 inch sheet LE 33 County Leitrim
NPWS region N	NHA code	- SAC code - SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s No
Ownership	Private - Multiple Area	ea (ha) 15 Max. alt. (m) 52 Min. alt. (m) 48
Sub-soil Cut/	TNSSs	Soil Cut/AminPDPT
Geography	Woodland hab	abitats Grazing Hydrological features
Esker	□ WN1	0% Deer Seasonal flooding
Drumlin	□ WN2	0% Cattle Springs
Valley	□ WN3	Sheep ☐ Lakes ✓
Lakeside	□ WN4	0% Rabbits Rivers/streams
Bogland	✓ WN5	0% Hares Damp clefts/ravines
Hill	□ WN6	0% Goats Other
Plain/Lowlands	□ WN7	100% Horses
Island	□ WS1	0% Other
Riverside/Floodpla	in 🗌 WD1	0% Grazing level 0
Coastal/Estuary	□ WD2	0%
	Other habitats	
Field notes		External data source: not all data recorded
County Leitrim. Site caerulea with Dryo caerulea, Ulex euro	e is criss-crossed by ditches and pteris dilatata and D. carthusian	and grey willow (Salix cinerea) woodland on cutover raised bog in not cuttings. Field layer dominated by Rubus fruticosus and Molinia ina. Several open areas occur within the site which are dominated by M. dium aquilinum and Sphagnum sp. Very dense bramble (Rubus e site.

Site no.	0399 FIPS no. 63222, 61194
Date surveyed	02/09/2004
Woodland name	Stracummer Woods Townland name Aghavohil, Stracummer
Conservation rating	g and score Moderate 54 Threat rating and score Low 8
Disco. map 1	6 Grid ref. G860537 6 inch sheet LE 2 County Leitrim
NPWS region	Northern NHA code - SAC code - SPA Code -
National Park	Nature Reserve Woodland present in the 1840s No
Ownership	Private - Single Area (ha) 9.5 Max. alt. (m) 50 Min. alt. (m) 30
Sub-soil TNS	Ss/RckNCa/Cut/RckCa Soil AminPD/AminSW/Cut/BminSW
Geography	Woodland habitats Grazing Hydrological features
Esker	□ WN1     □ Deer     □ Seasonal flooding     ✓
Drumlin	☐ WN2 100% Cattle ✔ Springs
Valley	□ WN3 0% Sheep □ Lakes ✓
Lakeside	□ WN4 0% Rabbits □ Rivers/streams ✓
Bogland	☐ WN5 ☐ Hares ☐ Damp clefts/ravines ☐
Hill	□ WN6 0% Goats □ Other □
Plain/Lowlands	□ WN7 0% Horses □
Island	□ WS1 0% Other □
Riverside/Floodplai	
Coastal/Estuary	□ WD2 0%
	Other habitats
Field notes	External data source: not all data recorded
Much deadwood ar glutinosa). The field	WN2 oak-ash-hazel woodland area in County Leitrim transversed by a river with springs in places. In digood native woodland flora. It is dominated by hazel (Corylus avellana) with some alder (Alnus digood native woodland flora. It is dominated by hazel (Corylus avellana) with some alder (Alnus digood native woodland flora) with some alder (Alnus digood native woodland) with some alder (Alnus digood

Site no.	0400	FIPS no.	15345	
Date surveyed	10/08/2004			
Woodland name	Derrycarne North	Tow	nland name Derrycar	ne Demesne
Conservation rating	g and score Po	por 39	Threat rating a	nd score Moderate 33
Disco. map 3	3 Grid ref.	N030910	inch sheet LE 33	County Leitrim
NPWS region N	lorth Midlands NHA	code -	SAC code -	SPA Code -
National Park	Nature Reserve		Woodland	I present in the 1840s Yes
Ownership	Private - Single	Area (ha)	Max. alt. (m)	0 Min. alt. (m) 0
Sub-soil TLP	SsS/Cut	Soil	AminPD/Cut	
Geography	Woodla	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	100%	Cattle	Springs
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	Damp clefts/ravines
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	✓ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai		0%	Grazing level	0
Coastal/Estuary	□ WD2	0%		
•	Other habita			
Field notes		E	kternal data source: not all	data recorded
some pedunculate Circaea lutetiana, C is fairly high with 10 pseudoplatanus) ar (Prunus lauroceras	oak (Quercus robur) and Geranium robertianum, S I native species being re and horse-chestnut (Aesc us) forms thickets along	I birch (Betula pubes anicula europaeus a corded from the rele ulus hippocastanum the northern road ed	cens). It has a typical grand Primula vulgaris amore. Beech (Fagus sylvarare also frequent but a ge, but is largely absen	and hazel (Corylus avellana) with round flora of Rubus fruticosus, ong others. Tree species diversity tica), sycamore (Acer re not dominant. Cherry laurel t from the interior. An area of birch ance of Rhododendron ponticum.

Site no.	0401	FIPS no.	83019, 83089, 478	821, 47822, 47823
Date surveyed	16/08/2005			
Woodland name	Lough Fea Demense	Tow	nland name Doo	ohatty, Ballyloughan, Kilmactrasna
Conservation rating	g and score Moder	rate 54	Threat rat	ing and score Moderate 33
Disco. map 3	5 Grid ref.	H835014	inch sheet Mo	O 31 County Monaghan
NPWS region N	lorth Midlands NHA c	code 560	SAC code	- SPA Code -
National Park	Nature Reserve		Wood	dland present in the 1840s Yes
Ownership	Private - Single	Area (ha) 88	Max. alt.	(m) 62 Min. alt. (m) 38
Sub-soil TLP:	SsS/RckCa/A	Soil	AminPD/AminD	W/BminSW/AlluvMIN
Geography	Woodlan	nd habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle _	✓ Springs
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	Damp clefts/ravines
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	<b>✓</b> WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗌 WD1	100%	Grazing level	1
Coastal/Estuary	□ WD2	0%		
	Other habitats			
Field notes		Е	xternal data source:	not all data recorded
Monaghan. A large horse-chestnut (Ae excelsior), peduncu prevalent. The field	part of the south end of the sculus hippocastanum) willate oak (Quercus robur),	ne site is composed th mercurialis perei hazel (Corylus ave ersified with Circaea	l of exotics like syc nnis abundant. Fur llana), and beech l lutetiana, Rubus f	m south of Carrickmacross, County camore (Acer pseudoplatanus) and rther into the site ash (Fraxinus (Fagus sylvatica) become more fruticosus and Geum urbanum scats present.

Site no.	0402	FIPS no.	27060, 3786	
Date surveyed	04/05/2005			
Woodland name	Black Lough/Lough Bawn Woods	Том	vnland name Shantony, Cortober	
Conservation rating	g and score Modera	ate 46	Threat rating and score Low 1	17
Disco. map 28	BB Grid ref. H	1709111	6 inch sheet MO 27 County Monaghan	
NPWS region N	lorth Midlands NHA co	ode -	SAC code 1595 SPA Code -	
National Park	Nature Reserve	]	Woodland present in the 1840s Yes	3
Ownership	Private - Single	Area (ha)	Max. alt. (m) 106 Min. alt. (m) 104	4
Sub-soil TLPS	SsS/A/Cut	Soil	AminDW/AlluvMIN/Cut/AminPD	
Geography	Woodland	d habitats	Grazing Hydrological features	
Esker	□ WN1	0%	Deer ☐ Seasonal flooding ✓	
Drumlin	□ WN2	0%	Cattle Springs	
Valley	□ WN3	0%	Sheep Lakes	
Lakeside	□ WN4	0%	Rabbits Rivers/streams	
Bogland	□ WN5	0%	Hares Damp clefts/ravines D	
Hill	□ WN6	100%	Goats Other	
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n <b>✓</b> WD1	0%	Grazing level 0	
Coastal/Estuary	□ WD2	0%		
	Other habitats			
Field notes		E	External data source: not all data recorded	
pseudoplatanus). T birch (Betula pubes field layer is domina	wo small areas of grey will scens) and alder (Alnus glu	low (Salix cinerea) itinosa) along a sn i, Caltha palustris,	inance of beech (Fagus sylvatica) and sycamore (Acer dominated WN6 wet willow-alder-ash woodland with some nall river 9 km east of Cootehill, County Monaghan. The Phalaris arundinacea and Carex spp. The soil is a heavily	

Site no.	0403	FIPS no.	65242, 65241	, 19282, 65240, 19280	), 65239	
Date surveyed	28/07/2004					
Woodland name	Fairfield Demense	Tov	vnland name	Fairfield Demesne, Bl	ack Is	
Conservation rating	and score Very	Good 70	Threa	t rating and score	High 42	2
Disco. map 28	A Grid ref.	H619172	6 inch sheet	MO 23 Count	Monaghan Monaghan	
NPWS region N	orth Midlands NHA	code 1	SAC code	- SF	PA Code -	
National Park	Nature Reserve		V	Woodland present in th	e 1840s Yes	
Ownership	Coillte	Area (ha)	6.5 Max.	alt. (m) 95	Min. alt. (m) 78	
Sub-soil Cut/	TLPSsS	Soil	Cut/AminPI	D/AminDW		
Geography	Woodl	and habitats	Grazing	<u>Hydrol</u>	ogical features	
Esker	□ WN1	0%	Deer	<b>✓</b> Seasona	I flooding 🗹	
Drumlin	<b>✓</b> WN2	90%	Cattle	Springs		
Valley	WN3	0%	Sheep	Lakes	<b>✓</b>	
Lakeside	WN4	0%	Rabbits	Rivers/st		
Bogland	WN5	0%	Hares	Damp cle	efts/ravines	
Hill	□ WN6	10%	Goats	Other		
Plain/Lowlands	□ WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	1		
Coastal/Estuary	□ WD2	0%				
	Other habita	ts				
Field notes		Į.	External data sou	rce: not all data recorded		
(Quercus robur) wit evident here. Beech shores are dominat	n-sized site surveyed wah an understorey of ash h an understorey of ash n (Fagus sylvatica) is als ed by alder (Alnus glutin layer of wet areas consi	(Fraxinus excelsior) so present. WN6 we nosa) and grey willow	) (see map). Ex t willow-alder-as w (Salix cinerea	tensive Rhododendron sh areas of wood occu ) with the non-native g	ponticum invasion ring on the lake	

Site no.	0404	FIPS no.	5853, 5865	
Date surveyed	07/09/2004			
Woodland name	Old Wood	Tov	vnland name K	illyconnigan, Mullanlary
Conservation rating	g and score Mod	lerate 52	Threat ra	ating and score Moderate 33
Disco. map 28	BB Grid ref.	H725410	6 inch sheet	MO 7 County Monaghan
NPWS region N	lorth Midlands NHA	code 559	SAC code	- SPA Code -
National Park	Nature Reserve		Wo	podland present in the 1840s Yes
Ownership	Private - Single	Area (ha)	6 Max. alt	t. (m) 40 Min. alt. (m) 35
Sub-soil Cut/	TDCSs	Soil	Cut/AminDW	
Geography	Woodla	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	✓ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	□ Damp clefts/ravines □
Hill	□ WN6	100%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	3
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes			External data source	e: not all data recorded
lies on an in-filling I oppositifolium and grazing is quite highwater's edge. Corne	ake margin in County Mocarex remota. The abun h. The site is fairly dry fous sericea forms small s	onaghan. The field I dance of Urtica dioi or this type of woodla cattered thickets. A	ayer is dominated ca indicates fertilis and, with grey willo large area of adja	s glutinosa) and ash (Fraxinus excelsior) I by Iris pseudacorus, Chrysosplenium sation of the soil, probably by deer, as ow (Salix cinerea) being restricted to the acent woodland on and above the slope eer pseudoplatanus) and conifers.

Site no.	0406		FIPS no.	68685			
Date surveyed	10/08/200	04					
Woodland name	Nut Wood		Tow	nland name	Inishdevlin, Drumo	connelly	
Conservation rating	g and score	Moderate	54	Threat	t rating and score	Moderate	25
Disco. map 28	Grid re	f. H660	429	6 inch sheet	MO 6	ounty Mor	aghan
NPWS region N	lorth Midlands	NHA code	-	SAC code	-	SPA Code	-
National Park	Nature Res	serve		V	Voodland present i	in the 1840s	Yes
Ownership	Private - Multiple	e Area	a (ha) 1	4 Max.	alt. (m) 105	Min. alt. (m)	70
Sub-soil TDC	Ss/A		Soil	AminPD/Allu	uvMIN		
Geography		Woodland hal	oitats	Grazing	Hy	drological feature	<u>s</u>
Esker		WN1	0%	Deer	<b>✓</b> Seas	onal flooding	
Drumlin		WN2	0%	Cattle	<b>✓</b> Sprin	gs	
Valley	<b>✓</b>	WN3	0%	Sheep	Lakes	S	
Lakeside		WN4	0%	Rabbits	River	s/streams	$\checkmark$
Bogland		WN5	0%	Hares	☐ Damp	o clefts/ravines	
Hill		WN6	0%	Goats	Other	r	
Plain/Lowlands		WN7	0%	Horses			
Island		WS1	0%	Other			
Riverside/Floodplai	n 🗌	WD1	100%	Grazing level	1		
Coastal/Estuary		WD2	0%				
	Othe	er habitats					
Field notes			E	External data sour	rce: not all data reco	rded	
Drumconnelly wood avellana) with occa a gentle slope down beech (Fagus sylvat (Malus sylvestris). psuedoplatanus) ar and probably by de abundant, Allium urglutinosa) is occasi	sional sessile of n to Mountain watica)/ birch (Bet The northwest p nd horse-chestn er. Bluebell (Hyarsinum locally ab	ak (Quercus pe ater river flowin ula pubescens) ortion is mainly ut (Aesculus hi acinthoides nor bundant. Bryopl	traea) and sy g west to eas /hazel with oo oak/ash/haze opocastanum a-scripta) are nytes and bar	camore (Acer p t through site. Secasional goat v el with beech (F ). All through th present in patch	suedoplatanus) in Southern portion of villow (Salix caprea agus sylvatica), sy e site there is evid nes, Blechnum spi	the canopy. The f wood (Ward's) is a) and one crab a ycamore (Acer lence of grazing b cant locally very	site is on s mainly pple

Site no.	0407		FIPS no.	65341, 39475	5, 6734
Date surveyed	19/08/20	004			
Woodland name	Derryveen Wo	od	Tow	nland name	Derryveen, Dundonagh
Conservation rating	a and score	Moderate	58	Throo	t rating and scars Law 9
Conservation rating	y and score	iviouerate		iniea	t rating and score Low 8
Disco. map 28	Grid r	ef. H689	406	6 inch sheet	MO 6 County Monaghan
NPWS region N	North Midlands	NHA code	-	SAC code	- SPA Code -
National Park	Nature Re	serve		V	Noodland present in the 1840s No
Ownership	Private - Single	e Area	a (ha) 1	4 Max.	alt. (m) 60 Min. alt. (m) 60
Sub-soil Cut			Soil	Cut	
<u>Geography</u>		Woodland ha	<u>bitats</u>	Grazing	Hydrological features
Esker		WN1	0%	Deer	Seasonal flooding
Drumlin		WN2	0%	Cattle	☐ Springs ☐
Valley		WN3	0%	Sheep	☐ Lakes ✓
Lakeside		WN4	0%	Rabbits	Rivers/streams
Bogland	<b>✓</b>	WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill		WN6	0%	Goats	Other
Plain/Lowlands		WN7	100%	Horses	
Island		WS1	0%	Other	
Riverside/Floodpla	in 🗌	WD1	0%	Grazing level	0
Coastal/Estuary		WD2	0%		
	Oth	er habitats			
Field notes			E	External data sou	rce: not all data recorded
Typical WN7 bog wexcelsior) and rowato the owner and in Dryopteris dilatata	an (Sorbus auco areas, particul are the main fie	uparia) very occ arly the central peld layer species	etula pubesce asional in the parts, the woo . There are m	ens) with grey we canopy. The word is very thin oany peat banks	willow (Salix cinerea), ash (Fraxinus rood is fairly young (~40 years old) according or non-existant. Rubus fruticosus agg. and s, cuttings and pools throughout the wood. s are frequrent in the pool areas.

Site no.	0408	FIPS no.	48762, 48737	•		
Date surveyed	18/08/2004	]				
Woodland name	Drumever Woods	Tov	vnland name	Drumever, Shanmull	lagh, Monaltyba	ane
Conservation rating	g and score Mod	lerate 42	Threa	t rating and score	Moderate	25
Disco. map 3	Grid ref.	H871190	6 inch sheet	MO 31 Cour	nty Mon	aghan
NPWS region N	NHA	code -	SAC code	- 8	SPA Code	-
National Park	Nature Reserve		V	Woodland present in t	the 1840s	Yes
Ownership	Private - Multiple	Area (ha)	Max.	alt. (m) 40	Min. alt. (m)	30
Sub-soil TLP	SsS/Cut	Soil	AminDW/A	minPD/Cut		
Geography	Woodl	and habitats	Grazing	Hydro	ological feature	<u>8</u>
Esker	□ WN1	0%	Deer	Season	al flooding	
Drumlin	✓ WN2	0%	Cattle	<b>✓</b> Springs		
Valley	□ WN3	0%	Sheep	✓ Lakes		<b>✓</b>
Lakeside	□ WN4	0%	Rabbits	Rivers/s	streams	
Bogland	□ WN5	0%	Hares	☐ Damp c	lefts/ravines	
Hill	□ WN6	0%	Goats	Other		
Plain/Lowlands	□ WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodpla	in 🗌 WD1	0%	Grazing level	2		
Coastal/Estuary	□ WD2	100%				
	Other habita	ts				
Field notes		E	External data sou	rce: not all data recorde	ed	
with open access to (Acer pseudoplatar sylvestris). The nor hawthorn (Crataego	eaved woodland surrour o animals in one part. Ca nus), birch (Betula pubes th-eastern part of wood us monogyna) and rowa num, Geum urbanum, Ar	anopy consisted of a scens), alder (Alnus was dominated by b n (Sorbus aucuparia	sh (Fraxinus ex glutinosa), rowa eech (Fagus sy ). Typical field I	kcelsior), beech (Fagu an (Sorbus aucuparia /Ivatica). Understorey	us sylvatica), sy ) and scots pind consisted mair	rcamore e (Pinus nly of

Site no.	0409	FIPS no.	21821	
Date surveyed	17/08/2004			
Woodland name	Drummully	То	wnland name	Drummully
Conservation rating	g and score Mo	oderate 48	Threa	t rating and score Low 8
Disco. map 28	Grid ref.	H667434	6 inch sheet	MO 6 County Monaghan
NPWS region N	lorth Midlands NF	A code -	SAC code	- SPA Code -
National Park	Nature Reserve		١	Woodland present in the 1840s Yes
Ownership	Private - Multiple	Area (ha)	10 Max.	alt. (m) 80 Min. alt. (m) 60
Sub-soil TDC	SsS/Cut	So	AminPD/Cu	ut
<u>Geography</u>	Wood	lland habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	✓ WN2	70%	Cattle	□ Springs □
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai		30%	Grazing level	0
Coastal/Estuary	□ WD2	0%	· ·	
,	Other habi			1
Field notes			External data sou	rce: not all data recorded
first eastern part is canopy species wh (Fraxinus excelsion second block is alm Dryopteris dilatata (Quercus robur). Su aquifolium) frequen	dominated by apparer ich make up a small pe ) and alder (Alnus glutinost all sycamore (Ace and Dryopteris filix-maycamore is still frequer	tly mature hazel (Co ercentage cover are g nosa). Two large dito pseudoplatanus) ar s. Sorbus is also frec t in canopy. Hawthor Ground cover is com	rylus avellana) or goat willow (Salix ches separate the drowan (Sorbuluent in the shruin (Crataegus mosed mainly of	two easterly ones owned by Mick Kelly. The coppice. Ground cover is scant. Other x caprea), birch (Betula pubescens), ash e second block from the other two. The s aucuparia) with a ground layer of b layer. The third part is Ash/Hazel/Oak onogyna) is rare in the canopy. Holly (Ilex ferns, bluebell (Hyacinthoides non-scripta),

Site no.	0410	FIPS no.	21796		
Date surveyed	16/08/2004				
Woodland name	Derrynashallog	То	wnland name	Derrynashallog	
Conservation rating	g and score Mod	derate 54	Threa	at rating and score Low 17	
Disco. map 28	Grid ref.	H668432	6 inch sheet	MO 6 County Monaghan	
NPWS region N	NHA	code -	SAC code	- SPA Code -	
National Park	Nature Reserve		,	Woodland present in the 1840s Yes	
Ownership	Private - Multiple	Area (ha)	7 Max.	. alt. (m) 80 Min. alt. (m) 60	
Sub-soil TDC	Ss/A	Soi	I AminPD/AI	lluvMIN	
Geography	Woodl	and habitats	Grazing	Hydrological features	
Esker	□ WN1	0%	Deer	Seasonal flooding	
Drumlin	□ WN2	100%	Cattle	☐ Springs ☐	
Valley	✓ WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ✓	
Bogland	□ WN5	0%	Hares	□ Damp clefts/ravines □	
Hill	□ WN6	0%	Goats	Other	
Plain/Lowlands	□ WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplai	in 🗌 WD1	0%	Grazing leve	0	
Coastal/Estuary	□ WD2	0%			
	Other habita	its			
Field notes			External data sou	urce: not all data recorded	
have sycamore (Accoppice of hazel (C	cer pseudoplatanus) frec Corylus avellana) presen mas. Numerous badger	uent in the canopy t throughout. Field la	and shrub layer ayer composed	and hazel (Corylus avellana) with areas that rs (see map on back of blue sheet). Mature of Circaea lutetiana, Rubus fruticosus agg. irough the site. Numerous banks and ditches	

Site no.	0411	FIPS no.	. 18802		
Date surveyed	26/07/2004				
Woodland name	Dromore West	-	Townland name	Dromore West	
Conservation rating	g and score Ve	y Good 61	Threa	t rating and score Moderate	25
Disco. map 28	Grid ref.	H600153	6 inch sheet	MO 22 County Monagh	nan
NPWS region N	orth Midlands NF	A code 1	SAC code	- SPA Code	-
National Park	Nature Reserve		V	Voodland present in the 1840s	Yes
Ownership	Coillte	Area (ha)	5 Max.	alt. (m) 85 Min. alt. (m)	80
Sub-soil Cut/1	TLPSsS		Soil Cut/AminPE	)	
<u>Geography</u>	Wood	lland habitats	Grazing	Hydrological features	
Esker	□ WN1	0%	Deer	Seasonal flooding ✓	
Drumlin	□ WN2	0%	Cattle	□ Springs □	
Valley	□ WN3	0%	Sheep	☐ Lakes ✓	
Lakeside	<b>✓</b> WN4	0%	Rabbits	Rivers/streams	
Bogland	□ WN5	0%	Hares	Damp clefts/ravines	
Hill	□ WN6	95%	Goats	Other	
Plain/Lowlands	□ WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplain	n 🗌 WD1	5%	Grazing level	0	
Coastal/Estuary	□ WD2	0%			
	Other habi	ats			
Field notes			External data sou	rce: not all data recorded	
strip of WD1 modife		on western side of	of site. Field layer a	sa) and grey willow (Salix cinerea). Smalbundant with Iris pseudacorus and Pha Ind at lake shore.	

Site no.	0412	FIPS no.	80942, 20825, 20827
Date surveyed	04/08/2004		
Woodland name	Hollywood Lake Wood	Tow	Annaghagh, Mullatishaughlin, Teraverty
Conservation rating	and score Mod	lerate 58	Threat rating and score Low 17
Disco. map 28	Grid ref.	H607360	6 inch sheet MO 9/8 County Monaghan
NPWS region N	orth Midlands NHA	code -	SAC code - SPA Code -
National Park	Nature Reserve		Woodland present in the 1840s Yes
Ownership	Private - Single	Area (ha) 9	Max. alt. (m) 80 Min. alt. (m) 75
Sub-soil Cut/	TDCSsS	Soil	Cut/AminPD
<u>Geography</u>	Woodla	and habitats	Grazing Hydrological features
Esker	□ WN1	0%	Deer ☐ Seasonal flooding ✓
Drumlin	□ WN2	0%	Cattle Springs
Valley	<b>✓</b> WN3	0%	Sheep Lakes
Lakeside	□ WN4	0%	Rabbits Rivers/streams
Bogland	□ WN5	0%	Hares Damp clefts/ravines
Hill	□ WN6	0%	Goats Other
Plain/Lowlands	WN7	100%	Horses
Island	□ WS1	0%	Other
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level 0
Coastal/Estuary	□ WD2	0%	
	Other habita	ts	
Field notes		E	External data source: not all data recorded
species are birch (E laurel willow (S. per (Corylus avellana), lake shore gives ris mainly Filipendula u	Betula pubescens), alden ntandra) and goat willow alder (Alnus glutinosa)a e to wet areas of leaf litt ulmaria, Caltha palustris	(Alnus glutinosa) ar (S. caprea) were mond rowan (Sorbus au er and Sphagnum sp , Galium palustre and	d in COunty Monaghan is peat and so the dominant tree nd rowan (Sorbus aucuparia). Grey willow (Salix cinerea), ost common near the lake. Holly (Ilex aquifolium), hazel ucuparia) formed the understorey. Seasonal flooding of the p. Other bryophytes and herbaceous species are thin, d Apium nodiflorum. Wood has amenity use in fishing and tly cleared and sown for grass (see map).

Site no.	0414	FIPS no. 65265
Date surveyed	09/08/2004	
Woodland name	Derrygorry Wood	Townland name Derrygorry
Conservation rating	g and score Moderate	Threat rating and score Low 8
Disco. map 28	Grid ref. H620	0518 6 inch sheet MO 1 County Monaghan
NPWS region N	NHA code	- SAC code - SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s Yes
Ownership	Coillte Area	ea (ha) 5 Max. alt. (m) 110 Min. alt. (m) 100
Sub-soil TDC	SsS	Soil AminPD
<u>Geography</u>	Woodland ha	Abitats Grazing Hydrological features
Esker	□ WN1	100% Deer Seasonal flooding
Drumlin	<b>✓</b> WN2	Cattle Springs
Valley	□ WN3	0% Sheep Lakes
Lakeside	□ WN4	0% Rabbits ☐ Rivers/streams ☐
Bogland	□ WN5	0% Hares Damp clefts/ravines
Hill	□ WN6	0% Goats Other
Plain/Lowlands	□ WN7	0% Horses
Island	□ WS1	0% Other
Riverside/Floodpla		0% Grazing level 0
Coastal/Estuary	□ WD2	0%
ŕ	Other habitats	
Field notes		External data source: not all data recorded
petraea). Beech (F with numerous see	agus sylvatica), rowan (Sorbus dlings present. Seedlings of se ominated the field layer. Area s	a drumlin in County Monaghan dominated by sessile oak (Quercus saucuparia), hazel (Corylus avellana) and holly (Ilex aquifolium) present essile oak and birch (Betula pubescens) abundant. Luzula sylvatica and surrounding woodland recently cleared of conifers and replanted with

Site no.	0416	FIF	PS no.	80012, 39805		
Date surveyed	03/08/2004					
Woodland name	Castleshane Den	nense Woods	Towr	nland name	Castleshane Demense	
Conservation rating	Conservation rating and score Moderate 52 Threat rating and score Moderate 25					
Disco. map 28	Grid ref.	H735322	6	inch sheet	MO 10 County Monaghan	
NPWS region N	North Midlands	NHA code	-	SAC code	- SPA Code -	
National Park	Nature Reser	ve 🗌		V	Voodland present in the 1840s Yes	
Ownership	Coillte	Area (ha	14	Max.	alt. (m) 60 Min. alt. (m) 45	
Sub-soil TLP	SsS/A		Soil	AminDW/Ar	minPD/AlluvMIN	
<u>Geography</u>	<u>V</u>	Noodland habitats	<u>3</u>	Grazing	Hydrological features	
Esker	□ w	/N1 (	)%	Deer	Seasonal flooding	
Drumlin	✓ W		0%	Cattle	Springs	
Valley			0%	Sheep	Lakes	
Lakeside			0%	Rabbits	Rivers/streams	
Bogland			0%	Hares	☐ Damp clefts/ravines ☐	
Hill			0%	Goats	Other	
Plain/Lowlands			0%	Horses		
Island			0%	Other		
Riverside/Floodpla	_ "		0%	Grazing level	0	
Coastal/Estuary			0%	· ·		
,		habitats			]	
Field notes	Sui.s.		Ex	kternal data soul	rce: not all data recorded	
conifers and broad laurocerasus very of broadleaved wood. canopy in small nu (Fagus sylvatica), h	leaves with conifer dense around site In this arean ash mbers. Wych elm ( nolly (llex aquifoliu)	rs making up to 60 edes. See map fo (Fraxinus excelsio (Ulmus glabra), ho m) and hazel (Co	0% of thes or area of r or) and syo awthorn (0 rylus avell	e areas (they mainly sessile camore (Acer   Crataegus mor ana) were pres	ther broadleaves' was composed of a mix of were dominant in parts). Prunus oak (Quercus petraea) dominated pseudoplatanus) were also present in the nogyna), elder (Sambucus nigra), beech sent in the understorey. The field layer was n-scripta dominated in large areas, as did	

Site no.	0417	FIPS no.	49918		
Date surveyed	30/07/2004	]			
Woodland name	Tully Wood	Tov	vnland name	Tully	
Conservation rating	g and score Mod	lerate 42	Threat	rating and score Moderate	25
Disco. map 40	0 Grid ref.	N932762	6 inch sheet	LF 13 County L	ongford
NPWS region N	lorth Midlands NHA	code 442	SAC code	442 SPA Code	-
National Park	Nature Reserve		W	Voodland present in the 1840s	No
Ownership	Private - Single	Area (ha) 4	.9 Max. a	alt. (m) 50 Min. alt. (m)	50
Sub-soil Cut		Soil	Cut		
Geography	Woodl	and habitats	Grazing	Hydrological featu	res
Esker	□ WN1	0%	Deer	Seasonal flooding	
Drumlin	□ WN2	0%	Cattle	Springs	
Valley	WN3	0%	Sheep	Lakes	
Lakeside	WN4	0%	Rabbits	Rivers/streams	
Bogland	<b>✓</b> WN5	0%	Hares	Damp clefts/ravines	
Hill	□ WN6	0%	Goats	Other	
Plain/Lowlands	□ WN7	100%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	0	
Coastal/Estuary	□ WD2	0%			
	Other habita	ts			
Field notes		,	External data sour	rce: not all data recorded	
narrow and non-exi occassional. Vaccir canopy and as pole (Fraxinus excelsior) not abundant due to	stent in parts of the bog nium myrtilis also domines. Rowan (Sorbus aucu and yew (Taxus bacca	margin. Rubus frution on edges fringing paria), hawthorn (Crata) also noted. Sess and Vaccinium myrt	cosus is domina g the bog. Scots ataegus monog ile oak (Quercus	by birch (Betula pubescens). Woo int in much of the woodland. Rubus pine (Pinus sylvestris) is occassingna), beech (Fagus sylvatica), as is robur) present as seedlings only. Not many peat banks or Sphagr	is idaeus onal in the h . Herbs

Site no.	0418 FIPS no. 49811
Date surveyed	30/08/2004
Woodland name	Carrickglass Demense Woods Townland name Carrickglass Demense
Conservation rating	g and score Very Good 67 Threat rating and score Low 17
Disco. map 4	Grid ref. N173773 6 inch sheet LF 9/14 County Longford
NPWS region N	North Midlands NHA code 1822 SAC code 1822 SPA Code -
National Park	Nature Reserve Woodland present in the 1840s Yes
Ownership	Private - Multiple Area (ha) 26 Max. alt. (m) 50 Min. alt. (m) 50
Sub-soil TLP	SsS/A/TCh Soil AminDW/AlluvMIN
Geography	Woodland habitats Grazing Hydrological features
Esker	☐ WN1 ☐ 0% Deer ☐ Seasonal flooding ☐
Drumlin	□ WN2 100% Cattle ✓ Springs □
Valley	□ WN3 0% Sheep □ Lakes □
Lakeside	□ WN4 0% Rabbits □ Rivers/streams ✓
Bogland	□ WN5 0% Hares □ Damp clefts/ravines □
Hill	□ WN6 0% Goats □ Other □
Plain/Lowlands	✓ WN7 0% Horses ✓
Island	□ WS1 0% Other □
Riverside/Floodplai	
Coastal/Estuary	□ WD2 0%
	Other habitats
Field notes	External data source: not all data recorded
were very large. As places invaded by	and in COunty Longford with dominant mature pedunculate oak (Quercus robur) trees. Some trees sh (Fraxinus excelsior) was abundant throughout. Many broad leaved exotics present also. Woodland in Rhododendron ponticum, Symphoricarpos albus and to a lesser extent Prunus laurocerasus. Field layer of Circea lutetiana, Geranium robertianum and pteridophytes. Evidence of cattle grazing and horse of the woodland.

Site no.	0419	FIPS no.	49842, 49841, 49844, 49810	
Date surveyed	31/08/2004			
Woodland name	Carrickglass Demense V West	Voods Tow	rnland name Carrickglass Demense	
Conservation rating	g and score Very	Good 67	Threat rating and score Moderate 2	25
Disco. map 4	1 Grid ref.	N168766	6 inch sheet LF 14 County Longford	
NPWS region N	Iorth Midlands NHA	code 1822	SAC code 1822 SPA Code -	
National Park	Nature Reserve		Woodland present in the 1840s Yes	6
Ownership	Private - Multiple	Area (ha)	Max. alt. (m) 50 Min. alt. (m) 50	)
Sub-soil TLP	SsS/A/TCh	Soil	AminDW/AlluvMIN	
Geography	<u>Woodla</u>	nd habitats	<u>Grazing</u> <u>Hydrological features</u>	
Esker	□ WN1	0%	Deer ✓ Seasonal flooding □	
Drumlin	□ WN2	50%	Cattle ✓ Springs	
Valley	□ WN3	0%	Sheep Lakes	
Lakeside	□ WN4	0%	Rabbits Rivers/streams	
Bogland	WN5	0%	Hares Damp clefts/ravines	
Hill	□ WN6	0%	Goats Other	
Plain/Lowlands	<b>✓</b> WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodpla	n WD1	50%	Grazing level 2	
Coastal/Estuary	□ WD2	0%		
	Other habitat	S		
Field notes		E	external data source: not all data recorded	
canopy layers with young and consiste mainly pedunculate pseudoplatanus) p	few pedunculate oak (Qued mainly of grey willow (Se oak (Quercus robur) and resent also. Prunus lauro	ercus robur) in the of Salix cinerea) and as distance as with some been cerasus and Rhodo	of beech (Fagus sylvatica) in the shrub, subcanopy and canopy layer. The north eastern edge of the wood was sh (Fraxinus excelsior). The rest of the woodland was ech, hornbeam (Carpinus betulus) and sycamore (Acer dendron ponticum completely dominated some areas. Fiel in urbanum and Dryopteris species.	ldd

Site no.	0421	FIPS no.	59718
Date surveyed	29/07/2004		
Woodland name	Derryglogher Wood	Тс	ownland name Derryglogher
Conservation rating	g and score N	oderate 58	Threat rating and score Low 17
Disco. map 4	0 Grid ref.	N073064	6 inch sheet LF 22 County Longford
NPWS region N	lorth Midlands N	HA code -	SAC code - SPA Code -
National Park	Nature Reserve		Woodland present in the 1840s Yes
Ownership	Private - Single	Area (ha)	7 Max. alt. (m) 55 Min. alt. (m) 50
Sub-soil TLs/	RckCa/Cut	So	bil BminPDPT/BminSRPT/Cut
Geography	Woo	dland habitats	Grazing Hydrological features
Esker	□ WN1	0%	Deer Seasonal flooding
Drumlin	□ WN2	100%	Cattle Springs
Valley	□ WN3	0%	Sheep Lakes
Lakeside	□ WN4	0%	Rabbits Rivers/streams
Bogland	✓ WN5	0%	Hares Damp clefts/ravines
Hill	□ WN6	0%	Goats Other
Plain/Lowlands	□ WN7	0%	Horses
Island	□ WS1	0%	Other
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level 0
Coastal/Estuary	□ WD2	0%	
	Other hab	tats	
Field notes			External data source: not all data recorded
mature pedunculate aquifolium). Boulde and Rhytidiadelphu setiferum and Dryo felled. Meadow gra	e oak (Quercus robur rs (<60cm) are freque is spp Oxalis acetos pteris affinis are the r sses and forbs predo I is thin. Milium effusu	dominant in places. nt on the ground and ella and Geranium rolust frequent pteridop ninate in these areas	(Fraxinus excelsior), hazel (Corylus avellana) with large Understorey of mainly hazel and to a lesser extent holly (Ilex dare covered in mosses including Thuidium, Thamnobryum bertianum are the most abundant herbs while Polystichum phytes. Open areas occur in the wood where trees have been so Rubus fruticosus agg. and R. idaeus are frequent where the place. Occasional birch (Betula pubescens) and goat willow

Site no.	0422	FIPS no.	46411	
Date surveyed	05/08/2004			
Woodland name	Kiltyreher Wood	To	wnland name	Kiltyreher
Conservation rating	g and score Mo	derate 52	Threat	t rating and score Low 8
Disco. map 4	1 Grid ref.	N180779	6 inch sheet	LF 09 County Longford
NPWS region N	NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		٧	Voodland present in the 1840s Yes
Ownership	Private - Single	Area (ha)	4 Max.	alt. (m) 50 Min. alt. (m) 49
Sub-soil TLP	SsS/A	Soil	BminPDPT/	/AlluvMIN
Geography	Wood	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	100%	Cattle	✓ Springs
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ✓
Bogland	□ WN5	0%	Hares	Damp clefts/ravines
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	✓ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodpla	in 🗌 WD1	0%	Grazing level	1
Coastal/Estuary	WD2	0%		_
	Other habita	ats		
Field notes			External data sour	rce: not all data recorded
waterlogged in place Occasional felling for (Crataegus monog	ces. Open shrub layer d or private use. Regener	ue to cattle grazing. ation of ash is frequous us fairly common. A	Some poaching ent. Prunus very Ider (Alnus glutir	ood on gently sloping heavy gley soil, evident. Abundant herbs and grasses. / frequent in understorey. Ilex, hawthorn nosa) dominant in places, particularly in e as a whole.

Site no.	0423	FIPS no.	7727	
Date surveyed	13/09/2004			
Woodland name	Inisfale Wood	To	vnland name	Derrynadooey
Conservation rating	g and score Me	oderate 46	Threa	at rating and score Moderate 25
Disco. map 2	6 Grid ref.	G964135	6 inch sheet	RO 2 County Roscommon
NPWS region N	lorth Midlands NF	A code -	SAC code	- SPA Code -
National Park	Nature Reserve		١	Woodland present in the 1840s No
Ownership	Private - Single	Area (ha)	4 Max.	alt. (m) 50 Min. alt. (m) 49
Sub-soil Wate	er/TNSSs	Soil	Water/Amir	nPDPT
Geography	Wood	lland habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding ✓
Drumlin	□ WN2	0%	Cattle	✓ Springs
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	✓ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	100%	Goats	<b>✓</b> Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	I 3
Coastal/Estuary	□ WD2	0%		
	Other habi	ats		]
Field notes			External data sou	urce: not all data recorded
a predominantly roo joins the island to the lower trunk or base vulgaris, Lysimachi, woodland. The high sylvatica), sycamor	cky lakeshore. It occur ne mainland. A large p . Lichens are abundar a numularia, Trifolium ner ground of Inisfale I	s on the fringe surrou roportion of the alder t on these trees. The repens and Holcus la sland is wooded with l	nding Inisfale Is have died back ground flora ind natus. Black-po nighly modified	alix cinerea) and ash (Fraxinus excelsior), on sland and also across the strip of land that in the crown and are sprouting from the cludes Hydrocotyle vulgaris, Prunella oplar (Populus nigra) also occurs in the woodland that includes beech (Fagus is laurocerasus, and a range of exotics. This

Site no.	0425	FIPS no. Non FIPS
Date surveyed	06/08/2004	
Woodland name	Cormongan	Townland name Cormongan
Conservation rating	g and score P	Poor 33 Threat rating and score Low 8
Disco. map 2	6 Grid ref.	G976160 6 inch sheet LE 20 County Leitrim
NPWS region N	orth Midlands NHA	A code - SAC code - SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s No
Ownership	Coillte	Area (ha) 2.7 Max. alt. (m) 50 Min. alt. (m) 47
Sub-soil TNS	Ss	Soil AminPD/AminPDPT
<u>Geography</u>	Woodla	and habitats Grazing Hydrological features
Esker	□ WN1	0% Deer Seasonal flooding ✓
Drumlin	□ WN2	Cattle
Valley	□ WN3	0% Sheep Lakes
Lakeside	<b>✓</b> WN4	0% Rabbits Rivers/streams
Bogland	□ WN5	0% Hares Damp clefts/ravines
Hill	□ WN6	100% Goats Other
Plain/Lowlands	WN7	0% Horses
Island	□ WS1	0% Other
Riverside/Floodplai	n 🗌 WD1	0% Grazing level 0
Coastal/Estuary	□ WD2	0%
	Other habita	ats
Field notes		External data source: not all data recorded
regeneration. Alder with Phalaris arund Fillipendula ulmaria	(Alnus glutinosa) and g inacea, Ranunculus rep i. Towards the back of the	v-alder-ash woodland on rocky lakeshore with low canopy (8-9 m) and abundant grey willow (Salix cinerea) dominate the canopy. There is a diverse field layer bens, Prunella vulgaris, Carex remota, Oenanthe crocata, Mentha aquatica and the site ash (Fraxinus excelsior), hawthorn (Crataegus monogyna) and abundant with bramble (Rubus fruticosus) dominating beneath.

Site no.	0426	FIPS no.	15325, 15327	7, 64860, 15064, 15065
Date surveyed	10/08/2004			
Woodland name	Derrycarne Shoreline	Tov	vnland name	Derrycarne Demesne
Conservation rating	and score Very	Good 61	Threa	at rating and score Low 8
Disco. map 33	Grid ref.	N025910	6 inch sheet	LE 33 County Leitrim
NPWS region N	orth Midlands NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		١	Woodland present in the 1840s Yes
Ownership	Coillte	Area (ha)	7 Max.	alt. (m) 50 Min. alt. (m) 39
Sub-soil L/TLF	PSsS	Soil	Lac/AminPl	D/AminDW
<u>Geography</u>	<u>Woodl</u>	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding     ✓
Drumlin	□ WN2	0%	Cattle	<b>✓</b> Springs
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	✓ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	100%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplain	n 🗌 WD1	0%	Grazing level	I 1
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		]
Field notes		E	External data sou	urce: not all data recorded
the headland, where marking the extent of ash (Fraxinus excel	e the field layer is dense of the inundation. The c sior). Buckthorn (Rham	e Phalaris arundinace anopy is dominated nus cathartica) is loc	ea and Filipend by grey willow ( cally abundant.	padest on the northern and southern sides of dula ulmaria with a mat of dead reeds (Salix cinerea), alder (Alnus glutinosa) and Along the western shore the ground is being grazed by cattle to form a kind of wood

Site no.	0427	FIPS no. 51593
Date surveyed	13/08/2004	
Woodland name	Carrickarinn	Townland name Clooncoe
Conservation rating	and score Very Good	Threat rating and score Moderate 25
Disco. map 33	Grid ref. N110	9910 6 inch sheet LE 36 County Leitrim
NPWS region No	orth Midlands NHA code	- SAC code - SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s No
Ownership	Coillte Area	a (ha) 14.1 Max. alt. (m) 45 Min. alt. (m) 40
Sub-soil Cut/T	TLPSsS	Soil Cut/AminPD/AminPDPT
<u>Geography</u>	Woodland ha	<u>Bitats</u> <u>Grazing</u> <u>Hydrological features</u>
Esker	□ WN1	0% Deer Seasonal flooding
Drumlin	□ WN2	70% Cattle Springs
Valley	□ WN3	0% Sheep □ Lakes ✓
Lakeside	<b>✓</b> WN4	0% Rabbits Rivers/streams
Bogland	□ WN5	0% Hares Damp clefts/ravines Damp clefts/ravines
Hill	□ WN6	30% Goats Other
Plain/Lowlands	□ WN7	0% Horses
Island	□ WS1	0% Other
Riverside/Floodplair	n 🗌 WD1	0% Grazing level 0
Coastal/Estuary	□ WD2	0%
	Other habitats	
Field notes		External data source: not all data recorded
crack willow (S. frag and Lythrum salicar (Corylus avellana), s	illis) and alder (Alnus glutinosa ia. Rest of woodland was dom sycamore (Acer pseudoplatan	podland along lakeshore dominated by grey willow (Salix cinerea) with a) in the canopy. Field layer composed mainly of Phalaris arundinacea hinated by ash (Fraxinus excelsior) with alder (Alnus glutinosa), hazel aus), birch (Betula pubescens), holly (Ilex aquifolium) and a few old ar thick in places with Rubus fruticosus.Ribes uva-crispa found on site.

Site no.	0430	FIPS no.	40558	
Date surveyed	11/08/2004	]		
Woodland name	Lugmore Glen	Tov	wnland name	Corbally
Conservation rating	g and score Mod	derate 46	Threa	at rating and score Low 0
Disco. map 5	Grid ref.	O063256	6 inch sheet	DU 21 County Dublin
NPWS region	North Eastern NHA	code 1212	SAC code	- SPA Code -
National Park	Nature Reserve		V	Woodland present in the 1840s No
Ownership	Private - Single	Area (ha) 1	.2 Max.	alt. (m) 180 Min. alt. (m) 150
Sub-soil Rckl	NCa/TLPSsS	Soil	AminSW/Ar	minDW
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	100%	Cattle	☐ Springs ☐
Valley	✓ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	Unknown
Riverside/Floodpla	in 🗌 WD1	0%	Grazing level	1
Coastal/Estuary	□ WD2	0%		
	Other habita	its		
Field notes			External data sou	rrce: not all data recorded
hazel (Corlyus avei include Hedera hel Heracleum sphond	llana) coppice with the o ix, Polystichum setiferun ylium. Also it is a site fo	ccasional ash (Fraxi n, Hyacinthoides noi rr the rare species L	inus excelsior). n-scripta, Sanic amiastrum gale	Dublin. The canopy is dominated by mature Important species within the field layer ula europaea, Galium odoratum and obdolon. Although there was only evidence or golfers walking through in search of balls.

Site no.	0432	FIPS no. 63341, 38371	
Date surveyed	02/09/2004		
Woodland name	Largydonnell Wood	Townland name Largydonnell	
Conservation rating	g and score Mo	lerate 48 Threat rating and score	Low 8
Disco. map	6 Grid ref.	G802513 6 inch sheet LE 3 C	ounty Leitrim
NPWS region	Northern NH.	code - SAC code -	SPA Code -
National Park	Nature Reserve	Woodland present	in the 1840s Yes
Ownership	Private - Single	Area (ha) 8 Max. alt. (m) 110	Min. alt. (m) 70
Sub-soil TNS	Ss/A	Soil AminPD/AlluvMIN	
<u>Geography</u>	Wood	and habitats Grazing Hy	drological features
Esker	□ WN1	100% Deer Seas	onal flooding
Drumlin	□ WN2	0% Cattle Sprin	gs
Valley	□ WN3	0% Sheep ✓ Lake	s $\square$
Lakeside	□ WN4	0% Rabbits 🗌 River	rs/streams
Bogland	□ WN5	0% Hares 🗌 Dam	p clefts/ravines
Hill	□ WN6	0% Goats Othe	r
Plain/Lowlands	✓ WN7	0% Horses	
Island	□ WS1	0% Other	
Riverside/Floodplai	n 🗌 WD1	0% Grazing level 1	
Coastal/Estuary	□ WD2	0%	
	Other habit	ts	
Field notes		External data source: not all data reco	rded
ponticum becoming beech (Fagus sylva	g problematic and plent atica) also present. The	erately freely draining mineral soil. The wood is very pof exotics present. The canopy is dominated by holly ield layer is poor due to darkness from holly and beed lgaris, Carex remota and Agrostis capillaris.	(Ilex aquifolium), with

Site no.	0438	FIPS no.	38471, 84210	), 40429
Date surveyed	08/09/2004			
Woodland name	Black River Woods	Tov	wnland name	Meenaslieve, Carricknagrow
Conservation rating	and score Very	Good 64	Threa	at rating and score Low 0
Disco. map 26	Grid ref.	H212302	6 inch sheet	CV 3 County Cavan
NPWS region N	orth Midlands NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Woodland present in the 1840s Yes
Ownership	Coillte	Area (ha)	4 Max.	alt. (m) 70 Min. alt. (m) 55
Sub-soil Cut/1	TNSSs	Soil	Cut/AminPI	D
<u>Geography</u>	Woodla	and habitats	Grazing	Hydrological features
Esker	□ WN1	5%	Deer	☐ Seasonal flooding ✓
Drumlin	□ WN2	95%	Cattle	□ Springs □
Valley	✓ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	WN7	0%	Horses	
Island	□ WS1	0%	Other	Unknown
Riverside/Floodplain	m 🗌 WD1	0%	Grazing level	2
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes			External data sou	irce: not all data recorded
pubescens) occurs pubescens). Pedun in the canopy. The The groundflora cor	throughout the woodlan culate oak (Quercus rob understorey is dominate mprises Oxalis acetosel	d, with there being a our), including a 212 d throughout by haz la, Primula vulgaris,	a small area in t cm DBH specin zel (Corylus ave Sanicula europ	s within the river valley. Birch (Betula the north dominated by birch (Betula men, and ash (Fraxinus excelsior) also occur ellana) with occasional holly (Ilex aquifolium). Daea and Hyacinthoides non-scripta. In the not Vaccinium myrtilis occuring.

Site no.	0439	FIPS no.	46833, 28915	
Date surveyed	14/09/2004	]		
Woodland name	Gartbrattan Wood	Tov	vnland name	Corracanvy, Gartbrattan
Conservation rating	g and score Mod	derate 54	Threa	t rating and score Low 8
Disco. map 3	4 Grid ref.	H364612	6 inch sheet	CV 20 County Cavan
NPWS region N	lorth Midlands NHA	code -	SAC code	7 SPA Code -
National Park	Nature Reserve		V	Noodland present in the 1840s No
Ownership	Private - Multiple	Area (ha) 9	.7 Max.	alt. (m) 60 Min. alt. (m) 60
Sub-soil Cut/	TNSSs	Soil	Cut/AminPI	)
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	WN3	0%	Sheep	☐ Lakes ✓
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams ☐
Bogland	□ WN5	0%	Hares	□ Damp clefts/ravines □
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	<b>✓</b> WN7	100%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n WD1	0%	Grazing level	0
Coastal/Estuary	□ WD2	0%		
	Other habita	its		
Field notes		E	External data sou	rce: not all data recorded
thought. Mature pe waterfilled drains th (Fraxinus excelsion	dunculate oak (Quercus roughout the wood which	robur) occasional the h made walking thro seudoplatanus) were	roughout with rough the wood of also present. N	scens). Soil was not a peat as originally numerous seedlings and saplings also. Many difficult. Grey willow (Salix cinerea), ash No obvious signs of management. Field layer sites found on the site.

Site no.	0443	F	IPS no.	24117			
Date surveyed	22/08/2005						
Woodland name	Knocktemple		Tow	nland name	Knocktemple		
Conservation rating	g and score	Moderate	42	Threa	at rating and score	Low	17
Disco. map 3	Grid ref.	N59585	5 (	inch sheet	CV 39	County C	avan
NPWS region N	orth Midlands	NHA code	8	SAC code	-	SPA Code	-
National Park	Nature Reser	/e 🗌		١	Woodland present	in the 1840s	No
Ownership	Private - Multiple	Area (h	na) 2	Max.	alt. (m) 85	Min. alt. (m)	82
Sub-soil TLPS	SsS/Cut		Soil	AminPD/Cu	ut		
Geography	<u>V</u>	loodland habita	ats.	Grazing	Hy	/drological feature	<u>es</u>
Esker	$\Box$ w	N1	0%	Deer	Seas	sonal flooding	<b>~</b>
Drumlin	$\Box$ w	N2	0%	Cattle	Sprir	ngs	
Valley	$\Box$ w	N3	0%	Sheep	Lake	es	
Lakeside	$\Box$ w	N4	0%	Rabbits	Rive	rs/streams	
Bogland	<b>✓</b> W	N5	0%	Hares	Dam	p clefts/ravines	
Hill	$\Box$ w	N6	0%	Goats	Othe	er	
Plain/Lowlands	$\Box$ w	N7 10	00%	Horses			
Island	$\Box$ w	S1	0%	Other			
Riverside/Floodplai	n 🗌 W	D1	0%	Grazing level	0		
Coastal/Estuary	$\Box$ w	D2	0%				
	Other	nabitats					
Field notes			E	xternal data sou	ırce: not all data reco	orded	
A small area of bird cinerea) and pedun fruticosus, Molinia of palustris occur with soil is a basin peat; woodland to the we house and associat surveyed area appears	culate oak (Quero caerulea and Dryo Iris pseudacorus. this appears to be st of this site. The ted trackways thro	us robur) are oc oteris dilatata. I Pteridium aquil a small cutove area immediate ugh the wood to	ccasional in wetter are inum and versite. Pernelly northwe the lough.	the canopy. The same are the shadown the shadown the shadown the shadown the same are the same a	The field layer is do nore Deschampsia illus are found aro not be obtained to substantially reduce	ominated by Rubu a cespitosa and Pound the drier mare survey the large a d due to the build	s otentilla gins. The rea of ng of a

Site no.	0446	FIPS no.	46837, 74133	3, 46821, 82961
Date surveyed	03/09/2004	]		
Woodland name	Trinity Island Wood	Tov	wnland name	Trinity Island, Scotch Island
Conservation ratin	g and score Very	Good 67	Threa	at rating and score Low 17
Disco. map	Grid ref.	H349482	6 inch sheet	CV 20 County Cavan
NPWS region	North Midlands NHA	code 7	SAC code	7 SPA Code 4049
National Park	Nature Reserve		\	Woodland present in the 1840s No
Ownership	Private - Single	Area (ha)	Max.	alt. (m) 70 Min. alt. (m) 46
Sub-soil Cut/	TLs	Soil	Cut/BminPl	D
<u>Geography</u>	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	✓ WN2	50%	Cattle	Springs
Valley	□ WN3	0%	Sheep	☐ Lakes ✓
Lakeside	✓ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	Damp clefts/ravines
Hill	WN6	50%	Goats	Other
Plain/Lowlands	WN7	0%	Horses	
Island	☐ WS1	0%	Other	
Riverside/Floodpla		0%	Grazing level	1 0
Coastal/Estuary	□ WD2	0%		
	Other habita	its		
Field notes			External data sou	urce: not all data recorded
drumlin with Circae support an extension area is criss-crosse. The owner of this s	ea lutetiana, Geum urbar ve area of grey willow (S ed by channels and pool	num and Geranium r alix cinerea) woodla s. Alder (Alnus glutin nalty 200 acres of na	obertianum. Lo and with Carex v nosa) is largely	sior/Corylus avellana) woodland dominates a ower lying areas surrounding Scotch Island vesicaria and Phalaris arundinacea. This restricted to the drier ground at the margins. cent to the site; ash blocks, alder blocks,

Site no.	0448	FIPS no.	12367, 80441		
Date surveyed	02/09/2004				
Woodland name	Kilnaglare Lower Wood	Tov	ınland name	Kilnaglare Lower, Kilnaleck	
Conservation rating	g and score Mo	derate 54	Threat	t rating and score Lo	w 0
Disco. map 27	'A Grid ref.	H404121	6 inch sheet	CV 15 County	Cavan
NPWS region N	lorth Midlands NHA	A code 7	SAC code	7 SPA Code	-
National Park	Nature Reserve		٧	Voodland present in the 1840s	No
Ownership	Private - Multiple	Area (ha) 1	2 Max.	alt. (m) 70 Min. alt. (	(m) 70
Sub-soil TLPS	SsS/Cut	Soil	AminPD/Cu	t	
<u>Geography</u>	Wood	and habitats	Grazing	<u>Hydrological fe</u>	atures
Esker	□ WN1	0%	Deer	Seasonal flooding	<b>_</b>
Drumlin	□ WN2	0%	Cattle	<b>✓</b> Springs	
Valley	□ WN3	0%	Sheep	Lakes	✓
Lakeside	□ WN4	0%	Rabbits	Rivers/streams	
Bogland	✓ WN5	0%	Hares	Damp clefts/ravin	es 🗌
Hill	□ WN6	0%	Goats	Other	
Plain/Lowlands	□ WN7	100%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	1	
Coastal/Estuary	WD2	0%			
	Other habita	ats			
Field notes				rce: not all data recorded	
birch (Betula pubes		Sphagnum. Intact rai	sed bog in the r	Evidence of old cutover bog co middle of the site with some Sp should be included.	

Site no.	0453	FIPS no.	4932	
Date surveyed	06/09/2004			
Woodland name	Drumgoa Wood	То	wnland name	Drumgoa, Derries Upper
Conservation rating	g and score Mod	erate 48	Threat	t rating and score Low 0
Disco. map 3-	4 Grid ref.	H329516	6 inch sheet	CV 19 County Cavan
NPWS region N	lorth Midlands NHA	code -	SAC code	7 SPA Code -
National Park	Nature Reserve		٧	Voodland present in the 1840s No
Ownership I	Private - Multiple	Area (ha)	10 Max.	alt. (m) 50 Min. alt. (m) 50
Sub-soil Cut		So	il Cut	
<u>Geography</u>	Woodla	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	Springs
Valley	□ WN3	0%	Sheep	✓ Lakes ✓
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	✓ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	WN6	0%	Goats	Other
Plain/Lowlands	WN7	100%	Horses	
Island	☐ WS1	0%	Other	
Riverside/Floodplai		0%	Grazing level	2
Coastal/Estuary	☐ WD2 Other habita	0%		
Field notes	Other Habita		External data sour	rce: not all data recorded
Woodland on cutov grey willow (Salix ci	inerea). The field layer ir	ncludes Molinia cae	Betula pubescen erulea, Carex cur	as) dominates the canopy with abundant ta and Pteridium aquilinum. Calluna vulgaris getum polygonifolius in the pools and

Site no.	0454	FIPS n	o. 71538			
Date surveyed	09/09/2004					
Woodland name	Redhill Demense Wo	od	Townland name	Redhill Demense		
Conservation rating	g and score	oderate 58	Thre	at rating and score	Moderate	25
Disco. map 27	'A Grid ref.	H449167	6 inch sheet	CV 16/11 Cou	unty Ca	avan
NPWS region N	lorth Midlands N	IA code -	SAC code	-	SPA Code	-
National Park	Nature Reserve			Woodland present in	the 1840s	Yes
Ownership	Private - Single	Area (ha)	9 Max	alt. (m) 90	Min. alt. (m)	70
Sub-soil TLP	SsS/L		Soil AminPD/L	ac		
Geography	Woo	dland habitats	Grazing	<u>Hydr</u>	ological feature	<u>s</u>
Esker	□ WN1	0%	Deer	Seasor	nal flooding	
Drumlin	□ WN2	0%	Cattle	Springs	3	
Valley	□ WN3	0%	Sheep	Lakes		
Lakeside	□ WN4	0%	Rabbits	Rivers/	streams	<b>✓</b>
Bogland	□ WN5	0%	Hares	☐ Damp	clefts/ravines	
Hill	✓ WN6	0%	Goats	Other		
Plain/Lowlands	□ WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplai	n 🗌 WD1	0%	Grazing leve	el 0		
Coastal/Estuary	□ WD2	100%				
	Other hab	tats				
Field notes			External data so	urce: not all data record	ed 🗌	
sycamore (Acer pso planted in the wood monogyna) and be	eudoplatanus). Beech I. Regeneration evide	(Fagus sylvatica) It from numerous sus invasion is a	frequent througho seedlings present major problem with	ne old pedunculate oa ut. Line of approx 10 - ash, pedunculate oa I large areas complete as been removed.	old yew (Taxus ak, hawthorn (Cr	baccata) ataegus

Site no.	0455	FIPS no.	42855		
Date surveyed	16/09/2005				
Woodland name	Lavey	Tov	vnland name	Lavey	
Conservation rating	g and score Mod	lerate 48	Threa	t rating and score Low	17
Disco. map 3	4 Grid ref.	H497033	6 inch sheet	CV 26 County Ca	van
NPWS region N	lorth Midlands NHA	code -	SAC code	- SPA Code	-
National Park	Nature Reserve		V	Voodland present in the 1840s	Yes
Ownership	Private - Multiple	Area (ha)	4 Max.	alt. (m) 90 Min. alt. (m)	85
Sub-soil TLP:	SsS/Cut	Soil	AminPD/Cu	ıt	
<u>Geography</u>	Woodla	and habitats	Grazing	Hydrological features	<u>3</u>
Esker	□ WN1	0%	Deer	Seasonal flooding	<b>✓</b>
Drumlin	□ WN2	0%	Cattle	Springs	
Valley	□ WN3	0%	Sheep	Lakes	<b>✓</b>
Lakeside	<b>✓</b> WN4	0%	Rabbits	Rivers/streams	
Bogland	□ WN5	0%	Hares	Damp clefts/ravines	
Hill	□ WN6	100%	Goats	Other	
Plain/Lowlands	□ WN7	0%	Horses		
Island	☐ WS1	0%	Other	Unknown	
Riverside/Floodplai	n WD1	0%	Grazing level	1	
Coastal/Estuary	□ WD2	0%			
	Other habita	ts			
Field notes		ı	External data soul	rce: not all data recorded	
permission could no surveyed. The site excelsior) / Salix cin alder-ash-willow ard cinerea). The shrub	ot be obtained for the an surveyed consisted of the nerea), but the non-native ea. Alder (Alnus glutinos	ea to the south of the woodland is predore grey alder (Alnus a) and ash were coy ash (Fraxinus exce	e road, so only ominantly alder- incana) is locally dominant in the	ch is divided by a public road Acces the area to the north of the road was ash-willow (Alnus glutinosa/ ash (Fray dominant. The releve was placed is canopy with abundant grey willow (I layer was dominated by meadowsw	axinus n an Salix

Site no.	0456	FIPS no.	54186	
Date surveyed	18/05/2005			
Woodland name	Crocknahattin	1	Fownland name	Crocknahattin
Conservation rating	g and score	Poor 27	Threa	at rating and score Low 8
Disco. map 3	5 Grid ref.	N661984	6 inch sheet	CV 28 County Cavan
NPWS region N	orth Midlands NH	\ code -	SAC code	- SPA Code -
National Park	Nature Reserve		1	Woodland present in the 1840s Yes
Ownership	Coillte	Area (ha)	1 Max.	alt. (m) 160 Min. alt. (m) 150
Sub-soil TLPS	Ss	S	Soil AminPD	
<u>Geography</u>	Wood	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	✓ WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	□ Damp clefts/ravines □
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	Unknown
Riverside/Floodplai	n 🗌 WD1	100%	Grazing level	1
Coastal/Estuary	□ WD2	0%		
	Other habit	ats		
Field notes			External data sou	rce: not all data recorded
sylvatica) and ash ( non-scripta and Ho	Fraxinus excelsior) in t Icus lanatus. The soil is	ne understorey. Th a well-drained, qu	ne field layer is do uite sandy, acid br	beborough, with some beech (Fagus sminated by Rubus fruticosus, Hyacinthoides rown earth. There is some low grazing in droppings found on path nearby.

Site no.	0457	FIPS no	. 49524	
Date surveyed	18/05/2005	5		
Woodland name	Drumbannan	-	Townland name	Crocknahattin
Conservation rating a	and score	Poor 27	Threat	rating and score Low 17
Disco. map 35	Grid ref.	N663979	6 inch sheet	CV 28/24 County Cavan
NPWS region No	rth Midlands	NHA code -	SAC code	- SPA Code -
National Park	Nature Rese	erve 🗌	W	/oodland present in the 1840s Yes
Ownership	Coillte	Area (ha)	3 Max. a	alt. (m) 150 Min. alt. (m) 135
Sub-soil TLPSs	sS/Cut/A		Soil AminPD/Cut	/AlluvMIN
<u>Geography</u>		Woodland habitats	Grazing	Hydrological features
Esker		VN1 0%	Deer	Seasonal flooding
Drumlin	V	VN2 0%	Cattle	☐ Springs ☐
Valley		VN3 0%	Sheep	Lakes
Lakeside		VN4 0%	Rabbits	Rivers/streams
Bogland		VN5 0%	Hares	☐ Damp clefts/ravines ☐
Hill		VN6 0%	Goats	Other
Plain/Lowlands		VN7 0%	Horses	
Island		VS1 0%	Other	Unknown
Riverside/Floodplain		VD1 100%	Grazing level	1
Coastal/Estuary		VD2 0%		
	Other	habitats		
Field notes			External data source	ce: not all data recorded
robur) in the canopy	with frequent be	ut 2 km north of Bailiebo ech (Fagus sylvatica). I nt in the field layer and	Hazel (Corylus avell	dominated by pedunculate oak (Quercus lana) is frequent in the shrub layer. frequent.

Site no.	0458	FIPS no.	49429			
Date surveyed	17/05/2005					
Woodland name	Lear	Tow	nland name	_ear		
Conservation rating	g and score P	oor 24	Threat	rating and score	Low	8
Disco. map 3	Grid ref.	N670991	6 inch sheet	CV 28 Cou	unty Ca	ıvan
NPWS region N	orth Midlands NHA	code -	SAC code	-	SPA Code	-
National Park	Nature Reserve		We	oodland present in	the 1840s	Yes
Ownership	Coillte	Area (ha) 2	Max. a	ılt. (m) 160	Min. alt. (m)	150
Sub-soil TLP:	SsS/Cut/RckNCa	Soil	AminPD/Cut/	/AminSW		
Geography	Woodl	and habitats	Grazing	Hyd	rological features	<u>3</u>
Esker	□ WN1	0%	Deer	Season	nal flooding	
Drumlin	<b>✓</b> WN2	0%	Cattle	Spring	S	
Valley	□ WN3	0%	Sheep	Lakes		
Lakeside	□ WN4	0%	Rabbits	Rivers	/streams	
Bogland	□ WN5	0%	Hares	Damp	clefts/ravines	
Hill	□ WN6	0%	Goats	Other		
Plain/Lowlands	□ WN7	0%	Horses			
Island	□ WS1	0%	Other	Unknown		
Riverside/Floodplai	n 🗌 WD1	100%	Grazing level	1		
Coastal/Estuary	□ WD2	0%				
	Other habita	ts				
Field notes		E	xternal data sourc	ce: not all data record	led	
drumlin. The field la	pedunculate oak (Querc ayer is dominated by Ru il is a well drained acid l	ous fruticosus and Ho	olcus lanatus, wi	ith Oxalis acetosell	la and Hyacintho	of a iides

Site no.	0459	FIPS no	3449		
Date surveyed	06/09/2004				
Woodland name	Drummora Great Wo	bd	Townland name	Drummora Great	
Conservation rating	and score	Poor 39	Threa	at rating and score Low	8
Disco. map 34	4 Grid ref.	H349150	6 inch sheet	CV 25 County Cava	ın
NPWS region N	orth Midlands NI	IA code -	SAC code	- SPA Code	-
National Park	Nature Reserve		1	Woodland present in the 1840s	No
Ownership	Private - Single	Area (ha)	2 Max.	alt. (m) 50 Min. alt. (m)	50
Sub-soil A/TG	Gr/RckNCa		Soil AlluvMIN/A	minPD/AminSW	
<u>Geography</u>	Woo	dland habitats	<u>Grazing</u>	<u>Hydrological features</u>	
Esker	□ WN1	0%	Deer	Seasonal flooding	
Drumlin	□ WN2	0%	Cattle	Springs	
Valley	□ WN3	0%	Sheep	Lakes	•
Lakeside	□ WN4	0%	Rabbits	Rivers/streams	
Bogland	✓ WN5	0%	Hares	Damp clefts/ravines	
Hill	□ WN6	0%	Goats	Other	
Plain/Lowlands	□ WN7	100%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	0	
Coastal/Estuary	□ WD2	0%			
	Other hab	tats			
Field notes			External data sou	rce: not all data recorded	
birch (Betula pubes in the canopy. Field encroached by birch	I layer dominated by I	dland on cut over lolinia caerulea an	peat, approx. 40 yo	ears old. Grey willow (Salix cinerea) fre	quent

Site no.	0460	FIPS no. 37660	
Date surveyed	01/09/2004		
Woodland name	Gortnanoul Wood	Townland name Gortnanoul	
Conservation rating	and score P	Poor 21 Threat rating and score Low	8
Disco. map 34	4 Grid ref.	H334720 6 inch sheet CV 19 County Cavan	
NPWS region N	orth Midlands NHA	A code - SAC code - SPA Code -	
National Park	Nature Reserve	☐ Woodland present in the 1840s No	
Ownership	Coillte	Area (ha) 2 Max. alt. (m) 63 Min. alt. (m) 50	)
Sub-soil TLs		Soil BminPD	
<u>Geography</u>	Woodl	land habitats Grazing Hydrological features	
Esker	□ WN1	0% Deer Seasonal flooding	
Drumlin	□ WN2	0% Cattle Springs	
Valley	□ WN3	Sheep	
Lakeside	□ WN4	0% Rabbits Rivers/streams	
Bogland	□ WN5	0% Hares Damp clefts/ravines	
Hill	□ WN6	0% Goats Other	
Plain/Lowlands	<b>✓</b> WN7	0% Horses	
Island	□ WS1	0% Other Unknown	
Riverside/Floodplain	n 🗌 WD1	100% Grazing level 1	
Coastal/Estuary	□ WD2	0%	
	Other habita	ats	
Field notes		External data source: not all data recorded	
tree species presen in the southern half	t with grey willow (Salix	us petraea/ Fagus sylvatica) woodland planted in the late 1970's. A vartiety of k cinerea) and birch (Betula pubescens) abundant. Beech particularly dominant r ground flora, probably as site is surrounded by mature conifers. Notable ear the boundary ditch.	

Site no.	0461	FIPS no.	3993, 82225,	3994
Date surveyed	27/09/2004			
Woodland name	Makeif Wood	Tow	nland name	Makief, Mullagh Doo, Drummany
Conservation rating	g and score Modera	te 42	Threa	t rating and score Low 8
Disco. map 3	4 Grid ref. H2	76890	6 inch sheet	CV 19 County Cavan
NPWS region N	lorth Midlands NHA cod	de -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Noodland present in the 1840s No
Ownership	Private - Single	rea (ha) 4	Max.	alt. (m) 60 Min. alt. (m) 60
Sub-soil TCS	sCh/Cut	Soil	AminPD/Cu	ıt
Geography	Woodland	habitats	Grazing	Hydrological features
Esker	WN1	0%	Deer	Seasonal flooding
Drumlin	WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	☐ Lakes ✓
Lakeside	WN4	0%	Rabbits	Rivers/streams
Bogland	<b>✓</b> WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	WN7	100%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	0
Coastal/Estuary	□ WD2	0%		
	Other habitats			
Field notes		E	xternal data sou	rce: not all data recorded
were a few ash (Fra that has sprouting h	axinus excelsior) seedlings a norizontal branches. The fiel eris dilatata. A very difficult s	and saplings pres d layer was dom	sent throughout inated by Rubu	Salix cinerea) on a peat substrate. There t. The shrub layer was mainly grey willow us fruticosus, Succisa pratensis, Agrostis number of pools within the wood, presumably

Site no.	0463	FIPS no.	46801, 37626	3
Date surveyed	02/09/2004	]		
Woodland name	Derinish More Wood	Tov	vnland name	Derinish More (Island)
Conservation rating	and score Mod	lerate 58	Threa	at rating and score Low 17
Disco. map 34	Grid ref.	H353636	6 inch sheet	CV 20 County Cavan
NPWS region No	orth Midlands NHA	code 7	SAC code	7 SPA Code 4049
National Park	Nature Reserve		١	Woodland present in the 1840s Yes
Ownership	Coillte	Area (ha)	Max.	alt. (m) 55 Min. alt. (m) 45
Sub-soil TLs/L	-	Soil	BminPD/La	ic
<u>Geography</u>	Woodla	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding ✓
Drumlin	✓ WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	✓ WN4	0%	Rabbits	☐ Rivers/streams ☐
Bogland	□ WN5	0%	Hares	□ Damp clefts/ravines □
Hill	□ WN6	30%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplain	n 🗌 WD1	70%	Grazing level	0
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes		ſ	External data sou	irce: not all data recorded
woodland occurs ald field layer. Ophioglo and ash (Fraxinus e mature sessile oak (	ong the rocky lakeshore ssum vulgatum also oc xcelsior) with some pla	e. Filipendula ulmaria curs. Behind this lak nted pedunculate oa (Fagus sylvatica) pl	a, Phalaris arun eshore fringe is k (Quercus rob anting. The gro	willow/alder (Salix cinerea/Alnus glutinosa) dinacea and Lythrum salicaria dominate the s an area of low birch (Betula pubescens) bur). Further inland again, there is a block of bund layer here is dominated by Rubus.

Site no.	0465		FIPS no.	15781, 80566	5, 15779			
Date surveyed	03/09/200	04						
Woodland name	Annagh Wood	West	Tow	nland name	Annagh, Annaguig			
Conservation rating	g and score	Moderate	46	Threa	at rating and score Low 8			
Disco. map 27	Disco. map 27A Grid ref. H395132 6 inch sheet CV 15 County Cavan							
	Sisso. map 277 energy							
National Park	Nature Res	_	•		Woodland present in the 1840s No			
Ownership	Private - Single		a (ha) 1		alt. (m) 60 Min. alt. (m) 60			
	TLPSsS	71100	Soil	Cut/AminPI	(11)			
Sub-soli Cut	111 030			Cut/AminPi				
Geography		Woodland hat	<u>oitats</u>	Grazing	Hydrological features			
Esker		WN1	0%	Deer	Seasonal flooding			
Drumlin		WN2	0%	Cattle	Springs			
Valley		WN3	0%	Sheep	Lakes 🗸			
Lakeside		WN4	0%	Rabbits	Rivers/streams			
Bogland	<b>✓</b>	WN5	0%	Hares	Damp clefts/ravines			
Hill		WN6	10%	Goats	Other			
Plain/Lowlands		WN7	90%	Horses				
Island		WS1	0%	Other				
Riverside/Floodpla		WD1	0%	Grazing level	I 0			
Coastal/Estuary		WD2	0%					
	Othe	er habitats						
Field notes			E	External data sou	urce: not all data recorded			
carpet of Sphagnur	m underneath. S is evidence that	smaller area dor this site is curre	minated by as ently being stu	sh (Fraxinus ex udied - there w	rvis also dominating small areas with a ccelsior) with alder (Alnus glutinosa) and S. x ere dipwells present for monitoring the water ern side of the site.			

Site no.	0466	FIPS no.	35248	
Date surveyed	13/09/2004			
Woodland name	Stonepark Wood	То	wnland name	Stonepark
Conservation rating	g and score P	oor 39	Threa	at rating and score Moderate 33
Disco. map 27	'A Grid ref.	H456164	6 inch sheet	CV 16 County Cavan
NPWS region N	lorth Midlands NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Woodland present in the 1840s Yes
Ownership	Private - Single	Area (ha)	5 Max.	alt. (m) 80 Min. alt. (m) 60
Sub-soil TLP	SsS/RckNCa	So	I AminPD/Am	minSW
<u>Geography</u>	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	☐ Seasonal flooding ☐
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	<b>✓</b> WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n WD1	100%	Grazing level	I 0
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes			External data sou	urce: not all data recorded
sweet chestnut (Ca places. High percar	stanea sativa) in the wo	odland. Holly (llex a ausing a low perce	aquifolium) is fre	us sylvatica) throughout. Occasional mature equent in the shrub layer - quite dense in yer cover throughout the woodland. Wood

Site no.	0467	FIPS no.	46992			
Date surveyed	28/09/2004					
Woodland name	St John's Wood	Tov	vnland name	Rinnagan		
Conservation rating	and score Exc	cellent 88	Threa	at rating and score	Low	8
Disco. map 40	Grid ref.	H995564	6 inch sheet	RO 43/42 Co	ounty Rosc	ommon
NPWS region No	orth Midlands NHA	A code -	SAC code	440	SPA Code	4064
National Park	Nature Reserve		,	Woodland present in	n the 1840s	Yes
Ownership	NPWS	Area (ha) 1	10 Max.	. alt. (m) 47	Min. alt. (m)	37
Sub-soil TLs/0	Cut/RckCa	Soil	BminDW/C	Cut/BminSW		
<u>Geography</u>	Wood	and habitats	Grazing	Hyd	Irological feature	<u>s</u>
Esker	□ WN1	0%	Deer	Seaso	onal flooding	
Drumlin	□ WN2	95%	Cattle	Spring	js .	
Valley	□ WN3	0%	Sheep	Lakes		
Lakeside	✓ WN4	0%	Rabbits	Rivers	s/streams	
Bogland	WN5	0%	Hares	Damp	clefts/ravines	
Hill	WN6	5%	Goats	Other		
Plain/Lowlands	WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplair	n 🗌 WD1	0%	Grazing leve	0		
Coastal/Estuary	□ WD2	0%				
	Other habita	ats				
Field notes			External data sou	urce: not all data record	ded	
(Quercus robur/Frax glutinosa/ash), near southeast. During the	dland on lake headland kinus excelsior/Corylus the lakeshore. Most of the survey 22 native tree ticosus) and primrose (	avellana) woodland the site is owned by species were recor	with smaller ard the State, with ded. The grour	eas of willow-alder-ander-ander-ander-ander-ander-ander-ander-ander-ander-ander-ander-ander-ander-ander-ander- nd flora of the woodla	ash (Salix cinerea wned area in the	a/Alnus

Site no.	0468		FIPS no.	8269, 101907,	101908, 8266, Non FIPS
Date surveyed	05/08/2004	ļ.			
Woodland name	Black Island Woo	od	Tow	nland name	Carrickevagh
Conservation ratin	g and score	Very Good	64	Threat	rating and score Low 8
Disco. map 1	7 Grid ref.	H02140	)9	6 inch sheet	LE 9 County Leitrim
NPWS region	Northern	NHA code	-	SAC code	- SPA Code -
National Park	Nature Rese	rve 🗌		W	Voodland present in the 1840s Yes
Ownership	Private - Multiple	Area (	(ha) 6	Max. a	alt. (m) 65 Min. alt. (m) 55
Sub-soil TNC	SSs		Soil	AminPD/Am	ninDW
<u>Geography</u>	<u>.</u>	Woodland habit	<u>tats</u>	<u>Grazing</u>	Hydrological features
Esker		/N1 1	100%	Deer	Seasonal flooding
Drumlin		/N2	0%	Cattle	✓ Springs
Valley		/N3	0%	Sheep	Lakes
Lakeside	<b>✓</b> ∨	/N4	0%	Rabbits	☐ Rivers/streams ☐
Bogland		/N5	0%	Hares	☐ Damp clefts/ravines ☐
Hill		/N6	0%	Goats	Other
Plain/Lowlands		/N7	0%	Horses	
Island		/S1	0%	Other	
Riverside/Floodpla		/D1	0%	Grazing level	2
Coastal/Estuary		/D2	0%		
·		habitats			
Field notes			E	xternal data sour	rce: not all data recorded
cinerea) and holly effusus and Ranun and by rush domin support a narrow ru with scattered sess sylvestris) but the r	(Ilex aquifolium). Toulus repens. Cat cated wet meadows ocky strip of birch sile oak (Quercus porthern half suppoith scattered large	The field layer is tle graze this se s, which are scr (Betula pubesc petraea). On Tr orts a dry birch	s dominated ection of the rubbing over ens), hazel awnish Islar (Betula pub	by Agrostis spp site. The wood . The lakeshore Corylus avellar id the southern escens), rowan	(Alnus glutinosa), grey willow (Salix b., Rubus fruticosus, Juncus bulbosus, J. s are bordered by recent conifer plantations e on the southern and eastern margins ha) and ash (Fraxinus excelsior) woodland, part is planted with scots pine (Pinus (Sorbus aucuparia) and holly (Ilex er here is dominated by Vaccinium myrtillus,

Site no.	0469 FII	PS no. 60775
Date surveyed	23/09/2004	
Woodland name	Meenagh Wood	Townland name Meenagh
Conservation rating	g and score Very Good	Threat rating and score High 42
Disco. map 1	7 Grid ref. H168417	6 inch sheet LE 9 County Leitrim
NPWS region	Northern NHA code	- SAC code - SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s Yes
Ownership	Private - Multiple Area (ha	a) 9 Max. alt. (m) 65 Min. alt. (m) 55
Sub-soil TNC	SSs/A	Soil AminPD/AlluvMIN
Geography	Woodland habitat	ts Grazing Hydrological features
Esker	□ WN1	0% Deer Seasonal flooding
Drumlin	□ WN2 100	0% Cattle ✓ Springs
Valley	□ WN3	0% Sheep Lakes
Lakeside	□ WN4	
Bogland		0% Hares Damp clefts/ravines
Hill		0% Goats Other
Plain/Lowlands		0% Horses
Island		0% Other
Riverside/Floodplai		0% Grazing level 3
Coastal/Estuary		0%
	Other habitats	
Field notes		External data source: not all data recorded
the shore of Lough being the main field including Circea lut	Macnean Upper. The southern sed layer species. The narrower north	bundant holly (Ilex aquifolium) and grey willow (Salix cinerea), near ction is heavily grazed and poached by cattle with Oxalis acetosella nern section is effectively ungrazed with a more developed fied layer is a cespitosa, Geum urbanum, Rubus fruticosus and Dryopteris iches.

Site no.	0470		FIPS no.	42517			
Date surveyed	22/09/2004	1					
Woodland name	Mantua House		Tow	vnland name	Brackloon		
Conservation rating	g and score	Moderate	52	Threa	at rating and score	Moderate	33
Disco. map 3	Grid ref.	M7978	82	6 inch sheet	RO 16 C	ounty Rosc	ommon
NPWS region	lorth Midlands	NHA code	-	SAC code	-	SPA Code	-
National Park	Nature Reser	rve 🗌		,	Woodland present	n the 1840s	Yes
Ownership	Private - Single	Area	(ha) 8.	4 Max.	alt. (m) 80	Min. alt. (m)	80
Sub-soil TDC	Ss		Soil	AminPD			
Geography	7	Woodland habi	tats	Grazing	Hy	drological feature	<u>s</u>
Esker	□ W	VN1	0%	Deer	Seas	onal flooding	
Drumlin		VN2	0%	Cattle	<b>✓</b> Sprin	gs	
Valley		VN3	0%	Sheep	Lakes	5	✓
Lakeside	□ W	VN4	0%	Rabbits	River	s/streams	
Bogland	W	VN5	0%	Hares	Damp	clefts/ravines	
Hill	W	VN6	0%	Goats	Othe	r	
Plain/Lowlands	<b>✓</b> W	VN7	0%	Horses			
Island	W	VS1	0%	Other			
Riverside/Floodpla	in 🗌 💮 W	VD1	100%	Grazing leve	I 1		
Coastal/Estuary		VD2	0%				
	Other	habitats					
Field notes			E	External data sou	urce: not all data reco	rded	
Southern strip of w broadleaved woodl pedunculate oak (C canopy also. The s The soil was impediaurocerasus invas	and was comprise Quercus robur) and hrub layer was colled and the field la	ed mainly of as d to a lesser ex emposed of ash ayer was mainly	h (Fraxinus o ktent beech ( n poles, haze y Ajuga repta	excelsior) and (Fagus sylvation of (Corylus avel ans. There was	sycamore (Acer ps ca) and common lim llana) and hawthorr s a significant amou	eudoplatanus) wine (Tilia x europad n (Crataegus mor unt of Prunus	th ea) in the

Site no.	0471	FIPS no.	18318		
Date surveyed	13/09/2005				
Woodland name	Warren Point	To	ownland name	Warren	
Conservation rating	g and score M	oderate 52	Threa	at rating and score Low	0
Disco. map 4	0 Grid ref.	N008540	6 inch sheet	RO 46 County Roscomr	mon
NPWS region N	orth Midlands NI	IA code 440	SAC code	440 SPA Code 40	064
National Park	Nature Reserve		١	Woodland present in the 1840s	Yes
Ownership	Private - Single	Area (ha)	11 Max.	alt. (m) 39 Min. alt. (m)	35
Sub-soil TLs		So	il BminPD		
<u>Geography</u>	Woo	dland habitats	Grazing	Hydrological features	
Esker	□ WN1	0%	Deer	Seasonal flooding	
Drumlin	□ WN2	100%	Cattle	✓ Springs	
Valley	□ WN3	0%	Sheep	<b>✓</b> Lakes	
Lakeside	✓ WN4	0%	Rabbits	Rivers/streams	
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐	
Hill	□ WN6	0%	Goats	Other	
Plain/Lowlands	□ WN7	0%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	2	
Coastal/Estuary	□ WD2	0%			
	Other hab	tats			
Field notes			External data sou	urce: not all data recorded	
ash (Fraxinus exce the understorey. Th Circaea lutetiana, L	lsior) with hazel (Cory ne field layer is compo Jrtica dioica and Geur	us avellana) in the u sed of Agrostis stolor n urbanum. The grou	nderstorey. Haw nifera, Poa annu nd layer is divers	ture pedunculate oak (Quercus robur) ar thorn (Crataegus monogyna) is scattere a, Veronica montana, Sanicula europea se and mainly Thamnobryum alopecurur woodland is actively grazed.	d in

Site no.	0472	FIPS r	no. 8302			
Date surveyed	21/09/2004					
Woodland name	Hughestown Wood		Townland name	Drumharlow		
Conservation rating	g and score	ery Good 64	Thre	at rating and score	Low	8
Disco. map 3	Grid ref.	G900014	6 inch sheet	RO 7 Cou	ınty Roso	common
NPWS region N	lorth Midlands	IHA code 163	SAC code	-	SPA Code	-
National Park	Nature Reserve			Woodland present in	the 1840s	Yes
Ownership	Private - Single	Area (ha)	11 Max	. alt. (m) 50	Min. alt. (m)	40
Sub-soil TDS	S		Soil AminPD/A	minDW		
<u>Geography</u>	We	odland habitats	<u>Grazing</u>	Hydr	ological feature	<u>es</u>
Esker	□ WN	0%	Deer	Season	nal flooding	✓
Drumlin	□ WN	100%	Cattle	Springs	3	
Valley	□ WN	0%	Sheep	Lakes		<b>✓</b>
Lakeside	✓ WN	1 0%	Rabbits	<del>_</del>	streams	
Bogland	□ WN	0%	Hares		clefts/ravines	
Hill	□ WN	0%	Goats	Other		
Plain/Lowlands	□ WN	0%	Horses			
Island	□ ws		Other			
Riverside/Floodplai			Grazing leve	0		
Coastal/Estuary	□ WD					
Field water	Other ha	bitats			. —	
Field notes				urce: not all data recorde		
A lakeside woodlan (Corylus avellana).	id, very rich in struct Bramble (Rubus fru	ıral diversity with r icosus) is plentiful	nuch natural regene . Very mature pedui	eration of ash (Fraxinu nculate oak (Quercus	us excelsior) an robur) present	d hazel
	veg communities. P			•	7.1	

Site no.	0474	FIPS no.	8278	
Date surveyed	21/09/2004	]		
Woodland name	Danesfort	Tov	vnland name	Danesfort
Conservation rating	g and score Mod	lerate 54	Threa	at rating and score Low 8
Disco. map 3	Grid ref.	M937967	6 inch sheet	RO 11 County Roscommon
NPWS region N	orth Midlands NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		\	Woodland present in the 1840s Yes
Ownership	Private - Single	Area (ha)	9 Max.	alt. (m) 50 Min. alt. (m) 40
Sub-soil Cut/	TDSs	Soil	Cut/AminPI	D
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding     ✓
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	☐ Lakes ✓
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other Bog pools
Plain/Lowlands	<b>✓</b> WN7	100%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	1 0
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes		ı	External data sou	urce: not all data recorded
Roscommon. There Pteridium aquilinum Other species which	e are drier, elevated area n. In other areas, there a	as of woodland are on the bog pools with Spain include Carex remo	dominated by fe phagnum lawns ta and Juncus	on cut peat as well as mineral soil in Co. erns such as Dryopteris dilatata and s which are very wet, deep and quaking. effusus. It is a dangerous and awkward site aturally.

Site no.	0475	FIPS n	o. 12750, 64022	2		
Date surveyed	17/09/2004					
Woodland name	Drumcormick Wood		Townland name	Drumcormick		
Concernation ratios	and soors	ery Good 61	Thus	et retire and accre		
Conservation rating	y and score v	ery Good 61	Inrea	at rating and score Low	0	
Disco. map 3	Grid ref.	G854063	6 inch sheet	RO 6/3 County Ro	scommon	
NPWS region N	lorth Midlands N	HA code -	SAC code	- SPA Code	-	
National Park  Nature Reserve  Woodland present in the 1840s Yes						
Ownership	Coillte	Area (ha)	18 Max	. alt. (m) 50 Min. alt. (m)	40	
Sub-soil TDS	S		Soil AminPD/A	minDW		
<u>Geography</u>	<u>Wo</u>	dland habitats	Grazing	Hydrological featu	res	
Esker	□ WN1	0%	Deer	✓ Seasonal flooding	<b>✓</b>	
Drumlin	✓ WN2	100%	Cattle	Springs		
Valley	□ wna	0%	Sheep	Lakes		
Lakeside	<b>✓</b> WN <sup>∠</sup>	0%	Rabbits	☐ Rivers/streams		
Bogland	□ WN5	0%	Hares	Damp clefts/ravines		
Hill	□ wne	0%	Goats	Other		
Plain/Lowlands	□ WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodpla	n 🗌 WD1	0%	Grazing leve	el 1		
Coastal/Estuary	□ WD2	0%				
	Other ha	itats				
Field notes			External data so	urce: not all data recorded		
This is a mature as	h (Fraxinus excelsior	and hazel (Corylu	ıs avellana) wood o	on wet, mineral soil by a lake in Co.		
				Chamerion angustifolium, and and a poorly developed field layer.		
Crirysospieriium op	positiioliam. The son	very wet in places	with bare patches	and a poorty developed held layer.		

Site no.	0476	FIPS no.	79578	
Date surveyed	15/09/2004			
Woodland name	Drummans Island	То	wnland name	Drummans Island
Conservation rating	g and score Mod	lerate 58	Threa	at rating and score Moderate 33
Disco. map 3	Grid ref.	G839045	6 inch sheet	RO 6 County Roscommon
NPWS region N	NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		,	Woodland present in the 1840s Yes
Ownership	Private - Single	Area (ha)	16 Max.	alt. (m) 60 Min. alt. (m) 40
Sub-soil TDS	s	So	I AminDW/C	Cut
<u>Geography</u>	Woodl	and habitats	<u>Grazing</u>	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	✓ WN2	100%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	✓ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodpla	in 🗌 WD1	0%	Grazing leve	1 0
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes			External data sou	urce: not all data recorded
mineral soil. It cont is plenty of regener	ains very mature pedund ating ash present. Syca	culate oak (Quercus more (Acer psudop	s robur) specime latanus) and ha	s, and is on a moderately freely draining ens and a large quantity of deadwood. There zel (Corylus avellana) occur in the yrium filix-femina occur in the field layer.

Site no.	0478	FIPS no.	79572, 12707	, 43000, 12708		
Date surveyed	15/09/2004					
Woodland name	Cloontykilla Wood	Tov	vnland name	Rockingham Demesne		
Conservation rating	and score Mo	derate 54	Threa	at rating and score Low	17	
		0050057	6 inch sheet		mmon	
Disco. map 33		G856057	_			
NPWS region North Midlands NHA code - SAC code - SPA Code -						
National Park	National Park  Nature Reserve  Woodland present in the 1840s Yes					
Ownership	Coillte	Area (ha)	Max.	alt. (m) 50 Min. alt. (m)	40	
Sub-soil Cut		Soil	Cut			
Geography	Wood	lland habitats	Grazing	Hydrological features		
Esker	□ WN1	0%	Deer	Seasonal flooding		
Drumlin	□ WN2	100%	Cattle	Springs		
Valley	□ WN3	0%	Sheep	Lakes	<b>✓</b>	
Lakeside	<b>✓</b> WN4	0%	Rabbits	Rivers/streams		
Bogland	□ WN5	0%	Hares	Damp clefts/ravines		
Hill	□ WN6	0%	Goats	Other		
Plain/Lowlands	□ WN7	0%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	1		
Coastal/Estuary	□ WD2	0%				
	Other habi	ats				
Field notes		1	External data sou	rce: not all data recorded		
Roscommon. The s	ite is on moderately from	ely draining cut peat	with much vege	us excelsior) wood by a lake in Co. etation clearance and large ruined chitana, Athyrium filix-femina, Agrostis o		

Site no.	0479	FIPS no. 12674, 6753
Date surveyed	17/09/2004	
Woodland name	Knockvicker	Townland name Knockvicker
Conservation rating	g and score Mod	derate 54 Threat rating and score Low 8
Disco. map	Grid ref.	G866056 6 inch sheet RO 6 County Roscommon
NPWS region	North Midlands NHA	A code - SAC code - SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s No
Ownership	Private - Single	Area (ha) 10 Max. alt. (m) 50 Min. alt. (m) 40
Sub-soil TDS	Ss/Cut	Soil AminPD/Cut
<u>Geography</u>	Woodl	land habitats Grazing Hydrological features
Esker	□ WN1	0% Deer ✓ Seasonal flooding ✓
Drumlin	✓ WN2	0% Cattle Springs
Valley	□ WN3	0% Sheep Lakes
Lakeside	□ WN4	95% Rabbits Rivers/streams
Bogland	□ WN5	5% Hares Damp clefts/ravines
Hill	□ WN6	0% Goats Other
Plain/Lowlands	WN7	0% Horses
Island	□ WS1	0% Other
Riverside/Floodpla	in 🗹 WD1	0% Grazing level 2
Coastal/Estuary	□ WD2	0%
	Other habita	ats
Field notes		External data source: not all data recorded
alongside water. The Field layer is very particular.	here are a number of smoatchy with lots of bare s	clumps of alder (Alnus glutinosa) and wetter areas and willows (Salix spp.) mall scrubby areas with blackthorn (Prunus spinosa) and Pteridium aquilinum. soil and boulders (moss covered). Grazing by deer is evident on site. The so warrant a second quadrat.

Site no.	0480	FIPS no.	42422, 49224	1
Date surveyed	29/09/2004			
Woodland name	Dooneen	Tov	vnland name	Dooneen, Rockville
Conservation rating	and score Mod	derate 52	Threa	at rating and score Low 17
Disco. map 33	Grid ref.	M946906	6 inch sheet	RO 17 County Roscommon
NPWS region No	orth Midlands NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		\	Woodland present in the 1840s Yes
Ownership	Coillte	Area (ha) 1	3 Max.	alt. (m) 55 Min. alt. (m) 40
Sub-soil Cut		Soil	Cut	
Geography	<u>Woodl</u>	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding ✓
Drumlin	✓ WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	☐ Lakes ✓
Lakeside	✓ WN4	0%	Rabbits	☐ Rivers/streams ☐
Bogland	✓ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	100%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplain	n □ WD1	0%	Grazing level	I 0
Coastal/Estuary	□ WD2	0%		
	Other habita	its		]
Field notes		ı	External data sou	urce: not all data recorded
and ash (Fraxinus e Filipendula ulmaria v	xcelsior) were also pres was the major compone	sent in the canopy. Tent of the field layer.	There were a fe Rubus fruticos	the lake shore. Grey willow (Salix cinerea) we large open areas within the woodland. us was abundant throughout. Herbaceous aria, Mentha aquatica and Phalaris

Site no.	0481	FIPS no. 8801
Date surveyed	21/09/2004	
Woodland name	Caslans Wood	Townland name Kiltrustan
Conservation rating	g and score P	Poor 36 Threat rating and score Low 8
Disco. map 3	Grid ref.	M937834 6 inch sheet RO 23 County Roscommon
NPWS region N	lorth Midlands NHA	A code - SAC code - SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s Yes
Ownership	Private - Multiple	Area (ha) 12 Max. alt. (m) 137 Min. alt. (m) 120
Sub-soil Rck(	Ca/TLs	Soil BminSW/BminDW
Geography	Woodl	land habitats Grazing Hydrological features
Esker	□ WN1	0% Deer Seasonal flooding
Drumlin	□ WN2	O% Cattle ✓ Springs □
Valley	□ WN3	0% Sheep Lakes
Lakeside	□ WN4	0% Rabbits Rivers/streams
Bogland	□ WN5	0% Hares Damp clefts/ravines
Hill	✓ WN6	0% Goats Other
Plain/Lowlands	□ WN7	0% Horses
Island	□ WS1	0% Other
Riverside/Floodplai	n WD1	100% Grazing level 1
Coastal/Estuary	□ WD2	0%
	Other habita	ats
Field notes		External data source: not all data recorded
and ash (Fraxinus (Crataegus monog	excelsior). Subcanopy a	y beech (Fagus sylvatica) in the canopy with pedunculate oak (Quercus robur) and shrub layer dominated by ash (Fraxinus excelsior) poles. Hawthorn shrub layer. Field layer mostly Galium odoratum, Oxalis acetosella and opiced ash in the wood.

Site no.	0482	FIPS no.	70071, 49076	5, 70070	
Date surveyed	07/09/2005				
Woodland name	Kilcloghan	Tov	wnland name	Cloonshannagh, Kilcloghan, Clonahee	
Conservation rating a	and score Mod	lerate 58	Threa	t rating and score Low 8	
Disco. map 33	Grid ref.	M946894	6 inch sheet	RO 17 County Roscommon	
NPWS region No	rth Midlands NHA	code -	SAC code	- SPA Code -	
National Park Nature Reserve Woodland present in the 1840s Yes					
Ownership	Coillte	Area (ha)	8 Max.	alt. (m) 40 Min. alt. (m) 40	
Sub-soil Cut		Soil	Cut		
Geography	Woodla	and habitats	Grazing	Hydrological features	
Esker	□ WN1	0%	Deer	Seasonal flooding	
Drumlin	✓ WN2	0%	Cattle	□ Springs □	
Valley	□ WN3	0%	Sheep	Lakes	
Lakeside	□ WN4	0%	Rabbits	Rivers/streams	
Bogland	✓ WN5	0%	Hares	☐ Damp clefts/ravines ☐	
Hill	□ WN6	0%	Goats	Other	
Plain/Lowlands	WN7	100%	Horses		
Island	□ WS1	0%	Other		
Riverside/Floodplain	□ WD1	0%	Grazing level	0	
Coastal/Estuary	□ WD2	0%			
	Other habita	ts			
Field notes			External data sou	rce: not all data recorded	
the canopy while ash the lake shore. The u aucuparia) and young	n (Fraxinus excelsior) is understorey is composi g ash. The field layer is n. The ground layer is r	s occasional. Alder ( ed of hawthorn (Cra s dominated by Rub	Alnus glutinosa taegus monogyi us fruticosus, C	ake. Grey willow (Salix cinerea) is frequent in is scattered throughout especially close to na), holly (Ilex aquifolium), rowan (Sorbus circaea lutetiana, Deschampsia cespitosa ariscinum, Rhytidiadelphus triquetrus and	

Site no.	0483	FIPS no.	70093, 70094	
Date surveyed	17/05/2005			
Woodland name	Cloonsillagh	Tov	vnland name	Cloonsillagh, Knocknagawna
Conservation rating	g and score Mod	derate 42	Threa	at rating and score Low 0
Disco. map 3	Grid ref.	M964923	6 inch sheet	RO 17 County Roscommon
NPWS region N	lorth Midlands NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Noodland present in the 1840s No
Ownership	Private - Single	Area (ha)	0 Max.	alt. (m) 50 Min. alt. (m) 40
Sub-soil TLs/	Cut	Soil	BminPD/Cu	ut
<u>Geography</u>	Woodl	and habitats	Grazing	<u>Hydrological features</u>
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	<b>✓</b> WN2	0%	Cattle	✓ Springs
Valley	WN3	0%	Sheep	☐ Lakes ✓
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	✓ WN5	0%	Hares	Damp clefts/ravines
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	✓ WN7	95%	Horses	
Island	□ WS1	5%	Other	
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	1
Coastal/Estuary	□ WD2	0%		
	Other habita	ats		
Field notes			External data sou	rce: not all data recorded
grey willow (Salix ci Lonicera periclymer uolmaria, Circea lu westwards projectir	inerea) and birch (Betul num are frequent in the utetiana, Viola spp., Vero ng "finger" on the west o on in places. Some bog	a pubescens). Low we field layer. There is conica montanum and f the site. This part of	voody species s fairly high divers I Geum urbanur of the site has s	cut-away bog. The canopy is dominated by such as Rubus spp., Hedera helix and sity of herbs, species including Filipendula m. There is old native plantation on the suffered windthrow and is now marked by a present throughout. Cattle frequently

Site no.	0484	FIPS no.	48632	
Date surveyed	23/09/2004	]		
Woodland name	Derrymacstur	Tov	vnland name	Derrymacstur
Conservation rating	g and score Very	Good 61	Threa	at rating and score Low 0
Disco. map 3	Grid ref.	N028899	6 inch sheet	RO 18 County Roscommon
NPWS region N	lorth Midlands NHA	code 1642	SAC code	- SPA Code -
National Park	Nature Reserve		,	Woodland present in the 1840s Yes
Ownership	Private - Multiple	Area (ha)	9 Max.	. alt. (m) 40 Min. alt. (m) 40
Sub-soil TLP:	SsS/Cut/RckCa/RckNCa	Soil	AminPDPT	/Cut/BminSRPT/AminSRPT
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	✓ Springs
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	<b>✓</b> WN4	0%	Rabbits	☐ Rivers/streams ✓
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	80%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗌 WD1	20%	Grazing leve	2
Coastal/Estuary	□ WD2	0%		
	Other habita	its		
Field notes		ı	External data sou	urce: not all data recorded
scattered among an (Quercus robur) wit glutinosa). Holly (Ile The WN6 part was The shrub layer wa	reas of WN6 wet willow- th sycamore (Acer pseud ex aquifolium) formed m dominated by alder (Aln s mainly hawthorn (Crat	alder-ash woodland. doplatanus), beech ( ost of the shrub laye lus glutinosa) and as aegus monogyna) a	The long strip Fagus sylvatica er. It was quite r sh (Fraxinus ex nd blackthorn (	wet grassland with Iris pseudacorus to the north was mainly pedunculate oak a), ash (Fraxinus excelsior) and alder (Alnus narrow and extrememly poached in places. scelsior) with few grey willow (Salix cinerea). (Prunus spinosa). Large areas were t in both parts of the woodland.

Site no.	0485	FIPS no.	9520	
Date surveyed	22/09/2004	]		
Woodland name	Knockranny	То	wnland name	Annagh
Conservation rating	g and score Mod	lerate 54	Threat	t rating and score Low 8
Disco. map 2	6 Grid ref.	G886116	6 inch sheet	RO 3 County Roscommon
NPWS region N	lorth Midlands NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		V	Voodland present in the 1840s Yes
Ownership	Coillte	Area (ha)	7 Max.	alt. (m) 60 Min. alt. (m) 40
Sub-soil TDS	s/Cut	Soi	AminDW/Cu	ut
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	<b>✓</b> WN2	100%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	☐ Lakes ✓
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	Damp clefts/ravines
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	WN7	0%	Horses	
Island	WS1	0%	Other	
Riverside/Floodplai	n WD1	0%	Grazing level	0
Coastal/Estuary	WD2	0%		
	Other habita	ts		
Field notes			External data sour	rce: not all data recorded
west boundary. Ric	h in vegetation diversity	with much natural r	egeneration. Rh	with wetter alder (Alnus glutinosa) area to nododendron ponticum seen in adjacent t but site left largely to natural regeneration.

Site no.	0486	FIPS no. 64102	
Date surveyed	22/09/2004		
Woodland name	Doon Wood	Townland name Castlletenison Demesne	
Conservation rating	g and score Mod	erate 52 Threat rating and score N	Moderate 25
Disco. map 2	6 Grid ref.	G881125 6 inch sheet RO 3 County	Roscommon
NPWS region N	NHA	code - SAC code - SPA C	Code -
National Park	] Nature Reserve	Woodland present in the 18	840s Yes
Ownership	Private - Single	Area (ha) 4 Max. alt. (m) 60 Min.	alt. (m) 40
Sub-soil TNS	Ss	Soil AminDW	
<u>Geography</u>	Woodl	and habitats Grazing Hydrologic	cal features
Esker	□ WN1	0% Deer Seasonal floo	oding 🗸
Drumlin	✓ WN2	100% Cattle Springs	
Valley	□ WN3	Sheep ✓ Lakes	✓
Lakeside	□ WN4	0% Rabbits ✓ Rivers/strear	ms $\square$
Bogland	□ WN5	0% Hares Damp clefts/	ravines
Hill	□ WN6	0% Goats Other	
Plain/Lowlands	WN7	0% Horses	
Island	□ WS1	0% Other	
Riverside/Floodpla	in 🗌 WD1	0% Grazing level 3	
Coastal/Estuary	□ WD2	0%	
	Other habita	ts	
Field notes		External data source: not all data recorded	
dominated by ash owned section was	(Fraxinus excelsior). The	s open in some areas. It includes both native and exotic broad Coillte owned part of the site has been felled and so only the size. There has been very heavy grazing pressure from shed in adjacent sites.	25% privately

Site no.	0488	F	IPS no.	71691		
Date surveyed	09/06/2005					
Woodland name	Owengallees		Tow	nland name	Owengallees	
Concernation ratios	and soors	loderate	48	Thusat	t retire a and come	
Conservation rating	g and score	loderate	40	Inreat		ow 17
Disco. map 27	Grid ref.	H193178	3 (	6 inch sheet	CV 9 County	Cavan
NPWS region N	lorth Midlands	HA code	-	SAC code	- SPA Cod	le -
National Park	Nature Reserve			٧	Voodland present in the 1840	s No
Ownership	Coillte	Area (h	na) 3	Max.	alt. (m) 85 Min. alt.	(m) 53
Sub-soil TCS	sCh		Soil	AminPD		
Geography	<u>Wo</u>	odland habita	ıts.	Grazing	Hydrological f	<u>eatures</u>
Esker	□ WN		0%	Deer	Seasonal flooding	ng 🗌
Drumlin	<b>✓</b> WN		0%	Cattle	✓ Springs	
Valley	□ WN		0%	Sheep	Lakes	
Lakeside	□ WN	10	00%	Rabbits	Rivers/streams	
Bogland	□ WN		0%	Hares	Damp clefts/ravi	ines
Hill	□ WN		0%	Goats	Other	
Plain/Lowlands	□ WN		0%	Horses		
Island	□ ws		0%	Other		
Riverside/Floodpla	in 🗌 WD		0%	Grazing level	3	
Coastal/Estuary	□ WD		0%			
	Other ha	oitats				
Field notes			E	xternal data sour	rce: not all data recorded	]
a lough. The gleyed layer is dominated tamariscinum is do	d soil is highly poach by Oxalis acetosella	ed by cattle. H Rubus frutico layer. Some	Holly (llex a osus, Agros open rushy	quifolium) is ab stis stolonifera a areas occur. D	a) woodland on the side of a E oundant in the understorey, w and Dryopteris dilatata. Thuic Due to conifer plantation to the	hilst the field lium

Site no.	0490		FIPS no.	11605, 11604	, 11606, 11622, 39095
Date surveyed	17/09/20	04			
Woodland name	Gortnacargy		Tow	nland name	Gortnacargy, Tirnawannagh, Newtown
Conservation rating	g and score	Moderate	48	Threa	t rating and score Low 8
Disco. map 27	7A Grid re	ef. H195	192	6 inch sheet	CV 9 County Cavan
	lorth Midlands	NHA code	-	SAC code	- SPA Code -
National Park	Nature Res				Woodland present in the 1840s Yes
			(ha) 4		
-	Private - Multiple	e Area	a (ha) 4.		
Sub-soil Cut/	TNSSs		Soil	Cut/AminPI	D
Geography		Woodland hat	<u>oitats</u>	Grazing	<u>Hydrological features</u>
Esker		WN1	0%	Deer	Seasonal flooding
Drumlin		WN2	0%	Cattle	Springs
Valley		WN3	0%	Sheep	☐ Lakes ✓
Lakeside		WN4	0%	Rabbits	Rivers/streams
Bogland	✓	WN5	0%	Hares	Damp clefts/ravines
Hill		WN6	0%	Goats	Other
Plain/Lowlands		WN7	100%	Horses	
Island		WS1	0%	Other	
Riverside/Floodpla	in 🗌	WD1	0%	Grazing level	0
Coastal/Estuary		WD2	0%		
	Oth	er habitats			
Field notes			E	external data sou	rce: not all data recorded
dominated in place situations. There are	s by Rubus fruti re extensive bar	cosus. Molinia on the contract of the contract	caerulea, Vac within the wo	cinium myrtilis od, due to prev	n cutover peat. The ground flora is and Calluna vulgaris occur in more open vious peat digging. Within these ditches egalis are also present.

Site no.	0493	FIPS no.	50120	
Date surveyed	14/06/2005			
Woodland name	Clontycarnaghan	То	wnland name	Clontycarnaghan, Carrowmore
Conservation rating	g and score Mod	lerate 48	Threa	at rating and score Low 8
Disco. map 27	'A Grid ref.	H241196	6 inch sheet	CV 9 County Cavan
NPWS region N	lorth Midlands NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		\	Woodland present in the 1840s No
Ownership	Coillte	Area (ha)	Max.	alt. (m) 150 Min. alt. (m) 130
Sub-soil Rck0	Ca/TNSSs	Soi	I BminSW/A	minPD
Geography	Woodla	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	☐ Seasonal flooding ✓
Drumlin	□ WN2	0%	Cattle	<b>✓</b> Springs
Valley	<b>✓</b> WN3	0%	Sheep	Lakes
Lakeside	□ WN4	0%	Rabbits	☐ Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ✓
Hill	□ WN6	50%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	n 🗌 WD1	0%	Grazing level	l <u>1</u>
Coastal/Estuary	□ WD2	50%		
	Other habita	ts		
Field notes			External data sou	urce: not all data recorded
excelsior) and hawt locally abundant. S Ranunculus repens	horn (Crataegus monog ycamore (Acer pseudop s, Polystichum setiferum	yna), whilst on the s latanus) is frequent and Filipendula uln	steeper slopes h throughout. The naria with Luzula	ees are alder (Alnus glutinosa), ash (Fraxinus hazel (Corylus avellana) and Picea are e field layer is dominated by Geum rivale, a sylvatica locally abundant. The site is ed in parts, but is of value due to its location

Site no.	0495	FIPS no.	71679, 50674	l, 107191
Date surveyed	20/09/2004	]		
Woodland name	Moherreagh	Tov	vnland name	Moherreagh, Moherloob
Conservation rating	g and score Mod	lerate 52	Threa	at rating and score Low 8
Disco. map 27	7A Grid ref.	H196224	6 inch sheet	CV 9 County Cavan
NPWS region N	North Midlands NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		\	Woodland present in the 1840s No
Ownership	Private - Multiple	Area (ha)	Max.	alt. (m) 130 Min. alt. (m) 75
Sub-soil TNS	Ss/RckCa/A	Soil	AminPD/Bn	minSW/AlluMIN
<u>Geography</u>	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding ✓
Drumlin	□ WN2	100%	Cattle	<b>✓</b> Springs
Valley	✓ WN3	0%	Sheep	<b>✓</b> Lakes
Lakeside	□ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ✓
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodpla	in 🗌 WD1	0%	Grazing level	1 2
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		]
Field notes		1	External data sou	urce: not all data recorded
monogyna). Blackt (Salix cinerea) in w	horn (Prunus spinosa) is retter areas. Field layer i etiferum. There is extens	locally abundant alo dominated by Viola	ong margins, w a spp., Geum u	des with abundant hawthorn (Crataegus ith alder (Alnus glutinosa) and grey willow rbanum, Primula vulgaris, Rubus fruticosus, n end of site was not surveyed due to high

Site no.	0496	FIPS n	o. 65274, 65275	5, 5851		
Date surveyed	07/09/2004					
Woodland name	Tonyhamigan		Townland name	Tonyhamigan, Glaslo	ugh	
Conservation rating	and score	Poor 24	Threa	at rating and score	Low	0
Disco. map 28	B Grid ref.	H721403	6 inch sheet	MO 7 Count	ty Mor	naghan
NPWS region N	orth Midlands	NHA code 559	SAC code	SF	PA Code	-
National Park	Nature Reserv	e 🗌	,	Woodland present in th	ne 1840s	No
Ownership	Private - Single	Area (ha)	5 Max.	alt. (m) 50	Min. alt. (m)	30
Sub-soil Cut/	TDCSs		Soil Cut/AminP	D		
<u>Geography</u>	W	oodland habitats	Grazing	Hydrol	logical feature	<u>s</u>
Esker		1 0%	Deer	Seasona	l flooding	
Drumlin	✓ WI	2 0%	Cattle	<b>✓</b> Springs		
Valley	1W	3 0%	Sheep	Lakes		
Lakeside	W	0%	Rabbits	Rivers/str	reams	
Bogland	1W	5 0%	Hares	Damp cle	efts/ravines	
Hill	1W	6 0%	Goats	Other		
Plain/Lowlands	1W	7 0%	Horses			
Island	□ ws	1 0%	Other			
Riverside/Floodplai	n 🗌 W[	1 100%	Grazing leve	1 1		
Coastal/Estuary	□ WI	2 0%		_		
	Other h	abitats				
Field notes			External data sou	ırce: not all data recorded	i	
in areas. Ash (Fraxi	inus excelsior) rege	neration evident from	m abundant seedlin	platanus) is frequent things throughout the wood and Agrostis stolonifera.	dland. A smal	ite open I conifer

Site no.	0497	FIPS no.	39095	
Date surveyed	20/09/2004	]		
Woodland name	Newtown Wood (Cavar	n) To	wnland name	Gortnacargy
Conservation rating	g and score P	oor 36	Threa	at rating and score Moderate 25
Disco. map 27	7A Grid ref.	H195192	6 inch sheet	CV 9 County Cavan
NPWS region	North Midands NHA	code -	SAC code	- SPA Code -
National Park	Nature Reserve		,	Woodland present in the 1840s Yes
Ownership	Private - Multiple	Area (ha)	Max.	. alt. (m) 70 Min. alt. (m) 60
Sub-soil TCS	SsCh	So	I AminPD	
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	100%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	WN6	0%	Goats	Other
Plain/Lowlands	✓ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodpla	in 🗌 WD1	0%	Grazing leve	0
Coastal/Estuary	□ WD2	0%		
	Other habita	ts		
Field notes			External data sou	urce: not all data recorded
canopy. Shrub laye		avellana) with some	holly (llex aqui	celsior) and birch (Betula pubescens) in the ifolium). Field layer composed mainly of grazing in the wood.

Date surveyed	31/08/2004						
Date darveyed	31/06/2004						
Woodland name	Erne Head		Tow	nland name	Culray		
Conservation rating	g and score	oderate	52	Threa	at rating and scor	e Moderate	33
Disco. map 3	4 Grid ref.	N281869	) (	6 inch sheet	LF 6C	County Lo	ngford
NPWS region N	lorth Midlands	HA code	-	SAC code	-	SPA Code	-
National Park	National Park Nature Reserve Woodland present in the 1840s Yes						
Ownership	Coillte	Area (h	a) 20	.5 Max.	alt. (m) 85	Min. alt. (m)	61
Sub-soil Cut/	TLPSs		Soil	Cut/AminD	W		
Geography	<u>Wc</u>	dland habita	<u>ts</u>	Grazing	<u>!</u>	Hydrological feature	e <u>s</u>
Esker	□ WN		0%	Deer	Se	asonal flooding	
Drumlin	WN		0%	Cattle	Sp	rings	
Valley	WN		0%	Sheep	Lal	kes	
Lakeside	<b>✓</b> WN		0%	Rabbits	Riv	ers/streams	
Bogland	WN		0%	Hares	☐ Da	mp clefts/ravines	
Hill	WN		5%	Goats	Oth	ner	
Plain/Lowlands	□ WN		0%	Horses			
Island	□ ws		0%	Other			
Riverside/Floodplai	n 🗌 WD	9	95%	Grazing leve	0		
Coastal/Estuary	□ WD		0%				
	Other ha	itats					
Field notes			E	xternal data sou	urce: not all data re	corded	
understory of holly Dryopteris dilatata l ash (Fraxinus exce the field layer. Ther	(Quercus petraea) a (Ilex aquifolium) and peing frequent. The Isior), alder (Alnus g e are recently felled hajority of the site is s re oaks.	he field layer arrow fringe o tinosa), with reas within (a	is domina of the rock Phalaris a and adjace	ted by Rubus y lakeshore is rundinacea, Ly ent to) the site,	fruticosus, with L dominated by gro ythrum salicara a , some of which h	uzula sylvatica and ey willow (Salix cind nd Fillipendula ulm nave been recently	d erea), paria in planted

Site no.	0499	FIPS no.	76283	
Date surveyed	26/08/2004			
Woodland name	Glenfarne Wood	Tov	nland name Carricki	revagh
Consorration ratio	n and acore	dorete AC	T:	
Conservation rating	g and score	derate 46	Threat rating a	and score Low 17
Disco. map 1	7 Grid ref.	H021409	6 inch sheet LE 9	County Leitrim
NPWS region	Northern NH	A code -	SAC code -	SPA Code -
National Park	Nature Reserve		Woodlan	d present in the 1840s No
Ownership	Private - Multiple	Area (ha)	Max. alt. (m)	60 Min. alt. (m) 52
Sub-soil Rckl	NCa	Soil	AminSRPT	
Geography	Wood	land habitats	Grazing	Hydrological features
Esker	□ WN1	100%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	Springs
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	<b>✓</b> WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	Damp clefts/ravines
Hill	□ WN6	0%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other Unkn	own
Riverside/Floodpla	in WD1	0%	Grazing level	2
Coastal/Estuary	□ WD2	0%		
	Other habit	ats		
Field notes		I	xternal data source: not a	all data recorded
(Sorbus aucuparia) Rhododendron por Vaccinium vitis-ida Fillipendula ulmaria along the shore at	), with Vaccinium myrtil nticum are present. Inte ea. In the shallower ba a and Phalaris arundina	us and Luzula sylvati resting acid-liking spe rs; grey willow (Salix cea beneath (an inte ther up slope the site	ca abundant in the field cies include Melampyru inerea) and alder (Alnu esting site to compare	irch (Betula pubescens) and rowan layer. Small thickets of um pratense, Dryopteris amula and us glutinosa) dominate with with the rocky limestone woodlandine (Pinus sylvestris) plantation, but

Site no.	0500	FIPS no.	64744, 3259,	75516
Date surveyed	24/08/2004	]		
Woodland name	Tullyguide Lough	Tow	nland name	Derrygid
Conservation rating	and score Mod	lerate 46	Threa	at rating and score Low 8
Disco. map 34	4 Grid ref.	H319084	6 inch sheet	CV 19B County Cavan
NPWS region N	orth Midlands NHA	code 7	SAC code	7 SPA Code 4049
National Park	Nature Reserve		\	Woodland present in the 1840s Yes
Ownership	Coillte	Area (ha) 4.	3 Max.	alt. (m) 47 Min. alt. (m) 45
Sub-soil A		Soil	AlluvMIN	
<u>Geography</u>	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	☐ Seasonal flooding ✓
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	<b>✓</b> WN4	0%	Rabbits	Rivers/streams
Bogland	WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	100%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplain	n 🗌 WD1	0%	Grazing level	0
Coastal/Estuary	WD2	0%		
	Other habita	ts		
Field notes		E	external data sou	urce: not all data recorded
by Phalaris arundinal alder (Alnus glutino	acea, Lythrum salicaria sa) in places. Willow tre	and Carex elata. Go es extend c.20m out	od native flora into the water	although Grey alder (Alnus incana) replaces in a tangle of submerged stems. Beyond this ated water along the lough shore.

Site no.	0501	FIPS no. 42433, 47945
Date surveyed	24/09/2004	
Woodland name	Doogarymore	Townland name Cloontogher, Kilteevan
Conservation rating	g and score Mod	derate 42 Threat rating and score Low 8
Disco. map 4	0 Grid ref.	M937644 6 inch sheet RO 40C County Roscommon
NPWS region N	NHA	A code - SAC code - SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s Yes
Ownership	Private - Multiple	Area (ha) 3.4 Max. alt. (m) 48 Min. alt. (m) 44
Sub-soil TLs/	Cut	Soil BminDW/Cut
Geography	Woodl	land habitats Grazing Hydrological features
Esker	□ WN1	0% Deer Seasonal flooding
Drumlin	□ WN2	90% Cattle Springs
Valley	□ WN3	0% Sheep Lakes
Lakeside	WN4	Rabbits ☐ Rivers/streams ☐
Bogland	□ WN5	0% Hares Damp clefts/ravines
Hill	□ WN6	0% Goats Other
Plain/Lowlands	✓ WN7	Horses
Island	□ WS1	0% Other
Riverside/Floodpla	in 🗌 WD1	0% Grazing level 1
Coastal/Estuary	□ WD2	0%
	Other habita	ats
Field notes		External data source: not all data recorded
europaea, Viola sp bordered to the eas	., Fillipendula ulmaria, a st by forestry and to the	r/Corylus avellana) woodland with a diverse field layer dominated by Sanicula and Circaea lutetiana. There is low intensity grazing by cattle. The site is west by pasture. The southern end of the site consists of a small area of ea) woodland. There has been a small amount of recent native felling.

Site no.	0502	FIPS no. 6869, 60744
Date surveyed	27/09/2004	
Woodland name	Killycarney	Townland name Oggal
Conservation rating	g and score P	Poor 36 Threat rating and score Moderate 25
Disco. map 26	6 Grid ref.	H474362 6 inch sheet CV 1D County Cavan
NPWS region N	orth Midlands NHA	A code - SAC code - SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s No
Ownership	Coillte	Area (ha) 5.7 Max. alt. (m) 110 Min. alt. (m) 85
Sub-soil TNS	Ss/A	Soil AlluvMIN/AminPD
<u>Geography</u>	Woodl	land habitats Grazing Hydrological features
Esker	□ WN1	0% Deer Seasonal flooding
Drumlin	□ WN2	100% Cattle Springs
Valley	□ WN3	0% Sheep Lakes
Lakeside	WN4	Rabbits ☐ Rivers/streams ☐
Bogland	□ WN5	0% Hares Damp clefts/ravines
Hill	✓ WN6	0% Goats ✓ Other
Plain/Lowlands	□ WN7	0% Horses
Island	□ WS1	0% Other
Riverside/Floodplain	n 🗌 WD1	0% Grazing level 4
Coastal/Estuary	□ WD2	0%
	Other habita	ats
Field notes		External data source: not all data recorded
which has been clea	el (Corylus avellana) cop ared to create walled pe s acetosella and Primul	ppice woodland. Almost entirely lacking standards. Terrain is rocky limestone ens in some areas. Heavily grazed by goats. Therefore the field layer, which is la vulgaris, is very low.

Site no.	0503	FIPS no.	47953, 47987	,		
Date surveyed	29/09/2004					
Woodland name	Doogarymore Bog	Tov	wnland name	Doogarymore		
Conservation rating	g and score F	Poor 33	Threa	at rating and score Low 17		
Disco. map 4	0 Grid ref.	M944639	6 inch sheet	RO 40D County Roscommon		
NPWS region N	NPWS region North Midlands NHA code - SAC code - SPA Code -					
National Park	Nature Reserve		\	Woodland present in the 1840s No		
Ownership	Private - Multiple	Area (ha)	6 Max.	alt. (m) 44 Min. alt. (m) 40		
Sub-soil Cut/	TLs	Soil	Cut/BminPl	DPT		
Geography	Wood	and habitats	Grazing	Hydrological features		
Esker	□ WN1	0%	Deer	Seasonal flooding		
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐		
Valley	□ WN3	0%	Sheep	Lakes		
Lakeside	□ WN4	0%	Rabbits	Rivers/streams		
Bogland	✓ WN5	0%	Hares	□ Damp clefts/ravines □		
Hill	□ WN6	0%	Goats	Other		
Plain/Lowlands	□ WN7	100%	Horses			
Island	□ WS1	0%	Other			
Riverside/Floodpla	in 🗌 WD1	0%	Grazing level	0		
Coastal/Estuary	□ WD2	0%				
	Other habit	ats				
Field notes			External data sou	rce: not all data recorded		
External data source: not all data recorded  birch (Betula pubescens) and grey willow (Salix cinerea) woodland on cutover raised bog. Species poor with field layer dominated by bramble (Rubus fruticosus). Fairly freely draining substrate. This site is representative of several similar stands in the locality on the margins of currently worked raised bog.						

Site no.	0504	FIPS no.	7889,19817,	7890, 504
Date surveyed	30/09/2004			
Woodland name	Derrycassin	Tov	vnland name	Derrycassin, Cygnet Island, Swans Island
Conservation rating	g and score Mod	derate 54	Threa	at rating and score Low 8
Disco. map 3	4 Grid ref.	N300862	6 inch sheet	LF 6C/6D County Longford
NPWS region N	lorth Midlands NHA	A code -	SAC code	- SPA Code -
National Park	Nature Reserve		,	Woodland present in the 1840s Yes
Ownership	Coillte	Area (ha) 4	.1 Max.	alt. (m) 65 Min. alt. (m) 61
Sub-soil TLP:	SsS/Cut/GLPSsS	Soil	AminDW/C	cut/AminSW
Geography	Woodl	and habitats	Grazing	Hydrological features
Esker	□ WN1	0%	Deer	Seasonal flooding
Drumlin	□ WN2	0%	Cattle	☐ Springs ☐
Valley	□ WN3	0%	Sheep	Lakes
Lakeside	✓ WN4	0%	Rabbits	Rivers/streams
Bogland	□ WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill	□ WN6	100%	Goats	Other
Plain/Lowlands	□ WN7	0%	Horses	
Island	□ WS1	0%	Other	
Riverside/Floodplai	in WD1	0%	Grazing leve	1 0
Coastal/Estuary	□ WD2	0%		
	Other habita	ats		
Field notes			External data sou	urce: not all data recorded
Considerable length	aris arundinacea, Lythru	inerea/Alnus glutino m salicaria, Mentha	sa) woodland a aquatica and H	along shore of Lough Gowna. Field layer Hydrocotyle vulgaris. Approximately c.20m ear by conifer plantation.

Site no.	0505	FIPS no. Non FIPS
Date surveyed	06/08/2004	
Woodland name	Cavan	Townland name Cavan
Conservation rating	g and score Mod	derate 42 Threat rating and score Low 0
Disco. map 2	6 Grid ref.	G949237 6 inch sheet LE 18 County Leitrim
NPWS region	Northern NHA	A code - SAC code - SPA Code -
National Park	Nature Reserve	Woodland present in the 1840s Yes
Ownership	Other State Body	Area (ha) 1 Max. alt. (m) 55 Min. alt. (m) 47
Sub-soil TNS	Ss	Soil AminPD
Geography	Woodl	land habitats Grazing Hydrological features
Esker	□ WN1	0% Deer ☐ Seasonal flooding ✓
Drumlin	□ WN2	Cattle ✓ Springs □
Valley	□ WN3	Sheep
Lakeside	✓ WN4	0% Rabbits Rivers/streams
Bogland	□ WN5	0% Hares Damp clefts/ravines
Hill	□ WN6	100% Goats Other
Plain/Lowlands	□ WN7	0% Horses
Island	□ WS1	0% Other
Riverside/Floodplai	n WD1	0% Grazing level 2
Coastal/Estuary	□ WD2	0%
	Other habita	ats
Field notes		External data source: not all data recorded
avellana/Fagus sylv	vatica) strip behind on e nachia nummularia and (	Alnus glutinosa) woodland with ash/hazel/beech (Fraxinus excelsior/Corylus earthy bank. Diverse field layer dominated by Filipendula ulmaria and Circaea Geum urbanum. The notable species black-poplar (Populus nigra) is present

Site no.	0506	FIPS no. 66692			
Date surveyed	19/07/2000				
Woodland name	Drumdowney	Townland name Drumdowney Upper			
Conservation rating	and score Moderate	Threat rating and score No rating 0			
Disco. map 76	Grid ref. S674	6 inch sheet KK 44C County Kilkenny			
NPWS region Sc	outh Eastern NHA code	e - SAC code 2162 SPA Code -			
National Park	Nature Reserve	Woodland present in the 1840s Yes			
Ownership	Are	rea (ha) 19.5 Max. alt. (m) 80 Min. alt. (m) 0			
Sub-soil RckNo	Ca/TLPS	Soil AminSW/AminDW			
<u>Geography</u>	Woodland ha	<u>Adbitats</u> <u>Grazing</u> <u>Hydrological features</u>			
Esker	□ WN1	0% Deer Seasonal flooding			
Drumlin	□ WN2	0% Cattle Springs			
Valley	□ WN3	0% Sheep Lakes			
Lakeside	□ WN4	0% Rabbits Rivers/streams			
Bogland	WN5	0% Hares Damp clefts/ravines D			
Hill	□ WN6	0% Goats Other			
Plain/Lowlands	□ WN7	0% Horses			
Island	□ WS1	0% Other			
Riverside/Floodplain	□ WD1	0% Grazing level 0			
Coastal/Estuary	□ WD2	0%			
	Other habitats				
Field notes		External data source: not all data recorded			
An oak-ash-hazel (Quercus robur/Fraxinus excelsior/Corylus avellana) woodland situated on a steep, east facing slope in the Barrow Valley. The canopy consists of pedunculate oak (Quercus robur) with occasional ash (Fraxinus excelsior), beech (Fagus sylvatica) and sycamore (Acer pseudoplatanus). The generally poorly developed shrub layer consists of elder (Sambucus nigra), holly (llex aquifolium) and hazel (Corylus avellana). The most common element in the field layer is Rubus fruticosus with Dryopteris dilatata, Dryopteris affinis and Luzula sylvatica. The soil type is a well drained acid brown earth. The site appears to be largely ungrazed and used for shooting. Sycamore is regenerating extensively throughout the wood. Several badger setts occur in this wood and a heronry is located in the southern part of the site.					

Site no.	0507		FIPS no.	66959, 66958	
Date surveyed	21/07/200	00			
Woodland name	Forestaltown		Tow	nland name	Forestaltown, Ballyverneen
Conservation rating	and score	Moderate	46	Threa	t rating and score No rating 0
Disco. map 70	Grid re	f. S685	241	6 inch sheet	KK 41 County Kilkenny
NPWS region S	South Eastern	NHA code	-	SAC code	2162 SPA Code -
National Park	Nature Res	erve 🗌		V	Woodland present in the 1840s Yes
Ownership		Area	(ha) 4.	1 Max.	alt. (m) 45 Min. alt. (m) 0
Sub-soil TLPS	S/A		Soil	AminDW/AI	lluvMIN
<u>Geography</u>		Woodland hat	<u>oitats</u>	Grazing	Hydrological features
Esker		WN1	0%	Deer	Seasonal flooding
Drumlin		WN2	0%	Cattle	☐ Springs ☐
Valley		WN3	0%	Sheep	Lakes
Lakeside		WN4	0%	Rabbits	Rivers/streams
Bogland		WN5	0%	Hares	☐ Damp clefts/ravines ☐
Hill		WN6	0%	Goats	Other
Plain/Lowlands		WN7	0%	Horses	
Island		WS1	0%	Other	
Riverside/Floodplain	_	WD1	0%	Grazing level	0
Coastal/Estuary	_	WD2	0%		
·		er habitats			
Field notes			E	external data sou	rce: not all data recorded
A WN2 oak-ash-hazel woodland situated on a very steep, well-drained, east-facing slope of the Barrow River. The canopy is dominated by pedunculate oak (Quercus robur) with abundant sycamore (Acer pseudoplatanus). There are scattered stands of wild cherry (Prunus avium) and scattered ash (Fraxinus excelsior) and wych elm (Ulmus glabra) trees. The subcanopy consists of crab apple (Malus sylvestris) and hazel (Corylus avellana) whilst the poorly developed shrub layer consists of young sycamore and hawthorn (Crataegus monogyna). The field layer is relatively species-poor and is dominated by Rubus fruticosus and ferns, chiefly Polystichum setiferum. The wood appears ungrazed. Dead wood is abundant. The presence of exotic Larix, Pinus and Quercus suggest that this wood was originally planted as part of Forestaltown Estate. Regeneration of sycamore is prolific.					