



National Survey of Native Woodlands 2003-2008



Volume 3b: Site reports 508-984

Philip Perrin, James Martin, Simon Barron,
Fionnuala O'Neill, Kate McNutt & Aoife Delaney



Comhshaoil, Oidhreachtaí agus Rialtas Áitiúil
Environment, Heritage and Local Government

Botanical, Environmental & Conservation Consultants Ltd. 2008

A report submitted to the National Parks & Wildlife Service

Site no.	<input type="text" value="0508"/>	FIPS no.	<input type="text" value="85790, 85791"/>	
Date surveyed	<input type="text" value="27/07/2000"/>			
Woodland name	<input type="text" value="Dunganstown"/>	Townland name	<input type="text" value="Dunganstown"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="54"/>	Threat rating and score	<input type="text" value="No rating"/>
		<input type="text" value="0"/>		
Disco. map	<input type="text" value="76"/>	Grid ref.	<input type="text" value="S690211"/>	6 inch sheet
			<input type="text" value="WX 34C"/>	County
	<input type="text" value="Wexford"/>			
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="2162"/>	SPA Code
	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="4.8"/>	Max. alt. (m)
			<input type="text" value="58"/>	Min. alt. (m)
	<input type="text" value="0"/>			
Sub-soil	<input type="text" value="RckNCa/A"/>		Soil	<input type="text" value="AminSW/AminSP/AlluvMIN"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

An oak-ash woodland located on the west facing slope of the Barrow valley. The dominant canopy species is pedunculate oak (*Quercus robur*), with beech (*Fagus sylvatica*), ash (*Fraxinus excelsior*) and european larch (*Larix decidua*) also present. The subcanopy is mainly formed by hawthorn (*Crataegus monogyna*), holly (*Ilex aquifolium*) and crab apple (*Malus sylvestris*). The sparse shrub layer consists of *Calluna vulgaris*, *Cytisus scoparius*, *Ulex europaeus* and *Juniper communis*. The field layer is fairly diverse with a luxuriant cover of bryophytes but is dominated by *Rubus fruticosus* and *Hedera helix*. Sections of this wood have been underplanted with beech. The present owners have planted exotics such as *Rhododendron ponticum*, *Camellia* sp., New Zealand flax (*Phormium* sp.), snowberry (*Symphoricarpos albus*), Japanese maple (*Acer palmatum*) particularly along the driveway to the house. Some woodland clearance was ongoing at the time of survey to facilitate the building of a new dwelling. Notably, this is a site for French hales (*Sorbus devoniensis*), a rare whitebeam species known only the southeast of the country.

Site no.	<input type="text" value="0509"/>	FIPS no.	<input type="text" value="12071"/>	
Date surveyed	<input type="text" value="31/07/2000"/>			
Woodland name	<input type="text" value="Kearney's Bay"/>	Townland name	<input type="text" value="Kearney's Bay"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="29"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="76"/>	Grid ref.	<input type="text" value="S687199"/>	6 inch sheet <input type="text" value="KK 44A"/> County <input type="text" value="Kilkenny"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="2162"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="2.2"/>	Max. alt. (m) <input type="text" value="20"/> Min. alt. (m) <input type="text" value="0"/>
Sub-soil	<input type="text" value="RckNCA/A"/>		Soil <input type="text" value="AminSW/Alluvmin"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

An oak-beech wood located on the east facing slope of the Barrow valley south of New Ross. The main canopy formers are pedunculate oak (*Quercus robur*), beech (*Fagus sylvatica*) and wych elm (*Ulmus glabra*). The subcanopy consists of occasional wild cherry (*Prunus avium*), crab apple (*Malus sylvestris*), rowan (*Sorbus aucuparia*) and hawthorn (*Crataegus monogyna*) with elder (*Sambucus nigra*), Gorse (*Ulex europaeus*) and holly (*Ilex aquifolium*) in the shrub layer. In the field layer *Rubus fruticosus* and *Hedera helix* are frequent. A typical suite of woodland herbs is present including *Arum maculatum* and *Hyacinthoides non-scripta*, *Geranium robertianum*, *Oxalis acetosella*, *Digitalis purpurea* and *Teucrium scorodonia*. The fern flora is composed of *Dryopteris affinis*, *Dryopteris dilatata* and *Polystichum setiferum*. The soil is an acid brown earth with a yellow leached layer. There is evidence of game shooting and past coppicing. Regeneration of the main canopy species is poor although sycamore seedlings and saplings are numerous.

Site no.	<input type="text" value="0510"/>	FIPS no.	<input type="text" value="65662, 65661"/>	
Date surveyed	<input type="text" value="01/08/2000"/>			
Woodland name	<input type="text" value="Stokestown"/>	Townland name	<input type="text" value="Stokestown"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="33"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="76"/>	Grid ref.	<input type="text" value="S707242"/>	6 inch sheet <input type="text" value="WX 34A"/> County <input type="text" value="Wexford"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="2162"/> SPA Code <input type="text" value="-"/>
National Park <input type="checkbox"/>	Nature Reserve <input type="checkbox"/>	Woodland present in the 1840s		<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="3"/>	Max. alt. (m) <input type="text" value="10"/> Min. alt. (m) <input type="text" value="0"/>
Sub-soil	<input type="text" value="TLPS"/>		Soil <input type="text" value="AminPD/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Strip of riverside mixed woodland on the grounds of Stokestown House (west) and the Port Authority offices (east). Most of the woodland to the south of this (the majority of the FIPS parcels) is mature conifer plantation dominated by Picea and Larix species. The mixed woodland canopy is dominated by sessile oak (Quercus petraea) with some scots pine (Pinus sylvestris) and sitka spruce (Picea sitchensis). The subcanopy and shrub layers are dominated by Prunus laurocerasus with some holly (Ilex aquifolium). The soil is a well-drained brown earth.

Site no.	<input type="text" value="0511"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="01/08/2000"/>			
Woodland name	<input type="text" value="Fishertown"/>	Townland name	<input type="text" value="Fishertown, Poulamaloe"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="38"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="76"/>	Grid ref.	<input type="text" value="S698182"/>	6 inch sheet
			<input type="text" value="WX 39"/>	County
			<input type="text" value="Wexford"/>	
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="2162"/>	SPA Code
	<input type="text" value="-"/>			<input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="1.6"/>	Max. alt. (m)
			<input type="text" value="2"/>	Min. alt. (m)
	<input type="text" value="0"/>			
Sub-soil	<input type="text" value="Mesc/A/TLPS"/>		Soil	<input type="text" value="MarSed/AlluvMIN/AminPD"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Small strip of alluvial woodland along a stream adjacent to Moorland House, that grades into a *Phragmites australis* reed bed. Alder (*Alnus glutinosa*) and grey willow (*Salix cinerea*) are the main canopy trees with ash (*Fraxinus excelsior*) and wych elm (*Ulmus glabra*) becoming prominent in the drier areas. The shrub layer consists of hawthorn (*Crataegus monogyna*), holly (*Ilex aquifolium*) and elder (*Sambucus nigra*) but is only occasional. In the wetter sections of the wood. *Oenanthe crocata* dominates the field layer, with *Chrysosplenium oppositifolium* and *Filipendula ulmaria*. *Callitriche stagnalis* is abundant in stagnant water. In drier areas *Rubus fruticosus*, *Glechoma hederacea* and *Hedera helix* provide high cover. Exotics such as eucalyptus, maple and horse-chestnut (*Aesculus hippocastanum*) have been planted on the periphery of the wood. Snowberry (*Symphoricarpos albus*) and Japanese knotweed (*Fallopia japonica*) are also present. Regeneration is poor.

Site no.	<input type="text" value="0512"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="27/07/2000"/>			
Woodland name	<input type="text" value="Poulmaloe"/>	Townland name	<input type="text" value="Poulmaloe"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="33"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="76"/>	Grid ref.	<input type="text" value="S694194"/>	6 inch sheet <input type="text" value="WX 39"/> County <input type="text" value="Wexford"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="2162"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="2.5"/>	Max. alt. (m) <input type="text" value="0"/> Min. alt. (m) <input type="text" value="0"/>
Sub-soil	<input type="text" value="RckNCa/TLPS/A"/>		Soil <input type="text" value="AminSP/AminPD/AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A rather open scrub-woodland located on the east bank of the River Barrow, south of New Ross. The canopy is sparse and consists of ash (*Fraxinus excelsior*), sycamore (*Acer pseudoplatanus*) and beech (*Fagus sylvatica*) with a subcanopy of occasional holly (*Ilex aquifolium*), crab apple (*Malus sylvestris*) and blackthorn (*Prunus spinosa*). The shrub layer consists of elder (*Sambucus nigra*), hawthorn (*Crataegus monogyna*), spindle (*Euonymus europaeus*) and holly (*Ilex aquifolium*). *Ulex europaeus* forms a thick barrier around the edge of the site making access from the landward side difficult. Along the river's edge the rare French hales (*Sorbus devoniensis*) was recorded. The field layer is rich in ferns with *Blechnum spicant*, *Dryopteris dilatata*, *Dryopteris affinis* and *Pteridium aquilinum* common. The soil is shallow and stony and well-drained. The wood has received little recent management. No regeneration was noted for any tree species.

Site no.	<input type="text" value="0513"/>	FIPS no.	<input type="text" value="23138"/>	
Date surveyed	<input type="text" value="02/08/2000"/>			
Woodland name	<input type="text" value="Buttermilk Point"/>	Townland name	<input type="text" value="Nook"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="29"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="76"/>	Grid ref.	<input type="text" value="S697126"/>	6 inch sheet <input type="text" value="WX 44A"/> County <input type="text" value="Wexford"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="2162"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="0.5"/>	Max. alt. (m) <input type="text" value="25"/> Min. alt. (m) <input type="text" value="0"/>
Sub-soil	<input type="text" value="RckNca"/>		Soil	<input type="text" value="AminSW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

An ash-hazel-sycamore wood occurring on a northwest facing bank of the River Barrow, south of New Ross. Access is difficult due to the steepness of the site. The canopy is rather sparse and consists of sycamore (*Acer pseudoplatanus*) and ash (*Fraxinus excelsior*). Beneath this is a dense layer of hazel (*Corylus avellana*) with some holly (*Ilex aquifolium*). Blackthorn (*Prunus spinosa*), grey willow (*Salix cinerea*) and elder (*Sambucus nigra*) are present at the woodland margins. The field layer is dominated by *Hyacinthoides non-scripta* and *Prunella vulgaris*. The soil is relatively shallow and well-drained with a thick humus layer over a red/brown clay. There is evidence of systematic coppice management in the past. Sycamore regeneration is abundant.

Site no.	<input type="text" value="0514"/>	FIPS no.	<input type="text" value="59788"/>	
Date surveyed	<input type="text" value="02/08/2000"/>			
Woodland name	<input type="text" value="Mountgarrett"/>	Townland name	<input type="text" value="Mountgarrett"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="50"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="76"/>	Grid ref.	<input type="text" value="S722289"/>	6 inch sheet
				<input type="text" value="VX 29B/29"/>
County	<input type="text" value="Wexford"/>			
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="2162"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="5.9"/>	Max. alt. (m)
				<input type="text" value="40"/>
Min. alt. (m)	<input type="text" value="0"/>			
Sub-soil	<input type="text" value="RckNCa"/>		Soil	<input type="text" value="AminSP"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A mixed broadleaf woodland on a west-facing slope of the Barrow valley on the northern outskirts of New Ross. In the northern part of the site the canopy is dominated by sessile oak (*Quercus petraea*) with holly (*Ilex aquifolium*) forming an occasional subcanopy. In the southern part of the site the canopy is dominated by ash (*Fraxinus excelsior*) and sycamore (*Acer pseudoplatanus*), with an understorey of elder (*Sambucus nigra*) and hawthorn (*Crataegus monogyna*). The field layer here is well developed. Ferns include *Asplenium trichomanes*, *Asplenium adiantum-nigrum*, *Phyllitis scolopendrium*, *Polystichum setiferum* and *Pteridium aquilinum*. Other species include *Rubus fruticosus*, *Hedera helix*, *Galix aparine*, *Geranium robertianum* and *Petasites hybridus*. The rare plant species *Orobanche hederarum* was recorded in large clumps at the edge of the wood. The soil is a dark brown earth, shallow and well-drained. Exotic species include *Leycesteria formosa* and *Impatiens glandulifera*. Regeneration is not active in this wood. The wood has been used as an illicit dump for domestic rubbish.

Site no.	<input type="text" value="0515"/>	FIPS no.	<input type="text" value="68921, 59824, 59819, 59820, 59821"/>		
Date surveyed	<input type="text" value="01/08/2000"/>				
Woodland name	<input type="text" value="Kylecorragh"/>	Townland name	<input type="text" value="Glentiroe, Glensansaw"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="67"/>	Threat rating and score	<input type="text" value="No rating"/>	<input type="text" value="0"/>
Disco. map	<input type="text" value="76"/>	Grid ref.	<input type="text" value="S686303"/>	6 inch sheet	<input type="text" value="KK 37A/37E"/>
County	<input type="text" value="Kilkenny"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="2162"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="28.8"/>	Max. alt. (m)	<input type="text" value="85"/>
Min. alt. (m)	<input type="text" value="0"/>				
Sub-soil	<input type="text" value="RckNCa/TLPSSs"/>		Soil	<input type="text" value="AminSW/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text"/>			

Field notes

External data source: not all data recorded ☒

A large oak woodland on the western bank of the River Nore, south of Inistioge. The main canopy species is sessile oak (*Quercus petraea*), with other species including pedunculate oak (*Quercus robur*), ash (*Fraxinus excelsior*), sycamore (*Acer pseudoplatanus*), wild cherry (*Prunus avium*) and beech (*Fagus sylvatica*). The main understorey components are holly (*Ilex aquifolium*) and hazel (*Corylus avellana*), with hawthorn (*Crataegus monogyna*) and blackthorn (*Prunus spinosa*). The field layer is species rich with *Ajuga reptans*, *Arum maculatum*, *Circaea lutetiana*, *Galium aparine*, *Geranium robertianum*, *Hycanthoides non-scripta*, *Hypericum pulchrum*, *Melampyrum pratense*, *Oxalis acetosella* and *Viola riviniana* and a range of fern species. A narrow strip of wet woodland along the riverbank is dominated by grey willow (*Salix cinerea*) with *Cardamine pratense*, *Chrysosplenium oppositifolium* and *Filipendula ulmaria* in the field layer. The exotic species *Impatiens glandulifera* is prominent in this wetter area. Two broomrape species *Orobanche minor* and *Orobanche hederaceae* were recorded at this site. The soil is a shallow, dark brown clay. Sparrowhawks and grey squirrels were recorded.

Site no.	<input type="text" value="0516"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="09/08/2000"/>			
Woodland name	<input type="text" value="Island on the Nore"/>	Townland name	<input type="text" value="nr Inistioge"/>	
Conservation rating and score	<input type="text" value="No rating"/>	<input type="text" value="0"/>	Threat rating and score	<input type="text" value="No rating"/>
				<input type="text" value="0"/>
Disco. map	<input type="text" value="68"/>	Grid ref.	<input type="text" value="S649361"/>	6 inch sheet
				<input type="text" value="KK 33C"/>
County	<input type="text" value="Kilkenny"/>			
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
				<input type="text" value="2162"/>
SPA Code	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="6.5"/>	Max. alt. (m)
				<input type="text" value="2"/>
Min. alt. (m)	<input type="text" value="0"/>			
Sub-soil	<input type="text" value="Water"/>		Soil	<input type="text" value="Water"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A wet woodland on the third island downstream from Inistioge in the middle of the River Nore. This site is regularly flooded by high tides. The canopy is dominated by multi-stemmed white willow (*Salix alba*). Hawthorn (*Crataegus monogyna*) and *Rosa arvensis* are occasional in the shrub layer. The most abundant species in the field layer is *Impatiens glandulifera*. The soil is a water-logged alluvium. No active management. Regeneration is vegetative only. The rare species *Campanula trachelium* was recorded on the island at the time of the survey.

Site no.	<input type="text" value="0517"/>	FIPS no.	<input type="text" value="68946"/>	
Date surveyed	<input type="text" value="09/08/2000"/>			
Woodland name	<input type="text" value="Opposite Murphy's of the River"/>	Townland name	<input type="text" value="Clonamery"/>	
Conservation rating and score	<input type="text" value="No rating"/>	<input type="text" value="0"/>	Threat rating and score	<input type="text" value="No rating"/>
		<input type="text" value="0"/>		<input type="text" value="0"/>
Disco. map	<input type="text" value="68"/>	Grid ref.	<input type="text" value="S652355"/>	6 inch sheet
			<input type="text" value="KK 33C"/>	County
	<input type="text" value="Kilkenny"/>	NPWS region	<input type="text" value="South Eastern"/>	NHA code
	<input type="text" value="-"/>	SAC code	<input type="text" value="2162"/>	SPA Code
	<input type="text" value="-"/>	National Park	<input type="checkbox"/>	Nature Reserve
	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>	
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="1.4"/>	Max. alt. (m)
			<input type="text" value="10"/>	Min. alt. (m)
	<input type="text" value="0"/>	Sub-soil	<input type="text" value="RckNCa/TLPSSs"/>	
		Soil	<input type="text" value="AminSW/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A narrow strip of willow woodland on the southwest facing bank of the River Nore. The site is located south of Inistioge in the the valley floor and is subjected to fluctuating water tables owing to tidal and seasonal variations. The canopy is dominated by a variety of willow species such as white willow (*Salix alba*), crack willow (*S. fragilis*) and almond willow (*S. triandra*), with some alder (*Alnus glutinosa*). To the rear of the site the vegetation grades into hazel (*Corylus avellana*) scrub adjoining pasture. The wet woodland field layer is relatively species rich with *Carex pendula*, *Filipendula ulmaria*, *Galium palustre*, *Lycopus europaeus*, *Lythrum salicaria*, *Myosotis scorpiodes*, *Senecio aquaticus*, *Solanum dulcamara* and *Angelica sylvestris*. In the hazel scrub the field layer contains species more typical of a drier substrate e.g. *Geranium robertianum*. Base-rich waterlogged alluvial soil. No active management although drier parts of the site are grazed by cattle. The rare plant *Campanula trachelium* was recorded at the interface of the willow and hazel zones.

Site no.	<input type="text" value="0518"/>	FIPS no.	<input type="text" value="41061"/>	
Date surveyed	<input type="text" value="09/08/2000"/>			
Woodland name	<input type="text" value="Murphy's of the River"/>	Townland name	<input type="text" value="Brownsford"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="68"/>	Grid ref.	<input type="text" value="S652353"/>	6 inch sheet
			<input type="text" value="KK 33C"/>	County
	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="2162"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="1"/>	Max. alt. (m)
				<input type="text" value="20"/>
		Min. alt. (m)	<input type="text" value="0"/>	
Sub-soil	<input type="text" value="TLPSSs"/>		Soil	<input type="text" value="AminDW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

This wood lies on the northeast facing bank of the River Nore, south of Inistioge. The lower slope supports wet woodland vegetation dominated by white willow (*Salix alba*) and grey willow (*S. cinerea*) with alder (*Alnus glutinosa*). The field layer is dominated by *Impatiens glandulifera* with *Oenanthe crocata*, *Pimpinella saxifraga*, *Nasturtium officinale* and *Galium palustre*. The soil here is a waterlogged alluvium. The upper slope supports a dry broadleaf woodland dominated by ash (*Fraxinus excelsior*) and sessile oak (*Quercus petraea*) with some sycamore (*Acer pseudoplatanus*), beech (*Fagus sylvatica*) and hazel (*Corylus avellana*). The field layer here is dominated by *Rubus fruticosus*, *Dryopteris affinis* and *Polystichum setiferum*. The soil here is a well-drained brown earth. There is no active management.

Site no.	<input type="text" value="0519"/>	FIPS no.	<input type="text" value="61549"/>	
Date surveyed	<input type="text" value="09/08/2000"/>			
Woodland name	<input type="text" value="Coolnamuck"/>	Townland name	<input type="text" value="Cullaun"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="29"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="68"/>	Grid ref.	<input type="text" value="S668342"/>	6 inch sheet <input type="text" value="KK 33C"/> County <input type="text" value="Kilkenny"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="2162"/> SPA Code <input type="text" value="-"/>
National Park <input type="checkbox"/>	Nature Reserve <input type="checkbox"/>	Woodland present in the 1840s		<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="2"/>	Max. alt. (m) <input type="text" value="50"/> Min. alt. (m) <input type="text" value="0"/>
Sub-soil	<input type="text" value="RckNCa/TLPSSs/A"/>		Soil <input type="text" value="AminSW/AminDW/AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

An oak-beech woodland on a west-facing slope of the Nore valley, south of Inistioge. The canopy is dominated by beech (*Fagus sylvatica*) and sessile oak (*Quercus petraea*) with an understorey of holly (*Ilex aquifolium*), rowan (*Sorbus aucuparia*) and scots pine (*Pinus sylvestris*). The field layer is dominated by *Calluna vulgaris*, *Vaccinium myrtillus* and *Pteridium aquilinum*. The soil is a shallow, well-drained acid brown earth. Regeneration of broadleaf tree species is poor with the exception of holly (*Ilex aquifolium*). There is no active management.

Site no.	<input type="text" value="0520"/>	FIPS no.	<input type="text" value="61552"/>	
Date surveyed	<input type="text" value="09/08/2000"/>			
Woodland name	<input type="text" value="Coolnamuck 2"/>	Townland name	<input type="text" value="Coolnamuck"/>	
Conservation rating and score	<input type="text" value="No rating"/>	<input type="text" value="0"/>	Threat rating and score	<input type="text" value="No rating"/>
		<input type="text" value="0"/>		<input type="text" value="0"/>
Disco. map	<input type="text" value="68"/>	Grid ref.	<input type="text" value="S656342"/>	6 inch sheet
			<input type="text" value="KK 33C"/>	County
			<input type="text" value="Kilkenny"/>	
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="2162"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="4"/>	Max. alt. (m)
			<input type="text" value="2"/>	Min. alt. (m)
			<input type="text" value="0"/>	
Sub-soil	<input type="text" value="A/TLPSsS"/>		Soil	<input type="text" value="AlluvMIN AminDW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A wet woodland located on the river floodplain on a wide meander on the River Nore, south of Inistioge. The canopy is dominated by white willow (*Salix alba*), grey willow (*S. cinerea*) with some ash (*Fraxinus excelsior*). Guelder-rose (*Viburnum opulus*) is present in the shrub layer. The field layer includes *Impatiens glandulifera*, *Carex pendula*, *Phalaris arundinacea*, *Carex remota*, *Filipendula ulmaria*, *Iris pseudacorus*, *Angelica sylvestris*, *Lythrum salicaria* and *Oenanthe crocata*. Fallen timber is common. The soil is poorly drained but was not completely waterlogged at the time of the survey. The notable species *Campanula trachelium* and *Epipactis helleborine* were recorded. There are no signs of active management.

Site no.	<input type="text" value="0521"/>	FIPS no.	<input type="text" value="12182"/>	
Date surveyed	<input type="text" value="10/08/2000"/>			
Woodland name	<input type="text" value="Dysart/Newgrove"/>	Townland name	<input type="text" value="Newgrove"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="68"/>	Grid ref.	<input type="text" value="S668332"/>	6 inch sheet
			<input type="text" value="KK 33C/37A"/>	County
	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="2162"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="2"/>	Max. alt. (m)
				<input type="text" value="40"/>
		Min. alt. (m)	<input type="text" value="0"/>	
Sub-soil	<input type="text" value="TLPSSS"/>		Soil	<input type="text" value="AminDW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Woodland located on the western bank of the River Nore downstream of Woodstock Demesne. The canopy is composed of sessile oak (*Quercus petraea*) and ash (*Fraxinus excelsior*) with some beech (*Fagus sylvatica*) and sitka spruce (*Picea sitchensis*). The understorey is composed of hawthorn (*Crataegus monogyna*), holly (*Ilex aquifolium*), juvenile beech (*Fagus sylvatica*) and elder (*Sambucus nigra*). The field layer is dominated by *Rubus fruticosus* with *Hedera helix*, *Dryopteris dilatata* and *Polystichum setiferum*. The moss flora is very depauperate. The soil is a well drained brown clay. Much of the wood has been underplanted with conifers. Several tree species are regenerating.

Site no.	<input type="text" value="0522"/>	FIPS no.	<input type="text" value="69026"/>	
Date surveyed	<input type="text" value="17/08/2000"/>			
Woodland name	<input type="text" value="Woodview"/>	Townland name	<input type="text" value="Markree Demesne"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="25"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="25"/>	Grid ref.	<input type="text" value="G694260"/>	6 inch sheet <input type="text" value="SL 26B"/> County <input type="text" value="Sligo"/>
NPWS region	<input type="text" value="Northern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="1898"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="3.1"/>	Max. alt. (m) <input type="text" value="25"/> Min. alt. (m) <input type="text" value="20"/>
Sub-soil	<input type="text" value="TNSSs/A"/>		Soil <input type="text" value="AminDW/AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

An ash-sycamore woodland located on lane that leads past Wood View House. The canopy is dominated by sycamore (*Acer pseudoplatanus*) and ash (*Fraxinus excelsior*) with a number of mature stands of beech (*Fagus sylvatica*) and pedunculate oak (*Quercus robur*). The sparse shrub layer is composed of hawthorn (*Crataegus monogyna*). *Rubus fruticosus* and *Hedera helix* are prominent in the field layer with *Heracleum mantegazzianum* dominant near the edge of the wood. The soil is a brown earth. The site is surrounded by coniferous plantation.

Site no.	<input type="text" value="0523"/>	FIPS no.	<input type="text" value="9145, 9146"/>	
Date surveyed	<input type="text" value="17/08/2000"/>			
Woodland name	<input type="text" value="Woodview Gate (Markree)"/>	Townland name	<input type="text" value="Markree Demesne"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="25"/>	Grid ref.	<input type="text" value="G694258"/>	6 inch sheet <input type="text" value="SL 26B"/> County <input type="text" value="Sligo"/>
NPWS region	<input type="text" value="Northern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="1898"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="1.7"/>	Max. alt. (m) <input type="text" value="25"/> Min. alt. (m) <input type="text" value="20"/>
Sub-soil	<input type="text" value="A"/>		Soil	<input type="text" value="AlluvMIN"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Small patches of woodland connected by narrow strips of scrub, close to the gate facing Woodview Estate. The canopy is dominated by grey willow (*Salix cinerea*) with ash (*Fraxinus excelsior*), with some hawthorn (*Crataegus monogyna*) beneath. *Rhododendron ponticum* forms a dense shrub layer resulting in a poorly developed field layer composed mainly of *Circaea lutetiana* and a few ash seedlings. A thick layer of litter covers most of the ground. The edge of the wood is poorly drained and was flooded at the time of the survey. *Lobaria pulmonaria* was recorded. The soil is a neutral gley.

Site no.	<input type="text" value="0524"/>	FIPS no.	<input type="text" value="9133"/>	
Date surveyed	<input type="text" value="17/08/2000"/>			
Woodland name	<input type="text" value="Gobbadagh (Markree)"/>	Townland name	<input type="text" value="Cooperhill, Gobbadagh"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="54"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="25"/>	Grid ref.	<input type="text" value="G698244"/>	6 inch sheet
			<input type="text" value="SL 26B"/>	County
			<input type="text" value="Sligo"/>	
NPWS region	<input type="text" value="Northern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="1898"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="19.8"/>	Max. alt. (m)
			<input type="text" value="45"/>	Min. alt. (m)
			<input type="text" value="25"/>	
Sub-soil	<input type="text" value="Cut/TNSSs/A"/>		Soil	<input type="text" value="Cut/AminDW/AlluvMIN"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Large area of woodland along the southern/eastern bank of the Unshin River. In drier areas the canopy ash (*Fraxinus excelsior*) forms a sparse canopy beneath which is a denser understorey of hazel (*Corylus avellana*) with the occasional juvenile sycamore (*Acer pseudoplatanus*). In wetter areas the canopy is low (around 5 m) and composed of birch (*Betula pubescens*), grey willow (*Salix cinerea*), alder (*Alnus glutinosa*) and rowan (*Sorbus aucuparia*). *Rhododendron ponticum* is prominent in the shrub layer in the wet areas. The field layer is generally well-developed with *Filipendula ulmaria*, *Circaea lutetiana* and *Heracleum mantegazzianum* among the commonest species. The ash-hazel woodland is on a reasonably well-drained neutral clay soil, whilst the birch woodland is on an acid brown earth.

Site no.	<input type="text" value="0525"/>	FIPS no.	<input type="text" value="9131"/>	
Date surveyed	<input type="text" value="17/08/2000"/>			
Woodland name	<input type="text" value="Markree Castle (Markree)"/>	Townland name	<input type="text" value="Markee Demesne"/>	
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="67"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="25"/>	Grid ref.	<input type="text" value="G696246"/>	6 inch sheet
			<input type="text" value="SL 26B"/>	County
	<input type="text" value="Sligo"/>	NPWS region	<input type="text" value="Northern"/>	NHA code
	<input type="text" value="-"/>	SAC code	<input type="text" value="1898"/>	SPA Code
	<input type="text" value="-"/>	National Park	<input type="checkbox"/>	Nature Reserve
	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>	
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="31"/>	Max. alt. (m)
			<input type="text" value="45"/>	Min. alt. (m)
	<input type="text" value="25"/>	Sub-soil	<input type="text" value="Cut/TNSSs"/>	
		Soil	<input type="text" value="Cut/AminDW/AminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Two main areas of woodland: 1. Area of woodland immediately surrounding Markree Castle. The canopy is composed of ash (*Fraxinus excelsior*), alder (*Alnus glutinosa*) and pedunculate oak (*Quercus robur*) with the occasional birch (*Betula pubescens*), common lime (*Tilia x europaea*) and horse-chestnut (*Aesculus hippocastanum*). The shrub layer is dominated by *Cornus sanguineus*, *Rhododendron ponticum* and *Prunus laurocerasus*, with some hawthorn (*Crataegus monogyna*) and young ash. The field layer is dominated by *Rubus fruticosus*, *Rubus idaeus* and herbs such as *Circaea lutetiana*. Waterlogging occurs in wet hollows and here alder is more locally abundant. Regeneration of ash and birch is occurring where large trees have fallen. There has been some underplanting with sitka spruce (*Picea sitchensis*). *Lobaria pulmonaria* was recorded. 2. A strip of wet woodland on the west bank of the Unshin River. The canopy consists of ash (*Fraxinus excelsior*) and grey willow (*Salix cinerea*) with some alder (*Alnus glutinosa*), wych elm (*Ulmus glabra*) and sycamore (*Acer pseudoplatanus*). The subcanopy consists of hawthorn with young sycamore and ash. The shrub layer is composed of abundant *Symphoricarpos albus* and straggly *Rhododendron ponticum*. The field layer is sparse with *Circaea lutetiana* the most abundant species. The soil is a neutral, wet clay. Dead wood and fallen trunks are common. Soil poaching and dunging indicate that the site is used by cattle [This site includes the site called Toberscanavan II in the original report]

Site no.	<input type="text" value="0526"/>	FIPS no.	<input type="text" value="12156, 43022"/>	
Date surveyed	<input type="text" value="18/08/2000"/>			
Woodland name	<input type="text" value="Toberscanavan I, (Markree)"/>	Townland name	<input type="text" value="Markree Demesne"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="50"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="25"/>	Grid ref.	<input type="text" value="G687243"/>	6 inch sheet
			<input type="text" value="SL 26B"/>	County
				<input type="text" value="Sligo"/>
NPWS region	<input type="text" value="Northern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="1898"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="8.9"/>	Max. alt. (m)
				<input type="text" value="55"/>
		Min. alt. (m)	<input type="text" value="25"/>	
Sub-soil	<input type="text" value="TNSSs"/>		Soil	<input type="text" value="AminDW, AminPD"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Area of woodland inside Markree Demesne, on lane from the Toberscanavan Gate. The canopy is formed of crack willow (*Salix fragilis*), grey willow (*Salix cinerea*) and alder (*Alnus glutinosa*) with the occasional ash (*Fraxinus excelsior*). The shrub layer is composed of the occasional hawthorn (*Crataegus monogyna*) bush. The tall field layer is composed of *Iris pseudacorus*, *Rubus fruticosus* and *Juncus effusus*. Lower growing plants include *Filipendula ulmaria* and *Veronica montana*. The soil is waterlogged clay.

Site no.	<input type="text" value="0528"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="21/08/2000"/>			
Woodland name	<input type="text" value="Toberscanavan III (Markree)"/>	Townland name	<input type="text" value="Markree Demesne"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="38"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="25"/>	Grid ref.	<input type="text" value="G691243"/>	6 inch sheet
			<input type="text" value="SL 26B"/>	County
			<input type="text" value="Sligo"/>	
NPWS region	<input type="text" value="Northern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
	<input type="text" value="-"/>			<input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="0.3"/>	Max. alt. (m)
			<input type="text" value="40"/>	Min. alt. (m)
	<input type="text" value="30"/>			
Sub-soil	<input type="text" value="A"/>	Soil	<input type="text" value="AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

The southernmost of two small alder woodland copses to the west of the SAC boundary and the Unshin River. The canopy is dominated by alder (*Alnus glutinosa*) with occasional ash (*Fraxinus excelsior*) and is extremely wet. The shrub layer is sparse but the western side of the wood has dense *Rhododendron ponticum*. The field layer is dominated by *Ranunculus acris* and *Glyceria fluitans* with abundant *Iris pseudacorus* and *Senecio aquaticus*. The soil is waterlogged clay which has been heavily poached by cattle. [Unable from the description to match this site with a FIPS parcel, possibly 75716 - PP]

Site no.	<input type="text" value="0529"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="22/08/2000"/>			
Woodland name	<input type="text" value="Coopershill"/>	Townland name	<input type="text" value="Cooperhill"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="33"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="25"/>	Grid ref.	<input type="text" value="G727209"/>	6 inch sheet
				<input type="text" value="SL 27C"/>
County	<input type="text" value="Sligo"/>			
NPWS region	<input type="text" value="Northern"/>	NHA code	<input type="text" value="-"/>	SAC code
				<input type="text" value="1898"/>
SPA Code	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="2.1"/>	Max. alt. (m)
				<input type="text" value="50"/>
Min. alt. (m)	<input type="text" value="40"/>			
Sub-soil	<input type="text" value="A/TNSSs"/>		Soil	<input type="text" value="AlluvMIN/AminDW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Strip of ash woodland along Unshin River in Coopershill Demesne, an intensively managed farm. The canopy is dominated by ash (*Fraxinus excelsior*) with some sycamore (*Acer pseudoplatanus*) and common lime (*Tilia x europaea*). The shrub layer is mostly absent except for a few juvenile hawthorn (*Crataegus monogyna*). The field layer is herb rich. Among the most frequent species are *Circaea lutetiana*, *Chrysosplenium oppositifolium*, *Rubus fruticosus* and *Hedera helix*. The most common fern is *Phyllitis scolopendrium*. The soil is sandy and well-drained. There are many fallen trees. Exotics include *Cupressus* sp., *Symphoricarpos albus* and *Fallopia japonica*.

Site no.	<input type="text" value="0530"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="22/08/2000"/>			
Woodland name	<input type="text" value="Bridge (Coopershill)"/>	Townland name	<input type="text" value="Cooperhill"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="25"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="25"/>	Grid ref.	<input type="text" value="G727209"/>	6 inch sheet <input type="text" value="SL 27C"/> County <input type="text" value="Sligo"/>
NPWS region	<input type="text" value="Northern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="1898"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="1.2"/>	Max. alt. (m) <input type="text" value="45"/> Min. alt. (m) <input type="text" value="40"/>
Sub-soil	<input type="text" value="A/TNSSs"/>		Soil <input type="text" value="AlluvMIN/AminDW/AminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Highly modified woodland situated on bank of Unshin River close to a bridge in Coopershill Demesne. The dense canopy is composed chiefly of horse-chestnut (*Aesculus hippocastanum*) and sycamore (*Acer pseudoplatanus*) beneath which there is a subcanopy of beech (*Fagus sylvatica*) and wych elm (*Ulmus glabra*). A few specimens of hawthorn (*Crataegus monogyna*) and holly (*Ilex aquifolium*) with juvenile ash (*Fraxinus excelsior*), wych elm (*Ulmus glabra*) and horse-chestnut. The woodland floor is carpeted by *Circaea lutetiana* with *Angelica sylvestris* frequent. *Phyllitis scolopendrium* and *Dryopteris filix-mas* are occasional. Moss cover on the ground is high. The soil is neutral. A dense stand of *Fallopia japonica* occurs between the bridge and the house.

Site no.	<input type="text" value="0531"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="22/08/2000"/>			
Woodland name	<input type="text" value="Ardneeskan (Coopershill)"/>	Townland name	<input type="text" value="Cooperhill"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="38"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="25"/>	Grid ref.	<input type="text" value="G727210"/>	6 inch sheet
			<input type="text" value="SL 27C"/>	County
	<input type="text" value="Sligo"/>			
NPWS region	<input type="text" value="Northern"/>	NHA code	<input type="text" value="-"/>	SAC code
		<input type="text" value="1898"/>	SPA Code	<input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="1"/>	Max. alt. (m)
			<input type="text" value="45"/>	Min. alt. (m)
	<input type="text" value="40"/>			
Sub-soil	<input type="text" value="A/TNSSs"/>		Soil	<input type="text" value="AlluvMIN/AminPD"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Strip of ash-alder woodland on the Unshin River flood plain close to a footbridge. The canopy is dominated by alder (*Alnus glutinosa*) with a large proportion of ash (*Fraxinus excelsior*). The shrub layer is generally sparse and composed of young ash saplings. Close to the river bank the shrub layer is dominated by *Fallopia japonica* and *Prunus laurocerasus*. The field layer is dominated by *Rubus fruticosus* and *Filipendula ulmaria* with *Circaea lutetiana* abundant. The soil is neutral and liable to flooding.

Site no.	<input type="text" value="0532"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="22/08/2000"/>			
Woodland name	<input type="text" value="Isolated Woodland (Coopershill)"/>	Townland name	<input type="text" value="Cooperhill"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="25"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="25"/>	Grid ref.	<input type="text" value="G730207"/>	6 inch sheet <input type="text" value="SL 27C"/> County <input type="text" value="Sligo"/>
NPWS region	<input type="text" value="Northern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="1898"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="0.4"/>	Max. alt. (m) <input type="text" value="50"/> Min. alt. (m) <input type="text" value="45"/>
Sub-soil	<input type="text" value="A"/>		Soil	<input type="text" value="AlluvMIN"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Isolated stand in wet, rushy field beside Unshin River. Canopy dominated by horse-chestnut (*Aesculus hippocastanum*) with occasional beech (*Fagus sylvatica*) and some white willow (*Salix alba*). Shrub layer absent and field layer almost absent, no regeneration. Sheep have access from adjacent meadow.

Site no.	<input type="text" value="0533"/>	FIPS no.	<input type="text" value="93038, 93035"/>	
Date surveyed	<input type="text" value="23/08/2000"/>			
Woodland name	<input type="text" value="Coolbock Bridge"/>	Townland name	<input type="text" value="Cooperhill"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="33"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="25"/>	Grid ref.	<input type="text" value="G720210"/>	6 inch sheet <input type="text" value="SL 27C"/> County <input type="text" value="Sligo"/>
NPWS region	<input type="text" value="Northern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="1898"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="1"/>	Max. alt. (m) <input type="text" value="45"/> Min. alt. (m) <input type="text" value="40"/>
Sub-soil	<input type="text" value="Cut/A"/>		Soil <input type="text" value="Cut/AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Strip of woodland along Unshin River, west of Coopershill Estate, with the lower part of the woodland probably prone to flooding. The canopy of this wet woodland is dominated by alder (*Alnus glutinosa*) with birch (*Betula pubescens*) and horse-chestnut (*Aesculus hippocastanum*). The shrub layer is sparse and consists of hawthorn (*Crataegus monogyna*) and juvenile ash (*Fraxinus excelsior*). The field layer, which is species poor, is dominated by *Filipendula ulmaria* and *Urtica dioica* with some *Valeriana officinalis*, *Iris pseudacorus* and *Chrysosplenium oppositifolium*. The soil here is neutral. In the drier parts of the site, ash dominates the canopy with the occasional pedunculate oak (*Quercus robur*), alder and scots pine (*Pinus sylvestris*). The shrub layer is as in the wet woodland, whilst the field layer is dominated by *Circaea lutetiana* with lesser cover of *Filipendula ulmaria*, *Rubus fruticosus* and *Urtica dioica*. *Phyllitis scolopendrium* and *Dryopteris dilatata* are abundant in these areas. The soil here is well-drained and slightly acidic.

Site no.	<input type="text" value="0534"/>	FIPS no.	<input type="text" value="69034, 39803"/>	
Date surveyed	<input type="text" value="23/08/2000"/>			
Woodland name	<input type="text" value="Fidwog"/>	Townland name	<input type="text" value="Fidwog, Ardagh"/>	
Conservation rating and score	<input type="text" value="Very Good"/> <input type="text" value="62"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="25"/>	Grid ref.	<input type="text" value="G757187"/>	6 inch sheet <input type="text" value="SL 34A"/> County <input type="text" value="Sligo"/>
NPWS region	<input type="text" value="Northern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="1898"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="6.5"/>	Max. alt. (m) <input type="text" value="60"/> Min. alt. (m) <input type="text" value="50"/>
Sub-soil	<input type="text" value="TNSSs/Cut"/>		Soil <input type="text" value="AminDW/Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Narrow strip of wet woodland along both banks of the Unshin River. The riverbanks are low and the woodland is probably subject to seasonal flooding. The canopy is dominated by alder (*Alnus glutinosa*) with the occasional pedunculate oak (*Quercus robur*) and ash (*Fraxinus excelsior*). The patchy shrub layer is composed of small bushes of hawthorn (*Crataegus monogyna*) and hazel (*Corylus avellana*). The diverse field layer reflects the wet nature of the woodland with the presence of *Iris pseudacorus*, *Valeriana officinalis* and *Juncus effusus*. The clay soil is rather acidic. Parts of the wood are grazed by cattle. Several paths in the wood are used by fishermen.

Site no.	<input type="text" value="0535"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="23/08/2000"/>			
Woodland name	<input type="text" value="Knocknacross"/>	Townland name	<input type="text" value="Knocknacross"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="50"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="25"/>	Grid ref.	<input type="text" value="G758183"/>	6 inch sheet
			<input type="text" value="SL 34"/>	County
	<input type="text" value="Sligo"/>			
NPWS region	<input type="text" value="Northern"/>	NHA code	<input type="text" value="-"/>	SAC code
		<input type="text" value="1898"/>	SPA Code	<input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="1"/>	Max. alt. (m)
			<input type="text" value="60"/>	Min. alt. (m)
	<input type="text" value="50"/>			
Sub-soil	<input type="text" value="Cut/TNSSs"/>		Soil	<input type="text" value="Cut/AminPD"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Strip of woodland on a steeply sloping south-eastern bank of Unshin River. On the drier slope there is an open ash (*Fraxinus excelsior*) canopy with a dense hazel (*Corylus avellana*) understorey. There is virtually no shrub layer. The field layer is dominated by *Hedera helix*, with occasional *Dryopteris dilatata*, *Heracleum sphondylium* and *Rubus fruticosus*. The soil here is a well-drained slightly acidic brown earth. At the foot of the slope is an area of wet woodland dominated by alder (*Alnus glutinosa*) with the occasional ash. *Viburnum opulus* and eared willow (*Salix aurita*) occur in the poorly developed field layer. The field layer contains *Phragmites australis*, *Iris pseudacorus* and *Filipendula ulmaria*. The soil is fairly neutral.

Site no.	<input type="text" value="0536"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="24/08/2000"/>			
Woodland name	<input type="text" value="Ardkeeran"/>	Townland name	<input type="text" value="Ardkeeran"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="25"/>	Grid ref.	<input type="text" value="G746193"/>	6 inch sheet
			<input type="text" value="SL 34"/>	County
	<input type="text" value="Sligo"/>			
NPWS region	<input type="text" value="Northern"/>	NHA code	<input type="text" value="-"/>	SAC code
		<input type="text" value="1898"/>	SPA Code	<input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="3.8"/>	Max. alt. (m)
			<input type="text" value="50"/>	Min. alt. (m)
	<input type="text" value="45"/>			
Sub-soil	<input type="text" value="Cut"/>	Soil	<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

An area of birch woodland along the edge of a bog. The canopy is relatively open and composed of birch (*Betula pubescens*) and alder (*Alnus glutinosa*). The shrub layer is largely eared willow (*Salix aurita*). The field layer is dominated by tussocks of *Molinia caerulea* with *Deschampsia cespitosa* and *Carex remota*. The clay soil is a waterlogged, slightly acidic clay. The wood is occasionally grazed by sheep.

Site no.	<input type="text" value="0537"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="24/08/2000"/>			
Woodland name	<input type="text" value="Closkeybridge"/>	Townland name	<input type="text" value="Cooperhill"/>	
Conservation rating and score	<input type="text" value="No rating"/>	<input type="text" value="0"/>	Threat rating and score	<input type="text" value="No rating"/>
		<input type="text" value="0"/>		<input type="text" value="0"/>
Disco. map	<input type="text" value="25"/>	Grid ref.	<input type="text" value="G716208"/>	6 inch sheet
			<input type="text" value="SL 27C/34A"/>	County
			<input type="text" value="Sligo"/>	
NPWS region	<input type="text" value="Northern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="1898"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="1"/>	Max. alt. (m)
			<input type="text" value="45"/>	Min. alt. (m)
			<input type="text" value="40"/>	
Sub-soil	<input type="text" value="A/TNSSs"/>		Soil	<input type="text" value="AlluvMIN/AminDW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Two small stands of ash-alder woodland along the Unshin River. The canopy is composed of widely spaced alder (*Alnus glutinosa*) and juvenile ash (*Fraxinus excelsior*). Further away from the river are beech (*Fagus sylvatica*), sycamore (*Acer pseudoplatanus*), horse-chestnut (*Aesculus hippocastanum*) and European Larch (*Larix deciduas*). The poorly developed shrub layer is composed of hawthorn (*Crataegus monogyna*) and juvenile ash (*Fraxinus excelsior*), sycamore and beech (*Fagus sylvatica*). The field layer in the wet areas, which are prone to flooding, is dominated by *Iris pseudacorus* and *Polygonum hydropiper* with abundant *Urtica dioica*, but grasses become more frequent in drier areas. The woodland is grazed by sheep from adjacent pastures.

Site no.	<input type="text" value="0538"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="29/08/2000"/>			
Woodland name	<input type="text" value="Doonsheheen"/>	Townland name	<input type="text" value="Doonshesheen"/>	
Conservation rating and score		<input type="text" value="Poor"/>	<input type="text" value="29"/>	Threat rating and score
				<input type="text" value="No rating"/>
				<input type="text" value="0"/>
Disco. map	<input type="text" value="25"/>	Grid ref.	<input type="text" value="G761172"/>	6 inch sheet
				<input type="text" value="SL 34"/>
County	<input type="text" value="Sligo"/>			
NPWS region	<input type="text" value="Northern"/>	NHA code	<input type="text" value="-"/>	SAC code
				<input type="text" value="1898"/>
SPA Code	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="1.3"/>	Max. alt. (m)
				<input type="text" value="60"/>
Min. alt. (m)	<input type="text" value="55"/>			
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Small strip of birch woodland close to the Unshin River, surrounded by low-lying wet grassland. The canopy is composed of birch (*Betula pubescens*) and grey willow (*Salix cinerea*). The shrub layer is occasional and composed of eared willow (*S. aurita*). Large *Molinia caerulea* tussocks dominate the field layer with some *Myrica gale*. The soil is a waterlogged peat and the site is subject to seasonal flooding.

Site no.	<input type="text" value="0539"/>	FIPS no.	<input type="text" value="82633, 5540"/>	
Date surveyed	<input type="text" value="29/08/2000"/>			
Woodland name	<input type="text" value="Annagh (Sligo)"/>	Townland name	<input type="text" value="Annagh"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="33"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="25"/>	Grid ref.	<input type="text" value="G766164"/>	6 inch sheet <input type="text" value="SL 34D"/> County <input type="text" value="Sligo"/>
NPWS region	<input type="text" value="Northern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="1898"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="2"/>	Max. alt. (m) <input type="text" value="60"/> Min. alt. (m) <input type="text" value="55"/>
Sub-soil	<input type="text" value="TNSSs"/>		Soil	<input type="text" value="AminPD"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A small block of woodland on the Unshin River flood plain, approximately 300-400 m from the river's edge. The canopy is dominated by birch (*Betula pubescens*) with occasional rowan (*Sorbus aucuparia*) and grey willow (*Salix cinerea*). The shrub layer is sparse and largely consists of hawthorn (*Crataegus monogyna*). The field layer is dominated by *Rubus fruticosus* and *Dryopteris dilatata* in the drier parts, but in wetter areas large tussock-forming species such as *Carex paniculata*, *Molinia caerulea* and *Deschampsia cespitosa* are prominent. This site is on uneven ground - sloping areas have shallow, well-drained soils, whereas level areas have waterlogged peaty soils. There is little regeneration except for some hawthorn (*Crataegus monogyna*). The woodland is fenced to exclude grazing animals. There are a number of drains present.

Site no.	<input type="text" value="0540"/>	FIPS no.	<input type="text" value="50351"/>	
Date surveyed	<input type="text" value="30/08/2000"/>			
Woodland name	<input type="text" value="Clonguish (Castle Forbes)"/>	Townland name	<input type="text" value="Castleforbes Demesne"/>	
Conservation rating and score	<input type="text" value="Very Good"/> <input type="text" value="62"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="33/40"/>	Grid ref.	<input type="text" value="N083802"/>	6 inch sheet <input type="text" value="LF 8C"/> County <input type="text" value="Longford"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="1818"/> SPA Code <input type="text" value="4101"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="34.8"/>	Max. alt. (m) <input type="text" value="45"/> Min. alt. (m) <input type="text" value="35"/>
Sub-soil	<input type="text" value="Cut/TLPDSs"/>		Soil <input type="text" value="Cut/AminPDPT"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Large area of woodland along the shores of Lough Forbes and situated within the Castle Forbes Estate. The canopy of the drier sections consists largely of pedunculate oak (*Quercus robur*) and ash (*Fraxinus excelsior*). Non-native canopy species include common lime (*Tilia x europaea*), beech (*Fagus sylvatica*) and, most frequently, sycamore (*Acer pseudoplatanus*). *Rhododendron ponticum* has invaded areas of this woodland, mostly towards the south where it borders Ballykenny Bog; some clearance work has been conducted. Felling and replanting has occurred in the centre of the site. Shrub and understorey species include hazel (*Corylus avellana*), rowan (*Sorbus aucuparia*), alder (*Alnus glutinosa*), holly (*Ilex aquifolium*), guelder-rose (*Viburnum opulus*), bird cherry (*Prunus padus*), grey willow (*Salix cinerea*), ash and hawthorn (*Crataegus monogyna*). The field layer is relatively species rich away from the *Rhododendron* areas with the most common species being *Filipendula ulmaria*, *Rubus fruticosus* and *Circaea lutetiana*. Along the shore of Lough Forbes is a strip of wet woodland where a patchy canopy is formed by alder, ash and birch (*Betula pubescens*) with guelder-rose and willows. *Carex pendula* and *Phalaris arundinacea* are very common here. In general, the soil at this site is deep and slightly acidic. There is an extensive system of old drains and ditches and some new drains have been dug in association with the central plantation. Ash, alder and sycamore are regenerating.

Site no.	<input type="text" value="0541"/>	FIPS no.	<input type="text" value="69398"/>	
Date surveyed	<input type="text" value="31/08/2000"/>			
Woodland name	<input type="text" value="Ballykenny Wood, (Castle Forbes)"/>	Townland name	<input type="text" value="Castleforbes Demesne"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="40"/>	Grid ref.	<input type="text" value="N092792"/>	6 inch sheet
			<input type="text" value="LF 8C"/>	County
	<input type="text" value="Longford"/>	NPWS region	<input type="text" value="North Midlands"/>	NHA code
	<input type="text" value="-"/>	SAC code	<input type="text" value="1818"/>	SPA Code
	<input type="text" value="4101"/>	National Park	<input type="checkbox"/>	Nature Reserve
	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>	
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="4.6"/>	Max. alt. (m)
			<input type="text" value="45"/>	Min. alt. (m)
	<input type="text" value="40"/>	Sub-soil	<input type="text" value="Cut"/>	
		Soil	<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

An island of birch woodland on the edge of a partially cutover raised bog. The canopy is mostly birch (*Betula pubescens*) with some alder (*Alnus glutinosa*) and beneath an understorey of holly (*Ilex aquifolium*) and rowan (*Sorbus aucuparia*). The shrub layer is dominated by *Rhododendron ponticum* with some holly (*Ilex aquifolium*). The field layer is species poor with *Polystichum setiferum* and *Oxalis acetosella* the species with the greatest frequency. The soil is a peat. The large size of some of the birch trees is notable.

Site no.	<input type="text" value="0542"/>	FIPS no.	<input type="text" value="50392"/>	
Date surveyed	<input type="text" value="01/09/2000"/>			
Woodland name	<input type="text" value="Annagh (Castle Forbes)"/>	Townland name	<input type="text" value="Castleforbes Demesne"/>	
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="67"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="33"/>	Grid ref.	<input type="text" value="N087812"/>	6 inch sheet <input type="text" value="F 8A/8C/8"/>
County	<input type="text" value="Longford"/>			
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="1818"/>
SPA Code	<input type="text" value="4101"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="52"/>	Max. alt. (m) <input type="text" value="45"/>
		Min. alt. (m)	<input type="text" value="35"/>	
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Two main areas: 1. Annagh Wood is situated on a headland on Lough Forbes. In drier parts of the site the canopy is dominated by ash (*Fraxinus excelsior*), with alder (*Alnus glutinosa*) and pedunculate oak (*Quercus robur*) with an understorey of holly (*Ilex aquifolium*), bird cherry (*Prunus padus*) and juvenile ash. Hazel (*Corylus avellana*), ash and bird cherry form a lower shrub layer. In the field layer the most common plants are *Circaea lutetiana*, *Viola riviniana* and *Hyacinthoides non-scripta*. Along the lakeshore, extensive strips of wet woodland occur. The canopy here consists of birch (*Betula pubescens*), alder, ash and grey willow (*Salix cinerea*). The field layer contains *Lythrum salicaria*, *Lysimachia vulgaris*, *Filipendula ulmaria* and *Carex* spp. On the eastern side of this woodland are many scots pines (*Pinus sylvestris*) and also patches of *Prunus laurocerasus* and *Rhododendron ponticum*. Regeneration of broadleaf species at this site is vigorous. Some tree felling has occurred in the vicinity of the gravelled track. 2. An area running east towards Castle Forbes. The canopy is patchy and consists largely of birch with some pedunculate oak (*Quercus robur*), rowan (*Sorbus aucuparia*) and yew (*Taxus baccata*). Much of the woodland has been thinned and replanted with ash and sitka spruces (*Picea sitchensis*) and new drains have been dug. Areas that have not been replanted are infested with *R. ponticum* and *P. laurocerasus*. The field layer is thus poor; *Rubus fruticosus* and *Dryopteris dilatata* occur in gaps in shrub layer. The soil is poorly drained and markedly acidic. [This site includes the site called Big Bay Wood in the original report]

Site no.	<input type="text" value="0543"/>	FIPS no.	<input type="text" value="50397"/>	
Date surveyed	<input type="text" value="04/09/2000"/>			
Woodland name	<input type="text" value="Lissagernal (Castle Forbes)"/>	Townland name	<input type="text" value="Lissagernal"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="50"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="33"/>	Grid ref.	<input type="text" value="N095812"/>	6 inch sheet
			<input type="text" value="LF 8A/8B"/>	County
	<input type="text" value="Longford"/>	NPWS region	<input type="text" value="North Midlands"/>	NHA code
	<input type="text" value="-"/>	SAC code	<input type="text" value="1818"/>	SPA Code
	<input type="text" value="4101"/>	National Park	<input type="checkbox"/>	Nature Reserve
	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>	
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="19.3"/>	Max. alt. (m)
			<input type="text" value="45"/>	Min. alt. (m)
	<input type="text" value="40"/>	Sub-soil	<input type="text" value="Cut/TLPSsS"/>	
		Soil	<input type="text" value="Cut/AminPDPT"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A dry ash woodland located on flat land close to Lough Forbes. The main tree species are ash (*Fraxinus excelsior*), pedunculate oak (*Quercus robur*), sweet chestnut (*Castanea sativa*), sycamore (*Acer pseudoplatanus*) and *Picea*. The canopy is discontinuous due to recent felling. The shrub layer contains hawthorn (*Crataegus monogyna*), blackthorn (*Prunus spinosa*), and holly (*Ilex aquifolium*) and, near the woodland edges, *Prunus laurocerasus*. The field layer contains *Lonicera periclymenum*, *Hedera helix* and regenerating oak and ash. Small amount of *Impatiens glandulifera* are present. Underplanting with *Picea* has occurred in the eastern part of the site.

Site no.	<input type="text" value="0544"/>	FIPS no.	<input type="text" value="75560"/>	
Date surveyed	<input type="text" value="05/09/2000"/>			
Woodland name	<input type="text" value="Gubroe (Castle Forbes)"/>	Townland name	<input type="text" value="Cloonihier"/>	
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="75"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="33"/>	Grid ref.	<input type="text" value="N089823"/>	6 inch sheet <input type="text" value="LF 8A"/> County <input type="text" value="Longford"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="1818"/> SPA Code <input type="text" value="4101"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="23"/>	Max. alt. (m) <input type="text" value="40"/> Min. alt. (m) <input type="text" value="35"/>
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A diverse site situated adjacent to the N4 just north of Castle Forbes. Wetter areas contain grey willow (*Salix cinerea*) and alder (*Alnus glutinosa*) with buckthorn (*Rhamnus cathartica*), blackthorn (*Prunus spinosa*) and bird cherry (*Prunus padus*), and in the field layer *Agrostis stolonifera*, *Carex remota* and *Dryopteris dilatata*. Drier areas are characterised by ash (*Fraxinus excelsior*), pedunculate oak (*Quercus robur*) and holly (*Ilex aquifolium*) with *Rubus fruticosus*, *Oxalis acetosella* and regenerating seedlings in the field layer. In an area of birch (*Betula pubescens*) woodland, *Vaccinium myrtillus* provided high cover. In dry parts of the woodland there has been windthrow of mature trees. There are many drainage ditches present and the southern part of the site is grazed by cattle.

Site no.	<input type="text" value="0546"/>	FIPS no.	<input type="text" value="50295, Non FIPS"/>	
Date surveyed	<input type="text" value="06/09/2000"/>			
Woodland name	<input type="text" value="Corlehan (Castle Forbes)"/>	Townland name	<input type="text" value="Castleforbes Demesne"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="40"/>	Grid ref.	<input type="text" value="N077790"/>	6 inch sheet <input type="text" value="LF 8C"/> County <input type="text" value="Longford"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="1818"/> SPA Code <input type="text" value="4101"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="10.8"/>	Max. alt. (m) <input type="text" value="45"/> Min. alt. (m) <input type="text" value="35"/>
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A narrow woodland bordering Ballykenny Bog to the east and Lough Forbes to the west. Along the lakeshore alder (*Alnus glutinosa*), ash (*Fraxinus excelsior*) and grey willow (*Salix cinerea*) are the main canopy species. In drier sections ash and pedunculate oak (*Quercus robur*) form the canopy with some yew (*Taxus baccata*). The understorey here consists of rowan (*Sorbus aucuparia*), birch (*Betula pubescens*) and goat willow (*Salix caprea*). The shrub layer is dominated by bird cherry (*Prunus padus*), guelder-rose (*Viburnum opulus*) and young ash trees. Along the eastern border with the bog, holly (*Ilex aquifolium*) and *Vaccinium myrtillus* occur and there are dense thickets of *Rhododendron ponticum*. The field layer in drier areas includes *Glechoma hederacea*, *Oxalis acetosella*, *Agrostis capillaris*, *Dryopteris dilatata* and *Hedera helix*, together with holly and oak seedlings. In wetter areas *Carex paniculata*, *Lysimachia vulgaris* and *Lysimachia nummularia* are common. Also present are *Senecio aquaticus*, *Carex remota* and *Osmunda regalis*. The rare sedge *Carex elongata* was recorded. There are some extremely large oak trees at this site.

Site no.	<input type="text" value="0547"/>	FIPS no.	<input type="text" value="69382, 49977, 85925, 49978, 85924"/>		
Date surveyed	<input type="text" value="13/09/2000"/>				
Woodland name	<input type="text" value="Cornollen"/>	Townland name	<input type="text" value="Cornollen, Brianstown"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="No rating"/>	<input type="text" value="0"/>
Disco. map	<input type="text" value="40"/>	Grid ref.	<input type="text" value="N085761"/>	6 inch sheet	<input type="text" value="LF 13A"/>
County	<input type="text" value="Longford"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="441"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="4101"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="15.2"/>	Max. alt. (m)	<input type="text" value="45"/>
Min. alt. (m)	<input type="text" value="40"/>				
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A birch (*Betula pubescens*) dominated woodland on peat with occasional ash (*Fraxinus excelsior*) and rowan (*Sorbus aucuparia*) and some grey willow (*Salix cinerea*). Spindle (*Euonymus europaeus*), hawthorn (*Crataegus monogyna*) and *Ulex europaeus* occur in the shrub layer. The field layer is dominated by *Molinia caerulea* tussocks and *Rubus fruticosus* with *Pteridium aquilinum* where the canopy is thin.

Site no.	<input type="text" value="0548"/>	FIPS no.	<input type="text" value="86133"/>		
Date surveyed	<input type="text" value="01/07/2001"/>				
Woodland name	<input type="text" value="Big Wood (Laois)"/>	Townland name	<input type="text" value="Park"/>		
Conservation rating and score	<input type="text" value="No rating"/>	<input type="text" value="0"/>	Threat rating and score	<input type="text" value="No rating"/>	<input type="text" value="0"/>
Disco. map	<input type="text" value="55"/>	Grid ref.	<input type="text" value="S608962"/>	6 inch sheet	<input type="text" value="LA 19B"/>
County	<input type="text" value="Laois"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="2.5"/>	Max. alt. (m)	<input type="text" value="100"/>
Min. alt. (m)	<input type="text" value="80"/>				
Sub-soil	<input type="text" value="TLs/RckCa"/>		Soil	<input type="text" value="BminDW/BminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Area of broadleaf woodland amongst conifer and mixed blocks, 3 km east of Stradbally. Canopy dominated by ash (*Fraxinus excelsior*) with hazel (*Corylus avellana*), sycamore (*Acer pseudoplatanus*), pedunculate oak (*Quercus robur*) and beech (*Fagus sylvatica*). Field layer includes *Rubus fruticosus*, *Dryopteris* spp., *Polystichum setiferum*, *Circaea lutetiana*, *Hycanthoides non-scripta*, *Geum urbanum* and *Veronica montana*.

Site no.	<input type="text" value="0549"/>	FIPS no.	<input type="text" value="63180"/>	
Date surveyed	<input type="text" value="01/07/2001"/>			
Woodland name	<input type="text" value="Kylebeg"/>	Townland name	<input type="text" value="Kylebeg"/>	
Conservation rating and score	<input type="text" value="No rating"/>	<input type="text" value="0"/>	Threat rating and score	<input type="text" value="No rating"/>
				<input type="text" value="0"/>
Disco. map	<input type="text" value="55"/>	Grid ref.	<input type="text" value="S593952"/>	6 inch sheet
				<input type="text" value="LA 14C/19A"/>
County	<input type="text" value="Laois"/>			
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
				<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="10"/>	Max. alt. (m)
				<input type="text" value="120"/>
Min. alt. (m)	<input type="text" value="85"/>			
Sub-soil	<input type="text" value="RckCa/TLs"/>		Soil	<input type="text" value="BminSW/BminDW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Area of woodland adjacent to large Coillte site just southeast of Stradbally. Canopy dominated by pedunculate oak (*Quercus robur*), ash (*Fraxinus excelsior*) and hazel (*Corylus avellana*) with wych elm (*Ulmus glabra*), holly (*Ilex aquifolium*), sweet chestnut (*Castanea sativa*), sycamore (*Acer pseudoplatanus*) and beech (*Fagus sylvatica*). Field layer dominated by *Hyacinthoides non-scripta*, *Rubus fruticosus* and *Dryopteris* spp.

Site no.	<input type="text" value="0550"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="03/10/2001"/>			
Woodland name	<input type="text" value="Coolcor North"/>	Townland name	<input type="text" value="Derryiron"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="33"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="49"/>	Grid ref.	<input type="text" value="N521364"/>	6 inch sheet
			<input type="text" value="OF 3/4"/>	County
			<input type="text" value="Offaly"/>	
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="1.8"/>	Max. alt. (m)
				<input type="text" value="82"/>
		Min. alt. (m)	<input type="text" value="80"/>	
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A small birch (*Betula pubescens*) wood about 6 km southeast of Rochfortbridge. According to the owner it has developed on an uncut portion of raised peat bog which was burned 20-30 years ago. Used as shelter for cattle from adjacent pastures. Field layer dominated by *Molinia caerulea*, *Rubus fruticosus* and *Pteridium aquilinum*.

Site no.	<input type="text" value="0551"/>	FIPS no.	<input type="text" value="31242"/>	
Date surveyed	<input type="text" value="03/10/2001"/>			
Woodland name	<input type="text" value="Srah"/>	Townland name	<input type="text" value="Srah"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="33"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="49"/>	Grid ref.	<input type="text" value="N542363"/>	6 inch sheet <input type="text" value="OF 4C"/> County <input type="text" value="Offaly"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="1.9"/>	Max. alt. (m) <input type="text" value="80"/> Min. alt. (m) <input type="text" value="80"/>
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

An-even aged birch (*Betula pubescens*) woodland 3 km north of Rhode village. The field layer is dominated by *Rubus fruticosus* with *Phragmites australis* in one area. The soil is a deep peat over clay. Adjacent land is rough grazing and the wood is possibly grazed by cattle.

Site no.	<input type="text" value="0552"/>	FIPS no.	<input type="text" value="49421, 49422"/>	
Date surveyed	<input type="text" value="13/09/2001"/>			
Woodland name	<input type="text" value="Woodfield House"/>	Townland name	<input type="text" value="Curraghboy, Woodfield"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="50"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N246358"/>	6 inch sheet
			<input type="text" value="OF 2C"/>	County
			<input type="text" value="Offaly"/>	
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="6.1"/>	Max. alt. (m)
				<input type="text" value="52"/>
		Min. alt. (m)	<input type="text" value="52"/>	
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

An oak- birch woodland 2 km north of Clara. The canopy is dominated by birch (*Betula pubescens*) with pedunculate oak (*Quercus robur*) and rowan (*Sorbus aucuparia*). Crab apple (*Malus sylvestris*) and grey willow (*Salix cinerea*) are occasional whilst holly (*Ilex aquifolium*) forms dense patches in the understorey. *Dryopteris aemula* is scattered in the field layer. The woodland is grazed by cattle and there has been some felling along the margins. The soil is a deep acid peat.

Site no.	<input type="text" value="0553"/>	FIPS no.	<input type="text" value="49424"/>	
Date surveyed	<input type="text" value="16/09/2001"/>			
Woodland name	<input type="text" value="Woodfield Bog South"/>	Townland name	<input type="text" value="Curraghboy, Woodfield"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="33"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N252354"/>	6 inch sheet
			<input type="text" value="OF 2"/>	County
	<input type="text" value="Offaly"/>			
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="0.8"/>	Max. alt. (m)
			<input type="text" value="52"/>	Min. alt. (m)
	<input type="text" value="52"/>			
Sub-soil	<input type="text" value="Cut"/>	Soil	<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A very heavily grazed birch woodland 2 km north of Clara. The canopy is dominated by birch (*Betula pubescens*) with some grey willow (*Salix cinerea*) and hazel (*Corylus avellana*) occurs in the understorey. The field layer is dominated by grasses including *Agostis stolonifera*, *Dactylis glomerata*, *Holcus lanatus* and *Poa trivialis*. The site has changed hands in recent years and part of the site was subsequently felled. The soil is a deep peat.

Site no.	<input type="text" value="0554"/>	FIPS no.	<input type="text" value="67854"/>	
Date surveyed	<input type="text" value="12/10/2001"/>			
Woodland name	<input type="text" value="Toberdaly"/>	Townland name	<input type="text" value="Toberdaly"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="33"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="49"/>	Grid ref.	<input type="text" value="N521309"/>	6 inch sheet
			<input type="text" value="OF 10/11"/>	County
	<input type="text" value="Offaly"/>			
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="3.3"/>	Max. alt. (m)
				<input type="text" value="80"/>
Min. alt. (m)	<input type="text" value="80"/>			
Sub-soil	<input type="text" value="Cut"/>	Soil	<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A small block of woodland 9 km west of Edenderry and just south of the Grand Canal. It is a widely spaced wood of birch (*Betula pubescens*), pedunculate oak (*Quercus robur*), ash (*Fraxinus excelsior*), grey willow (*Salix cinerea*) and beech (*Fagus sylvatica*) with occasional individuals of norway spruce (*Picea abies*). Spindle (*Euonymus europaeus*) occurs in the shrub layer and the field layer is dominated by *Rubus fruticosus*. The soil is an acidic peat over gravelly glacial till. The site is bordered by pasture, peatland and conifer plantations.

Site no.	<input type="text" value="0555"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="08/09/2001"/>			
Woodland name	<input type="text" value="Tara"/>	Townland name	<input type="text" value="Tara"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="38"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N296303"/>	6 inch sheet <input type="text" value="OF 8"/> County <input type="text" value="Offaly"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="1"/>	Max. alt. (m) <input type="text" value="55"/> Min. alt. (m) <input type="text" value="55"/>
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

This is a small, dry birch (*Betula pubescens*) woodland on peat 5 km northwest of Tullamore, Co. Offaly, with grey willow (*Salix cinerea*) and *Ulex europaeus*. *Rubus fruticosus* dominates the field layer.

Site no.	<input type="text" value="0556"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="31/08/2001"/>			
Woodland name	<input type="text" value="Balleek Beg"/>	Townland name	<input type="text" value="Balleek Beg"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N336309"/>	6 inch sheet
			<input type="text" value="OF 9"/>	County
			<input type="text" value="Offaly"/>	
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="2.1"/>	Max. alt. (m)
				<input type="text" value="85"/>
		Min. alt. (m)	<input type="text" value="75"/>	
Sub-soil	<input type="text" value="GLs"/>		Soil	<input type="text" value="BminSW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

An esker woodland 5 km north of Tullamore dominated by pedunculate oak (*Quercus robur*), ash (*Fraxinus excelsior*) and hazel (*Corylus avellana*) with large individuals of goat willow (*Salix caprea*) frequent. The field layer is dominated by *Geranium robertianum*. Three notable species were recorded: *Melica uniflora*, *Bromus racemosus* and *Galium odoratum*. The soil is shallow and overlays gravel: there is a disused quarry in the western portion of the site. Cattle grazing appears to have severely impoverished the field layer and there is little regeneration.

Site no.	<input type="text" value="0557"/>	FIPS no.	<input type="text" value="49516, 49515"/>	
Date surveyed	<input type="text" value="07/09/2001"/>			
Woodland name	<input type="text" value="Ballynamona"/>	Townland name	<input type="text" value="Ballynamona, Ballycallaghan"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="50"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N359303"/>	6 inch sheet
			<input type="text" value="OF 9"/>	County
				<input type="text" value="Offaly"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="8.5"/>	Max. alt. (m)
				<input type="text" value="81"/>
		Min. alt. (m)	<input type="text" value="81"/>	
Sub-soil	<input type="text" value="Cut/TLs"/>		Soil	<input type="text" value="Cut/BminPD"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Area of birch woodland located 5 km northeast of Tullamore. Canopy dominated by birch (*Betula pubescens*) and scots pine (*Pinus sylvestris*). Beneath this are Irish whitebeam (*Sorbus hibernica*), rowan (*Sorbus aucuparia*), yew (*Taxus baccata*), hazel (*Corylus avellana*) and hawthorn (*Crataegus monogyna*). The field layer is dominated by *Hedera helix* with *Fragaria vesca* and *Ligustrum vulgare*. The soil is a shallow peat over clay.

Site no.	<input type="text" value="0558"/>	FIPS no.	<input type="text" value="30824"/>	
Date surveyed	<input type="text" value="13/10/2001"/>			
Woodland name	<input type="text" value="Clonearl Demesne"/>	Townland name	<input type="text" value="Clonearl Demesne"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="50"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="49"/>	Grid ref.	<input type="text" value="N470308"/>	6 inch sheet
			<input type="text" value="OF 10"/>	County
				<input type="text" value="Offaly"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="3.6"/>	Max. alt. (m)
				<input type="text" value="95"/>
		Min. alt. (m)	<input type="text" value="88"/>	
Sub-soil	<input type="text" value="TLs/Cut"/>		Soil	<input type="text" value="BminPD/Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

An ash-hazel woodland located 3 km north of Daingean. The canopy is dominated by ash (*Fraxinus excelsior*) and hazel (*Corylus avellana*) with a few very large beech (*Fagus sylvatica*) and pedunculate oak (*Quercus robur*), and also birch (*Betula pubescens*) and aspen (*Populus tremula*). The field layer is dominated by *Carex remota* and there are signs of winter flooding despite the presence of ditches. The soil is a shallow brown earth.

Site no.	<input type="text" value="0559"/>	FIPS no.	<input type="text" value="30828"/>	
Date surveyed	<input type="text" value="13/10/2001"/>			
Woodland name	<input type="text" value="Killesh"/>	Townland name	<input type="text" value="Clonearl Demense"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N476303"/>	6 inch sheet
			<input type="text" value="OF 10"/>	County
			<input type="text" value="Offaly"/>	
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="1.8"/>	Max. alt. (m)
				<input type="text" value="88"/>
		Min. alt. (m)	<input type="text" value="85"/>	
Sub-soil	<input type="text" value="TLs/A/Cut"/>		Soil	<input type="text" value="BminPD/AlluvMIN/Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A small roadside patch of woodland 3 km north of Daingean. Ash (*Fraxinus excelsior*) is the main canopy tree with hazel (*Corylus avellana*) beneath and *Hedera helix* dominating in the field layer. Bird cherry (*Prunus padus*) is regenerating in the western section. Part of the site (40%) is heavily grazed with little regeneration or field layer. A small area (10%) is regenerating following recent felling, the canopy of ash, birch (*Betula pubescens*) and grey willow (*Salix cinerea*) here is about 4-5 m high. The soil is a shallow brown earth over glacial till.

Site no.	<input type="text" value="0560"/>	FIPS no.	<input type="text" value="30809"/>	
Date surveyed	<input type="text" value="12/10/2001"/>			
Woodland name	<input type="text" value="Coole East"/>	Townland name	<input type="text" value="Coole"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="38"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N509306"/>	6 inch sheet
			<input type="text" value="OF 10/11"/>	County
			<input type="text" value="Offaly"/>	
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="1.8"/>	Max. alt. (m)
				<input type="text" value="79"/>
		Min. alt. (m)	<input type="text" value="79"/>	
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A dry birch woodland 4 km northeast of Daingean and just south of the Grand Canal. The canopy is dominated by birch (*Betula pubescens*) with rowan (*Sorbus aucuparia*) and holly forming thickets beneath whilst *Rubus fruticosus* dominates the field layer with *Molinia caerulea* present in the southern part of the site. The soil is a deep acidic peat.

Site no.	<input type="text" value="0561"/>	FIPS no.	<input type="text" value="30804"/>	
Date surveyed	<input type="text" value="04/10/2001"/>			
Woodland name	<input type="text" value="Clonlack"/>	Townland name	<input type="text" value="Clonlack"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="50"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="49"/>	Grid ref.	<input type="text" value="N548308"/>	6 inch sheet <input type="text" value="OF 11"/> County <input type="text" value="Offaly"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="2.9"/>	Max. alt. (m) <input type="text" value="77"/> Min. alt. (m) <input type="text" value="77"/>
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A birch (*Betula pubescens*) dominated woodland on cutover peat 8 km west of Edenderry. The field layer in grazed areas is dominated by *Molinia caerulea* and *Rubus fruticosus*, with occasional patches of *Sphagnum* sp.. In apparently ungrazed areas are young trees of grey willow (*Salix cinerea*), beech (*Fagus sylvatica*), rowan (*Sorbus aucuparia*), holly (*Ilex aquifolium*) and birch. A small area of the wood includes alder (*Alnus glutinosa*), *Mentha aquatica* and *Potentilla palustris*.

Site no.	<input type="text" value="0562"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="01/09/2001"/>			
Woodland name	<input type="text" value="Doory Northwest"/>	Townland name	<input type="text" value="Derries"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="38"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N262293"/>	6 inch sheet <input type="text" value="OF 8c"/> County <input type="text" value="Offaly"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="0.6"/>	Max. alt. (m) <input type="text" value="55"/> Min. alt. (m) <input type="text" value="55"/>
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A small patch of birch (*Betula pubescens*) woodland on peat surrounded by pasture. It is 3 km south of Clara, just outside Clara Bog Nature Reserve. The field layer is dominated by *Hedera helix*. Two orchids were recorded *Listera ovata* and *Dactylorhiza* sp.

Site no.	<input type="text" value="0563"/>	FIPS no.	<input type="text" value="49802"/>		
Date surveyed	<input type="text" value="26/07/2001"/>				
Woodland name	<input type="text" value="Clara Bog (Margin)"/>	Townland name	<input type="text" value="Doory"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="50"/>	Threat rating and score	<input type="text" value="No rating"/>	<input type="text" value="0"/>
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N268307"/>	6 inch sheet	<input type="text" value="OF 8"/>
County	<input type="text" value="Offaly"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input checked="" type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="6.5"/>	Max. alt. (m)	<input type="text" value="61"/>
Min. alt. (m)	<input type="text" value="61"/>				
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text"/>			

Field notes

External data source: not all data recorded ☒

An area of ash woodland on a low esker ridge along the southeastern margin of Clara Bog. The canopy is dominated by ash (*Fraxinus excelsior*) with hazel (*Corylus avellana*) beneath. *Hedera helix* and *Rubus fruticosus* dominate the field layer. A notable record here was *Melica uniflora*. The soil is fairly neutral and overlaid glacial drift.

Site no.	<input type="text" value="0564"/>	FIPS no.	<input type="text" value="49507"/>	
Date surveyed	<input type="text" value="07/09/2001"/>			
Woodland name	<input type="text" value="Bracklin Big"/>	Townland name	<input type="text" value="Bracklin Big"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="54"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N373297"/>	6 inch sheet
			<input type="text" value="OF 9"/>	County
			<input type="text" value="Offaly"/>	
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="2.1"/>	Max. alt. (m)
				<input type="text" value="85"/>
		Min. alt. (m)	<input type="text" value="75"/>	
Sub-soil	<input type="text" value="TLs/ GLs"/>		Soil	<input type="text" value="BminDW/BminSW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A small, low-canopy patch of woodland 5 km northeast of Tullamore. It is located on a kame just southeast of a long esker. The canopy is composed chiefly of ash (*Fraxinus excelsior*) and goat willow (*Salix caprea*) with hazel (*Corylus avellana*) and hawthorn (*Crataegus monogyna*) beneath and Gorse (*Ulex europaeus*) and blackthorn (*Prunus spinosa*) in a low shrub layer. The field layer is fairly scanty. The soil is shallow and neutral-mildly basic. The site is probably used for winter sheltering of cattle.

Site no.	<input type="text" value="0565"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="25/08/2001"/>			
Woodland name	<input type="text" value="Fairfield"/>	Townland name	<input type="text" value="Bracklin Big"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="29"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N387296"/>	6 inch sheet <input type="text" value="OF 9"/> County <input type="text" value="Offaly"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="0.4"/>	Max. alt. (m) <input type="text" value="78"/> Min. alt. (m) <input type="text" value="78"/>
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

This is a small area of rather open dry birch woodland 5 km northeast of Tullamore. Surrounding scrub has been cleared in the last 3-5 years to facilitate turf cutting. *Rubus fruticosus* agg., *Pteridium aquilinum* and *Dryopteris dilatata* occur in the field layer.

Site no.	<input type="text" value="0566"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="20/08/2001"/>			
Woodland name	<input type="text" value="Derrygrogan Little"/>	Townland name	<input type="text" value="Derrygrogan Little, Kilmurry"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="38"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N411295"/>	6 inch sheet
			<input type="text" value="OF 9"/>	County
	<input type="text" value="Offaly"/>			
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="3.3"/>	Max. alt. (m)
			<input type="text" value="85"/>	Min. alt. (m)
	<input type="text" value="85"/>			
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A small area of woodland 7 km northeast of Tullamore. The western section includes scots pines (*Pinus sylvestris*), larches (*Larix* sp.), hybrid oak (*Quercus x ros*) and birch (*Betula pubescens*). The eastern section, where both relevés were taken, is primarily birch on deep peat with *Sphagnum* in places. Between these two areas is a connecting strip of low (2-3 m) birch scrub.

Site no.	<input type="text" value="0567"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="07/10/2001"/>			
Woodland name	<input type="text" value="Rathdrum"/>	Townland name	<input type="text" value="Rathdrum"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N424286"/>	6 inch sheet
			<input type="text" value="OF 10C"/>	County
	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	<input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="2.5"/>	Max. alt. (m)
				<input type="text" value="88"/>
Sub-soil	<input type="text" value="Cut"/>	Soil	<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A birch woodland 4.5 km west of Daingean, bordering bog and pasture. The canopy is dominated by birch (*Betula pubescens*) with alder (*Alnus glutinosa*) and aspen (*Populus tremula*) along the ditch adjacent to the pasture. Younger stands of birch occur on the bog margin. The ground flora is dominated by *Rubus fruticosus* and *Pteridium aquilinum* with strongly regenerating holly (*Ilex aquifolium*). Saplings of sycamore (*Acer pseudoplatanus*), common whitebeam (*Sorbus aria*) and pedunculate oak (*Quercus robur*) are also present. The soil is an acid peat.

Site no.	<input type="text" value="0568"/>	FIPS no.	<input type="text" value="30796"/>	
Date surveyed	<input type="text" value="30/09/2001"/>			
Woodland name	<input type="text" value="Cavemount"/>	Townland name	<input type="text" value="Mullalough, Cavemount"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="33"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N503286"/>	6 inch sheet <input type="text" value="OF 10D"/> County <input type="text" value="Offaly"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="1.5"/>	Max. alt. (m) <input type="text" value="85"/> Min. alt. (m) <input type="text" value="75"/>
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A small birch woodland 3 km northeast of Daingean on the cut area of a raised bog. The canopy is dominated by birch (*Betula pubescens*) with some scots pine (*Pinus sylvestris*) and grey willow (*Salix cinerea*). Rowan (*Sorbus aucuparia*), beech (*Fagus sylvatica*) and pedunculate oak (*Quercus robur*) are regenerating beneath. Small areas of *Sphagnum* sp occur in one of the deeper cutover areas. *Rubus fruticosus* dominates the field layer.

Site no.	<input type="text" value="0569"/>	FIPS no.	<input type="text" value="28833, 49867, 49865"/>	
Date surveyed	<input type="text" value="17/08/2001"/>			
Woodland name	<input type="text" value="Derryesker/Boley Beg Callows"/>	Townland name	<input type="text" value="Derryesker"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="50"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N249278"/>	6 inch sheet
			<input type="text" value="OF16"/>	County
	<input type="text" value="Offaly"/>			
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="3.3"/>	Max. alt. (m)
			<input type="text" value="45"/>	Min. alt. (m)
	<input type="text" value="45"/>			
Sub-soil	<input type="text" value="Cut"/>	Soil	<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Two similar parcels of woodland on cutover peat on opposite sides of the Rahan-Clara road. The canopy is dominated by birch (*Betula pubescens*) and grey willow (*Salix cinerea*), whilst *Rubus fruticosus* dominates the field layer. Two notable species recorded here are buckthorn (*Rhamnus carthartica*) and bay willow (*S. pentandra*).

Site no.	<input type="text" value="0570"/>	FIPS no.	<input type="text" value="49660, 49661"/>	
Date surveyed	<input type="text" value="19/08/2001"/>			
Woodland name	<input type="text" value="Ballyduff Wood"/>	Townland name	<input type="text" value="Ballyduff"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="50"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N318275"/>	6 inch sheet
				<input type="text" value="OF16/17"/>
County	<input type="text" value="Offaly"/>			
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="1777"/>	SAC code
				<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="12.2"/>	Max. alt. (m)
				<input type="text" value="85"/>
Min. alt. (m)	<input type="text" value="65"/>			
Sub-soil	<input type="text" value="GLs/BasEsk"/>		Soil	<input type="text" value="BminSW/BminSPPT"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

An esker woodland with NHA status located 2 km northwest of Tullamore. Approximately half of the area is dominated by beech (*Fagus sylvatica*) and the rest by aggrading stands of nearly pure ash (*Fraxinus excelsior*). The field layer is dominated by *Hedera helix*. The soil is a shallow brown earth. [Note that this site is called Ballyduff Esker in van der Sleesen & Poole (2002). This is however the name of a separate NHA (site code 885) located further along the same esker, to the west of the N80]

Site no.	<input type="text" value="0571"/>	FIPS no.	<input type="text" value="49628"/>	
Date surveyed	<input type="text" value="08/08/2001"/>			
Woodland name	<input type="text" value="Moleen"/>	Townland name	<input type="text" value="Ardan"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N342279"/>	6 inch sheet
				<input type="text" value="OF 17A"/>
County	<input type="text" value="Offaly"/>			
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
				<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="2"/>	Max. alt. (m)
				<input type="text" value="92"/>
Min. alt. (m)	<input type="text" value="80"/>			
Sub-soil	<input type="text" value="GLs/ BasEsk"/>		Soil	<input type="text" value="BminSW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A small patch of esker woodland located 2 km north of Tullamore. The canopy is dominated by ash (*Fraxinus excelsior*) with a tall shrub layer of hazel (*Corylus avellana*) and hawthorn (*Crataegus monogyna*). The field layer is very scanty, with litter and bare soil abundant. Some of the ash butts have been removed probably for hurleys. The soil is a shallow brown earth.

Site no.	<input type="text" value="0572"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="25/08/2001"/>			
Woodland name	<input type="text" value="Tipperary Peat Bog"/>	Townland name	<input type="text" value="Ballycommon"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="33"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N430276"/>	6 inch sheet
			<input type="text" value="OF 18A"/>	County
	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
	<input type="text" value="-"/>		<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="0.7"/>	Max. alt. (m)
			<input type="text" value="86"/>	Min. alt. (m)
	<input type="text" value="Cut"/>	Sub-soil	<input type="text" value="Cut"/>	Soil
			<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A small area of birch (*Betula pubescens*) woodland with occasional ash (*Fraxinus excelsior*) and grey willow (*Salix cinerea*), located 4 km west of Daingean. *Rubus fruticosus* dominates the field layer which also contains *Angleica sylvestris*, *Lapsana communis*, *Viola* sp and beech (*Fagus sylvatica*) saplings. The soil is a deep acid peat and the site is surrounded by peatland and pasture.

Site no.	<input type="text" value="0573"/>	FIPS no.	<input type="text" value="30765, 30766, Non FIPS"/>	
Date surveyed	<input type="text" value="07/08/2001"/>			
Woodland name	<input type="text" value="Ballycommon Grand Canal"/>	Townland name	<input type="text" value="Knockballyboy, Ballycommon"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N437269"/>	6 inch sheet <input type="text" value="OF 18A"/> County <input type="text" value="Offaly"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="6.2"/>	Max. alt. (m) <input type="text" value="85"/> Min. alt. (m) <input type="text" value="85"/>
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A small area of woodland on dry cutover peat, adjacent to the Grand Canal 3 km west of Daingean. The canopy is dominated by birch (*Betula pubescens*) except near the canal tow path, where exotics including beech (*Fagus sylvatica*), sycamore (*Acer pseudoplatanus*) and *Rhododendron ponticum* occur.

Site no.	<input type="text" value="0574"/>	FIPS no.	<input type="text" value="50978, 50954, 50955, 50958"/>	
Date surveyed	<input type="text" value="29/07/2001"/>			
Woodland name	<input type="text" value="Charleville South"/>	Townland name	<input type="text" value="Charleville Demesne, Brookfield"/>	
Conservation rating and score	<input type="text" value="Excellent"/>	<input type="text" value="88"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N316224"/>	6 inch sheet
				<input type="text" value="F 16/17/24/2"/>
County	<input type="text" value="Offaly"/>			
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="571"/>	SAC code
			<input type="text" value="571"/>	SPA Code
				<input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="99.4"/>	Max. alt. (m)
				<input type="text" value="75"/>
Min. alt. (m)	<input type="text" value="65"/>			
Sub-soil	<input type="text" value="A/Made/TLs"/>		Soil	<input type="text" value="AlluvMIN/Made/BminPD/BminDW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Large area of woodland surrounding an infilling man-made lake, 3 km southwest of Tullamore. On the eastern margins of the lake are areas of wet woodland dominated by grey willow (*Salix cinerea*), alder (*Alnus glutinosa*) and birch (*Betula pubescens*) with *Phragmites australis* and *Carex* spp. in the field layer. The soil here is a peaty gley. The large majority of the wood, however, is dominated by ash (*Fraxinus excelsior*) and hazel (*Corylus avellana*) with *Circaea lutetiana* and *Hyacinthoides non-scripta* in the field layer. Browsing by deer occurs.

Site no.	<input type="text" value="0575"/>	FIPS no.	<input type="text" value="67951, 67953, 67952, 10022, 83231"/>		
Date surveyed	<input type="text" value="23/07/2001"/>				
Woodland name	<input type="text" value="Charleville North"/>	Townland name	<input type="text" value="Charleville Demesne"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="71"/>	Threat rating and score	<input type="text" value="No rating"/>	<input type="text" value="0"/>
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N320240"/>	6 inch sheet	<input type="text" value="OF 16/17"/>
County	<input type="text" value="Offaly"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="571"/>	SAC code	<input type="text" value="571"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="62"/>	Max. alt. (m)	<input type="text" value="75"/>
Min. alt. (m)	<input type="text" value="65"/>				
Sub-soil	<input type="text" value="TLs"/>		Soil	<input type="text" value="BminDW/BminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Large area of woodland 1 km southwest of Tullamore. The northern half is dominated by mixed age ash (*Fraxinus excelsior*) with pedunculate oak (*Quercus robur*) and emergent exotic conifers, whilst the southern half is largely young ash. The field layer consists of *Circaea lutetiana*, *Hyacinthoides non-scripta* and *Rubus fruticosus*. The soil is a shallow brown earth. Browsing by deer occurs.

Site no.	<input type="text" value="0576"/>	FIPS no.	<input type="text" value="50875, Non FIPS"/>		
Date surveyed	<input type="text" value="27/08/2001"/>				
Woodland name	<input type="text" value="Charleville Brookfield"/>	Townland name	<input type="text" value="Brookfield, Clona West"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="No rating"/>	<input type="text" value="0"/>
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N310210"/>	6 inch sheet	<input type="text" value="OF 16/24"/>
County	<input type="text" value="Offaly"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="571"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="12.6"/>	Max. alt. (m)	<input type="text" value="70"/>
Min. alt. (m)	<input type="text" value="65"/>				
Sub-soil	<input type="text" value="A/Cut"/>		Soil	<input type="text" value="AlluvMIN/Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

An area of woodland along the Clodiagh River 3km southwest of Tullamore. ash (*Fraxinus excelsior*) is the main canopy dominant. A drain divides the site in two. Blackthorn (*Prunus spinosa*) and hawthorn (*Crataegus monogyna*) are locally dominant in the narrow southern section of the site which occupies a series of low rises. There is illicit dumping at two locations. The northern section is wider with a carpet of *Hedera helix*. Beech is locally dominant here.

Site no.	<input type="text" value="0577"/>	FIPS no.	<input type="text" value="49959, 49961, 83163"/>	
Date surveyed	<input type="text" value="09/08/2008"/>			
Woodland name	<input type="text" value="Charleville Killeska"/>	Townland name	<input type="text" value="Killeskea, Charleville Demesne"/>	
Conservation rating and score	<input type="text" value="Very Good"/> <input type="text" value="67"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N317245"/>	6 inch sheet <input type="text" value="OF 16/17"/> County <input type="text" value="Offaly"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="571"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="10.8"/>	Max. alt. (m) <input type="text" value="61"/> Min. alt. (m) <input type="text" value="54"/>
Sub-soil	<input type="text" value="A/TLs"/>		Soil <input type="text" value="AlluvMIN/BminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A medium sized area of woodland 2 km west of Tullamore just to the south of the Tullamore river. The canopy is dominated by ash (*Fraxinus excelsior*) with hazel (*Corylus avellana*), hawthorn (*Crataegus monogyna*), spindle (*Euonymus europaeus*) and younger ash occurring beneath. The field layer is dominated by *Circaea lutetiana*. The soil is a fairly neutral, shallow brown earth. Browsing by deer occurs.

Site no.	<input type="text" value="0578"/>	FIPS no.	<input type="text" value="49979"/>	
Date surveyed	<input type="text" value="01/08/2001"/>			
Woodland name	<input type="text" value="Hand's Wood"/>	Townland name	<input type="text" value="Ballydrohid"/>	
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="67"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N318251"/>	6 inch sheet
			<input type="text" value="OF 16/17"/>	County
	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="571"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="24.2"/>	Max. alt. (m)
			<input type="text" value="56"/>	Min. alt. (m)
			<input type="text" value="54"/>	
Sub-soil	<input type="text" value="A"/>	Soil	<input type="text" value="AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Large area of woodland between the Grand Canal and Tullamore River, 1 km west of Tullamore. The main canopy trees are ash (*Fraxinus excelsior*) and pedunculate oak (*Quercus robur*), but there are many gaps in the woodland where scrub woodland dominated by hazel (*Corylus avellana*) and hawthorn (*Crataegus monogyna*) has developed. The field layer is dominated by *Circaea lutetiana*. Blackthorn (*Prunus spinosa*) is colonising the adjacent pasture near the canal. The site is grazed by deer and cattle.

Site no.	<input type="text" value="0579"/>	FIPS no.	<input type="text" value="51087"/>		
Date surveyed	<input type="text" value="13/08/2001"/>				
Woodland name	<input type="text" value="Big Wood (East Offaly)"/>	Townland name	<input type="text" value="Screggan"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="54"/>	Threat rating and score	<input type="text" value="No rating"/>	<input type="text" value="0"/>
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N299230"/>	6 inch sheet	<input type="text" value="OF 16"/>
County	<input type="text" value="Offaly"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="3.1"/>	Max. alt. (m)	<input type="text" value="70"/>
Min. alt. (m)	<input type="text" value="68"/>				
Sub-soil	<input type="text" value="TLs"/>		Soil	<input type="text" value="BminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text"/>			

Field notes

External data source: not all data recorded ☒

Small area of woodland surrounded by pasture and arable land, 3 km southwest of Tullamore. The canopy is dominated by ash (*Fraxinus excelsior*) with several large specimens of pedunculate oak (*Quercus robur*) and wild cherry (*Prunus avium*). The understorey is composed of holly (*Ilex aquifolium*) and hazel (*Corylus avellana*), with *Rubus fruticosus* the main species in the field layer. Parts of the site are heavily grazed and there is a small disused quarry on the southern margin. Some cutting of ash for hurleys has occurred. The soil is a brown earth.

Site no.	<input type="text" value="0580"/>	FIPS no.	<input type="text" value="28796, 92431, 107539, 21273, 49999"/>		
Date surveyed	<input type="text" value="09/09/2001"/>				
Woodland name	<input type="text" value="Annagharvey Central"/>	Townland name	<input type="text" value="Annagharvey"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="No rating"/>	<input type="text" value="0"/>
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N400234"/>	6 inch sheet	<input type="text" value="OF 17"/>
County	<input type="text" value="Offaly"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="3.4"/>	Max. alt. (m)	<input type="text" value="65"/>
Min. alt. (m)	<input type="text" value="60"/>				
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text"/>			

Field notes

External data source: not all data recorded ☒

Several patches of birch woodland on the rim of a raised bog with adjacent conifer plantations, 5 km southeast of Tullamore. The canopy is dominated by birch (*Betula pubescens*) with grey willow (*Salix cinerea*) frequent whilst the field layer is dominated by *Rubus fruticosus* with scattered tufts of *Molinia caerulea*. *Calluna vulgaris* dominates more open areas.

Site no.	<input type="text" value="0581"/>	FIPS no.	<input type="text" value="83183, 21270"/>	
Date surveyed	<input type="text" value="23/08/2001"/>			
Woodland name	<input type="text" value="Meelaghans"/>	Townland name	<input type="text" value="Meelaghans"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="50"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N367229"/>	6 inch sheet
			<input type="text" value="OF 17"/>	County
			<input type="text" value="Offaly"/>	
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="7.7"/>	Max. alt. (m)
				<input type="text" value="67"/>
		Min. alt. (m)	<input type="text" value="64"/>	
Sub-soil	<input type="text" value="TLs/Cut"/>		Soil	<input type="text" value="BminPDPT/Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Area of woodland along the northern edge of a raised bog (cutover), 2 km southeast of Tullamore. The wood is species poor with a canopy of birch (*Betula pubescens*) and a field layer dominated by *Rubus fruticosus*. Part of the site at least is grazed. To the west part of the bog has been planted with conifers (*Picea* sp. and *Pinus sylvestris*). A notable species recorded here was alder buckthorn (*Frangula alnus*).

Site no.	<input type="text" value="0582"/>	FIPS no.	<input type="text" value="50943"/>	
Date surveyed	<input type="text" value="15/08/2001"/>			
Woodland name	<input type="text" value="Hara's Hill"/>	Townland name	<input type="text" value="Clonagh East"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N323216"/>	6 inch sheet
				<input type="text" value="F 16/17/24/2"/>
County	<input type="text" value="Offaly"/>			
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
				<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="4.4"/>	Max. alt. (m)
				<input type="text" value="73"/>
Min. alt. (m)	<input type="text" value="69"/>			
Sub-soil	<input type="text" value="Cut/GLs"/>		Soil	<input type="text" value="Cut/BminSW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Small area of woodland on a slope, 2 km south of Tullamore and just east of the R421. At the top of the slope the woodland is dominated by sycamore (*Acer pseudoplatanus*) and beech (*Fagus sylvatica*) with hazel (*Corylus avellana*) and ash (*Fraxinus excelsior*) also prevalent. The field layer here is dominated by *Hedera helix*. The soil is a fairly neutral, shallow brown earth. The lower part of the site is transitional to birch (*Betula pubescens*) woodland on deep peat. There are signs of recent fire in this area as well as several drains.

Site no.	<input type="text" value="0583"/>	FIPS no.	<input type="text" value="75183"/>	
Date surveyed	<input type="text" value="13/08/2001"/>			
Woodland name	<input type="text" value="Derrygolan North"/>	Townland name	<input type="text" value="Derrygolan"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N337211"/>	6 inch sheet
			<input type="text" value="OF 25"/>	County
	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
	<input type="text" value="-"/>		<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="2.6"/>	Max. alt. (m)
			<input type="text" value="74"/>	Min. alt. (m)
	<input type="text" value="Cut"/>	Sub-soil	<input type="text" value="Cut"/>	Soil
			<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Small strip of woodland bordering bog and pasture, 3 km south of Tullamore. The canopy is dominated by birch (*Betula pubescens*) and the field layer is characterised by *Rubus fruticosus* and holly (*Ilex aquifolium*) and beech (*Fagus sylvatica*) saplings. A notable species recorded here is alder buckthorn (*Frangula alnus*).

Site no.	<input type="text" value="0584"/>	FIPS no.	<input type="text" value="50273"/>		
Date surveyed	<input type="text" value="30/08/2001"/>				
Woodland name	<input type="text" value="Cloncon"/>	Townland name	<input type="text" value="Derrybeg"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="No rating"/>	<input type="text" value="0"/>
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N343214"/>	6 inch sheet	<input type="text" value="OF 25"/>
County	<input type="text" value="Offaly"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="2"/>	Max. alt. (m)	<input type="text" value="76"/>
Min. alt. (m)	<input type="text" value="76"/>				
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A small area of woodland on cutover peat, 3 km south of Tullamore. The canopy is dominated by birch (*Betula pubescens*) and scots pine (*Pinus sylvestris*) with occasional grey willow (*Salix cinerea*) and alder (*Alnus glutinosa*). The field layer is mostly *Rubus fruticosus* and *Molinia caerulea*. A notable species recorded here is alder buckthorn (*Frangula alnus*).

Site no.	<input type="text" value="0585"/>	FIPS no.	<input type="text" value="67945"/>	
Date surveyed	<input type="text" value="20/09/2001"/>			
Woodland name	<input type="text" value="Ballaun Stone"/>	Townland name	<input type="text" value="Killeenmore"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="38"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N381220"/>	6 inch sheet
			<input type="text" value="OF 17/25"/>	County
	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="1.2"/>	Max. alt. (m)
				<input type="text" value="65"/>
		Min. alt. (m)	<input type="text" value="65"/>	
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Small area of woodland surrounded by rough grazing, 5 km southeast of Tullamore. Approximately half of the site is species-poor birch (*Betula pubescens*) woodland on peat with grey willow (*Salix cinerea*) and elder (*Sambucus nigra*) over a field layer dominated by *Rubus fruticosus* and *Hedera helix*. A marginal *Ulex europaeus* scrub community has recently been removed by the owner. The other half of the site is on a shallow peat over calcareous subsoil. It is dominated by ash (*Fraxinus excelsior*) with some birch over an understorey of hawthorn (*Crataegus monogyna*). *Rubus fruticosus* dominates the field layer here.

Site no.	<input type="text" value="0586"/>	FIPS no.	<input type="text" value="51519"/>	
Date surveyed	<input type="text" value="28/08/2001"/>			
Woodland name	<input type="text" value="Shanvally"/>	Townland name	<input type="text" value="Ross"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N288205"/>	6 inch sheet <input type="text" value="OF 24"/> County <input type="text" value="Offaly"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="2.1"/>	Max. alt. (m) <input type="text" value="80"/> Min. alt. (m) <input type="text" value="70"/>
Sub-soil	<input type="text" value="GLs/Cut"/>		Soil <input type="text" value="BminSW/BminSP/Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A small area of woodland along a road, 5 km southwest of Tullamore. The canopy is dominated by ash (*Fraxinus excelsior*) with some birch (*Betula pubescens*), and a diverse ground flora. Purging buckthorn (*Rhamnus cathartica*) and yew were also recorded. The soil is a deep peat but fairly neutral. The wood is used for recreation by local children and as owned by a farmer and two nearby houses.

Site no.	<input type="text" value="0587"/>	FIPS no.	<input type="text" value="51521"/>	
Date surveyed	<input type="text" value="24/08/2001"/>			
Woodland name	<input type="text" value="Ross/Shanvally"/>	Townland name	<input type="text" value="Ross"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N295203"/>	6 inch sheet
			<input type="text" value="OF 24"/>	County
			<input type="text" value="Offaly"/>	
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="921"/>	SAC code
			<input type="text" value="921"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="3.3"/>	Max. alt. (m)
				<input type="text" value="76"/>
		Min. alt. (m)	<input type="text" value="75"/>	
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A small area of birch woodland at the edge of Screggan Bog, 5 km southwest of Tullamore. The southern section is somewhat open and just over 30 m wide with a canopy of birch (*Betula pubescens*) over holly (*Ilex aquifolium*) and grey willow (*Salix cinerea*), and a field layer of *Pteridium aquilinum* and *Rubus fruticosus*. The northern section is dominated by birch with a sparse ground flora primarily composed of *Polytrichum* sp. The soil is a deep peat. [SVDS & AP note that a population of ~8 alder buckthorn (*Frangula alnus*) trees was found in a separate pocket of broadleaf woodland at the eastern entrance of the NHA next to a *Picea* plantation - PP].

Site no.	<input type="text" value="0588"/>	FIPS no.	<input type="text" value="50906"/>		
Date surveyed	<input type="text" value="30/08/2001"/>				
Woodland name	<input type="text" value="Derrygolan East"/>	Townland name	<input type="text" value="Derrybeg"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="No rating"/>	<input type="text" value="0"/>
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N342209"/>	6 inch sheet	<input type="text" value="OF 25"/>
County	<input type="text" value="Offaly"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="1.7"/>	Max. alt. (m)	<input type="text" value="75"/>
Min. alt. (m)	<input type="text" value="75"/>				
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text"/>			

Field notes

External data source: not all data recorded ☒

A small square of woodland on former cutover peat banks, 3 km south of Tullamore. The canopy is dominated by birch (*Betula pubescens*) and grey willow (*Salix cinerea*). The field layer is dominated by *Rubus fruticosus* and *Filipendula ulmaria*. A *Picea* plantation borders the woodland to the east, otherwise it borders pastureland. However, the wood is apparently grazed by deer but not cattle.

Site no.	<input type="text" value="0589"/>	FIPS no.	<input type="text" value="38135, 18108, 18109"/>	
Date surveyed	<input type="text" value="17/09/2001"/>			
Woodland name	<input type="text" value="Coolagary"/>	Townland name	<input type="text" value="Coolagary"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="49"/>	Grid ref.	<input type="text" value="N539207"/>	6 inch sheet
			<input type="text" value="OF 27"/>	County
			<input type="text" value="Offaly"/>	
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="5"/>	Max. alt. (m)
				<input type="text" value="77"/>
		Min. alt. (m)	<input type="text" value="77"/>	
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Two patches of birch woodland near a Bord na Mona bog and adjacent to an old laneway, 11 km north of Portarlinton. Birch (*Betula pubescens*) is the dominant canopy species. The western patch has a wet area containing grey willow (*Salix cinerea*), *Osmunda regalis* and *Sphagnum subnitens*. The eastern patch is drier and rather species poor with a field layer of *Rubus fruticosus* and *Dryopteris dilatata*. It appears to be an area where bog oak has been dumped in past. The southern part of this patch has been recently bulldozed.

Site no.	<input type="text" value="0590"/>	FIPS no.	<input type="text" value="51568"/>	
Date surveyed	<input type="text" value="15/09/2001"/>			
Woodland name	<input type="text" value="Garbally"/>	Townland name	<input type="text" value="Lowerton More"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="25"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="54"/>	Grid ref.	<input type="text" value="N239189"/>	6 inch sheet
			<input type="text" value="OF 24"/>	County
	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="906"/>	SAC code
			<input type="text" value="-"/>	SPA Code
	<input type="text" value="-"/>		<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="1.7"/>	Max. alt. (m)
			<input type="text" value="80"/>	Min. alt. (m)
	<input type="text" value="GLs/BasEsk"/>	Soil	<input type="text" value="BminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A heavily grazed woodland on an esker fragment, 6 km northeast of Kilcormac. The canopy is dominated by beech (*Fagus sylvatica*) and sycamore (*Acer pseudoplatanus*) with a hazel (*Corylus avellana*) understorey. Due to grazing the field layer is very scarce. The soil is a shallow brown earth over gravel. The site is used for shooting.

Site no.	<input type="text" value="0591"/>	FIPS no.	<input type="text" value="51546"/>	
Date surveyed	<input type="text" value="28/08/2001"/>			
Woodland name	<input type="text" value="Pallas Lough"/>	Townland name	<input type="text" value="Hollinshill, Mountpleasant"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="54"/>	Grid ref.	<input type="text" value="N280193"/>	6 inch sheet
				<input type="text" value="OF 24"/>
County	<input type="text" value="Offaly"/>			
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="916"/>	SAC code
			<input type="text" value="-"/>	SPA Code
	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="4.3"/>	Max. alt. (m)
				<input type="text" value="76"/>
Min. alt. (m)	<input type="text" value="74"/>			
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A small area of woodland at the eastern end of Pallas Lough, 10 km southwest of Tullamore. On the lake margin is an area of carr woodland, dominated by alder (*Alnus glutinosa*) with grey willow (*Salix cinerea*) and a field layer of *Phragmites australis* and *Carex acuta*. East of this is an embankment that appears to have been created to prevent flooding. On this is a small ash (*Fraxinus excelsior*) dominated community. The largest part of the site is east of the embankment, and is a species-poor community on peat and dominated by birch (*Betula pubescens*), with a field layer of *Rubus fruticosus* and *Molinia caerulea*. A notable species recorded here was *Frangula alnus*.

Site no.	<input type="text" value="0592"/>	FIPS no.	<input type="text" value="75188"/>	
Date surveyed	<input type="text" value="26/09/2001"/>			
Woodland name	<input type="text" value="Killeigh Townland"/>	Townland name	<input type="text" value="Killeigh"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="54"/>	Grid ref.	<input type="text" value="N343194"/>	6 inch sheet <input type="text" value="OF 25"/> County <input type="text" value="Offaly"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="2355"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="2.7"/>	Max. alt. (m) <input type="text" value="80"/> Min. alt. (m) <input type="text" value="77"/>
Sub-soil	<input type="text" value="Cut/TLS"/>		Soil	<input type="text" value="Cut/BminPD"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A small strip of woodland adjacent to Hawkswood Bog, 7 km due south of Tullamore. It is very heterogeneous with regard to both species and to stand structure. The canopy is largely birch (*Betula pubescens*) but also present are grey willow (*Salix cinerea*), holly (*Ilex aquifolium*), sessile oak (*Quercus petraea*), aspen (*Populus tremula*), ash (*Fraxinus excelsior*), hazel (*Corylus avellana*), beech (*Fagus sylvatica*), rowan (*Sorbus aucuparia*), common whitebeam (*Sorbus aria*) and hawthorn (*Crataegus monogyna*). Scots pine (*Pinus sylvestris*) trees show signs of burning at the base. A notable record here is alder buckthorn (*Frangula alnus*). There are indications that this site may have been planted up with norway spruce (*Picea abies*) in the past, but the crop failed. The field layer is dominated by *Rubus fruticosus*, but there is a high diversity. The soil is a brown earth.

Site no.	<input type="text" value="0593"/>	FIPS no.	<input type="text" value="81534"/>	
Date surveyed	<input type="text" value="06/10/2001"/>			
Woodland name	<input type="text" value="Graigue North"/>	Townland name	<input type="text" value="Killeigh"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="54"/>	Grid ref.	<input type="text" value="N353193"/>	6 inch sheet
			<input type="text" value="OF 25"/>	County
	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="3"/>	Max. alt. (m)
				<input type="text" value="90"/>
		Min. alt. (m)	<input type="text" value="85"/>	
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A small area of woodland just east of the N80 and 7 km due south of Tullamore. It is bordered by bog and pasture. The drier eastern portion is dominated by birch (*Betula pubescens*) with an understorey of holly (*Ilex aquifolium*) with rowan (*Sorbus aucuparia*), hazel (*Corylus avellana*) and sycamore (*Acer pseudoplatanus*). The wetter western section is dominated by birch and grey willow (*Salix cinerea*) with an understorey of including rowan and alder buckthorn (*Rhamnus cathartica*) and a field layer dominated by *Rubus fruticosus*. The woodland contains several drains.

Site no.	<input type="text" value="0594"/>	FIPS no.	<input type="text" value="50873"/>	
Date surveyed	<input type="text" value="11/10/2001"/>			
Woodland name	<input type="text" value="Graigue South"/>	Townland name	<input type="text" value="Killeigh"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="50"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="54"/>	Grid ref.	<input type="text" value="N355191"/>	6 inch sheet
			<input type="text" value="OF 25"/>	County
			<input type="text" value="Offaly"/>	
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="3.5"/>	Max. alt. (m)
				<input type="text" value="10"/>
		Min. alt. (m)	<input type="text" value="90"/>	
Sub-soil	<input type="text" value="TLs"/>		Soil	<input type="text" value="BminDW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A small strip of woodland on the crest of a low hill, 7 km south of Tullamore. The canopy is dominated by sessile oak (*Quercus petraea*), sycamore (*Acer pseudoplatanus*) and ash (*Fraxinus excelsior*) with a holly (*Ilex aquifolium*), hazel (*Corylus avellana*) and hawthorn (*Crataegus monogyna*) understorey. Several ash trees have been cut in the last few years for hurleys. The wood appears to have been felled and left ungrazed about 40 years ago judging from the multistemmed sycamore and ash that are present. Notable species recorded here are *Galium odoratum* and *Bromus racemosus*. The soil is a shallow brown earth.

Site no.	<input type="text" value="0595"/>	FIPS no.	<input type="text" value="54200, 50498"/>	
Date surveyed	<input type="text" value="14/09/2001"/>			
Woodland name	<input type="text" value="Derryad South"/>	Townland name	<input type="text" value="Derryad, Gorteen"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="54"/>	Grid ref.	<input type="text" value="N343185"/>	6 inch sheet
			<input type="text" value="OF 25"/>	County
			<input type="text" value="Offaly"/>	
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="3.5"/>	Max. alt. (m)
				<input type="text" value="80"/>
		Min. alt. (m)	<input type="text" value="75"/>	
Sub-soil	<input type="text" value="Cut/GLs"/>		Soil	<input type="text" value="Cut/BminSW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A small area of woodland on peat, 8 km south of Tullamore. The site is composed of two discrete parcels. It is dominated by birch (*Betula pubescens*) with holly frequent in the understorey. The field layer is largely *Rubus fruticosus*, with some *Sphagnum suibnitens* beneath. Grazing by horses was observed. Alder buckthorn (*Frangula alnus*) was recorded from this site.

Site no.	<input type="text" value="0596"/>	FIPS no.	<input type="text" value="50477"/>	
Date surveyed	<input type="text" value="14/09/2001"/>			
Woodland name	<input type="text" value="Derryad Northeast"/>	Townland name	<input type="text" value="Derryad"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="54"/>	Grid ref.	<input type="text" value="N342185"/>	6 inch sheet
			<input type="text" value="OF 25"/>	County
			<input type="text" value="Offaly"/>	
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="2355"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="1.5"/>	Max. alt. (m)
				<input type="text" value="75"/>
		Min. alt. (m)	<input type="text" value="70"/>	
Sub-soil	<input type="text" value="TLs/Cut"/>		Soil	<input type="text" value="BminPDPT/BminDW/Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Small area of high forest 8 km south of Tullamore and bordered by pasture, peatland and a road. The canopy is dominated by hybrid oak (*Quercus x ros*) and beech (*Fagus sylvatica*) which are widely spaced. The field layer is dominated by *Rubus fruticosus* with patches of *Luzula sylvatica* and *Fragaria vesca*. The soil is a shallow brown earth. The site is being managed for timber and has been possibly been thinned in recent years.

Site no.	<input type="text" value="0597"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="21/09/2001"/>			
Woodland name	<input type="text" value="Lugamarla South"/>	Townland name	<input type="text" value="Lugamarla"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="38"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="54"/>	Grid ref.	<input type="text" value="N266173"/>	6 inch sheet
			<input type="text" value="OF 24"/>	County
			<input type="text" value="Offaly"/>	
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="0.9"/>	Max. alt. (m)
				<input type="text" value="105"/>
		Min. alt. (m)	<input type="text" value="100"/>	
Sub-soil	<input type="text" value="TLs/A/L"/>		Soil	<input type="text" value="BminDW/AlluvMIN/Lac"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A small area of blackthorn (*Prunus spinosa*) dominated scrub on a hill slope, 12 km southwest of Tullamore. It is surrounded by arable land and pasture and is grazed by cattle. Ash (*Fraxinus excelsior*), hazel (*Corylus avellana*) and goat willow (*Salix caprea*) occur on boundary embankments. The soil is a shallow brown earth.

Site no.	<input type="text" value="0598"/>	FIPS no.	<input type="text" value="58478"/>	
Date surveyed	<input type="text" value="19/09/2001"/>			
Woodland name	<input type="text" value="Annaghmore West"/>	Townland name	<input type="text" value="Killananny"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="29"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="54"/>	Grid ref.	<input type="text" value="N291168"/>	6 inch sheet <input type="text" value="OF 24"/> County <input type="text" value="Offaly"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="2.4"/>	Max. alt. (m) <input type="text" value="95"/> Min. alt. (m) <input type="text" value="85"/>
Sub-soil	<input type="text" value="Cut/TLs"/>		Soil	<input type="text" value="Cut/BminPD"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

An area of highly modified woodland along the avenue to Annaghmore House, 5 km northwest of Clonaslee. The canopy is dominated by ash (*Fraxinus excelsior*) with holly (*Ilex aquifolium*) and birch (*Betula pubescens*), but a number of non-native species have been planted including cherry laurel (*Prunus laurocerasus*), sycamore (*Acer pseudoplatanus*), *Rhododendron ponticum*, larch (*Larix* sp.) and sitka spruce (*Picea sitchensis*). A couple of wet areas are dominated by grey willow (*Salix cinerea*).

Site no.	<input type="text" value="0599"/>	FIPS no.	<input type="text" value="58509, 58506, 58510"/>	
Date surveyed	<input type="text" value="22/09/2001"/>			
Woodland name	<input type="text" value="Mount Bolus South"/>	Townland name	<input type="text" value="Rathrobin"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="54"/>	Grid ref.	<input type="text" value="N256153"/>	6 inch sheet
			<input type="text" value="OF 24/32"/>	County
	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="4.4"/>	Max. alt. (m)
				<input type="text" value="95"/>
		Min. alt. (m)	<input type="text" value="90"/>	
Sub-soil	<input type="text" value="Cut/TLs"/>		Soil	<input type="text" value="Cut/BminPDPT/BminPD"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A small area of woodland 7 km northwest of Clonaslee. To the south it borders a bog and is dominated by birch (*Betula pubescens*) and scots pine (*Pinus sylvestris*). To the north it borders a road and is dominated by birch, ash (*Fraxinus excelsior*), scots pine (*Pinus sylvestris*) and pedunculate oak (*Quercus robur*) with a field layer including calcicole ferns such as *Phyllitis scolopendrium*. Holly (*Ilex aquifolium*) and hazel (*Corylus avellana*) form the understorey and *Rubus fruticosus* is abundant. The soil is peat over sand.

Site no.	<input type="text" value="0600"/>	FIPS no.	<input type="text" value="67962"/>	
Date surveyed	<input type="text" value="28/09/2001"/>			
Woodland name	<input type="text" value="Annaghbrack Glebe"/>	Townland name	<input type="text" value="Annaghbrack Glebe"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="33"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="54"/>	Grid ref.	<input type="text" value="N290152"/>	6 inch sheet <input type="text" value="OF 24/32"/> County <input type="text" value="Offaly"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="4.8"/>	Max. alt. (m) <input type="text" value="95"/> Min. alt. (m) <input type="text" value="95"/>
Sub-soil	<input type="text" value="Cut/TLs"/>		Soil <input type="text" value="Cut/BminPDPT"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A small block of woodland adjacent to a conifer plantation, 4 km north of Clonaslee. It is dominated by birch (*Betula pubescens*) with an understorey of holly (*Ilex aquifolium*) and hawthorn (*Crataegus monogyna*) and a field layer dominated by *Rubus fruticosus*. The owner has bulldozed a route into the wood for maintenance access. The soil is a peaty gley.

Site no.	<input type="text" value="0601"/>	FIPS no.	<input type="text" value="58469"/>	
Date surveyed	<input type="text" value="19/09/2001"/>			
Woodland name	<input type="text" value="Annaghmore House"/>	Townland name	<input type="text" value="Annaghmore"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="29"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="54"/>	Grid ref.	<input type="text" value="N304160"/>	6 inch sheet
			<input type="text" value="OF 24"/>	County
	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
	<input type="text" value="-"/>		<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="2.1"/>	Max. alt. (m)
			<input type="text" value="105"/>	Min. alt. (m)
	<input type="text" value="TLs/RckCa"/>	Soil	<input type="text" value="BminDW, BminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

Demesne woodland on a hill next to Annaghmore House, 4 km north of Clonaslee. The wood is highly modified, being dominated by beech (*Fagus sylvatica*) and ash (*Fraxinus excelsior*) with an understorey of cherry laurel (*Prunus laurocerasus*) and holly (*Ilex aquifolium*). The field layer is largely *Hedera helix*. There are many other non-native tree species and shrubs including holm oak (*Quercus ilex*), hybrid lime (*T. x europaea*) and horse-chestnut (*Aesculus hippocastanum*). The soil is a brown earth.

Site no.	<input type="text" value="0602"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="23/09/2001"/>			
Woodland name	<input type="text" value="Cush Upper NW"/>	Townland name	<input type="text" value="Gorteen"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="33"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="54"/>	Grid ref.	<input type="text" value="N319156"/>	6 inch sheet <input type="text" value="F 24/25/32/3"/>
County	<input type="text" value="Offaly"/>			
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="0.6"/>	Max. alt. (m) <input type="text" value="86"/>
Min. alt. (m)	<input type="text" value="86"/>			
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A birch woodland on cutover peat, 4 km north of Clonaslee. The birch (*Betula pubescens*) is of a variety of ages. Grey willow (*Salix cinerea*) and alder (*Alnus glutinosa*) occur near a drain. *Ulex europaeus* is present in a gap. *Rubus fruticosus* dominates the field layer which is rather scarce.

Site no.	<input type="text" value="0603"/>	FIPS no.	<input type="text" value="75189, 58429"/>	
Date surveyed	<input type="text" value="28/09/2001"/>			
Woodland name	<input type="text" value="Annaghmore / Lough Fen East"/>	Townland name	<input type="text" value="Gorteen, Cush Upper"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="38"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="54"/>	Grid ref.	<input type="text" value="N322154"/>	6 inch sheet
				<input type="text" value="DF 24/25/32"/>
County	<input type="text" value="Offaly"/>			
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="413"/>	SAC code
				<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="3.8"/>	Max. alt. (m)
				<input type="text" value="86"/>
Min. alt. (m)	<input type="text" value="86"/>			
Sub-soil	<input type="text" value="FenPt/Cut"/>		Soil	<input type="text" value="FenPt/Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A birch woodland on cutover peat on the Offaly / Laois border, 3 km north of Clonaslee. The canopy is dominated by birch (*Betula pubescens*). The field layer is a diverse mix of grasses (e.g. *Anthoxanthum odoratum*, *Molinia caerulea*) and sedges (e.g. *Carex remota*, *Carex echinata*), with *Rubus fruticosus* and *Pteridium aquilinum*. The site is grazed by cattle, one of the cutover areas has been used as a dump for domestic rubbish.

Site no.	<input type="text" value="0604"/>	FIPS no.	<input type="text" value="75190"/>	
Date surveyed	<input type="text" value="02/09/2001"/>			
Woodland name	<input type="text" value="Woodenbridge"/>	Townland name	<input type="text" value="Ballynasrah"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="38"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="54"/>	Grid ref.	<input type="text" value="N375154"/>	6 inch sheet
			<input type="text" value="OF 25"/>	County
	<input type="text" value="Offaly"/>			
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="2.1"/>	Max. alt. (m)
			<input type="text" value="86"/>	Min. alt. (m)
	<input type="text" value="86"/>			
Sub-soil	<input type="text" value="Cut"/>	Soil	<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

A small patch of birch woodland with occasional alder on cutover peat, 7 km northeast of Clonaslee. The canopy is dominated by birch (*Betula pubescens*). The field layer is dominated by *Rubus fruticosus*.

Site no.	<input type="text" value="0605"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="10/03/2005"/>			
Woodland name	<input type="text" value="All Saint's Bog"/>	Townland name	<input type="text" value="Glaster, Ballynasrah, Macnahanny or Furlough"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="38"/>	Threat rating and score	<input type="text" value="No rating"/>
			<input type="text" value="0"/>	
Disco. map	<input type="text" value="53"/>	Grid ref.	<input type="text" value="N008113"/>	6 inch sheet
			<input type="text" value="OF 29"/>	County
	<input type="text" value="Offaly"/>			
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="566"/>	SPA Code
	<input type="text" value="4103"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="11"/>	Max. alt. (m)
			<input type="text" value="45"/>	Min. alt. (m)
	<input type="text" value="40"/>			
Sub-soil	<input type="text" value="Cut"/>	Soil	<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

An area of woodland on active raised bog 4 km south of Banagher. It is a mosaic of different aged areas dominated by scots pine (*Pinus sylvestris*), downy birch (*Betula pubescens*) and mixtures of these two species. The field layer is dominated by *Molinia caerulea*, *Calluna vulgaris*, *Vaccinium myrtillus* and *Eriophorum vaginatum*. The ground layer is abundant and dominated by *Aulacomnium palustre*, *Sphagnum recurvum* agg., *Sphagnum fimbriatum*, *Sphagnum palustre*, *Sphagnum cuspidatum* and *Hypnum cupressiforme*. This is the largest known area of bog woodland sensu stricto in the country.

Site no.	<input type="text" value="0606"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="09/09/2004"/>			
Woodland name	<input type="text" value="Clara Bog (Central)"/>	Townland name	<input type="text" value="Erry (Armstrong)"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="33"/>	Threat rating and score	<input type="text" value="No rating"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="48"/>	Grid ref.	<input type="text" value="N241299"/>	6 inch sheet <input type="text" value="OF 7/8"/> County <input type="text" value="Offaly"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="572"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input checked="" type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="NPWS"/>	Area (ha)	<input type="text" value="0.9"/>	Max. alt. (m) <input type="text" value="57"/> Min. alt. (m) <input type="text" value="57"/>
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

This is small area of birch woodland on active raised bog 2 km south of Clara. It is associated with the flush at Shanleys Lough. The canopy is quite open and composed completely of downy birch (*Betula pubescens*). The field layer is characterised by large tussocks of *Molinia caerulea* with *Myrica gale* and *Vaccinium myrtillus*. The ground layer is abundant and dominated by *Sphagnum palustre* with *Sphagnum recurvum* agg and *Thuidium tamariscinum*. Adjacent to the wood are areas birch scrub.

Site no.	<input type="text" value="0607"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="11/11/2004"/>			
Woodland name	<input type="text" value="Cloonshanville"/>	Townland name	<input type="text" value="Cloonshanville"/>	
Conservation rating and score		<input type="text" value="Poor"/>	<input type="text" value="38"/>	Threat rating and score
				<input type="text" value="No rating"/>
				<input type="text" value="0"/>
Disco. map	<input type="text" value="33"/>	Grid ref.	<input type="text" value="M753915"/>	6 inch sheet
				<input type="text" value="RO 15"/>
County	<input type="text" value="Roscommon"/>			
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code
				<input type="text" value="614"/>
SPA Code	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text"/>	Area (ha)	<input type="text" value="1.6"/>	Max. alt. (m)
				<input type="text" value="70"/>
Min. alt. (m)	<input type="text" value="70"/>			
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

This is a small area of birch woodland on active raised bog 1.5 km east of Frenchpark. Downy birch (*Betula pubescens*) dominates with some grey willow (*Salix cinerea*). The canopy is quite open. The field layer is dominated by tussocks of *Molinia caerulea* and *Myrcia gale*. Other field layer species include *Rubus fruticosus*, *Agrostis stolonifera*, *Carex rostrata*, *Eriophorum vaginatum*, *Holcus lanatus* and *Juncus effusus*. The ground layer is abundant and composed largely of *Sphagnum palustre* and *Sphagnum recurvum* agg. A narrow channel containing flowing water with several connecting channels flows through the wood.

Site no.	<input type="text" value="0608"/>	FIPS no.	<input type="text" value="41120, 67005"/>	
Date surveyed	<input type="text" value="13/08/1990"/>			
Woodland name	<input type="text" value="Park Hill"/>	Townland name	<input type="text" value="Abbeyleix Demesne"/>	
Conservation rating and score	<input type="text" value="No rating"/>	<input type="text" value="0"/>	Threat rating and score	<input type="text" value="No rating"/>
				<input type="text" value="0"/>
Disco. map	<input type="text" value="60"/>	Grid ref.	<input type="text" value="S417826"/>	6 inch sheet
				<input type="text" value="LA 29B"/>
County	<input type="text" value="Laois"/>			
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="2076"/>	SAC code
				<input type="text" value="2162"/>
SPA Code	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="40.9"/>	Max. alt. (m)
				<input type="text" value="81"/>
Min. alt. (m)	<input type="text" value="75"/>			
Sub-soil	<input type="text" value="GLs/A/Cut"/>		Soil	<input type="text" value="BminSW/AlluvMIN/Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☒

An extensive area of mature woodland 3 km southwest of Abbeyleix. The canopy is dominated by pedunculate oak (*Quercus robur*) and ash (*Fraxinus excelsior*) and is up to 28 m high. The field layer is dominated *Rubus fruticosus* and *Hyacinthoides non-scripta* with *Pteridium aquilinum* abundant in places, whilst the ground layer is fairly scanty. The soil is sandy, fairly acidic and well drained.

Site no.	<input type="text" value="0610"/>	FIPS no.	<input type="text" value="14545"/>	
Date surveyed	<input type="text" value="15/06/2005"/>			
Woodland name	<input type="text" value="Tipping Hill"/>	Townland name	<input type="text" value="Bellurgan"/>	
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="61"/>	Threat rating and score	<input type="text" value="High"/> <input type="text" value="42"/>
Disco. map	<input type="text" value="36"/>	Grid ref.	<input type="text" value="J096102"/>	6 inch sheet <input type="text" value="LH 7"/> County <input type="text" value="Louth"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="1468"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="55"/>	Max. alt. (m) <input type="text" value="130"/> Min. alt. (m) <input type="text" value="20"/>
Sub-soil	<input type="text" value="TGr/RckNCa/A"/>		Soil <input type="text" value="AminDW/AminSW/AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input checked="" type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A large area of woodland on Tipping Hill, east of Dundalk. Ash (*Fraxinus excelsior*) occurs throughout this woodland with beech (*Fagus sylvatica*) and sycamore (*Acer pseudoplatanus*) also occurring. The western and northern sections comprise an ash, sycamore, hazel (*Corylus avellana*) mix. The ground flora is relatively diverse with *Hyacinthoides non-scripta*, *Primula vulgaris*, *Oxalis acetosella* and *Arum maculatum*, together with eight species of fern. The summit of Tipping Hill rises above the wood and supports a small patch of heath. The southern section of the wood is severely infested with *Prunus laurocerasus*. A heronry and two buzzards were observed on site.

Site no.	<input type="text" value="0612"/>	FIPS no.	<input type="text" value="42808, 22544"/>	
Date surveyed	<input type="text" value="19/04/2005"/>			
Woodland name	<input type="text" value="Rathscar Lake"/>	Townland name	<input type="text" value="Mosstown North"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="Moderate"/>
			<input type="text" value="33"/>	
Disco. map	<input type="text" value="36"/>	Grid ref.	<input type="text" value="O029870"/>	6 inch sheet
			<input type="text" value="LH 18"/>	County
	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="11.2"/>	Max. alt. (m)
			<input type="text" value="80"/>	Min. alt. (m)
			<input type="text" value="79"/>	
Sub-soil	<input type="text" value="TLPSSs/Cut"/>		Soil	<input type="text" value="AminPD/Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="40%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="60%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

Medium-sized woodland located 5.5 km northeast of Collon. Over half the site is dominated by beech (*Fagus sylvatica*), pedunculate oak (*Quercus robur*) and ash (*Fraxinus excelsior*), with considerable infestation by cherry laurel (*Prunus laurocerasus*) and in particular snowberry (*Symphoricarpos albus*). The field layer consists of *Ranunculus ficaria*, *Chrysosplenium oppositifolium* and various ferns. The soil is gleyed. Near the road are several large limes and silver fir is regenerating freely. Around the lake on islands (which were not accessed) is a grey willow (*Salix cinerea*) and alder (*Alnus glutinosa*) community. It covers a considerable area and spreads into the shallow waters of the lake, but is infested by both cherry laurel and red osier dogwood (*Cornus sericea*). The site is managed as a wildlife reserve by Co. Louth Regional Game Council. There are several broad paths and a rather municipal picnic area near the lake and boat house.

Site no.	<input type="text" value="0613"/>	FIPS no.	<input type="text" value="4067"/>	
Date surveyed	<input type="text" value="28/06/2005"/>			
Woodland name	<input type="text" value="Cornamucklagh (Louth)"/>	Townland name	<input type="text" value="Cornamucklagh"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="30"/>	Threat rating and score	<input type="text" value="High"/> <input type="text" value="50"/>	
Disco. map	<input type="text" value="36"/>	Grid ref.	<input type="text" value="J123192"/>	6 inch sheet <input type="text" value="LH 02"/> County <input type="text" value="Louth"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="452"/>	SAC code <input type="text" value="2306"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="12.4"/>	Max. alt. (m) <input type="text" value="15"/> Min. alt. (m) <input type="text" value="0"/>
Sub-soil	<input type="text" value="RckNCa/TGr"/>		Soil <input type="text" value="AminSW/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input checked="" type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input checked="" type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A medium sized area of modified woodland near the mouth of the Newry river. Dominated by sycamore (*Acer pseudoplatanus*) and elder (*Sambucus nigra*) with *Urtica dioica* and *Hedera helix* abundant in the field layer. The wood is heavily used by horses which have worn several tracks through the site. There are some large gaps filled with *Pteridium aquilinum*. Some northern parts of the site are infested by *Rhododendron ponticum*, but this is not an extensive problem.

Site no.	<input type="text" value="0614"/>	FIPS no.	<input type="text" value="71549, 32099, 34774"/>	
Date surveyed	<input type="text" value="20/09/2005"/>			
Woodland name	<input type="text" value="Corratober"/>	Townland name	<input type="text" value="Corratober, Drumbriskin"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="54"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="34"/>	Grid ref.	<input type="text" value="N309943"/>	6 inch sheet <input type="text" value="CV 30"/> County <input type="text" value="Cavan"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="978"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="11"/>	Max. alt. (m) <input type="text" value="80"/> Min. alt. (m) <input type="text" value="75"/>
Sub-soil	<input type="text" value="RckNca/Cut/TLPSSs"/>		Soil <input type="text" value="AminSW/Cut/AminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

Bog woodland on the edge of Cordonaghy Bog NHA, 4 km southeast of Arvagh. The woodland has developed on cutover bog and is dominated by birch (*Betula pubescens*) throughout the site. Grey willow (*Salix cinerea*) occurs in wetter areas. Rowan (*Sorbus aucuparia*) and pedunculate oak (*Quercus robur*) saplings are frequent throughout. The groundlayer is dominated in places by *Rubus fruticosus*, *Molinia caerulea* and *Sphagnum* spp. Old peat diggings, drainage ditches and peat banks occur.

Site no.	<input type="text" value="0617"/>	FIPS no.	<input type="text" value="35162, 33974"/>	
Date surveyed	<input type="text" value="15/09/2005"/>			
Woodland name	<input type="text" value="Garthylough"/>	Townland name	<input type="text" value="Garthylough, Drumalt"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="39"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>
Disco. map	<input type="text" value="34"/>	Grid ref.	<input type="text" value="N285975"/>	6 inch sheet <input type="text" value="CV 30/24"/> County <input type="text" value="Cavan"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="3"/>	Max. alt. (m) <input type="text" value="70"/> Min. alt. (m) <input type="text" value="67"/>
Sub-soil	<input type="text" value="TLPSSs/Cut"/>		Soil	<input type="text" value="AminPD/Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

The site is on the southern side of Garty Lough and is bordered on the eastern side by a mixed wood of beech (*Fagus sylvatica*) and pine. Near the lakeshore the canopy is mainly grey willow (*Salix cinerea*), alder (*Alnus glutinosa*) and birch (*Betula pubescens*). The field layer is dominated by *Phalaris arundinacea*. The wood is dissected by several deep muddy ditches with *Myosotis scorpioides*, *Apium nodiflorum* and *Mentha aquatica*. The centre of the wood is mainly birch (*Betula pubescens*) and Sally with frequent alder (*Alnus glutinosa*). A few open patches are present with tussocks of *Molinia caerulea* and *Myrica gale*. At western edge Holly is very frequent in the understorey.

Site no.	<input type="text" value="0618"/>	FIPS no.	<input type="text" value="35199, 35198"/>	
Date surveyed	<input type="text" value="27/06/2005"/>			
Woodland name	<input type="text" value="Enaghan"/>	Townland name	<input type="text" value="Enaghan"/>	
Conservation rating and score	<input type="text" value="Very Good"/> <input type="text" value="61"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="17"/>	
Disco. map	<input type="text" value="34"/>	Grid ref.	<input type="text" value="N286951"/>	6 inch sheet <input type="text" value="LF 3"/> County <input type="text" value="Longford"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="7"/>	Max. alt. (m) <input type="text" value="82"/> Min. alt. (m) <input type="text" value="82"/>
Sub-soil	<input type="text" value="TLPSSs/Cut"/>		Soil <input type="text" value="AminDW/Cut"/>	

<u>Geography</u>		<u>Woodland habitats</u>		<u>Grazing</u>		<u>Hydrological features</u>	
Esker	<input type="checkbox"/>	WN1	<input type="text" value="0%"/>	Deer	<input type="checkbox"/>	Seasonal flooding	<input checked="" type="checkbox"/>
Drumlin	<input type="checkbox"/>	WN2	<input type="text" value="0%"/>	Cattle	<input type="checkbox"/>	Springs	<input type="checkbox"/>
Valley	<input checked="" type="checkbox"/>	WN3	<input type="text" value="0%"/>	Sheep	<input type="checkbox"/>	Lakes	<input checked="" type="checkbox"/>
Lakeside	<input type="checkbox"/>	WN4	<input type="text" value="0%"/>	Rabbits	<input type="checkbox"/>	Rivers/streams	<input type="checkbox"/>
Bogland	<input checked="" type="checkbox"/>	WN5	<input type="text" value="5%"/>	Hares	<input type="checkbox"/>	Damp clefts/ravines	<input type="checkbox"/>
Hill	<input type="checkbox"/>	WN6	<input type="text" value="0%"/>	Goats	<input type="checkbox"/>	Other	<input type="text" value=""/>
Plain/Lowlands	<input type="checkbox"/>	WN7	<input type="text" value="95%"/>	Horses	<input type="checkbox"/>		
Island	<input type="checkbox"/>	WS1	<input type="text" value="0%"/>	Other	<input type="text" value=""/>		
Riverside/Floodplain	<input type="checkbox"/>	WD1	<input type="text" value="0%"/>	Grazing level	<input type="text" value="0"/>		
Coastal/Estuary	<input type="checkbox"/>	WD2	<input type="text" value="0%"/>				
		Other habitats	<input type="text" value=""/>				

Field notes

External data source: not all data recorded ☐

The majority of this site (95%) is birch (*Betula pubescens*) dominated woodland on cutover bog. goat willow (*Salix caprea*), grey willow (*S. cinerea*) and rowan (*Sorbus aucuparia*) are occasional in the understorey. The field layer is dominated by *Dryopteris dilatata*. *Rubus fruticosus* and *Molinia caerulea* are frequent in places. The ground layer is dominated by *Thuidium tamariscinum* or *Pseudoscleropodium purum*. There are small patches of wet areas where grey willow is the dominant canopy species. Here there is no shrub layer. The field layer is composed of *Poa trivialis*, *Galium palustre*, *Valeriana officinalis*, *Angelica sylvestris* and *Ranunculus lingua*. Bryophytes are confined to dead wood and tree bases and then main species include *Kindbergia praelonga* and *Hypnum* species.

Site no.	<input type="text" value="0619"/>	FIPS no.	<input type="text" value="4817"/>	
Date surveyed	<input type="text" value="23/06/2005"/>			
Woodland name	<input type="text" value="Lisraherty"/>	Townland name	<input type="text" value="Lisraherty"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="17"/>
Disco. map	<input type="text" value="34"/>	Grid ref.	<input type="text" value="N291948"/>	6 inch sheet <input type="text" value="LF 3"/> County <input type="text" value="Longford"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="4"/>	Max. alt. (m) <input type="text" value="80"/> Min. alt. (m) <input type="text" value="80"/>
Sub-soil	<input type="text" value="TLPSSs/Cut"/>		Soil <input type="text" value="AminDW/Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="100%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

This site is an example of riparian woodland on alluvial soil, dominated by willow species - *Salix x multinervis*, grey willow (*S. cinerea*) and eared willow (*S. aurita*). There is frequent mature birch (*Betula pubescens*) in the canopy on drier soils. Alder (*Alnus glutinosa*) is scattered in the canopy in the wetter areas. Hawthorn (*Crataegus monogyna*) and low *Salix* species form the shrub layer. The field layer is rich with *Cardamine* species, *Galium palustre*, *Ranunculus* species, *Poa trivialis* and *Urtica dioica*. The ground layer is mainly confined to fallen trees, branches and dead wood and is dominated by *Kindbergia praelonga*.

Site no.	<input type="text" value="0621"/>	FIPS no.	<input type="text" value="4840"/>		
Date surveyed	<input type="text" value="19/05/2005"/>				
Woodland name	<input type="text" value="Skeagh"/>	Townland name	<input type="text" value="Skeagh"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="54"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="25"/>
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="H654016"/>	6 inch sheet	<input type="text" value="CV 28"/>
County	<input type="text" value="Cavan"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="7"/>	Max. alt. (m)	<input type="text" value="157"/>
Min. alt. (m)	<input type="text" value="150"/>				
Sub-soil	<input type="text" value="TLPSSs/Cut"/>		Soil	<input type="text" value="AminPD/Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="15%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="85%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A medium-sized lakeshore woodland 5 km northwest of Baileborough, which has a minor road running through it. The majority of the site is birch woodland on hand-cut peat. Away from the shore the woodland is fairly dry with *Vaccinium myrtillus* and *Thuidium tamariscinum* dominant. On lower areas nearer the shore the birch woodland is much boggy with *Sphagnum* spp dominating the ground layer. *Molinia caerulea* is abundant here with *Calluna vulgaris*. Scots Pine (*Pinus sylvestris*) is frequent. Along the shore itself as a wet woodland dominated by birch (*Betula pubescens*), grey willow (*Salix cinerea*) and alder (*Alnus glutinosa*). *Phalaris arundinacea*, *Filipendula ulmaria*, *Juncus effusus* and *Deschampsia cespitosa* are abundant here. In drier areas of the site are thickets of *Rhododendron ponticum*. Some clearance of conifers has recently occurred in the south of the site and broadleaves have been planted. A small block of norway spruce (*Picea abies*) remains in the centre of the woodland. There is no evidence of grazing.

Site no.	<input type="text" value="0622"/>	FIPS no.	<input type="text" value="38580"/>	
Date surveyed	<input type="text" value="06/07/2005"/>			
Woodland name	<input type="text" value="Anaverna"/>	Townland name	<input type="text" value="Doolargy"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="27"/>	Threat rating and score	<input type="text" value="Low"/>
			<input type="text" value="17"/>	
Disco. map	<input type="text" value="36"/>	Grid ref.	<input type="text" value="J089133"/>	6 inch sheet
			<input type="text" value="LH 4"/>	County
	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="1.5"/>	Max. alt. (m)
			<input type="text" value="100"/>	Min. alt. (m)
			<input type="text" value="80"/>	
Sub-soil	<input type="text" value="TGr"/>		Soil	<input type="text" value="AminDW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

Small area of oak woodland on lower hillside 6 km northwest of Dundalk. The canopy is dominated by sessile oak (*Quercus petraea*), with a few very large trees (30m+) and a large number of smaller trees (10-20m) planted circa 1940s. Beech (*Fagus sylvatica*) has established itself as an extensive understorey beneath this. The field layer consists of *Rubus fruticosus* and *Holcus mollis* with some *Luzula sylvatica*, *Oxalis acetosella* and *Lonicera periclymenum*. The overall species diversity is very low, the soil is a well drained acid brown earth. To the north of this area the woodland is a mixture of sessile oak, beech and sweet chestnut (*Castanea sativa*) with a very dense *Prunus laurocerasus* understorey and therefore this area was excluded from the survey. This is a small modified site with low diversity but mature oaks are of note for this part of the country.

Site no.	<input type="text" value="0625"/>	FIPS no.	<input type="text" value="33090"/>	
Date surveyed	<input type="text" value="13/05/2005"/>			
Woodland name	<input type="text" value="Cruicetown Wood"/>	Townland name	<input type="text" value="Cruicetown"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="17"/>
Disco. map	<input type="text" value="43"/>	Grid ref.	<input type="text" value="N938726"/>	6 inch sheet <input type="text" value="ME 19"/> County <input type="text" value="Meath"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="1592"/>	SAC code <input type="text" value="2299"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="3"/>	Max. alt. (m) <input type="text" value="30"/> Min. alt. (m) <input type="text" value="20"/>
Sub-soil	<input type="text" value="RckCa/A/GLPSsS"/>		Soil <input type="text" value="BminSW/AlluvMIN/AminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="100%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A privately owned site approximately 3 km southwest of Slane village. The woodland is long and narrow and slopes steeply. The eastern parcel was excluded due to non-native species in the canopy. The western parcel is composed of WN2 woodland with ash (*Fraxinus excelsior*) in the canopy and Wych elm (*Ulmus glabra*), Hawthorn (*Crataegus monogyna*) and elder (*Sambucus nigra*) in the subcanopy. The field layer was dominated by *Hedera helix* and *Ranunculus ficaria*. The site is no longer actively managed, although there was evidence of red deer passing through the site. An active badger sett was observed.

Site no.	<input type="text" value="0629"/>	FIPS no.	<input type="text" value="22548, 27243, 22547"/>		
Date surveyed	<input type="text" value="21/04/2005"/>				
Woodland name	<input type="text" value="Puckstown"/>	Townland name	<input type="text" value="Puckstown, Lismanus, Rathescar Middle"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="25"/>
Disco. map	<input type="text" value="36"/>	Grid ref.	<input type="text" value="O026865"/>	6 inch sheet	<input type="text" value="LH 18"/>
County	<input type="text" value="Louth"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="8.9"/>	Max. alt. (m)	<input type="text" value="105"/>
Min. alt. (m)	<input type="text" value="90"/>				
Sub-soil	<input type="text" value="TLPSSs"/>		Soil	<input type="text" value="AminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

Long, narrow area of beech (*Fagus sylvatica*) and pedunculate oak (*Quercus robur*) woodland, 5 km northeast of Collon. Holly (*Ilex aquifolium*) and hawthorn (*Crataegus monogyna*) are abundant in the shrub layer. Field layer dominated by *Rubus fruticosus*, *Hedera helix*, *Ranunculus ficaria* and ferns. The soil is slightly gleyed with some seasonal flooding. Managed by Louth Regional Gun Club who have pheasant coop in the west of the site. Large banks and ditches throughout. Sycamore is freely regenerating.

Site no.	<input type="text" value="0631"/>	FIPS no.	<input type="text" value="27236, 27268"/>	
Date surveyed	<input type="text" value="05/05/2005"/>			
Woodland name	<input type="text" value="King William's Glen"/>	Townland name	<input type="text" value="Tullyallen"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="Low"/>
			<input type="text" value="8"/>	
Disco. map	<input type="text" value="43"/>	Grid ref.	<input type="text" value="O045768"/>	6 inch sheet
			<input type="text" value="LH 24"/>	County
			<input type="text" value="Louth"/>	
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="1804"/>	SAC code
			<input type="text" value="2299"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="9"/>	Max. alt. (m)
			<input type="text" value="55"/>	Min. alt. (m)
			<input type="text" value="10"/>	
Sub-soil	<input type="text" value="RckNCa/TLPSSs"/>		Soil	<input type="text" value="AminSW/AminPD/AminDW/AminSP"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="20%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input checked="" type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="80%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A medium sized woodland about 3 km west of Drogheda. The southern part of the site is on a very steep valley side overlooking the River Boyne. The canopy here is a mixture of ash (*Fraxinus excelsior*), pedunculate oak (*Quercus robur*), beech (*Fagus sylvatica*) and sycamore (*Acer pseudoplatanus*), with holly (*Ilex aquifolium*), elder (*Sambucus nigra*), hazel (*Corylus avellana*) and hawthorn (*Crataegus monogyna*) beneath. The field layer is a typical mix of *Rubus fruticosus* agg, *Dryopteris dilatata*, *Polystichum setiferum*, *Geranium robertianum* and *Galium aparine* etc. The site is extensively used as an amenity area and there are many broad paths through this area. Due to the steepness of the site, this has resulted in rather extensive erosion. There is also a large picnic area. Most of the woodland along King William's Glen itself, which runs north from the Boyne towards Tullyallen, was excluded due to dominance of non-native broadleaves, beech, horse-chestnut (*Aesculus hippocastanum*) and sycamore. There is a small area of younger woodland along the eastern side of the glen: this was not fully surveyed however due to steepness. The soils are well drained.

Site no.	<input type="text" value="0632"/>	FIPS no.	<input type="text" value="37849, 42614, 24895"/>		
Date surveyed	<input type="text" value="18/07/2005"/>				
Woodland name	<input type="text" value="Beaulieu"/>	Townland name	<input type="text" value="Beaulieu"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="52"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="33"/>
Disco. map	<input type="text" value="43"/>	Grid ref.	<input type="text" value="O124767"/>	6 inch sheet	<input type="text" value="LH 25"/>
County	<input type="text" value="Louth"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="4080"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="13.6"/>	Max. alt. (m)	<input type="text" value="16"/>
Min. alt. (m)	<input type="text" value="8"/>				
Sub-soil	<input type="text" value="MGs/IrSTLPSsS/A/GLPSsS/Water"/>		Soil	<input type="text" value="MarSands/AminPD/AlluvMIN/AminSW/Water"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="5%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="95%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

Beaulieu House and Gardens is approximately 3 km east of Drogheda. The surveyed area occurs along a around a lake and a valley to the west of the house. A minor stream runs through the valley and feeds the small lake. Footpaths run through the woodland and these are used for walking and horse-riding. The canopy comprises beech (*Fagus sylvatica*) and ash (*Fraxinus excelsior*), with sycamore (*Acer pseudoplatanus*) and pedunculate oak (*Quercus robur*). The field layer has abundant *Hedera helix*, with *Polystichum setiferum*, *Circaea lutetiana*, and *Heracleum sphondylium* occurring throughout. There is a small area of lakeshore woodland with crack willow (*Salix fragilis*) dominating. *Phalaris arundinacea*, *Urtica dioica* and *Filipendula ulmaria* occur in this area. *Heracleum mantegazzianum* also occurs within the site.

Site no.	<input type="text" value="0639"/>	FIPS no.	<input type="text" value="3830, 75574"/>	
Date surveyed	<input type="text" value="27/06/2005"/>			
Woodland name	<input type="text" value="Ravensdale Park"/>	Townland name	<input type="text" value="Ravensdale Park"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="30"/>	Threat rating and score	<input type="text" value="Moderate"/> <input type="text" value="33"/>	
Disco. map	<input type="text" value="36"/>	Grid ref.	<input type="text" value="J085158"/>	6 inch sheet <input type="text" value="LH 04"/>
County	<input type="text" value="Louth"/>			
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="1805"/>	SAC code <input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="2.8"/>	Max. alt. (m) <input type="text" value="230"/>
Min. alt. (m)	<input type="text" value="120"/>			
Sub-soil	<input type="text" value="RckNca"/>		Soil	<input type="text" value="AminSRPT"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

Area of modified woodland on high valley side with well-drained soil. The canopy is a mixture of pedunculate oak (*Quercus robur*), ash (*Fraxinus excelsior*), sycamore (*Acer pseudoplatanus*) and beech (*Fagus sylvatica*). There is almost no understorey and a locally scanty field layer. *Hyacinthoides non-scripta*, *Oxalis acetosella* and *Circaea lutetiana*. Lower part of the site was excluded due to non-nativeness. This is a poor site with regards to native status but is included due to upland location in the northeast of the island. In the northern part of the site is a stream in a deep gully which adds significantly to the diversity of the site. *Festuca altissima* is locally abundant here.

Site no.	<input type="text" value="0640"/>	FIPS no.	<input type="text" value="47277, 68490, 47278, 47742, 47741, 47274"/>		
Date surveyed	<input type="text" value="12/08/2005"/>				
Woodland name	<input type="text" value="Red Bog"/>	Townland name	<input type="text" value="Red Bog, Rosslough, Essexford, Dunelty"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="54"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="0"/>
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="H907041"/>	6 inch sheet	<input type="text" value="LH 10A"/>
County	<input type="text" value="Louth"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="43.2"/>	Max. alt. (m)	<input type="text" value="43"/>
Min. alt. (m)	<input type="text" value="38"/>				
Sub-soil	<input type="text" value="TLPSSs/Cut"/>		Soil	<input type="text" value="Cut/AminPDPT/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A large area of birch (*Betula pubescens*) woodland around a degraded / cutover raised bog 3 km east of Carrickmacross. The woodland is species poor and fairly dry being dominated in the field layer by *Pteridium aquilinum* and *Rubus fruticosus*. Grey willow (*Salix cinerea*) is locally frequent only. In the southeast of the site there is a mineral influence and hawthorn is occasional. The woodland is intimately mixed with areas of open bog and scrubbing over bog. *Calluna vulgaris*, *Erica tetralix*, *Molinia caerulea*, *Rhyncospora alba*, *Cladonia* spp. and *Sphagnum* spp are characteristic here. In the far southeast corner the woodland grades into a fen community with *Typha latifolia*. Although the species diversity of the wooded area is poor this site is impressive for the large area of semi-natural vegetation present.

Site no.	<input type="text" value="0643"/>	FIPS no.	<input type="text" value="69750"/>		
Date surveyed	<input type="text" value="21/07/2005"/>				
Woodland name	<input type="text" value="Woodpole Fox Covert"/>	Townland name	<input type="text" value="Woodpole, Pottlebane"/>		
Conservation rating and score	<input type="text" value="Very Poor"/>	<input type="text" value="15"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="0"/>
Disco. map	<input type="text" value="42"/>	Grid ref.	<input type="text" value="N675786"/>	6 inch sheet	<input type="text" value="ME 10"/>
County	<input type="text" value="Meath"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="2299"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="1"/>	Max. alt. (m)	<input type="text" value="90"/>
Min. alt. (m)	<input type="text" value="80"/>				
Sub-soil	<input type="text" value="GLPSsS/A"/>		Soil	<input type="text" value="AminSW/AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input checked="" type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A former plantation marked by an elevated ridge running northwest to southeast along the northeast boundary of the site. The ridge is dominated by a mixture of sycamore (*Acer pseudoplatanus*) and ash in the canopy with a poorly defined shrub layer. The flatter ground at the base of the ridge marks a transition to a more shrub dominated community. Ash is occasional in the canopy with hawthorn (*Crataegus monogyna*), hazel (*Corylus avellana*) and blackthorn forming a dense shrub layer, with occasional open grassy areas. The field layer throughout is dominated by grasses with bluebell (*Hyacinthoides non-scripta*) also frequent. Note that the eastern and north-eastern sections of the site were excluded due to the dominance of sycamore. Although not identified by FIPS, part of the western section of the wood was surveyed.

Site no.	<input type="text" value="0644"/>	FIPS no.	<input type="text" value="82146, 71674, 37649"/>		
Date surveyed	<input type="text" value="01/09/2005"/>				
Woodland name	<input type="text" value="Fortland"/>	Townland name	<input type="text" value="Fortland"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="33"/>
Disco. map	<input type="text" value="34"/>	Grid ref.	<input type="text" value="N458864"/>	6 inch sheet	<input type="text" value="CV 38"/>
County	<input type="text" value="Cavan"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="987"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="4065"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="2"/>	Max. alt. (m)	<input type="text" value="65"/>
Min. alt. (m)	<input type="text" value="61"/>				
Sub-soil	<input type="text" value="TLPSSs"/>		Soil	<input type="text" value="AminDW/AminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A small and varied site located on the northern shore of Lough Sheelin. The site is included in the Lough Sheelin Natural Heritage Area (NHA). The site is classed as mixed broadleaved woodland. The majority of the woodland was dominated by birch in the canopy with ash dominant in the subcanopy and a number of species in the shrub layer including hawthorn (*Crataegus monogyna*), beech (*Fagus sylvatica*), holly (*Ilex aquifolium*), blackthorn (*Prunus spinosa*), rowan (*Sorbus aucuparia*) and yew (*Taxus baccata*). In these areas the field layer consisted mainly of bramble (*Rubus fruticosus*), meadowsweet (*Filipendula ulmaria*) and ivy (*Hedera helix*), with *Thamnobryum alopecurum* dominating the ground layer. The area close to the Loughreys' house contained frequent beech (*Fagus sylvatica*) and cherry laurel, although cherry laurel removal is ongoing. The area of woodland along the lakeshore was less mature and contained frequent alder (*Alnus glutinosa*). The soil was moderately free draining and was classed as a gley.

Site no.	<input type="text" value="0645"/>	FIPS no.	<input type="text" value="37240, 37239"/>	
Date surveyed	<input type="text" value="31/08/2005"/>			
Woodland name	<input type="text" value="Crover"/>	Townland name	<input type="text" value="Crover, Fortland"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="Moderate"/>
			<input type="text" value="25"/>	
Disco. map	<input type="text" value="34"/>	Grid ref.	<input type="text" value="N461865"/>	6 inch sheet
			<input type="text" value="CV 38"/>	County
	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="987"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="4065"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="3"/>	Max. alt. (m)
			<input type="text" value="65"/>	Min. alt. (m)
			<input type="text" value="61"/>	
Sub-soil	<input type="text" value="TLPSSs"/>		Soil	<input type="text" value="AminPD/AminDW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="95%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="5%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A small ash-alder woodland located on the north shore of Lough Sheelin. The site is included in the Lough Sheelin Natural Heritage Area (NHA). The western end of the site consists of modified woodland with sycamore (*Acer pseudoplatanus*) and borders a large garden. The rest of the woodland is dominated by ash (*Fraxinus excelsior*), with frequent alder on the lake shore and occasional pedunculate oak where the woodland borders fields. Ash and hawthorn (*Crataegus monogyna*) are frequent in the shrub layer. Creeping bent grass (*Agrostis stolonifera*), ivy (*Hedera helix*), honeysuckle (*Lonicera periclymenum*), dog-rose, bramble (*Rubus fruticosus*), enchanter's nightshade and wood avens (*Geum urbanum*) are all frequent in the field layer. High levels of grazing were apparent at the western end of the site, preventing tree regeneration in this area.

Site no.	<input type="text" value="0647"/>	FIPS no.	<input type="text" value="37490, 37485, 37489, 37487"/>		
Date surveyed	<input type="text" value="09/09/2005"/>				
Woodland name	<input type="text" value="Garrysallagh"/>	Townland name	<input type="text" value="Crover, Conleen, Garrysallagh"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="34"/>	Grid ref.	<input type="text" value="N474853"/>	6 inch sheet	<input type="text" value="CV 38"/>
County	<input type="text" value="Cavan"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="987"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="4065"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="5"/>	Max. alt. (m)	<input type="text" value="70"/>
Min. alt. (m)	<input type="text" value="60"/>				
Sub-soil	<input type="text" value="A/RckCa/TLPSsS/TLs"/>		Soil	<input type="text" value="AlluvMIN/BminSW/AminDW/BminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input checked="" type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input checked="" type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A 5 ha woodland on the eastern shore of lough Sheelin, 8km northwest of Oldcastle. The southern section of the site is drier and Alder ash (*Fraxinus excelsior*) and hawthorn (*Crataegus monogyna*) compose the canopy here. Grazing is evident and boulders and moss covered rocks are present. *Hedera helix*, *Rubus fruticosus*, *Geranium robertianum*, *Geum urbanum* and *Primula vulgaris* are present in the field layer. *Thamnobryum alopecurum* is the dominant moss covering the rocks. Moving north towards the river the site gets wetter and no grazing is evident. Here grey willow (*Salix cinerea*), alder (*Alnus glutinosa*) and ash dominate the canopy with other willow species being present. *Chrysosplenium oppositifolium*, *Iris pseudacorus*, and *Filipendula ulmaria* are frequent in the field layer with *Solanum dulcamara* and *Calystegia sepium*. Three individuals of the noteworthy species buckthorn (*Rhamnus cathartica*) were recorded.

Site no.	<input type="text" value="0648"/>	FIPS no.	<input type="text" value="20402, 20401"/>	
Date surveyed	<input type="text" value="08/06/2005"/>			
Woodland name	<input type="text" value="Mulrick"/>	Townland name	<input type="text" value="Mulrick"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="17"/>
Disco. map	<input type="text" value="34"/>	Grid ref.	<input type="text" value="N290900"/>	6 inch sheet <input type="text" value="CV 36"/> County <input type="text" value="Cavan"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="992"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="4.5"/>	Max. alt. (m) <input type="text" value="70"/> Min. alt. (m) <input type="text" value="61"/>
Sub-soil	<input type="text" value="TLPSSs"/>		Soil	<input type="text" value="AminPD"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input checked="" type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="50%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="40%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A small area of lakeshore woodland, dominated by alder (*Alnus glutinosa*) and Sally with a field layer dominated by *Filipendula ulmaria*, *Mentha aquatica* and *Carex nigra*. Behind is an area of modified woodland dominated by birch (*Betula pubescens*) with beech (*Fagus sylvatica*) and Sitka spruce (*Picea sitchensis*) and a poor field layer. On a small hill/drumlin is an area of Oak/ birch/Holly with *Luzula sylvatica*. A path going through the site is used as a nature trail.

Site no.	<input type="text" value="0649"/>	FIPS no.	<input type="text" value="71553"/>	
Date surveyed	<input type="text" value="25/08/2005"/>			
Woodland name	<input type="text" value="Cornamucklagh (Cavan)"/>	Townland name	<input type="text" value="Cornamucklagh"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>
Disco. map	<input type="text" value="34"/>	Grid ref.	<input type="text" value="N317904"/>	6 inch sheet <input type="text" value="CV 36"/> County <input type="text" value="Cavan"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="992"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="7"/>	Max. alt. (m) <input type="text" value="68"/> Min. alt. (m) <input type="text" value="65"/>
Sub-soil	<input type="text" value="TLPSSs/Cut"/>		Soil	<input type="text" value="AminPD/Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

An area of birch dominated woodland on cutover bog 1.5 km southeast of Lough Gowna village. The field layer is largely *Rubus fruticosus*, *Dryopteris dilatata* and *Pteridium aquilinum* with occasional *Molinia caerulea* and *Dryopteris carthusiana*. Rowan (*Sorbus aucuparia*) and grey willow (*Salix cinerea*) are occasional in the canopy. Along the western and southern edges Sally forms the canopy with *Phalaris arundinacea*, *Filipendula ulmaria*, *Carex remota*, *Urtica dioica* and *Lycopus europaeus* in the field layer. The site appears to have no grazing, management or invasives.

Site no.	<input type="text" value="0650"/>	FIPS no.	<input type="text" value="34850, 71643"/>	
Date surveyed	<input type="text" value="06/09/2005"/>			
Woodland name	<input type="text" value="Carricknaveddan"/>	Townland name	<input type="text" value="Carricknaveddan"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="33"/>	Threat rating and score	<input type="text" value="Moderate"/> <input type="text" value="25"/>	
Disco. map	<input type="text" value="34"/>	Grid ref.	<input type="text" value="N514979"/>	6 inch sheet <input type="text" value="CV 26/32"/> County <input type="text" value="Cavan"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="3"/>	Max. alt. (m) <input type="text" value="150"/> Min. alt. (m) <input type="text" value="145"/>
Sub-soil	<input type="text" value="RckNCa/TLPSSs"/>		Soil <input type="text" value="AminSW/AminPD/AminSRPT"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A small, very wet site approximately 11 km northwest of Virginia. Birch (*Betula pubescens*) and willow species are frequent throughout the site with occasional scots pine (*Pinus sylvestris*) and alder (*Alnus glutinosa*). The rich ground layer is dominated by *Polytrichum commune* and *Sphagnum* species. Ferns and grasses are also frequent on the wetter areas with bilberry (*Vaccinium myrtillus*) and ling heather in patches. The southeast part of the site is drier and bramble (*Rubus fruticosus*) is more abundant. At the north end of the site beside the quarry, new planting of pedunculate oak was observed. Abandoned peat cuttings were observed. A grey squirrel was observed. The southwest corner of the site was excluded due to non-natives in the canopy (beech) and patchiness.

Site no.	<input type="text" value="0652"/>	FIPS no.	<input type="text" value="10318, 10317"/>		
Date surveyed	<input type="text" value="13/09/2005"/>				
Woodland name	<input type="text" value="Duncollog"/>	Townland name	<input type="text" value="Duncollog, Corcraff"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="61"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="0"/>
Disco. map	<input type="text" value="28A"/>	Grid ref.	<input type="text" value="H511145"/>	6 inch sheet	<input type="text" value="CV 16"/>
County	<input type="text" value="Cavan"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="4.5"/>	Max. alt. (m)	<input type="text" value="95"/>
Min. alt. (m)	<input type="text" value="75"/>				
Sub-soil	<input type="text" value="RckNCa/TLPSSs/A"/>		Soil	<input type="text" value="AminSW/AminPD/AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="100%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A small woodland along a stream valley 6 km southeast of Scotshouse. The northern section is on the east bank, on a gleyed soil with extensive cattle grazing and poaching. The canopy here is low and is a mixture of hazel (*Corylus avellana*), hawthorn (*Crataegus monogyna*), blackthorn (*Prunus spinosa*) and ash (*Fraxinus excelsior*). The southern section is on the west bank. The slope here is steeper, the soil better drained and the canopy higher, being dominated by ash (*Fraxinus excelsior*) with less hazel (*Corylus avellana*). Grazing is less intensive here. The field layer throughout the site is a mixture of *Rubus fruticosus*, *Chrysosplenium oppositifolium*, *Filipendula ulmaria*, *Geranium robertianum*, *Primula vulgaris*, *Potentilla sterilis*, *Dryopteris affinis*, *Deschampsia cespitosa* and *Agrostis stolonifera*.

Site no.	<input type="text" value="0654"/>	FIPS no.	<input type="text" value="48193"/>		
Date surveyed	<input type="text" value="12/07/2005"/>				
Woodland name	<input type="text" value="Shinan"/>	Townland name	<input type="text" value="Shinan"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="52"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="8"/>
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="H711714"/>	6 inch sheet	<input type="text" value="CV 23"/>
County	<input type="text" value="Cavan"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="2.5"/>	Max. alt. (m)	<input type="text" value="110"/>
Min. alt. (m)	<input type="text" value="98"/>				
Sub-soil	<input type="text" value="TLPSSs/Cut/RckNCa"/>		Soil	<input type="text" value="AminPD/Cut/AminSW/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

Area of wet woodland near lake, 1 km west of Shercock. Large parts of the indicated parcel have been felled. The remaining area consists of: 1. A strip of steep lakeshore vegetation dominated by sally and alder near the water with pedunculate oak (*Quercus robur*) and beech overhanging from the slope behind. The field layer is largely *Phalaris arundinacea*, *Filipendula ulmaria* and *Lythrum salicaria* with *Rubus fruticosus* and *Galium aparine* abundant on the slope. Near the shore the ground is very stony. The site is apparently used by fishermen. 2. A section of low lying sally-alder woodland in a bay of the lake. The field layer is dense with *Phalaris arundinacea*, *Filipendula ulmaria*, *Solanum dulcamara* and *Ribes nigrum*. The lake edge is dominated by an area of *Phragmites australis*. Two areas in the north of the parcel were excluded due to beech (*Fagus sylvatica*) and sycamore (*Acer pseudoplatanus*) dominance.

Site no.	<input type="text" value="0655"/>	FIPS no.	<input type="text" value="34233"/>	
Date surveyed	<input type="text" value="05/07/2005"/>			
Woodland name	<input type="text" value="Darkley"/>	Townland name	<input type="text" value="Darkley"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="17"/>
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="H714057"/>	6 inch sheet <input type="text" value="CV 23"/> County <input type="text" value="Cavan"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="3"/>	Max. alt. (m) <input type="text" value="115"/> Min. alt. (m) <input type="text" value="98"/>
Sub-soil	<input type="text" value="TLPSSs/Cut"/>		Soil <input type="text" value="AminPD/AminDW/Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input checked="" type="checkbox"/>	WN2 <input type="text" value="50%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="50%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

Area of woodland on steep slope above lake, 0.5 km west of Shercock. The western section is mature modified woodland dominated by sycamore (*Acer pseudoplatanus*), ash (*Fraxinus excelsior*), beech (*Fagus sylvatica*), elm and birch (*Betula pubescens*), with a field layer of *Rubus fruticosus*, *Ranunculus repens* and *Geranium robertianum* over a gleyed soil. The eastern section is an area which has been felled in the past and is now dominated by multi-stemmed trees (but is not under any organised coppice regime). It is dominated by birch (*Betula pubescens*), hazel (*Corylus avellana*) and sycamore (*Acer pseudoplatanus*) with *Rubus fruticosus* and *Hyacinthoides non-scripta* on a more freely draining soil. There is some grazing apparent and considerable dumping near the road.

Site no.	<input type="text" value="0656"/>	FIPS no.	<input type="text" value="15261, 15235"/>	
Date surveyed	<input type="text" value="12/09/2005"/>			
Woodland name	<input type="text" value="Lisdoagh"/>	Townland name	<input type="text" value="Lisdoagh"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="39"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="H651092"/>	6 inch sheet <input type="text" value="CV 23"/> County <input type="text" value="Cavan"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="3"/>	Max. alt. (m) <input type="text" value="87"/> Min. alt. (m) <input type="text" value="83"/>
Sub-soil	<input type="text" value="Cut/TLPSsS"/>		Soil <input type="text" value="Cut/AminPD/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A small area of wet woodland around a lake 6 km northwest of Shercock. The site is very similar to the nearby site 687 with grey willow (*Salix cinerea*) and *Salix x multinervis* dominant. The field layer consists of *Rubus fruticosus*, *Cardamine pratensis*, *Filipendula ulmaria*, *Deschampsia cespitosa*, *Phalaris arundinacea*, *Phragmites australis* and *Potentilla palustris*. The soil is a fen peat with some mineral influence to the southwest. The site is bordered by rough grassland and reed beds and is unmanaged.

Site no.	<input type="text" value="0657"/>	FIPS no.	<input type="text" value="15238, 15237, 80537"/>		
Date surveyed	<input type="text" value="12/09/2005"/>				
Woodland name	<input type="text" value="Drumlumman"/>	Townland name	<input type="text" value="Drumlumman"/>		
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="39"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="H655091"/>	6 inch sheet	<input type="text" value="CV 23"/>
County	<input type="text" value="Cavan"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="2"/>	Max. alt. (m)	<input type="text" value="87"/>
Min. alt. (m)	<input type="text" value="83"/>				
Sub-soil	<input type="text" value="Cut/TLPSsS"/>		Soil	<input type="text" value="Cut/AminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A small area of wet woodland around a lake, 6 km northwest of Shercock. The canopy is dominated by grey willow (*Salix cinerea*) with *Salix x multinervis* abundant beneath. The field layer is dominated by *Phalaris arundinacea*, *Phragmites australis*, *Rubus fruticosus*, *Filipendula ulmaria*, *Potentilla palustris* and *Scutellaria galericulata*. The vegetation is very dense with a low canopy, and there is no evident grazing. The soil is a very wet fen peat. The site is bordered to the rear by rough grazing land and along the lakeshore by reed beds.

Site no.	<input type="text" value="0658"/>	FIPS no.	<input type="text" value="71583, 47203"/>	
Date surveyed	<input type="text" value="16/06/2005"/>			
Woodland name	<input type="text" value="Knockbride"/>	Townland name	<input type="text" value="Knockbride, Killaliss"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="39"/>	Threat rating and score	<input type="text" value="Moderate"/> <input type="text" value="25"/>	
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="H660056"/>	6 inch sheet <input type="text" value="CV 23"/> County <input type="text" value="Cavan"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="4"/>	Max. alt. (m) <input type="text" value="120"/> Min. alt. (m) <input type="text" value="110"/>
Sub-soil	<input type="text" value="Cut/TLPSsS"/>		Soil <input type="text" value="Cut/AminPD/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

An area of patchy woodland developed on hand cut cutover bog, 6km west of Shercock. The woodland is dominated by grey willow (*Salix cinerea*), with some alder (*Alnus glutinosa*) and birch (*Betula pubescens*). The groundlayer is dominated by *Phalaris arundinacea*, *Urtica dioica* and *Rubus fruticosus*. There are a series of ditches with floating mats of *Agrostis stolonifera*. This makes access difficult.

Site no.	<input type="text" value="0660"/>	FIPS no.	<input type="text" value="71744, 71745"/>	
Date surveyed	<input type="text" value="20/07/2005"/>			
Woodland name	<input type="text" value="Cullies"/>	Townland name	<input type="text" value="Killaliss, Cullies"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="Low"/>
			<input type="text" value="17"/>	
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="H672059"/>	6 inch sheet
			<input type="text" value="CV 23"/>	County
	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="6"/>	Max. alt. (m)
			<input type="text" value="110"/>	Min. alt. (m)
			<input type="text" value="105"/>	
Sub-soil	<input type="text" value="Cut/TLPSSs/RckNCa"/>		Soil	<input type="text" value="Cut/AminPD/AminSW/AminDW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="50%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="50%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A small area of birch/sally woodland 4 km west of Shercock. About half the site is dominated by birch (*Betula pubescens*) with sally over a field layer dominated by *Rubus fruticosus* with *Dryopteris dilatata* and *Athyrium filix-femina*. In wetter hollows *Cardamine pratensis*, *Glyceria fluitans*, *Sphagnum squarrosum*, *Juncus effusus* and *Galium palustre* occur. This appears to be an area of cutover bog. In the southern part of the site is an area of grey willow (*Salix cinerea*) woodland on floating fen peat with a field layer of *Phalaris arundinacea*, *Urtica dioica*, *Caltha palustris* and *Solanum dulcamara*. This blends into areas of open fen with *Typha latifolia*. There is no management to this site which along with the adjacent lake and reed beds forms a diverse complex of habitats.

Site no.	<input type="text" value="0661"/>	FIPS no.	<input type="text" value="81542, 48413"/>		
Date surveyed	<input type="text" value="15/09/2005"/>				
Woodland name	<input type="text" value="Derrynure"/>	Townland name	<input type="text" value="Derrynure, Drumlon"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="25"/>
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="H687009"/>	6 inch sheet	<input type="text" value="CV 28"/>
County	<input type="text" value="Cavan"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="9"/>	Max. alt. (m)	<input type="text" value="160"/>
Min. alt. (m)	<input type="text" value="155"/>				
Sub-soil	<input type="text" value="Cut/TLPSsS/RckNCa"/>		Soil	<input type="text" value="Cut/AminPD/AminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A medium sized birch-willow woodland located 9km north of Bailieborough. A road traverses the northern third of the site. Birch (*Betula pubescens*), sally and *Salix x multinervis* are frequent throughout. Purple moor grass dominated the field layer. The rich ground flora is composed of *Kindbergia praelonga*, *Pseudoscleropodium purum* and *Thuidium tamariscinum* with occasional *Sphagnum* species. A very wet site. Dumping was noted on the northeast fringe, near the road. Frogs were observed.

Site no.	<input type="text" value="0664"/>	FIPS no.	<input type="text" value="24482"/>		
Date surveyed	<input type="text" value="12/05/2005"/>				
Woodland name	<input type="text" value="Townley Hall"/>	Townland name	<input type="text" value="Townley Hall"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="43"/>	Grid ref.	<input type="text" value="O015768"/>	6 inch sheet	<input type="text" value="LH 23"/>
County	<input type="text" value="Louth"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="3"/>	Max. alt. (m)	<input type="text" value="70"/>
Min. alt. (m)	<input type="text" value="60"/>				
Sub-soil	<input type="text" value="TLPSSs/A"/>		Soil	<input type="text" value="AminPD/AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input checked="" type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A Coillte owned Mixed Broadleaves (WD1) site approximately 6km northwest of Drogheda. The canopy was dominated by sycamore (*Acer pseudoplatanus*), sessile oak (*Quercus petraea*) and ash (*Fraxinus excelsior*). The shrub layer was dominated by sycamore (*Acer pseudoplatanus*), Hawthorn (*Crataegus monogyna*) and Holly (*Ilex aquifolium*). The field layer was dominated by *Galium aparine* and *Rubus fruticosus* agg. with *Hyacinthoides non-scripta* dominating beneath stands of Sycamore. Sycamore was regenerating very strongly with seedlings abundant throughout the site. An active rookery was observed on site.

Site no.	<input type="text" value="0668"/>	FIPS no.	<input type="text" value="49963, 28810"/>	
Date surveyed	<input type="text" value="06/07/2005"/>			
Woodland name	<input type="text" value="Louth Hall"/>	Townland name	<input type="text" value="Louth Hall"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="High"/>
		<input type="text" value="50"/>		
Disco. map	<input type="text" value="36"/>	Grid ref.	<input type="text" value="N948973"/>	6 inch sheet
			<input type="text" value="LH 14"/>	County
	<input type="text" value="Louth"/>			
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="1616"/>	SAC code
		<input type="text" value="-"/>	SPA Code	<input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="6"/>	Max. alt. (m)
			<input type="text" value="25"/>	Min. alt. (m)
	<input type="text" value="21"/>			
Sub-soil	<input type="text" value="TLPSSs/Water/A"/>		Soil	<input type="text" value="AminDW/AminPD/Water/AlluvMIN"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="85%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="15%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A medium-sized site dominated by wet willow-alder-ash woodland (WN6) which has developed on and adjacent to formal lakes associated with Louth Hall Estate, laid out ca. 200 years ago. Although open areas of lake habitat remain, it is likely that a gradual succession to wet woodland has been taking place. The site is now dominated by ash (*Fraxinus excelsior*) and grey willow (*Salix cinerea*) in the canopy with sycamore (*Acer pseudoplatanus*), ash (*Fraxinus excelsior*) and grey willow forming a fairly dense shrub layer. The field layer is dominated by *Iris pseudacorus*, *Filipendula ulmaria* and *Caltha palustris*. Approximately 10% of the site is comprised of a relatively high and dry area (to north of site of old ice house). This area is dominated by dense *Prunus laurocerasus* with a few ash trees projecting into the canopy. Note that the 'wing' projecting to the northeast was not included in the survey as it is comprised mainly of open lake with only a very narrow fringe of trees. Note the serious rubbish dumping in lake adjacent to recently built house.

Site no.	<input type="text" value="0670"/>	FIPS no.	<input type="text" value="35630, 35605, 82028"/>		
Date surveyed	<input type="text" value="31/08/2005"/>				
Woodland name	<input type="text" value="Clondalee More"/>	Townland name	<input type="text" value="Clondalee More"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="67"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="25"/>
Disco. map	<input type="text" value="42"/>	Grid ref.	<input type="text" value="N646514"/>	6 inch sheet	<input type="text" value="ME 41"/>
County	<input type="text" value="Meath"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="15"/>	Max. alt. (m)	<input type="text" value="75"/>
Min. alt. (m)	<input type="text" value="70"/>				
Sub-soil	<input type="text" value="TLs/Cut"/>		Soil	<input type="text" value="BminPDPT"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="20%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="15%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="65%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

An extensive area of woodland along the southern edge of a milled bog, 4 km southwest of Balivor. The majority of the site is birch (*Betula pubescens*) woodland on cutover bog, with a field layer dominated by *Rubus fruticosus*, *Molinia caerulea* and *Dryopteris dilatata*. This merges into scrub and then open heath communities on the bog proper; dominated by *Calluna vulgaris*. The eastern portion of the site is heavily grazed and poached by cattle. In the centre of the site is a mineral soil area on a slight limestone rise. This area is dominated by hazel (*Corylus avellana*) with large hawthorns (*Crataegus monogyna*) (specimen 32cm dbh) and gnarly mature pedunculate oaks (*Quercus robur*) are abundant. This area is also heavily grazed and the field layer is dominated by *Oxalis acetosella* and *Geranium robertianum*. The western part of the site is separated by a very deep drainage channel that drains water off the bog. The slopes of this channel are covered in hazel and willow (*Salix* spp.) with birch scrub along the tops. The western section includes more birch woodland. Although some of this has been recently thinned/felled. The remaining area is dominated by ash/alder/willow/ with some conifers. The field layer here is dominated by *Filipendula ulmaria* and the soil is poorly draining.

Site no.	<input type="text" value="0671"/>	FIPS no.	<input type="text" value="69890"/>	
Date surveyed	<input type="text" value="13/09/2005"/>			
Woodland name	<input type="text" value="Crossantown"/>	Townland name	<input type="text" value="Crossantown"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="42"/>	Grid ref.	<input type="text" value="N682557"/>	6 inch sheet <input type="text" value="ME 35"/> County <input type="text" value="Meath"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="2299"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="8"/>	Max. alt. (m) <input type="text" value="70"/> Min. alt. (m) <input type="text" value="70"/>
Sub-soil	<input type="text" value="TLs/Cut"/>		Soil	<input type="text" value="BminPD/Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A medium-sized dry woodland located 1.5 km north of Balivor. The canopy is dominated by ash (*Fraxinus excelsior*) with large beech trees scattered throughout and locally dominant on the western edge. Elm occurred in shrub layer and rarely in the canopy. Pedunculate oak (*Quercus robur*) and Scots pine were also present. The field layer was composed of *Brachypodium sylvaticum*, *Deschampsia cespitosa*, *Geum urbanum* and *Filipendula ulmaria*. A dry stream bed bordered the western edge of the site. Frogs and nesting buzzards were observed.

Site no.	<input type="text" value="0672"/>	FIPS no.	<input type="text" value="42711"/>	
Date surveyed	<input type="text" value="14/07/2005"/>			
Woodland name	<input type="text" value="Castletowncooly"/>	Townland name	<input type="text" value="Castletowncooly"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="39"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="36"/>	Grid ref.	<input type="text" value="J170083"/>	6 inch sheet <input type="text" value="LH 8"/> County <input type="text" value="Louth"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="1"/>	Max. alt. (m) <input type="text" value="100"/> Min. alt. (m) <input type="text" value="95"/>
Sub-soil	<input type="text" value="TGr"/>		Soil	<input type="text" value="AminDW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input checked="" type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A small patch of scrub woodland 3 km southwest of Carlingford representing one of the few areas of native woodland on the Cooley Peninsula. It is dominated by grey willow (*Salix cinerea*) with some *S. x multinervis*, elder (*Sambucus nigra*) and ash (*Fraxinus excelsior*). The site is divided in two by a narrow track. The western section is largely ungrazed and has an unusual ground flora of abundant *Equisetum sylvaticum*, *Athyrium filix-femina*, *Crepis paludosa*, *Hedera helix*, *Rubus fruticosus* and *Carex flacca*. *Thuidium tamariscinum* is abundant on the soil. The eastern part of the site is smaller, wetter and more heavily cattle grazed. The wood is bordered by pasture to the north and south, but blends into willow scrub and Gorse (*Ulex europaeus*) upslope to the east. The wood is located in a small flush near a spring.

Site no.	<input type="text" value="0675"/>	FIPS no.	<input type="text" value="79670"/>		
Date surveyed	<input type="text" value="27/04/2005"/>				
Woodland name	<input type="text" value="Coragh"/>	Townland name	<input type="text" value="Coragh"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="52"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="8"/>
Disco. map	<input type="text" value="28A"/>	Grid ref.	<input type="text" value="H616149"/>	6 inch sheet	<input type="text" value="CV 17"/>
County	<input type="text" value="Cavan"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="1"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="5"/>	Max. alt. (m)	<input type="text" value="80"/>
Min. alt. (m)	<input type="text" value="79"/>				
Sub-soil	<input type="text" value="TLPSS/Cut"/>		Soil	<input type="text" value="AminPD/Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

Low lying woodland that has developed on an area of marsh adjacent to Coragh Lough. The ground is quaking in most parts of the site, with floating rafts of vegetation. There are many pools and ditches, which make access within the site difficult. The low canopy is dominated by sally with alder (*Alnus glutinosa*) and occasional birch (*Betula pubescens*). The shrub layer also comprises sally and alder, and includes hawthorn (*Crataegus monogyna*) and guelder-rose (*Viburnum opulus*). Marsh cinquefoil, filipendula and *Phalaris arundinacea* occur throughout the site. Bryophytes are abundant, but sphagnum occurs in one only one small section of the site.

Site no.	<input type="text" value="0676"/>	FIPS no.	<input type="text" value="50440, 50439"/>	
Date surveyed	<input type="text" value="23/08/2005"/>			
Woodland name	<input type="text" value="Cornagee"/>	Townland name	<input type="text" value="Cornagee"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="33"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="17"/>	
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="N775973"/>	6 inch sheet <input type="text" value="CV 35"/> County <input type="text" value="Cavan"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="2"/>	Max. alt. (m) <input type="text" value="120"/> Min. alt. (m) <input type="text" value="100"/>
Sub-soil	<input type="text" value="TLPSSs/A"/>		Soil <input type="text" value="AminPD/AminDW/AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="100%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A 2 ha hazel woodland 1.2 km northwest of Kingscourt. The canopy is largely hazel (*Corylus avellana*) with grey willow (*Salix cinerea*), ash (*Fraxinus excelsior*) and Hawthorn (*Crataegus monogyna*) also present. A rich ground flora includes *Deschampsia cespitosa*, *Carex sylvatica*, *Geum urbanum* and *Oxalis acetosella*. The woodland is on a steep, north facing slope along a stream. Cattle have access to the wood - the soil is heavily poached and there are high grazing levels.

Site no.	<input type="text" value="0678"/>	FIPS no.	<input type="text" value="68823, 27131"/>	
Date surveyed	<input type="text" value="19/08/2005"/>			
Woodland name	<input type="text" value="Carracloghan"/>	Townland name	<input type="text" value="Carracloghan, Gorteen"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="36"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="17"/>	
Disco. map	<input type="text" value="36"/>	Grid ref.	<input type="text" value="H946083"/>	6 inch sheet <input type="text" value="LH 06"/> County <input type="text" value="Louth"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="3"/>	Max. alt. (m) <input type="text" value="65"/> Min. alt. (m) <input type="text" value="65"/>
Sub-soil	<input type="text" value="Cut/TLPSsS"/>		Soil <input type="text" value="Cut/AminDW/AminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A small woodland located 2 km northeast of Inishkeen. The site consists of very wet woodland on an infilling lake. Alder (*Alnus glutinosa*) and grey willow (*Salix cinerea*) are co-dominant in the canopy. Ash (*Fraxinus excelsior*) is frequent in the shrub layer. Floating mats of vegetation were present. *Agrostis stolonifera*, *Juncus effusus*, *Filipendula ulmaria* and *Dryopteris dilatata* dominated the field layer, with *Rubus fruticosus* dominant in drier areas. The soil is a fen peat with strongly impeded drainage. Frogs were observed, a sparrowhawk was heard and there are reports of buzzards on the site from the landowner.

Site no.	<input type="text" value="0679"/>	FIPS no.	<input type="text" value="23460, 23455, 23456, 27239, 90392, 90391"/>		
Date surveyed	<input type="text" value="14/04/2005"/>				
Woodland name	<input type="text" value="Collon"/>	Townland name	<input type="text" value="Collon"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="33"/>
Disco. map	<input type="text" value="36"/>	Grid ref.	<input type="text" value="O012832"/>	6 inch sheet	<input type="text" value="LH 20"/>
County	<input type="text" value="Louth"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="1464"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="19"/>	Max. alt. (m)	<input type="text" value="150"/>
Min. alt. (m)	<input type="text" value="145"/>				
Sub-soil	<input type="text" value="TLPSSs/Cut/RckNCa"/>		Soil	<input type="text" value="AminPD/Cut/AminSP"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="70%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="30%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

Area of varied woodland around a small lake, 1.5km northeast of Collon. The main area is composed of ash (*Fraxinus excelsior*) and birch (*Betula pubescens*) on a heavy gley soil with *Chrysosplenium oppositifolium* and *Deschampsia cespitosa* being frequent in the ground layer. There are areas dominated by cherry laurel (*Prunus laurocerasus*) and *Rhododendron ponticum* and heavy grazing by red deer. Around the lake are areas of alder woodland with *Ranunculus repens*, *Juncus effusus*, *Angelica sylvestris* and *Filipendula ulmaria*. To the west of the lake is an area of willow carr with large sprawling grey willow (*Salix cinerea*) over a carpet of *Caltha palustris* and *C. oppositifolium*. This appears to be a silting channel that feeds the lake. It is infested with *rhododendron* and *Cornus sericea*. The site is owned by Mellifont Abbey. There has been no active management of the site for some time.

Site no.	<input type="text" value="0680"/>	FIPS no.	<input type="text" value="27182"/>		
Date surveyed	<input type="text" value="11/08/2005"/>				
Woodland name	<input type="text" value="Toomes"/>	Townland name	<input type="text" value="Toomes"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="0"/>
Disco. map	<input type="text" value="36"/>	Grid ref.	<input type="text" value="H934022"/>	6 inch sheet	<input type="text" value="LH 11"/>
County	<input type="text" value="Louth"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="4"/>	Max. alt. (m)	<input type="text" value="45"/>
Min. alt. (m)	<input type="text" value="45"/>				
Sub-soil	<input type="text" value="Cut/TLPSSs/RckNCa"/>		Soil	<input type="text" value="Cut/AminDW/AminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="90%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="10%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A small woodland located 2.5 km northwest of Louth village. The site is predominantly alder-ash-willow woodland but contains a small area of mixed woodland with scots pine (*Pinus sylvestris*). Alder (*Alnus glutinosa*) and sally were co-dominant in the canopy with frequent ash (*Fraxinus excelsior*). The shrub layer was dominated by grey willow (*Salix cinerea*). The field layer was dominated by bramble (*Rubus fruticosus*) with frequent meadowsweet (*Filipendula ulmaria*) and creeping bent grass (*Agrostis stolonifera*). The soil type was cutover basin peat with impeded drainage. A low level of grazing and shot gun cartridges were observed.

Site no.	<input type="text" value="0681"/>	FIPS no.	<input type="text" value="27183"/>		
Date surveyed	<input type="text" value="27/07/2005"/>				
Woodland name	<input type="text" value="Muff (Louth)"/>	Townland name	<input type="text" value="Muff"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="8"/>
Disco. map	<input type="text" value="36"/>	Grid ref.	<input type="text" value="H934017"/>	6 inch sheet	<input type="text" value="LH 11"/>
County	<input type="text" value="Louth"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="2"/>	Max. alt. (m)	<input type="text" value="40"/>
Min. alt. (m)	<input type="text" value="38"/>				
Sub-soil	<input type="text" value="Cut/TLPSsS"/>		Soil	<input type="text" value="Cut/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A small area of birch (*Betula pubescens*) and grey willow (*Slaix cinerea*) woodland on drained raised bog 3 km west of Louth Village. The field layer is dominated by *Rubus fruticosus* with grassy patches of *Holcus mollis*, *Anthoxanthum odoratum* and *Arrhenatherum elatus*. In localised wet patches *Glyceria fluitans*, *Mentha aquatica* and *Apium nodiflorum* occur. Within the site are some large open areas of wet grassland which are scrubbing over. The peaty soil is overlain by a layer of dried *Sphagnum* suggesting this site has been drained rather than cut. There is no apparent management or grazing.

Site no.	<input type="text" value="0683"/>	FIPS no.	<input type="text" value="11399"/>		
Date surveyed	<input type="text" value="25/08/2005"/>				
Woodland name	<input type="text" value="Phillipstown"/>	Townland name	<input type="text" value="Phillipstown, Slieve"/>		
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="33"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="36"/>	Grid ref.	<input type="text" value="H989101"/>	6 inch sheet	<input type="text" value="LH 6"/>
County	<input type="text" value="Louth"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="2.1"/>	Max. alt. (m)	<input type="text" value="45"/>
Min. alt. (m)	<input type="text" value="40"/>				
Sub-soil	<input type="text" value="RckNCa/TLPSSs"/>		Soil	<input type="text" value="AminSW/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A wooded valley along a river 6.5 km north of Knockbridge. The canopy is mixed with sycamore (*Acer pseudoplatanus*) and beech (*Fagus sylvatica*) abundant throughout and pedunculate oak (*Quercus robur*), ash (*Fraxinus excelsior*), hawthorn (*Crataegus monogyna*) and hazel (*Corylus avellana*) also present. A good ground flora was present in parts with *Sanicula europaea*, *Primula vulgaris*, *Viola* sp and *Brachypodium sylvaticum* being common. Localised patches of *Melica uniflora* and *Asplenium trichomanes* occur on wet rocks.

Site no.	<input type="text" value="0685"/>	FIPS no.	<input type="text" value="37192"/>		
Date surveyed	<input type="text" value="31/05/2005"/>				
Woodland name	<input type="text" value="Annagh (Meath)"/>	Townland name	<input type="text" value="Annagh"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="41"/>	Grid ref.	<input type="text" value="N517749"/>	6 inch sheet	<input type="text" value="ME 14"/>
County	<input type="text" value="Meath"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="1814"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="20"/>	Max. alt. (m)	<input type="text" value="140"/>
Min. alt. (m)	<input type="text" value="120"/>				
Sub-soil	<input type="text" value="BasEsk/GLs"/>		Soil	<input type="text" value="BminSW/BminSRPT"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input checked="" type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="100%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A large area of woodland 7 km northeast of Castlepollard, located on two parallel esker ridges. The wood is a mosaic of modified beech (*Fagus sylvatica*) and ash (*Fraxinus excelsior*) stands with more natural ash and hazel (*Corylus avellana*) stands. The field layer is dominated by *Primula vulgaris*, *Viola riviniana*, *Dryopteris dilatata* and *Dryopteris filix-mas*, but is rather patchy on the whole due to abundant beech litter and grazing. Part of the southern arm of the site has been recently felled - this appears to have been an ash/hazel stand. Around the northern edges, quarrying occurs right up to the fence, leaving the wood on the top of high cliffs in this area. In the southeast of the site there is a small area of conifers.

Site no.	<input type="text" value="0686"/>	FIPS no.	<input type="text" value="33087"/>	
Date surveyed	<input type="text" value="10/05/2005"/>			
Woodland name	<input type="text" value="Rock Wood"/>	Townland name	<input type="text" value="Dollardstown"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="30"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="17"/>	
Disco. map	<input type="text" value="43"/>	Grid ref.	<input type="text" value="N933723"/>	6 inch sheet <input type="text" value="ME 19"/> County <input type="text" value="Meath"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="1592"/>	SAC code <input type="text" value="2299"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="1"/>	Max. alt. (m) <input type="text" value="50"/> Min. alt. (m) <input type="text" value="30"/>
Sub-soil	<input type="text" value="TLs/GLs/RckCa"/>		Soil <input type="text" value="BminDW/BminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="100%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A privately owned woodland approximately 3 km southwest of Slane village. The site consists of approximately 1 ha of WN2 woodland. It adjoins a large area of non-native WD1 mixed broadleaf woodland, which was excluded. The site slopes steeply. The canopy was dominated by ash (*Fraxinus excelsior*) with elder (*Sambucus nigra*) and hawthorn (*Crataegus monogyna*) frequent in the shrub layer, with occasional hazel (*Corylus avellana*) and wild cherry (*Prunus avium*). The field layer was dominated by *Hedera helix* with abundant *Polystichum setiferum*.

Site no.	<input type="text" value="0687"/>	FIPS no.	<input type="text" value="5878, 5879, 5882, 5880, 5881"/>		
Date surveyed	<input type="text" value="23/05/2005"/>				
Woodland name	<input type="text" value="Thomastown Bog"/>	Townland name	<input type="text" value="Gillinstown, Drummam, Garballagh, Rahill, Thomasto"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="61"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="8"/>
Disco. map	<input type="text" value="43"/>	Grid ref.	<input type="text" value="O007685"/>	6 inch sheet	<input type="text" value="ME 26"/>
County	<input type="text" value="Meath"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="1593"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="32.8"/>	Max. alt. (m)	<input type="text" value="47"/>
Min. alt. (m)	<input type="text" value="45"/>				
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

An area of wet woodland on a bog 3 km west of Duleek, within the Thomastown Bog NHA. At the time of survey access had been denied to a part of the site, therefore the survey concentrated in the north-western quarter of the site (permission was later granted, but it was not possible to return to the site for a further survey). Near the margins of the site there is considerable flooding from neighbouring fields. The canopy here is dominated by birch (*Betula pubescens*), grey willow (*Salix cinerea*), and pedunculate oak (*Quercus robur*) with some ash (*Fraxinus excelsior*) and hawthorn (*Crataegus monogyna*). The field layer consists of *Glyceria fluitans*, *Carex rostrata*, *Carex remota*, *Solanum dulcamara*, *Filipendula ulmaria*, *Galium palustre*, *Juncus effusus* and *Cardamine pratensis*. Further towards the centre of the site the soil is drier owing to numerous broad drains that criss-cross the site and are largely full of *Iris pseudacorus*. The woodland here is dominated by birch (*Betula pubescens*) and pedunculate oak (*Quercus robur*) with *Molinia caerulea* and *Rubus fruticosus* in the field layer. *Sphagnum squarrosum* and *Sphagnum palustre* are frequent. Adjacent to the area there occurs a heath community that has been over planted with conifers

Site no.	<input type="text" value="0688"/>	FIPS no.	<input type="text" value="25032, 25033, 25031, 69817"/>	
Date surveyed	<input type="text" value="04/07/2005"/>			
Woodland name	<input type="text" value="Grove Island"/>	Townland name	<input type="text" value="Grove Island, Oldbridge"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="Moderate"/>
			<input type="text" value="33"/>	
Disco. map	<input type="text" value="43"/>	Grid ref.	<input type="text" value="O048760"/>	6 inch sheet
				<input type="text" value="ME 20"/>
County	<input type="text" value="Meath"/>			
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="1862"/>	SAC code
			<input type="text" value="2299"/>	SPA Code
				<input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text" value="Other State Body"/>	Area (ha)	<input type="text" value="8.7"/>	Max. alt. (m)
				<input type="text" value="5"/>
				Min. alt. (m)
				<input type="text" value="0"/>
Sub-soil	<input type="text" value="A/GLs/Water"/>		Soil	<input type="text" value="AlluvMIN/BminSW/Water"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="90%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="10%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input checked="" type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A medium sized woodland located on two islands in the River Boyne just west of Drogheda and on the southern bank side. The canopy is dominated by a range of *Salix* spp. (*Salix cinerea*, *S. triandra*, *S. fragilis* and *S. viminalis*) with some alder (*Alnus glutinosa*) and sycamore (*Acer pseudoplatanus*). The field layer is high and very dense consisting of *Calystegium sepium*, *Urtica dioica*, *Filipendula ulmaria*, *Valeriana officinale*, *Galium aparine*, *Solanum dulcamara*, *Rorippa nasturtium-aquaticum*, *Oenanthe crocata*, *Myosotis scorpioides* and *Caltha palustris*. The soil is an alluvial gley. A narrow channel separates the islands from the bank side: this makes the islands accessible at low water. To the northwest across the road and canal is a small alder stand.

Site no.	<input type="text" value="0691"/>	FIPS no.	<input type="text" value="33063"/>	
Date surveyed	<input type="text" value="04/07/2005"/>			
Woodland name	<input type="text" value="Billis"/>	Townland name	<input type="text" value="Billis"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="17"/>
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="N564937"/>	6 inch sheet <input type="text" value="CV 33"/> County <input type="text" value="Cavan"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="2"/>	Max. alt. (m) <input type="text" value="145"/> Min. alt. (m) <input type="text" value="130"/>
Sub-soil	<input type="text" value="RckNCa"/>		Soil	<input type="text" value="AminSW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="25%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="75%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A small woodland site situated on a gentle to moderate southwest facing slope, located 2.5 km southeast of New Inn. Approximately 75% of the site (northwest section) is classed as WD2 and dominated by pedunculate oak (*Quercus robur*) and ash in the canopy and subcanopy. The shrub layer is dominated by hawthorn (*Crataegus monogyna*), hazel (*Corylus avellana*) and sycamore (*Acer pseudoplatanus*). This area of WD2 woodland also contains a quarry which has been disused for over 80 years. The eastern section of the site (25%) is WN6 woodland which grades in Gorse (*Ulex europaeus*) scrub at the easternmost end. This area is dominated by grey willow (*Salix cinerea*).

Site no.	<input type="text" value="0693"/>	FIPS no.	<input type="text" value="51670"/>	
Date surveyed	<input type="text" value="13/07/2005"/>			
Woodland name	<input type="text" value="Beagh Glebe"/>	Townland name	<input type="text" value="Carricknaveagh"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="36"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="N628934"/>	6 inch sheet <input type="text" value="CV 33"/> County <input type="text" value="Cavan"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="1"/>	Max. alt. (m) <input type="text" value="140"/> Min. alt. (m) <input type="text" value="140"/>
Sub-soil	<input type="text" value="Cut/RckNCa/TLPSsS"/>		Soil <input type="text" value="Cut/AminSW/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A small flat site, located 1km east of Kilinkere, which has naturally regenerated on cutover bog. The canopy and shrub layer are dominated by Grey willow (*Salix cinerea*). The field layer is dominated by *Holcus lanatus* and *Juncus effusus*. Access to the site is difficult. Note that the western section of the site was not fully surveyed as it is separated from the main body of the wood by a public road.

Site no.	<input type="text" value="0694"/>	FIPS no.	<input type="text" value="51645, 51644, 71465"/>		
Date surveyed	<input type="text" value="13/07/2005"/>				
Woodland name	<input type="text" value="Carricknaveagh"/>	Townland name	<input type="text" value="Carricknaveagh, Cleffin"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="N630948"/>	6 inch sheet	<input type="text" value="CV 33"/>
County	<input type="text" value="Cavan"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="2"/>	Max. alt. (m)	<input type="text" value="130"/>
Min. alt. (m)	<input type="text" value="115"/>				
Sub-soil	<input type="text" value="RckNCa/A/TLPSsS"/>		Soil	<input type="text" value="AminSW/AlluvMIN/AminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="100%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A small site, 2 km northwest of Kilinkere. The site was divided by the Kilinkere River. The woodland was dominated by hazel (*Corylus avellana*), with occasional ash (*Fraxinus excelsior*), blackthorn (*Prunus spinosa*) and hawthorn (*Crataegus monogyna*). The ground flora was sparse but species rich and dominated by *Rubus fruticosus* agg.. The level of grazing was high and a number of cattle paths were present. The soil was an Acid Brown Earth. The pH was 4.81, unusually low for a hazel woodland. A number of calcifuge species (*Blechnum spicant*, *Sphagnum* sp., *Vaccinium myrtillus*) and exposed rock faces were present, adding to the diversity of the site.

Site no.	<input type="text" value="0695"/>	FIPS no.	<input type="text" value="51693, 83278"/>	
Date surveyed	<input type="text" value="20/07/2005"/>			
Woodland name	<input type="text" value="Annagharnet"/>	Townland name	<input type="text" value="Annagharnet, Beagh Glebe"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="Low"/>
			<input type="text" value="8"/>	
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="N627923"/>	6 inch sheet
			<input type="text" value="CV 33"/>	County
	<input type="text" value="Cavan"/>	NPWS region	<input type="text" value="North Midlands"/>	NHA code
	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>	SPA Code
	<input type="text" value="-"/>	National Park	<input type="checkbox"/>	Nature Reserve
	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>	
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="3"/>	Max. alt. (m)
			<input type="text" value="130"/>	Min. alt. (m)
	<input type="text" value="130"/>	Sub-soil	<input type="text" value="Cut/TLPSSs"/>	
		Soil	<input type="text" value="Cut/AminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A small flat woodland site which has naturally regenerated on cutover bog. The canopy and shrub layer are dominated throughout by birch (*Betula pubescens*) with grey willow (*Salix cinerea*) also frequent. The field layer is dominated by *Rubus fruticosus* agg. as well as a number of graminoid species including *Glyceria fluitans*. Bog pools are frequent, resulting from previous peat cutting operations. The site is bisected by a large drainage ditch running northwest to southeast. The southern end of the site opens onto open bog with *Salix* shrub zone marking transition from closed woodland canopy to open bog. Hedgerow marking central western boundary dominated by *Alnus inca*.

Site no.	<input type="text" value="0696"/>	FIPS no.	<input type="text" value="31278"/>	
Date surveyed	<input type="text" value="02/09/2005"/>			
Woodland name	<input type="text" value="Kill"/>	Townland name	<input type="text" value="Kill"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="39"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>	
Disco. map	<input type="text" value="34"/>	Grid ref.	<input type="text" value="N433905"/>	6 inch sheet <input type="text" value="CV 37"/> County <input type="text" value="Cavan"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="4"/>	Max. alt. (m) <input type="text" value="100"/> Min. alt. (m) <input type="text" value="100"/>
Sub-soil	<input type="text" value="Cut/TLPSsS"/>		Soil <input type="text" value="Cut/AminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A small bog woodland located 1.5 km west of Kilmaleck. The site consists of young birch on abandoned cutover peat. The woodland is slightly patchy. There are more mature birch trees along the southern margin of the site. This was where the releve was located. The canopy and shrub layer were dominated by birch (*Betula pubescens*) with occasional *Salix cine*, *Salix x multinervis* and Rowan (*Sorbus aucuparia*). The field layer was dominated by *Rubus fruticosus*, with frequent *Dryopteris dilatata*, *Dryopteris carthusiana* and *Holcus lanatus*. The soil type was basin peat with impeded drainage.

Site no.	<input type="text" value="0698"/>	FIPS no.	<input type="text" value="34686"/>	
Date surveyed	<input type="text" value="05/09/2005"/>			
Woodland name	<input type="text" value="Carrigan"/>	Townland name	<input type="text" value="Carrigan"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="39"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="17"/>	
Disco. map	<input type="text" value="34"/>	Grid ref.	<input type="text" value="N386939"/>	6 inch sheet <input type="text" value="CV 31"/> County <input type="text" value="Cavan"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="3"/>	Max. alt. (m) <input type="text" value="90"/> Min. alt. (m) <input type="text" value="90"/>
Sub-soil	<input type="text" value="Cut/TLPSsS"/>		Soil <input type="text" value="Cut/AminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A 3 ha cutover peat site 6 km northwest of Kilnaleck. Birch (*Betula pubescens*) is the dominant canopy tree throughout the site with *Salix x multinervis*, rowan (*Sorbus aucuparia*) scattered and grey willow (*S. cinerea*) periodic. The herb layer was dominated by *Rubus fruticosus* ferns and grasses. There is a rich ground layer with *Sphagnum* spp. and *Polytrichum commune* occurring. Dumping around lane on entrance to site.

Site no.	<input type="text" value="0699"/>	FIPS no.	<input type="text" value="40040, 40041"/>	
Date surveyed	<input type="text" value="06/04/2005"/>			
Woodland name	<input type="text" value="Flemingstown East"/>	Townland name	<input type="text" value="Flemingstown"/>	
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="73"/>	Threat rating and score	<input type="text" value="High"/> <input type="text" value="42"/>
Disco. map	<input type="text" value="43"/>	Grid ref.	<input type="text" value="N994664"/>	6 inch sheet <input type="text" value="ME 26"/> County <input type="text" value="Meath"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="1579"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="22"/>	Max. alt. (m) <input type="text" value="60"/> Min. alt. (m) <input type="text" value="50"/>
Sub-soil	<input type="text" value="TLs/RckNCa"/>		Soil <input type="text" value="BminDW/BminPD/AminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="80%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="20%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A large Coillte-owned site, nine miles southeast of Navan, containing a mixture of WN2 oak-ash-hazel/WN6 wet willow-alder-ash woodland. The main tree species are pedunculate oak (*Quercus robur*), ash (*Fraxinus excelsior*) and beech (*Fagus sylvatica*). The main shrub species include holly (*Ilex aquifolium*), hazel (*Corylus avellana*) and hawthorn (*Crataegus monogyna*). Some localised *Prunus laurocerasus* infestation was observed. The woodland is bounded by arable fields and a road. There are extensive ditches throughout the site. A badger sett was observed within the site.

Site no.	<input type="text" value="0701"/>	FIPS no.	<input type="text" value="37155"/>		
Date surveyed	<input type="text" value="27/04/2005"/>				
Woodland name	<input type="text" value="Greenan North"/>	Townland name	<input type="text" value="Greenan"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="25"/>
Disco. map	<input type="text" value="42"/>	Grid ref.	<input type="text" value="N534742"/>	6 inch sheet	<input type="text" value="ME 14"/>
County	<input type="text" value="Meath"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="7"/>	Max. alt. (m)	<input type="text" value="209"/>
Min. alt. (m)	<input type="text" value="135"/>				
Sub-soil	<input type="text" value="RckCa/TLs"/>		Soil	<input type="text" value="BminSW/BminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input checked="" type="checkbox"/>	WN2 <input type="text" value="100%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A large woodland, 5 km south of Oldcastle. The site covers the summit and slopes of a hill. There are large areas of beech (*Fagus sylvatica*) dominated WD1 mixed broadleaf woodland, which were excluded. An area of approximately 7 ha of WN2 oak-ash-hazel woodland remains. The canopy is dominated by ash (*Fraxinus excelsior*), with occasional birch (*Betula pubescens*) and pedunculate oak (*Quercus robur*). The shrub layer is dominated by hazel (*Corylus avellana*), with occasional hawthorn (*Crataegus monogyna*). The field layer is dominated by *Hyacinthoides non-scripta* and *Luzula sylvatica*, with *Chrysosplenium oppositifolium* and *Oxalis acetosella* locally frequent. Standing and fallen dead wood are abundant.

Site no.	<input type="text" value="0702"/>	FIPS no.	<input type="text" value="41325"/>		
Date surveyed	<input type="text" value="20/04/2005"/>				
Woodland name	<input type="text" value="Rahinstown"/>	Townland name	<input type="text" value="Rahinstown"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="25"/>
Disco. map	<input type="text" value="49"/>	Grid ref.	<input type="text" value="N816463"/>	6 inch sheet	<input type="text" value="ME 42"/>
County	<input type="text" value="Meath"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="8"/>	Max. alt. (m)	<input type="text" value="90"/>
Min. alt. (m)	<input type="text" value="90"/>				
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="100%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A large estate woodland containing high proportions of exotic broadleaves, exotic conifers and invasive species, especially *Rhododendron ponticum*. These areas were excluded. Access was difficult in some areas due to rhododendron infestation. A small area of native woodland occurs near the centre of the site. It is dominated by ash (*Fraxinus excelsior*), birch (*Betula pubescens*) and Hazel (*Corylus avellana*). The ground flora is dominated by *Hedera helix* and bryophytes. *Rhododendron* and dead wood are abundant.

Site no.	<input type="text" value="0703"/>	FIPS no.	<input type="text" value="5890, 25146, 5891"/>		
Date surveyed	<input type="text" value="07/06/2005"/>				
Woodland name	<input type="text" value="Glenmore Fox Covert"/>	Townland name	<input type="text" value="Oldbridge, Sheephouse, Stalleen"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="33"/>
Disco. map	<input type="text" value="43"/>	Grid ref.	<input type="text" value="O038735"/>	6 inch sheet	<input type="text" value="ME 20"/>
County	<input type="text" value="Meath"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="2299"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="14"/>	Max. alt. (m)	<input type="text" value="80"/>
Min. alt. (m)	<input type="text" value="0"/>				
Sub-soil	<input type="text" value="RckNCa/A/TNSSs/GLPSsS/TLPSsS"/>		Soil	<input type="text" value="AminSW/AlluvMIN/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A large area of modified woodland on a steep valley side of the River Boyne, 4 km west of Drogheda. The canopy is a mixture of sycamore (*Acer pseudoplatanus*), ash (*Fraxinus excelsior*), beech (*Fagus sylvatica*) and horse-chestnut (*Aesculus hippocastanum*), although at the top of the slope are some younger stands where birch dominates with sycamore (*Acer pseudoplatanus*) and elder (*Sambucus nigra*). A large central portion of the site is dominated by cherry laurel (*Prunus laurocerasus*), elsewhere the understorey consists of wych elm (*Ulmus glabra*), elder (*Sambucus nigra*), hawthorn (*Crataegus monogyna*) and hazel (*Corylus avellana*). The field layer is typically poor with *Hedera helix* dominating. *Geum urbanum*, *Galium aparine*, *Rumex sanguineus* and *Heracleum sphondylium* are frequent. *Chrysosplenium oppositifolium* is plentiful in areas of localised gleying on the slope. Some clearance of cherry laurel has occurred apparently for the purposes of mountain bike or scrambling access. Overall, a poor site in terms of native status, but fairly large for Co. Meath. A Pine Marten was seen within the Cherry Laurel thickets. In the southern part of the site there has been some selective canopy tree-felling - mostly sweet chestnut (*Castanea sativa*).

Site no.	<input type="text" value="0704"/>	FIPS no.	<input type="text" value="34800"/>	
Date surveyed	<input type="text" value="25/05/2005"/>			
Woodland name	<input type="text" value="Bog Woods"/>	Townland name	<input type="text" value="Cloncat"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="39"/>	Threat rating and score	<input type="text" value="Low"/>
			<input type="text" value="8"/>	
Disco. map	<input type="text" value="42"/>	Grid ref.	<input type="text" value="N700697"/>	6 inch sheet
			<input type="text" value="ME 23"/>	County
	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="1580"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="1"/>	Max. alt. (m)
			<input type="text" value="80"/>	Min. alt. (m)
			<input type="text" value="80"/>	
Sub-soil	<input type="text" value="BasEsk/Cut"/>		Soil	<input type="text" value="BminSW/Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="100%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A small area of Coillte-owned woodland 16 km west of Navan, on cutover raised bog. Dominant canopy species is birch (*Betula pubescens*) with occasional pedunculate oak (*Quercus robur*) and Holly (*Ilex aquifolium*). Field layer dominated by *Vaccinium myrtillus* with frequent *Rubus fruticosus* and *Dryopteris dilatata*. Pteridium is locally dominant. *Prunus laurocerasus* is rare on site but dominant at boundary of site. The Coillte-owned mixed parcels that appear on FIPS were excluded due to high levels of conifers and invasive shrubs. The private area adjoining the area surveyed was excluded due to underdeveloped ground flora (grasses and *Rubus*), possibly due to overgrazing.

Site no.	<input type="text" value="0705"/>	FIPS no.	<input type="text" value="40033"/>		
Date surveyed	<input type="text" value="11/04/2005"/>				
Woodland name	<input type="text" value="Burtonstown"/>	Townland name	<input type="text" value="Burtonstown"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="43"/>	Grid ref.	<input type="text" value="N989639"/>	6 inch sheet	<input type="text" value="ME 32"/>
County	<input type="text" value="Meath"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="2"/>	Max. alt. (m)	<input type="text" value="70"/>
Min. alt. (m)	<input type="text" value="65"/>				
Sub-soil	<input type="text" value="TLs/TNSSs"/>		Soil	<input type="text" value="BminPD/AminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A large area of woodland, composed largely of conifers and broadleaf stands that are either immature or contain a high proportion of non-native tree species. Most of this woodland was excluded. The site surveyed was approximately 2 hectares in size, with immature *Alnus glutinosa*/*Salix cinerea* woodland with tallest trees of approximately 11m. The canopy contained planted alder (*Alnus glutinosa*) and some ash (*Fraxinus excelsior*) and pedunculate oak (*Quercus robur*), which appear to have been retained from a previous conifer stand. The shrub layer was composed largely of alder (*Alnus glutinosa*) and Grey willow (*Salix cinerea*). Pools of standing water were present. The site is currently being managed for educational purposes.

Site no.	<input type="text" value="0707"/>	FIPS no.	<input type="text" value="69849, 32694, 97493, 97478"/>		
Date surveyed	<input type="text" value="30/05/2005"/>				
Woodland name	<input type="text" value="Ardsallagh"/>	Townland name	<input type="text" value="Ardsallagh"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="42"/>	Grid ref.	<input type="text" value="N891629"/>	6 inch sheet	<input type="text" value="ME 31"/>
County	<input type="text" value="Meath"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="2299"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="7.5"/>	Max. alt. (m)	<input type="text" value="50"/>
Min. alt. (m)	<input type="text" value="50"/>				
Sub-soil	<input type="text" value="TLs/A"/>		Soil	<input type="text" value="BminDW/BminPD/AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A medium sized privately owned woodland located 5km south of Navan. The site consists of modified broadleaf woodland. The canopy contained Horse-chestnut (*Aesculus hippocastanum*), ash (*Fraxinus excelsior*), goat willow (*Salix caprea*) and beech (*Fagus sylvatica*) but no particular species was dominant. The subcanopy contained Wych elm (*Ulmus glabra*), *Picea sitchensis*, holly (*Ilex aquifolium*), Hawthorn (*Crataegus monogyna*) and ash (*Fraxinus excelsior*). The ground flora was sparse but *Rubus fruticosus* agg. and *Ligustrum vulgare* were locally dominant. The rare fern *Polystichum aculeatum* was recorded. A portion of this site is expected to be cleared for the M3 road project.

Site no.	<input type="text" value="0711"/>	FIPS no.	<input type="text" value="69744"/>	
Date surveyed	<input type="text" value="22/07/2005"/>			
Woodland name	<input type="text" value="Derrysheridan"/>	Townland name	<input type="text" value="Derrysheridan"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="34"/>	Grid ref.	<input type="text" value="N444825"/>	6 inch sheet <input type="text" value="ME 8"/> County <input type="text" value="Meath"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="987"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="4065"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Other State Body"/>	Area (ha)	<input type="text" value="2.5"/>	Max. alt. (m) <input type="text" value="65"/> Min. alt. (m) <input type="text" value="62"/>
Sub-soil	<input type="text" value="TLs/L/Cut/Water"/>		Soil	<input type="text" value="BminPDPT/Lac/Cut/Water"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="50%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="50%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input checked="" type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

Dry woodland on a headland on Lough Sheelin, grading into wet woodland to the east. Dry woodland is dominated by birch (*Betula pubescens*) and ash (*Fraxinus excelsior*) in the canopy with hazel (*Corylus avellana*) in understorey. Spindle (*Euonymus europaeus*) is occasional in a fairly sparse shrub layer. Field layer is mainly *Sanicula europaea*, *Viola* sp, *Brachypodium sylvaticum*, *Deschampsia cespitosa* and *Carex flacca*. The uncommon *Elymus caninus* was recorded. There is no apparent management but there is some evidence of grazing by horses. Wet woodland to the east is dominated by grey willow (*Salix cinerea*) with some birch (*Betula pubescens*) and alder (*Alnus glutinosa*). The field layer is mainly *Phragmites australis*, *Iris pseudacorus*, *Filipendula ulmaria* and *Carex elata*. Other herbs include *Lycopus europaeus*, *Lythrum salicaria* and *Potentilla palustris*. Along the lakeshore the woods merge into reed swamp and fen. To the north it is bounded by wet and improved grasslands. There is little evidence of grazing in the wet woodland where *Rubus fruticosus* is more frequent.

Site no.	<input type="text" value="0713"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="11/05/2005"/>			
Woodland name	<input type="text" value="Drive Wood"/>	Townland name	<input type="text" value="Slane Castle Demesne"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="36"/>	Threat rating and score	<input type="text" value="High"/>
			<input type="text" value="42"/>	
Disco. map	<input type="text" value="43"/>	Grid ref.	<input type="text" value="N961741"/>	6 inch sheet
			<input type="text" value="ME 19"/>	County
	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="1592"/>	SAC code
			<input type="text" value="2299"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="3.6"/>	Max. alt. (m)
			<input type="text" value="50"/>	Min. alt. (m)
			<input type="text" value="30"/>	
Sub-soil	<input type="text" value="TLPSSs/RckCa"/>		Soil	<input type="text" value="AminDW/BminSW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

The area surveyed was approximately 4 ha of relatively young (planted 1986-87) WD1 woodland adjoining a larger 12ha area of non-native broadleaved woodland. The site is immediately south of Slane village. The canopy was dominated by ash (*Fraxinus excelsior*), wych elm (*Ulmus glabra*), sycamore (*Acer pseudoplatanus*) and *Salix caprea*. In the subcanopy, elder (*Sambucus nigra*) was frequent and Hawthorn (*Crataegus monogyna*) was occasional. The ground flora was dominated by *Hedera helix*, *Anthriscus sylvestris* and *Urtica dioica*. *Prunus laurocerasus* was locally abundant and dominant beyond the site boundary. *Rhododendron ponticum* and *Cotoneaster* sp. were also present, but rare.

Site no.	<input type="text" value="0715"/>	FIPS no.	<input type="text" value="6155, 6154, 80027, 6156, 38524, 64369"/>		
Date surveyed	<input type="text" value="07/04/2005"/>				
Woodland name	<input type="text" value="Balrath"/>	Townland name	<input type="text" value="Balrath, Flemingstown"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="High"/>	<input type="text" value="50"/>
Disco. map	<input type="text" value="43"/>	Grid ref.	<input type="text" value="N997655"/>	6 inch sheet	<input type="text" value="ME 32"/>
County	<input type="text" value="Meath"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="1579"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="10"/>	Max. alt. (m)	<input type="text" value="55"/>
Min. alt. (m)	<input type="text" value="45"/>				
Sub-soil	<input type="text" value="TLs"/>		Soil	<input type="text" value="BminDW/BminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="50%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="30%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="20%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A mixed broadleaf woodland, 10 hectares in size, located 10 miles southeast of Navan. There are two main vegetation types. The main tree species include ash (*Fraxinus excelsior*), grey willow (*Salix cinerea*) with some pedunculate oak (*Quercus robur*) and introduced species, especially beech (*Fagus sylvatica*) and *Aesculus hippocastanum*. Hawthorn (*Crataegus monogyna*) and holly (*Ilex aquifolium*) are the main species in the shrub layer, with a small amount of spindle (*Euonymus europaeus*). *Ranunculus ficaria* is locally abundant. Snowberry (*Symphoricarpos albus*) is locally abundant in one small area.

Site no.	<input type="text" value="0718"/>	FIPS no.	<input type="text" value="21666, 21665"/>	
Date surveyed	<input type="text" value="01/07/2005"/>			
Woodland name	<input type="text" value="Birdhill"/>	Townland name	<input type="text" value="Birdhill"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="52"/>	Threat rating and score	<input type="text" value="Low"/>
			<input type="text" value="17"/>	
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="N881886"/>	6 inch sheet
			<input type="text" value="ME 6"/>	County
	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
	<input type="text" value="-"/>			<input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="5"/>	Max. alt. (m)
			<input type="text" value="75"/>	Min. alt. (m)
			<input type="text" value="60"/>	
Sub-soil	<input type="text" value="TLs"/>		Soil	<input type="text" value="BminDW/BminPD"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="50%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="50%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

Medium-sized, moderately sloping woodland site, located 1 km southwest of Drumcondra, shaped as amphitheatre around open grassland area. Moderately freely draining on the slopes with impeded drainage on the central depression. The northwest section of the site contains a section of wood comprised of Ash (possibly planted around 15 years ago) and sycamore (*Acer pseudoplatanus*). The northeast section of the site is dominated by mature, well spaced pedunculate oak (*Quercus robur*) with a poorly developed shrub layer. The southwest section of the site is comprised of pedunculate oak standards with mature hazel (*Corylus avellana*). There was also some cherry laurel in this area. There was a relatively diverse field layer throughout the site. Buzzards were observed on-site. The site was open to grazing but no significant damage by grazers was observed.

Site no.	<input type="text" value="0724"/>	FIPS no.	<input type="text" value="22469, 22459, 69733"/>		
Date surveyed	<input type="text" value="09/06/2005"/>				
Woodland name	<input type="text" value="Brittas (Meath)"/>	Townland name	<input type="text" value="Brittas"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="25"/>
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="N807865"/>	6 inch sheet	<input type="text" value="ME 11"/>
County	<input type="text" value="Meath"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="24.5"/>	Max. alt. (m)	<input type="text" value="80"/>
Min. alt. (m)	<input type="text" value="60"/>				
Sub-soil	<input type="text" value="TLs/L/A/GLPSsS/RckNCa"/>		Soil	<input type="text" value="BminDW/AlluvMIN/Lac/AminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A large privately owned modified broadleaf woodland, located 1.5 km west of Nobber. Large areas were excluded due to invasive shrubs, particularly *Prunus laurocerasus*, and non-native tree species. The site was very heterogeneous and discrete vegetation communities were difficult to define. Pedunculate oak (*Quercus robur*), ash (*Fraxinus excelsior*), Wych elm (*Ulmus glabra*), sycamore (*Acer pseudoplatanus*) and beech (*Fagus sylvatica*) were all locally dominant in the canopy. The ground flora was very variable. *Urtica dioica*, *Rubus fruticosus* agg. and litter were all locally dominant.

Site no.	<input type="text" value="0726"/>	FIPS no.	<input type="text" value="24456, 24457, 24458"/>		
Date surveyed	<input type="text" value="09/08/2005"/>				
Woodland name	<input type="text" value="Knightstown"/>	Townland name	<input type="text" value="Knightstown, Ladyrath"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="64"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="42"/>	Grid ref.	<input type="text" value="N856784"/>	6 inch sheet	<input type="text" value="ME 12"/>
County	<input type="text" value="Meath"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="7"/>	Max. alt. (m)	<input type="text" value="70"/>
Min. alt. (m)	<input type="text" value="65"/>				
Sub-soil	<input type="text" value="Cut/GLs/L"/>		Soil	<input type="text" value="Cut/BminSW/Lac"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="65%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="15%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="20%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A medium-sized site located 1.5 km northeast of Wilkinstown. The site consists mostly of WN6 wet willow-alder-ash woodland, with some WN7 birch bog woodland and some WD1 modified mixed broadleaved woodland. The WD1 area lies on a ridge on either side of the road. Ash (*Fraxinus excelsior*) and beech (*Fagus sylvatica*) are locally dominant in the canopy. Sycamore (*Acer pseudoplatanus*) is frequent in the subcanopy. Hawthorn dominates the shrub layer. Bramble (*Rubus fruticosus*), ivy (*Hedera helix*) and angelica (*Angelica sylvestris*) dominate the field layer. The flat wetter area was dominated by WN6 woodland, with ash and alder (*alnus glutinosa*) dominant in the canopy and ash and willow (*Salix* spp.) dominant in the shrub layer. Bramble and ivy dominated the field layer. A small area of WN7 woodland was present on abandoned peat cuttings. Birch (*Betula pubescens*) dominated the canopy and shrub layer. Bramble and Sphagnum species dominated the field and ground layer respectively.

Site no.	<input type="text" value="0727"/>	FIPS no.	<input type="text" value="47527"/>		
Date surveyed	<input type="text" value="11/04/2005"/>				
Woodland name	<input type="text" value="Culnagore Wood"/>	Townland name	<input type="text" value="Culnagore"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="70"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="0"/>
Disco. map	<input type="text" value="40"/>	Grid ref.	<input type="text" value="N027584"/>	6 inch sheet	<input type="text" value="LF 21/25"/>
County	<input type="text" value="Longford"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="440"/>	SAC code	<input type="text" value="440"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="37"/>	Max. alt. (m)	<input type="text" value="50"/>
Min. alt. (m)	<input type="text" value="40"/>				
Sub-soil	<input type="text" value="TLs/Cut"/>		Soil	<input type="text" value="BminPD/BminDW/Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="100%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input checked="" type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

Biodiverse, homogeneous woodland dominated by hazel (*Corylus avellana*) and ash (*Fraxinus excelsior*). The hazel appears to have been coppiced in the past but has not been managed for 50+ years). Also some over mature ash trees were present. There are occasional wet areas scattered throughout the site and also 2 internal fence lines. Cattle are allowed access to part of the wood but no evidence of significant browsing. A compartment to the north of the site (see map) has been recently felled (some ash seed bearers retained) and is currently regenerating as scrub. Wet grassland lies adjacent to the site, to the southeast, while Lough Ree lies to the east - a narrow boulder dominated area with scrub marks the transition to the lake. Two hare were observed on site.

Site no.	<input type="text" value="0728"/>	FIPS no.	<input type="text" value="29046, 37265, 69309"/>		
Date surveyed	<input type="text" value="21/06/2005"/>				
Woodland name	<input type="text" value="Coolamber"/>	Townland name	<input type="text" value="Coolamber, Moneyhoolaghan"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="54"/>	Threat rating and score	<input type="text" value="High"/>	<input type="text" value="42"/>
Disco. map	<input type="text" value="41"/>	Grid ref.	<input type="text" value="N343740"/>	6 inch sheet	<input type="text" value="LF 16"/>
County	<input type="text" value="Longford"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="8"/>	Max. alt. (m)	<input type="text" value="80"/>
Min. alt. (m)	<input type="text" value="80"/>				
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="30%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="70%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

There are two distinct woodland types at this site. The western section is dominated by birch (*Betula pubescens*) on cut over bog. Grey willow (*Salix cinerea*) is scattered in the understorey. The field layer is dominated by *Rubus fruticosus* and *Dryopteris dilatata*. *Thuidium tamariscinum*, *Kindbergia praelonga* and *Hypnum jutlandicum* are frequent in the ground layer. The eastern section is a modified WD2 woodland dominated by mature pedunculate oak (*Quercus robur*), birch (*Betula pubescens*), Norway spruce (*Picea abies*), European larch (*Larix decidua*) and sycamore (*Acer pseudoplatanus*). The understorey is almost completely dominated by *Rhododendron ponticum* and scattered *Prunus laurocerasus*. As a result, the field and ground layers are very poor or absent in places in this woodland section.

Site no.	<input type="text" value="0729"/>	FIPS no.	<input type="text" value="46345"/>	
Date surveyed	<input type="text" value="18/04/2005"/>			
Woodland name	<input type="text" value="White Sand Wood"/>	Townland name	<input type="text" value="Commons North"/>	
Conservation rating and score	<input type="text" value="Very Good"/> <input type="text" value="61"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="17"/>	
Disco. map	<input type="text" value="40"/>	Grid ref.	<input type="text" value="N006679"/>	6 inch sheet <input type="text" value="LF 17"/> County <input type="text" value="Longford"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="440"/>	SAC code <input type="text" value="440"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="13"/>	Max. alt. (m) <input type="text" value="50"/> Min. alt. (m) <input type="text" value="40"/>
Sub-soil	<input type="text" value="RckCa/TLs/L"/>		Soil <input type="text" value="BminSW/BminDW/Lac"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="100%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

Boulder strewn woodland with good vernal display of herbs and bryophytes - boulders well covered in bryophytes. Stone walls present at site edge and internally. Strong sycamore (*Acer pseudoplatanus*) regeneration towards northern end of site. A number of houses back onto the woodland which is used frequently by walkers. Due to the presence of private gardens and a definite change in woodland habitat, the site has been reduced in size (see map). Southern boundary is now marked by a woodland track.

Site no.	<input type="text" value="0730"/>	FIPS no.	<input type="text" value="50932"/>		
Date surveyed	<input type="text" value="04/05/2005"/>				
Woodland name	<input type="text" value="Clonbroney"/>	Townland name	<input type="text" value="Clonbroney"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="8"/>
Disco. map	<input type="text" value="34/41"/>	Grid ref.	<input type="text" value="N265800"/>	6 inch sheet	<input type="text" value="LF 10"/>
County	<input type="text" value="Longford"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="3"/>	Max. alt. (m)	<input type="text" value="50"/>
Min. alt. (m)	<input type="text" value="40"/>				
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

This site is located on cutover bog in Co. Longford. Downy birch (*Betula pubescens*) and grey willow (*Salix cinerea*) dominate the canopy, while hawthorn (*Crataegus monogyna*) occurs in the shrub layer. The site is fringed by a narrow margin of Sitka spruce (*Picea sitchensis*) to the east. *Filipendula ulmaria* and *Carex paniculata* are found in the field layer. It is a very wet site and is intersected by numerous deep drainage ditches. The canopy species composition is poor.

Site no.	<input type="text" value="0731"/>	FIPS no.	<input type="text" value="49684"/>		
Date surveyed	<input type="text" value="10/05/2005"/>				
Woodland name	<input type="text" value="Windmill Wood"/>	Townland name	<input type="text" value="Currygrange"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="54"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="41"/>	Grid ref.	<input type="text" value="N233781"/>	6 inch sheet	<input type="text" value="LF 9"/>
County	<input type="text" value="Longford"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="5.5"/>	Max. alt. (m)	<input type="text" value="70"/>
Min. alt. (m)	<input type="text" value="60"/>				
Sub-soil	<input type="text" value="Cut/TLPSsS"/>		Soil	<input type="text" value="Cut/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

This is a small WN6 wet willow-alder-ash woodland located on a lakeside in County Longford. It is a very wet woodland, and is gappy in many places. The canopy is dominated by willows (*Salix* spp.), alder (*Alnus glutinosa*) and birch (*Betula pubescens*). *Rubus fruticosus* is fairly prominent within the field layer although there is quite an even diversity of other species present, including *Dryopteris carthusiana*, *D. dilatata*, *Stellaria uliginosa*, *Agrostis stolonifera*, *Oxalis acetosella* and *Ranunculus repens*. There is extensive *Rhododendron ponticum* invasion, particularly in some of the drier areas. Numerous ditches and drains are present. Stock have access to the wood and are causing poaching in some areas.

Site no.	<input type="text" value="0732"/>	FIPS no.	<input type="text" value="48448"/>		
Date surveyed	<input type="text" value="15/06/2005"/>				
Woodland name	<input type="text" value="Abbeyderg"/>	Townland name	<input type="text" value="Abbeyderg"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="0"/>
Disco. map	<input type="text" value="41"/>	Grid ref.	<input type="text" value="N134650"/>	6 inch sheet	<input type="text" value="LF 18"/>
County	<input type="text" value="Longford"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="12"/>	Max. alt. (m)	<input type="text" value="78"/>
Min. alt. (m)	<input type="text" value="72"/>				
Sub-soil	<input type="text" value="TDCSS/RckNCA/Cut"/>		Soil	<input type="text" value="AminDW/AminSW/Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="100%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input checked="" type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

Corylus avellana dominated scrub on a rocky outcrop. There are two small areas where ash (*Fraxinus excelsior*) forms the canopy with hazel (*Corylus avellana*) in the understorey but were too small to take a releve. In the ungrazed areas (the majority of the site) the field layer is rich (but low in height due to winter grazing). The dominant species are *Oxalis acetosella*, *Geranium robertianum*, *Stellaria holostea* and *Poa annua*. The latter is an indicator of grazing and trampling by animals. The ground layer is dominant on the many rocks in the woodland and the main species are *Thuidium tamariscinum*, *Eurhynchium striatum* and *Thamnobryum Alopecurum*. In the actively grazed areas bare ground is frequent and the field and ground layers are quite poor. The scrubland surrounds distinct patches of wet grassland/fen which support *Menyanthes trifoliata*, *Sphagnum* sp. and *Dactylorhiza* sp. among other species. *Milium effusum* is found in this scrubland.

Site no.	<input type="text" value="0733"/>	FIPS no.	<input type="text" value="69249"/>		
Date surveyed	<input type="text" value="08/06/2005"/>				
Woodland name	<input type="text" value="Corrabola"/>	Townland name	<input type="text" value="Corrabola"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="8"/>
Disco. map	<input type="text" value="41"/>	Grid ref.	<input type="text" value="N184606"/>	6 inch sheet	<input type="text" value="LF 23"/>
County	<input type="text" value="Longford"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="11"/>	Max. alt. (m)	<input type="text" value="75"/>
Min. alt. (m)	<input type="text" value="75"/>				
Sub-soil	<input type="text" value="TDCSs"/>		Soil	<input type="text" value="AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="95%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input checked="" type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="5%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input checked="" type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

Most of this woodland is dominated by mature pedunculate oak (*Quercus robur*) and ash (*Fraxinus excelsior*) and is classified as WN2. Beech (*Fagus sylvatica*) is frequent throughout especially on the southwest side. Hazel (*Corylus avellana*) is dominant in this section but rare in the northeast section. The understorey is dominated by hawthorn (*Crataegus monogyna*) and blackthorn (*Prunus spinosa*) (northeast section). The field layer is rich throughout and is dominated by species indicating moist soil (*Carex remota*, *Filipendula ulmaria*, *Geum rivale*) and high nutrient soil (*Circaea lutetiana*, *Geum urbanum*, *Chrysosplenium oppositifolium*). The ground layer is composed of several species (*Eurhynchium striatum*, *Kindbergia praelonga*, *Thuidium tamariscinum*) but none are dominant. There is a ring fort present on the northeast edge of the site. There is also a spring present in the southwest section. Surrounding this there is a small patch of WN6 wet willow-alder-ash woodland comprising alder (*Alnus glutinosa*), ash and goat willow (*Salix caprea*) but it was not big enough to take a releve in. There is evidence of recent ash removal from the site (most likely for making hurls as only the base of the trees were removed - the tops of the trees were left in the woodland).

Site no.	<input type="text" value="0734"/>	FIPS no.	<input type="text" value="47284, 47283"/>		
Date surveyed	<input type="text" value="02/06/2005"/>				
Woodland name	<input type="text" value="Lislea"/>	Townland name	<input type="text" value="Lislea, Lisglassock"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="8"/>
Disco. map	<input type="text" value="41"/>	Grid ref.	<input type="text" value="N155614"/>	6 inch sheet	<input type="text" value="LF 23"/>
County	<input type="text" value="Longford"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="9"/>	Max. alt. (m)	<input type="text" value="75"/>
Min. alt. (m)	<input type="text" value="75"/>				
Sub-soil	<input type="text" value="Cut/TDCSs"/>		Soil	<input type="text" value="Cut/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

This is a birch (*Betula pubescens*) woodland with ash (*Fraxinus excelsior*) scattered in the canopy in some areas only. In these areas hazel (*Corylus avellana*) is frequent in the understorey. Holly (*Ilex aquifolium*) is present in the understorey of the rest of the woodland. The field layer is dominated by *Rubus fruticosus* with frequent *Lonicera periclymenum* and *Dryopteris dilatata*. The ground layer is rich and composed mainly of *Thuidium tamariscinum*. There are several steep and deep ditches running throughout the site making some areas inaccessible - for this reason the south eastern part of the site was not surveyed although it appears to be similar to the rest of the woodland.

Site no.	<input type="text" value="0735"/>	FIPS no.	<input type="text" value="20364, 20365"/>	
Date surveyed	<input type="text" value="28/06/2005"/>			
Woodland name	<input type="text" value="Larkfield"/>	Townland name	<input type="text" value="Larkfield"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="54"/>	Threat rating and score	<input type="text" value="Moderate"/>
			<input type="text" value="25"/>	
Disco. map	<input type="text" value="34"/>	Grid ref.	<input type="text" value="N288891"/>	6 inch sheet
			<input type="text" value="LF 6"/>	County
	<input type="text" value="Longford"/>	NPWS region	<input type="text" value="North Midlands"/>	NHA code
	<input type="text" value="992"/>	SAC code	<input type="text" value="-"/>	SPA Code
	<input type="text" value="-"/>	National Park	<input type="checkbox"/>	Nature Reserve
	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>	
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="6.5"/>	Max. alt. (m)
			<input type="text" value="70"/>	Min. alt. (m)
	<input type="text" value="60"/>	Sub-soil	<input type="text" value="TLPSSs"/>	
		Soil	<input type="text" value="AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

This lakeshore wood is an example of a WN6 woodland with ash (*Fraxinus excelsior*), alder (*Alnus glutinosa*) and goat willow (*Salix caprea*) forming the canopy. On the drier northern edge sessile oak (*Quercus petraea*), Beech (*Fagus sylvatica*), rowan (*Sorbus aucuparia*) and sycamore (*Acer pseudoplatanus*) are scattered in the canopy. This drier area is dominated by *Rhododendron ponticum* in places. Hawthorn (*Crataegus monogyna*) and low branches of the canopy species form the shrub layer in the southern wetter part. Here the field layer is rich with *Phalaris arundinacea*, *Filipendula ulmaria*, *Ranunculus flammula*, *Lysimachia vulgaris*, *Lythrum salicaria* and *Agrostis stolonifera*. The ground layer is dominated by *Rhizomnium punctatum* while the upper slope is dominated by *Thamnobryum alopecurum*. This site is frequently used by fishermen and has at least two dwelling structures built in the woodland close to the shore.

Site no.	<input type="text" value="0736"/>	FIPS no.	<input type="text" value="47224"/>		
Date surveyed	<input type="text" value="13/04/2005"/>				
Woodland name	<input type="text" value="Cleraun"/>	Townland name	<input type="text" value="Cleraun"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="52"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="25"/>
Disco. map	<input type="text" value="40"/>	Grid ref.	<input type="text" value="N041549"/>	6 inch sheet	<input type="text" value="LF 25"/>
County	<input type="text" value="Longford"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="440"/>
SPA Code	<input type="text" value="4064"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="8"/>	Max. alt. (m)	<input type="text" value="40"/>
Min. alt. (m)	<input type="text" value="30"/>				
Sub-soil	<input type="text" value="L/TLs"/>		Soil	<input type="text" value="Lac/BminPD/AminPDPT"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input checked="" type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="40%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="10%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="50%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

Woodland has been planted up with Beech (*Fagus sylvatica*), scots pine (*Pinus sylvestris*) & Larix in drier areas in the past. Wetter areas contain more Alder (*Alnus glutinosa*). Heavy livestock movement in places has damaged the ground flora. 2 small lakes within the woodland site provide valuable habit diversity. Stone walls distributed throughout the site show evidence of old enclosures. Scattered pockets of wet woodland dominated by alder (*Alnus glutinosa*) and Salix (not big enough to merit second plot). Good diversity of bird species observed. In general, the drier areas are characterised by planted natives and exotics (WD2) with native woodland concentrated in the wetter areas.

Site no.	<input type="text" value="0737"/>	FIPS no.	<input type="text" value="47391, 47411"/>	
Date surveyed	<input type="text" value="07/06/2005"/>			
Woodland name	<input type="text" value="Newcastle West"/>	Townland name	<input type="text" value="Newcastle"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="36"/>	Threat rating and score	<input type="text" value="Moderate"/> <input type="text" value="33"/>	
Disco. map	<input type="text" value="41"/>	Grid ref.	<input type="text" value="N186566"/>	6 inch sheet <input type="text" value="LF 27"/>
County	<input type="text" value="Longford"/>			
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="9"/>	Max. alt. (m) <input type="text" value="57"/>
Min. alt. (m)	<input type="text" value="55"/>			
Sub-soil	<input type="text" value="TDCSs"/>		Soil <input type="text" value="AminDW/AminPDPT"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

Most of the woodland is dominated by pedunculate oak (*Quercus robur*) with abundant beech (*Fagus sylvatica*) in the subcanopy. Here the shrub, field and ground layers are poor. The western part of the site has been severely cleared of all exotics. Dead wood is abundant in this section. The middle section of the site is composed of scattered mature pedunculate oak (*Quercus robur*) in the canopy and dominant ash (*Fraxinus excelsior*) in the understorey (as saplings and poles). The ground layer is richer in this section of woodland. In areas deer grazing is evident.

Site no.	<input type="text" value="0738"/>	FIPS no.	<input type="text" value="82122"/>		
Date surveyed	<input type="text" value="26/04/2005"/>				
Woodland name	<input type="text" value="Greenan South"/>	Townland name	<input type="text" value="Greenan"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="52"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="42"/>	Grid ref.	<input type="text" value="N541735"/>	6 inch sheet	<input type="text" value="ME 15"/>
County	<input type="text" value="Meath"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="3"/>	Max. alt. (m)	<input type="text" value="180"/>
Min. alt. (m)	<input type="text" value="140"/>				
Sub-soil	<input type="text" value="RckCa"/>		Soil	<input type="text" value="BminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="30%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input checked="" type="checkbox"/>	WN2 <input type="text" value="70%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input checked="" type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input checked="" type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A medium sized woodland approximately 6 km south of Oldcastle. The western parcel was heavily infested with *Prunus laurocerasus* and was excluded. The southern section of the remaining parcel was dominated by beech (*Fagus sylvatica*) and was fragmented by a number of paths and was also excluded. The remaining area was approximately 3 hectares in size. Two vegetation types were noted in intermittent bands. The WN1 area was dominated by birch (*Betula pubescens*) with occasional holly (*Ilex aquifolium*). The field layer was poor but the ground layer was diverse. The WN2 area was dominated by hazel (*Corylus avellana*) and occasional ash (*Fraxinus excelsior*) and holly. The field layer was dominated by *Hyacinthoides non-scripta*, *Chrysosplenium oppositifolium* and *Oxalis acetosella*. Ash seedlings were abundant in this area.

Site no.	<input type="text" value="0742"/>	FIPS no.	<input type="text" value="32590"/>	
Date surveyed	<input type="text" value="21/04/2005"/>			
Woodland name	<input type="text" value="Isaacstown North"/>	Townland name	<input type="text" value="Isaacstown"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="39"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>	
Disco. map	<input type="text" value="49"/>	Grid ref.	<input type="text" value="N800482"/>	6 inch sheet <input type="text" value="ME 42"/> County <input type="text" value="Meath"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="557"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="1.3"/>	Max. alt. (m) <input type="text" value="90"/> Min. alt. (m) <input type="text" value="80"/>
Sub-soil	<input type="text" value="GLs"/>		Soil	<input type="text" value="BminSW"/>

<u>Geography</u>		<u>Woodland habitats</u>		<u>Grazing</u>		<u>Hydrological features</u>	
Esker	<input checked="" type="checkbox"/>	WN1	<input type="text" value="0%"/>	Deer	<input type="checkbox"/>	Seasonal flooding	<input checked="" type="checkbox"/>
Drumlin	<input type="checkbox"/>	WN2	<input type="text" value="100%"/>	Cattle	<input type="checkbox"/>	Springs	<input type="checkbox"/>
Valley	<input type="checkbox"/>	WN3	<input type="text" value="0%"/>	Sheep	<input checked="" type="checkbox"/>	Lakes	<input type="checkbox"/>
Lakeside	<input type="checkbox"/>	WN4	<input type="text" value="0%"/>	Rabbits	<input type="checkbox"/>	Rivers/streams	<input type="checkbox"/>
Bogland	<input type="checkbox"/>	WN5	<input type="text" value="0%"/>	Hares	<input type="checkbox"/>	Damp clefts/ravines	<input type="checkbox"/>
Hill	<input type="checkbox"/>	WN6	<input type="text" value="0%"/>	Goats	<input type="checkbox"/>	Other	<input type="text" value=""/>
Plain/Lowlands	<input type="checkbox"/>	WN7	<input type="text" value="0%"/>	Horses	<input type="checkbox"/>		
Island	<input type="checkbox"/>	WS1	<input type="text" value="0%"/>	Other	<input type="text" value=""/>		
Riverside/Floodplain	<input type="checkbox"/>	WD1	<input type="text" value="0%"/>	Grazing level	<input type="text" value="1"/>		
Coastal/Estuary	<input type="checkbox"/>	WD2	<input type="text" value="0%"/>				
		Other habitats	<input type="text" value=""/>				

Field notes

External data source: not all data recorded ☐

A small privately-owned woodland on an esker ridge and adjacent plain in COunty Meath. The esker is dominated by beech (*Fagus sylvatica*) and was excluded (about 1 ha). The remainder of the site consisted of WN2 oak-ash-hazel woodland, as (*Fraxinus excelsior*) beign the dominant species with hawthorn (*Crataegus monogyna*) and some sycamore (*Acer pseudoplatanus*) and beech in the shrub layer. The ground flora was dominated by *Ranunculus ficaria*.

Site no.	<input type="text" value="0743"/>	FIPS no.	<input type="text" value="32587"/>	
Date surveyed	<input type="text" value="19/04/2005"/>			
Woodland name	<input type="text" value="Isaacstown South"/>	Townland name	<input type="text" value="Isaacstown"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="39"/>	Threat rating and score	<input type="text" value="High"/> <input type="text" value="42"/>	
Disco. map	<input type="text" value="49"/>	Grid ref.	<input type="text" value="N801477"/>	6 inch sheet <input type="text" value="ME 42"/> County <input type="text" value="Meath"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="557"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="5.1"/>	Max. alt. (m) <input type="text" value="90"/> Min. alt. (m) <input type="text" value="80"/>
Sub-soil	<input type="text" value="GLs"/>		Soil	<input type="text" value="BminSW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input checked="" type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="60%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="40%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A small area of mixed woodland adjacent to quarry about 2 miles south of Rathmoylon village. Main vegetation community is WN2 oak-ash-hazel, with some introduced woody species, notably sycamore (*Acer pseudoplatanus*) and beech (*Fagus sylvatica*). Wood is located on an esker ridge. There is good diversity in all layers. Canopy is mostly pedunculate oak (*Quercus robur*) with frequent sycamore, shrub layer is hazel (*Corylus avellana*), hawthorn (*Crataegus monogyna*) and occasional holly (*Ilex aquifolium*). Part of esker ridge is largely dominated by beech.

Site no.	<input type="text" value="0745"/>	FIPS no.	<input type="text" value="41407, 69832, 64443, Non FIPS"/>		
Date surveyed	<input type="text" value="23/05/2005"/>				
Woodland name	<input type="text" value="Jamestown"/>	Townland name	<input type="text" value="Jamestown"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="42"/>	Grid ref.	<input type="text" value="N771672"/>	6 inch sheet	<input type="text" value="ME 24"/>
County	<input type="text" value="Meath"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="1324"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="11.6"/>	Max. alt. (m)	<input type="text" value="80"/>
Min. alt. (m)	<input type="text" value="80"/>				
Sub-soil	<input type="text" value="Cut/TLs"/>		Soil	<input type="text" value="Cut/BminPDPT"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="100%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A medium sized site owned by multiple private owners and Coillte, located approximately 9 km west of Navan, County Meath. The site consists of WN1 oak-birch-holly woodland on the margins of a degraded raised bog. Birch (*Betula pubescens*) was dominant throughout with occasional pedunculate oak (*Quercus robur*), rowan (*Sorbus aucuparia*) and holly (*Ilex aquifolium*). In some areas the field layer was very sparse. *Pteridium aquilinum*, *Dryopteris dilatata* and *Vaccinium myrtillus* were locally abundant. A buzzard, frogs and a nest of bullfinches were observed on-site.

Site no.	<input type="text" value="0746"/>	FIPS no.	<input type="text" value="60117, 60089, 60158, 60119, 60118, 67586, 60160, 60161, 28467"/>		
Date surveyed	<input type="text" value="28/07/2005"/>				
Woodland name	<input type="text" value="Baltynanima"/>	Townland name	<input type="text" value="Drummin, Carrigroe, Raheen, Baltynanima, Carrigeenshin"/>		
Conservation rating and score	<input type="text" value="Excellent"/>	<input type="text" value="85"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="25"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="O164020"/>	6 inch sheet	<input type="text" value="WI 18"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="2122"/>	SAC code	<input type="text" value="2122"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="90"/>	Max. alt. (m)	<input type="text" value="250"/>
Min. alt. (m)	<input type="text" value="180"/>				
Sub-soil	<input type="text" value="TLPSSs/RckNCa/A"/>		Soil	<input type="text" value="AminDW/AminSW/AlluvMIN/AminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="75%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="5%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input checked="" type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="10%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="10%"/>	Horses <input checked="" type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A very large area (90 ha) of woodland to the south of Lough Dan, Co. Wicklow, located on both sides of a river valley. The main vegetation type is WN1 oak-birch-holly, consisting of well-spaced out sessile oak (*Quercus petraea*) trees, with occasional holly (*Ilex aquifolium*). Rowan (*Sorbus aucuparia*) and birch (*Betula pubescens*) are locally frequent. The area just south of the Oldbridge Road and to the east of Glendalough Estate has younger, more densely growing sessile oak (*Quercus petraea*), with abundant *Vaccinium myrtillus*. Where sessile oak is more mature the ground flora is more grassy, with *Agrostis* spp. abundant. Boulders were locally frequent and covered in bryophytes. An area of birch with ground flora of *Molinia caerulea* exists in the northeast of the site, and a smaller area in the south of the site. A small area of ash-hazel wood, with birch, beech (*Fagus sylvatica*) and sessile oak is found to the west of this latter patch. WN6 wet willow-alder-ash woodland is located just south of Lough Dan and all along the river as it flows south/south-east. Dominant species here are grey willow (*Salix cinerea*) with some birch. An area of beech and Scots pine (*Pinus sylvestris*) near 'Lake Park' house was rejected. Another area to the northwest of the site but disconnected from it was not surveyed. Red squirrels were noted on the site, and a frog was seen.

Site no.	<input type="text" value="0747"/>	FIPS no.	<input type="text" value="20465, 38037, 20464"/>		
Date surveyed	<input type="text" value="13/07/2005"/>				
Woodland name	<input type="text" value="Breakey"/>	Townland name	<input type="text" value="Kilboyne"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="54"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="8"/>
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="N738910"/>	6 inch sheet	<input type="text" value="ME 2"/>
County	<input type="text" value="Meath"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="1558"/>	SAC code	<input type="text" value="1558"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="10.5"/>	Max. alt. (m)	<input type="text" value="130"/>
Min. alt. (m)	<input type="text" value="125"/>				
Sub-soil	<input type="text" value="Cut/TLPSsS"/>		Soil	<input type="text" value="Cut/AminPDPT/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A medium sized woodland 5 km southwest of Kingscourt, located between small loughs. The main area of woodland is a mixture of ash (*Fraxinus excelsior*), grey willow (*Salix cinerea*) and alder (*Alnus glutinosa*) over a dense field layer of *Rubus fruticosus* and *Dryopteris dilatata*. Hawthorn (*Crataegus monogyna*) is frequent as a shrub. Birch (*Betula pubescens*) is rare and this appears to be a natural depression rather than a cutover bog area. Near the lake margins areas of fen peat occur with alder, grey willow and *S. x multinervis*. Over a field layer of *Filipendula ulmaria*, *Phalaris arundinacea* and *Phragmites australis*, with some *Mentha aquatica* and *Equisetum fluviatile*. A wide channel runs through the site linking the two loughs. It was not possible to enter the northern side of this but it appears very much to be similar in character.

Site no.	<input type="text" value="0748"/>	FIPS no.	<input type="text" value="69916, 41430"/>		
Date surveyed	<input type="text" value="01/09/2005"/>				
Woodland name	<input type="text" value="Molerick"/>	Townland name	<input type="text" value="Molerick, Anneville or Clonard Old"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="0"/>
Disco. map	<input type="text" value="49"/>	Grid ref.	<input type="text" value="N662466"/>	6 inch sheet	<input type="text" value="ME 41"/>
County	<input type="text" value="Meath"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="1582"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="6.8"/>	Max. alt. (m)	<input type="text" value="76"/>
Min. alt. (m)	<input type="text" value="75"/>				
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="30%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="70%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

An area of woodland along the western edge of Molerick Bog, 6 km west of Longwood. In the northern part of the site is a heavily grazed/poached area dominated by ash (*Fraxinus excelsior*), birch hazel (*Corylus avellana*) and hawthorn (*Crataegus monogyna*). The field layer here consists of *Urtica dioica*, *Circaea lutetiana*, *Lapsana communis*, *Stachys sylvestris* and *Geranium robertianum*. The soil is unusually peaty for such a vegetation type. East of this is an area of birch (*Betula pubescens*) and grey willow (*Salix cinerea*) woodland, fenced off and therefore with a more developed field layer of *Rubus fruticosus*, *Dryopteris dilatata* and *Pteridium aquilinum*. This merges into dense bracken along the edge of the bog proper. The southern part of the site is separated by a broad drain and a track way. It consists of mature birch woodland with some younger, denser stands along the eastern pasture. It appears that some birch scrub to the west of the site may have been recently converted to rough pasture.

Site no.	<input type="text" value="0749"/>	FIPS no.	<input type="text" value="28453, 29677, 29664, 82456"/>		
Date surveyed	<input type="text" value="08/08/2005"/>				
Woodland name	<input type="text" value="Tomnafinnoge"/>	Townland name	<input type="text" value="Tomnafinnoge"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="70"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="T017697"/>	6 inch sheet	<input type="text" value="WI 43"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="781"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="NPWS"/>	Area (ha)	<input type="text" value="65"/>	Max. alt. (m)	<input type="text" value="150"/>
Min. alt. (m)	<input type="text" value="80"/>				
Sub-soil	<input type="text" value="TLPSSs/RckNCa/A"/>		Soil	<input type="text" value="AminDW/AminSW/AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="100%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value="Ditches"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A remnant of the former ancient Shillelagh oak woods which have a documented history of coppice management (Jones 1986), this large WN1 oak-birch-holly woodland site is probably the largest extent of semi-natural woodland in south County Wicklow. The canopy is dominated by sessile (*Quercus petraea*), with birch (*Betula pubescens*) and hazel (*Corylus avellana*) being frequent. The River Derry runs just inside the north western boundary of the site and although alder (*Alnus glutinosa*) and willows (*Salix* spp.) are present along the bank, there is no significant development of riparian woodland there. The site is managed by NPWS and earlier this year some *Rhododendron ponticum* removal has taken place (cf Eamon Doran & John Cross). There are still other clumps of *Rhododendron* and cherry laurel (*Prunus laurocerasus*) present, particularly along the south-western end of the wood. Japanese knotweed (*Fallopia japonica*), red osier dogwood (*Cornus sericea*) and Himalayan balsam (*Impatiens glandulifera*) are present along the banks of the river. Sparrowhawks were seen during survey. *Polystichum aculeatum* present on site.

Site no.	<input type="text" value="0750"/>	FIPS no.	<input type="text" value="47410"/>		
Date surveyed	<input type="text" value="01/06/2005"/>				
Woodland name	<input type="text" value="Newcastle East"/>	Townland name	<input type="text" value="Newcastle"/>		
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="39"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="41"/>	Grid ref.	<input type="text" value="N191568"/>	6 inch sheet	<input type="text" value="LF 27"/>
County	<input type="text" value="Longford"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="5"/>	Max. alt. (m)	<input type="text" value="56"/>
Min. alt. (m)	<input type="text" value="54"/>				
Sub-soil	<input type="text" value="TDCSs/Cut"/>		Soil	<input type="text" value="AminDW/Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

This woodland has been modified in the past - it would have been classic WN2 oak-ash-hazel woodland but is now classified as WD1 mixed broadleaved. There is evidence of recent removal of beech (*Fagus sylvatica*) and conifer species from the wood. The canopy is dominated by mature pedunculate oak (*Quercus robur*) and, to a lesser extent, sessile oak (*Q. petraea*) and their hybrid. Beech and ash (*Fraxinus excelsior*) form the subcanopy. Wych elm (*Ulmus glabra*) and ash saplings poles are present in the understorey. The shrub, field and ground layers are very species poor. There is obvious evidence of deer grazing with scars present on ash saplings and poles. Bryophytes are mainly confined to dead wood and tree bases.

Site no.	<input type="text" value="0751"/>	FIPS no.	<input type="text" value="47398"/>	
Date surveyed	<input type="text" value="01/06/2005"/>			
Woodland name	<input type="text" value="Newcastle South"/>	Townland name	<input type="text" value="Newcastle"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="33"/>	Threat rating and score	<input type="text" value="Low"/>
			<input type="text" value="17"/>	
Disco. map	<input type="text" value="41"/>	Grid ref.	<input type="text" value="N189561"/>	6 inch sheet
			<input type="text" value="LF 27"/>	County
	<input type="text" value="Longford"/>			
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="6"/>	Max. alt. (m)
			<input type="text" value="58"/>	Min. alt. (m)
	<input type="text" value="55"/>			
Sub-soil	<input type="text" value="TDCSs"/>		Soil	<input type="text" value="AminDW/AminPDPT"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

This woodland has been modified in the past - it would have been a classic WN2 oak-ash-hazel woodland but now is classified as mixed broadleaved. The canopy is dominated by mature pedunculate oak (*Quercus robur*) with abundant beech (*Fagus sylvatica*) in the subcanopy. Mature ash (*Fraxinus excelsior*), red oak (*Q. rubra*) and, to a lesser extent, Norway spruce (*Picea abies*) are scattered throughout the canopy. The shrub, field and ground layers are poor in this woodland. Despite this there is evidence of regeneration with pedunculate oak, beech and many ash seedlings present. Several species in the field layer indicate the soil is rich in nutrients - *Arum maculatum*, *Chrysosplenium oppositifolium*, *Geum urbanum* and *Glechoma hederacea*.

Site no.	<input type="text" value="0752"/>	FIPS no.	<input type="text" value="69818, 25025, 42758, 42625, 25013, 81336"/>	
Date surveyed	<input type="text" value="29/08/2005"/>			
Woodland name	<input type="text" value="Yellow Island"/>	Townland name	<input type="text" value="Yellow Island"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="High"/>
			<input type="text" value="50"/>	
Disco. map	<input type="text" value="43"/>	Grid ref.	<input type="text" value="O054756"/>	6 inch sheet
				<input type="text" value="1E 20/LH 2"/>
County	<input type="text" value="Meath/Louth"/>			
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="1862"/>	SAC code
			<input type="text" value="2299"/>	SPA Code
				<input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text" value="Other State Body"/>	Area (ha)	<input type="text" value="10.2"/>	Max. alt. (m)
			<input type="text" value="10"/>	Min. alt. (m)
				<input type="text" value="0"/>
Sub-soil	<input type="text" value="A/Water/GLPSsS"/>		Soil	
			<input type="text" value="AlluvMIN/Water/AminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="100%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input checked="" type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A river island in the Boyne 2 km west of Drogheda. The canopy is dominated by a mixture of Salix species. Largely grey willow (Salix cinerea), almond willow (S. triandra), osier (S. viminalis) and crack willow (S. fragilis). The tree structure is a dense mass of tangled and sprawling limbs, fairly young in age. The field layer is dominated by Calystegia sepium, Urtica dioica Carex riparia, Senecio aquatica, Rorippa nasturtium-aquaticum, Myosotis scorpioides, Phalaris arundinacea, Oenanthe crocata and Solanum dulcamara and is very dense in places. In the western portion of the site broad tracks have been felled by for access to fishing and there are large open areas dominated by Petasites hybridus. In the central part of the site Phragmites australis reed beds occur, the eastern part of the site is partially under the new M1 bridge. Field layer vegetation is sparse here, in the shade of the bridge, with Cochleria anglica frequent under a grey willow (Salix cinerea) canopy. This eastern end appears to be lower lying.

Site no.	<input type="text" value="0753"/>	FIPS no.	<input type="text" value="28792"/>	
Date surveyed	<input type="text" value="12/08/2005"/>			
Woodland name	<input type="text" value="Tree Island"/>	Townland name	<input type="text" value="Ballyhoe"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="36"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="N844955"/>	6 inch sheet <input type="text" value="ME 3"/> County <input type="text" value="Meath"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="1594"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="2"/>	Max. alt. (m) <input type="text" value="25"/> Min. alt. (m) <input type="text" value="23"/>
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="80%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="20%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A small site located 6km east of Kingscourt. The site is included in the Ballyhoe Lough NHA. The site is mostly lakeshore woodland but there is a small area of patchy mixed broadleaved woodland in the interior of the site, with sycamore (*Acer pseudoplatanus*), hawthorn (*Crataegus monogyna*) and blackthorn scrub. The relevé was placed in the lakeshore woodland. Alder (*Alnus glutinosa*) dominated the canopy and alder and grey willow (*Salix cinerea*) were frequent in the shrub layer. The field layer was dominated by *Carex riparia* and also contained frequent *Carex vesicaria*, *Phalaris arundinacea* and *Filipendula ulmaria*. The soil was a basin peat with impeded drainage and seasonal flooding from the lake.

Site no.	<input type="text" value="0756"/>	FIPS no.	<input type="text" value="32084"/>		
Date surveyed	<input type="text" value="18/04/2005"/>				
Woodland name	<input type="text" value="Summerhill Demesne"/>	Townland name	<input type="text" value="Summerhill Demesne"/>		
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="27"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="49"/>	Grid ref.	<input type="text" value="N850473"/>	6 inch sheet	<input type="text" value="ME 43"/>
County	<input type="text" value="Meath"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="3.5"/>	Max. alt. (m)	<input type="text" value="100"/>
Min. alt. (m)	<input type="text" value="100"/>				
Sub-soil	<input type="text" value="TLs"/>		Soil	<input type="text" value="BminDW/BminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="100%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A small parcel (3.5 ha) within a larger conifer plantation. The site is Coillte-owned. The vegetation is classed as WN2 oak-ash-hazel woodland. It is dominated by ash (*Fraxinus excelsior*) (planted 1976) with some beech (*Fagus sylvatica*) and western hemlock-spruce (*Tsuga heterophylla*). Pedunculate oak (*Quercus robur*) and sycamore (*Acer pseudoplatanus*) are present occasionally. Hazel (*Corylus avellana*) dominates the understorey. The field layer is dominated by *Hyacinthoides non-scripta* and *Ranunculus ficaria*. There is no apparent grazing.

Site no.	<input type="text" value="0757"/>	FIPS no.	<input type="text" value="81655"/>		
Date surveyed	<input type="text" value="14/09/2005"/>				
Woodland name	<input type="text" value="Ballymurphy"/>	Townland name	<input type="text" value="Ballymurphy"/>		
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="27"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="25"/>
Disco. map	<input type="text" value="43"/>	Grid ref.	<input type="text" value="N979513"/>	6 inch sheet	<input type="text" value="ME 44"/>
County	<input type="text" value="Meath"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="3"/>	Max. alt. (m)	<input type="text" value="100"/>
Min. alt. (m)	<input type="text" value="100"/>				
Sub-soil	<input type="text" value="TLs"/>		Soil	<input type="text" value="BminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A small site located 1 km southeast of Dunshaughlin. The site was originally managed as a fox covert and has been planted with *Rhododendron ponticum*. The rhododendron dominates part of the site, leaving scattered areas of trees. Ash (*Fraxinus excelsior*) and blackthorn (*Prunus spinosa*) are abundant and grey willow (*Salix cinerea*) is frequent. The field layer is dominated by bramble (*Rubus fruticosus*), wood avens (*Geum urbanum*) and nettles (*Urtica dioica*). The site is surrounded by deep ditches and is no signs of management were observed.

Site no.	<input type="text" value="0760"/>	FIPS no.	<input type="text" value="33011"/>	
Date surveyed	<input type="text" value="27/09/2005"/>			
Woodland name	<input type="text" value="Harristown (Meath)"/>	Townland name	<input type="text" value="Harristown"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="36"/>	Threat rating and score	<input type="text" value="Moderate"/> <input type="text" value="25"/>	
Disco. map	<input type="text" value="43"/>	Grid ref.	<input type="text" value="N922681"/>	6 inch sheet <input type="text" value="ME 25"/> County <input type="text" value="Meath"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="2"/>	Max. alt. (m) <input type="text" value="100"/> Min. alt. (m) <input type="text" value="100"/>
Sub-soil	<input type="text" value="TLs"/>		Soil <input type="text" value="BminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="100%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A small woodland located 5 km east of Navan. The site is a fox covert owned by the Meath Hunt. The canopy is dominated by mature ash trees (*Fraxinus excelsior*) with elder (*Sambucus nigra*) dominant in the subcanopy. Blackthorn (*Prunus spinosa*), ash and elder are all frequent in the shrub layer. The ground flora is dominated by ivy (*Hedera helix*) and *Thamnobryum alopecurum* with frequent *Polystichum setiferum*. The site is flat. The soil is a freely draining brown earth. A buzzard was observed hunting over the adjacent fields. Hedgerows containing mature trees surround these fields. Large numbers of ash trees were recently felled.

Site no.	<input type="text" value="0762"/>	FIPS no.	<input type="text" value="21689, 69715"/>	
Date surveyed	<input type="text" value="10/08/2005"/>			
Woodland name	<input type="text" value="Summerhill Lower"/>	Townland name	<input type="text" value="Summerhill Lower"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="36"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="17"/>	
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="N854884"/>	6 inch sheet <input type="text" value="ME 6"/> County <input type="text" value="Meath"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="2.3"/>	Max. alt. (m) <input type="text" value="100"/> Min. alt. (m) <input type="text" value="70"/>
Sub-soil	<input type="text" value="TLs"/>		Soil	<input type="text" value="BminDW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input checked="" type="checkbox"/>	WN2 <input type="text" value="100%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A small woodland, 2.5 km east of Nobber that stretches from the bottom to top of a drumlin on the western slope, surrounded by fields. Ash (*Fraxinus excelsior*) and goat willow (*Salix caprea*) dominate the canopy with Hawthorn (*Crataegus monogyna*) and hazel (*Corylus avellana*) throughout the shrub layer. Heavy grazing has resulted in much bare soil. The field layer is dominated by grasses with *Agrostis stolonifera* frequent. Herbs include *Filipendula ulmaria*, *Geranium robertianum*, *Circaea lutetiana* and *Oxalis acetosella*. Canopy not entire throughout, many breaks.

Site no.	<input type="text" value="0763"/>	FIPS no.	<input type="text" value="20442, 42791"/>	
Date surveyed	<input type="text" value="14/06/2005"/>			
Woodland name	<input type="text" value="Milltown Glen"/>	Townland name	<input type="text" value="Lisnagrow, Keenaghan"/>	
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="61"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="17"/>
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="N781917"/>	6 inch sheet <input type="text" value="ME 2"/> County <input type="text" value="Meath"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="7.4"/>	Max. alt. (m) <input type="text" value="100"/> Min. alt. (m) <input type="text" value="70"/>
Sub-soil	<input type="text" value="RckNCa/A/TLPSsS"/>		Soil <input type="text" value="AminSW/AlluvMIN/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="15%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="85%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

Steep sided wooded valley 4 km south of Kingscourt. An area of ash (*Fraxinus excelsior*) and hazel (*Corylus avellana*) woodland occurs to the south, with the remainder of the woodland containing ash and hazel, together with Japanese larch, sycamore (*Acer pseudoplatanus*) and beech (*Fagus sylvatica*). Species occurring in the ground flora include *Galium odoratum*, *Veronica chamaedris* and *Conopodium majus* and a variety of ferns including abundant *Polystichum setiferum*, *Athyrium filix-femina* and *Dryopteris filix-mas*. The river running through the valley adds diversity to the site. There are a number of large larch trees that have fallen over and remain within the site.

Site no.	<input type="text" value="0765"/>	FIPS no.	<input type="text" value="69701"/>	
Date surveyed	<input type="text" value="08/09/2005"/>			
Woodland name	<input type="text" value="Newcastle"/>	Townland name	<input type="text" value="Newcastle, Coole"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="39"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="17"/>
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="N795910"/>	6 inch sheet <input type="text" value="ME 2"/> County <input type="text" value="Meath"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="3"/>	Max. alt. (m) <input type="text" value="53"/> Min. alt. (m) <input type="text" value="53"/>
Sub-soil	<input type="text" value="Cut/Water"/>		Soil	<input type="text" value="Cut/Water"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A small woodland located 5 km northwest of Nobber. The site consists of a narrow fringe of willow-alder woodland along the shore of Newcastle Lough. The woodland further back from the lake was dominated by non-native broadleaves (sycamore) and conifers and was excluded from the site. The canopy and shrub layer were dominated by sally with occasional alder (*Alnus glutinosa*). The field layer was dominated by *Carex riparia* with frequent *Phalaris arundinacea* and *Carex elata*. Litter was abundant and bare soil was frequent. The soil was a fen peat with impeded drainage. The site is privately owned and managed as a wildlife sanctuary.

Site no.	<input type="text" value="0766"/>	FIPS no.	<input type="text" value="36323"/>		
Date surveyed	<input type="text" value="11/06/2005"/>				
Woodland name	<input type="text" value="Drumard"/>	Townland name	<input type="text" value="Drumard"/>		
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="36"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="8"/>
Disco. map	<input type="text" value="34"/>	Grid ref.	<input type="text" value="N220957"/>	6 inch sheet	<input type="text" value="LF 2"/>
County	<input type="text" value="Longford"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="6"/>	Max. alt. (m)	<input type="text" value="70"/>
Min. alt. (m)	<input type="text" value="60"/>				
Sub-soil	<input type="text" value="Cut/TLPSsS"/>		Soil	<input type="text" value="Cut/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

Woodland developed by natural regeneration on cutover bog - dominated by downy birch (*Betula pubescens*). Some pools and drainage ditches within the site. Poor diversity of herb species. Rubbish dumping evident on site. Site is part of commonage with turbary rights.

Site no.	<input type="text" value="0767"/>	FIPS no.	<input type="text" value="51014, 51013"/>		
Date surveyed	<input type="text" value="04/05/2005"/>				
Woodland name	<input type="text" value="Kiltyclogh"/>	Townland name	<input type="text" value="Kiltyclogh, Aghaward"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="54"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="25"/>
Disco. map	<input type="text" value="34"/>	Grid ref.	<input type="text" value="N229829"/>	6 inch sheet	<input type="text" value="LF 9"/>
County	<input type="text" value="Longford"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="4"/>	Max. alt. (m)	<input type="text" value="100"/>
Min. alt. (m)	<input type="text" value="70"/>				
Sub-soil	<input type="text" value="RckNCa/TLPSSs"/>		Soil	<input type="text" value="AminSW/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="80%"/>	Cattle <input type="checkbox"/>	Springs <input checked="" type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input checked="" type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="20%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

Very steep-sided river valley with many mature trees. Canopy dominated by sessile oak (*Quercus petraea*) and Beech (*Fagus sylvatica*). Beech is the dominant species at the northern end of the site and litter dominates the ground layer in this area. In general, *Hyacinthoides non-scripta* is the dominant species in the field layer and bryophytes are frequent on rocks adjacent to the river. Pockets of conifers also present throughout the site.

Site no.	<input type="text" value="0768"/>	FIPS no.	<input type="text" value="47368"/>	
Date surveyed	<input type="text" value="20/06/2005"/>			
Woodland name	<input type="text" value="Forgney"/>	Townland name	<input type="text" value="Forgney"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>
Disco. map	<input type="text" value="41"/>	Grid ref.	<input type="text" value="N200541"/>	6 inch sheet <input type="text" value="LF 27"/> County <input type="text" value="Longford"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="5"/>	Max. alt. (m) <input type="text" value="62"/> Min. alt. (m) <input type="text" value="62"/>
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

Betula pubescens dominated woodland on cutover bog. Grey willow (Salix cinerea) and eared willow (S. aurita) are abundant in small patches along the eastern edge of the woodland. The shrub layer is absent except around the edges where blackthorn (Prunus spinosa) and Hawthorn (Crataegus monogyna) are frequent. The field layer is dominated by Rubus fruticosus and scattered Dryopteris dilatata. The ground layer is rich and is dominated by Hypnum jutlandicum in the eastern half, whereas Thuidium tamariscinum is abundant in the western half of the woodland. The southern edge of the woodland has been planted recently with Picea sitchensis, Larix kaempferi and alder (Alnus glutinosa) (Dec 2004).

Site no.	<input type="text" value="0769"/>	FIPS no.	<input type="text" value="47275"/>		
Date surveyed	<input type="text" value="13/06/2005"/>				
Woodland name	<input type="text" value="Kilcommock Glebe"/>	Townland name	<input type="text" value="Kilcommock Glebe"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="52"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="41"/>	Grid ref.	<input type="text" value="N128617"/>	6 inch sheet	<input type="text" value="LF 23"/>
County	<input type="text" value="Longford"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="5"/>	Max. alt. (m)	<input type="text" value="75"/>
Min. alt. (m)	<input type="text" value="75"/>				
Sub-soil	<input type="text" value="TDCSSs/Cut"/>		Soil	<input type="text" value="AminDW/Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="85%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="15%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

Quercus robur is rare in this woodland but the woodland is classified as WN2 oak-ash hazel woodland due to the dominance of ash (Fraxinus excelsior) and hazel (Corylus avellana) in the canopy and shrub layer respectively. Hawthorn (Crataegus monogyna) and holly (Ilex aquifolium) are scattered in the understorey also. The field layer is rich with many ruderal species abundant in places - Poa annua, Galium aparine, Veronica hederifolia, V. persica, Anthriscus sylvestris, Taraxacum sp. and other abundant species such as Circaea lutetiana, Veronica montana, Geum urbanum and several Ranunculus species. Most of the bryophytes are on the rocks and tree bases. The main species are Thamnobryum alopecurum, Eurhynchium striatum and Neckera complanata. The northern end of the woodland and the area along the avenue are more modified and contain exotic species such as Beech (Fagus sylvatica), Abies nordmanniana, sycamore (Acer pseudoplatanus) and Aesculus hippocastanum. Here the understorey contains large patches of Prunus laurocerasus.

Site no.	<input type="text" value="0770"/>	FIPS no.	<input type="text" value="83069, 48640"/>	
Date surveyed	<input type="text" value="09/06/2005"/>			
Woodland name	<input type="text" value="Glenmore"/>	Townland name	<input type="text" value="Glenmore, Abbeyderg"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="39"/>	Threat rating and score	<input type="text" value="Moderate"/> <input type="text" value="25"/>	
Disco. map	<input type="text" value="41"/>	Grid ref.	<input type="text" value="N141639"/>	6 inch sheet <input type="text" value="LF 22"/>
County	<input type="text" value="Longford"/>			
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="5"/>	Max. alt. (m) <input type="text" value="77"/>
Min. alt. (m)	<input type="text" value="77"/>			
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

Birch (*Betula pubescens*) dominated woodland on cut over bog. Mature rowan (*Sorbus aucuparia*) and pedunculate oak (*Quercus robur*) are occasional in the canopy. The understorey is composed of Holly (*Ilex aquifolium*). The field layer is dominated by low woody species - *Rubus fruticosus* or *Vaccinium myrtillus* and *Dryopteris dilatata*. The ground layer is abundant and is dominated by *Thuidium tamariscinum*. There is evidence of *Prunus laurocerasus* invasion in small patches. Species indicating high nutrients only occur along the edge of the woodland where it borders grassland - *Arum maculatum*, *Galium aparine*, *Viola riviniana*, *Fragaria vesca*.

Site no.	<input type="text" value="0771"/>	FIPS no.	<input type="text" value="69399, 82182"/>	
Date surveyed	<input type="text" value="30/05/2005"/>			
Woodland name	<input type="text" value="Golaroe"/>	Townland name	<input type="text" value="Larkfield"/>	
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="67"/>	Threat rating and score	<input type="text" value="Moderate"/>
			<input type="text" value="25"/>	
Disco. map	<input type="text" value="34"/>	Grid ref.	<input type="text" value="N280889"/>	6 inch sheet
			<input type="text" value="LF 6"/>	County
	<input type="text" value="Longford"/>	NPWS region	<input type="text" value="North Midlands"/>	NHA code
	<input type="text" value="992"/>	SAC code	<input type="text" value="-"/>	SPA Code
	<input type="text" value="-"/>	National Park	<input type="checkbox"/>	Nature Reserve
	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>	
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="5"/>	Max. alt. (m)
			<input type="text" value="80"/>	Min. alt. (m)
	<input type="text" value="60"/>	Sub-soil	<input type="text" value="TLPSSs"/>	
		Soil	<input type="text" value="AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="40%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="60%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A small and narrow woodland adjacent to a lake in County Longford with seasonally flooded riparian woodland along margin dominated by birch (*Betula pubescens*) and ash (*Fraxinus excelsior*). The field layer contains *Rubus fruticosus*, *Luzula sylvatica*, *Carex remota*, *Brachypodium sylvaticum*, *Circea lutetiana*, *Angelica sylvestris*, *Oxalis acetosella*, *Dropteris affinis* and *Geum urbanum*. The wood is interspersed with WN1 oak-birch holly woodland containing birch, sessile oak (*Quercus petraea*) and holly (*Ilex aquifolium*) and which occurs on relatively higher areas on peat. Woodland width ranges from 30m to 50 metres. Invasion by *Rhododendron ponticum* is extensive. Site has high amenity value (walking route through the wood) - also regularly used by fishermen to gain access to adjacent lake.

Site no.	<input type="text" value="0773"/>	FIPS no.	<input type="text" value="82931, 46386"/>	
Date surveyed	<input type="text" value="29/07/2005"/>			
Woodland name	<input type="text" value="Kiltyreher North"/>	Townland name	<input type="text" value="Kiltyreher"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>
Disco. map	<input type="text" value="41"/>	Grid ref.	<input type="text" value="O176783"/>	6 inch sheet <input type="text" value="LF 9"/> County <input type="text" value="Longford"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="4"/>	Max. alt. (m) <input type="text" value="60"/> Min. alt. (m) <input type="text" value="40"/>
Sub-soil	<input type="text" value="TLPSSs"/>		Soil	<input type="text" value="AminPDPT"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="100%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

This small WN4 wet pedunculate oak-ash woodland occurs amidst lowland in Cottny Longford. Canopy species include ash (*Fraxinus excelsior*), alder (*Alnus glutinosa*), grey willow (*Salix cinerea*) and hazel (*Corylus avellana*). The woodland canopy varies in height and is marked by blackthorn (*Prunus spinosa*) dominated scrub at the edges. The field layer includes *Chrysosplenium oppositifolium*, *Circea lutetiana*, *Carex remota*, *C. sylvatica*, *Agrostis capillaris*, *Deschampsia cespitosa* and *Filipendula ulmaria*. It appears that the wood was managed on a coppice rotation in the past. The species rich wet grassland adjacent to the site (to the north) was planted with conifers about 4 years ago. *Epipactis helleborine* locally frequent on site.

Site no.	<input type="text" value="0774"/>	FIPS no.	<input type="text" value="48468, 48469"/>		
Date surveyed	<input type="text" value="14/06/2005"/>				
Woodland name	<input type="text" value="Cornahoo"/>	Townland name	<input type="text" value="Abbeyderg"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="8"/>
Disco. map	<input type="text" value="41"/>	Grid ref.	<input type="text" value="N128654"/>	6 inch sheet	<input type="text" value="LF 18"/>
County	<input type="text" value="Longford"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="4"/>	Max. alt. (m)	<input type="text" value="70"/>
Min. alt. (m)	<input type="text" value="70"/>				
Sub-soil	<input type="text" value="TLs/Cut"/>		Soil	<input type="text" value="BminDW/Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

Birch (*Betula pubescens*) dominated woodland on cutover bog. Several willow species (*Salix* spp.) are scattered throughout the canopy and understorey. Hawthorn (*Crataegus monogyna*) and blackthorn (*Prunus spinosa*) are also present in the understorey. The field layer is mainly *Rubus fruticosus* which is abundant throughout. The main herbaceous species found in this layer include *Dryopteris dilatata*, *Molinia caerulea* and *Anthoxanthum odoratum*. The ground layer is dominated by *Thuidium tamariscinum* and *Pseudoscleropodium purum*. There is no evidence of management, grazing or invasive species in this woodland.

Site no.	<input type="text" value="0775"/>	FIPS no.	<input type="text" value="84434, 84435, 54340"/>		
Date surveyed	<input type="text" value="20/09/2005"/>				
Woodland name	<input type="text" value="Derrybawn"/>	Townland name	<input type="text" value="Derrybawn, Cullentragh Big"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="67"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="8"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="T137955"/>	6 inch sheet	<input type="text" value="WI 23"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="2122"/>
SPA Code	<input type="text" value="4040"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input checked="" type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="NPWS"/>	Area (ha)	<input type="text" value="50"/>	Max. alt. (m)	<input type="text" value="290"/>
Min. alt. (m)	<input type="text" value="140"/>				
Sub-soil	<input type="text" value="RckNCa/TLPSSs"/>		Soil	<input type="text" value="AminSRPT/AminPDPT"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="80%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="20%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A large area of acid oak woodland often dominated by sessile oak (*Quercus petraea*). Beech (*Fagus sylvatica*) is abundant in some areas of the site and these areas were mapped as WD1 mixed broadleaf woodland or excluded as non-native woodland. Extensive felling of non-native trees has recently occurred in the north of the site and it is hoped that the area will be naturally regenerated by native tree species in the locality; this is part of the management plan for the area.

Site no.	<input type="text" value="0776"/>	FIPS no.	<input type="text" value="11630, 11603, 67232, 11582"/>		
Date surveyed	<input type="text" value="20/09/2005"/>				
Woodland name	<input type="text" value="Castlehoward"/>	Townland name	<input type="text" value="Meetings, Castlehoward, Connary Lower"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="76"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="25"/>
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="T194832"/>	6 inch sheet	<input type="text" value="WI 35"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="30"/>	Max. alt. (m)	<input type="text" value="160"/>
Min. alt. (m)	<input type="text" value="50"/>				
Sub-soil	<input type="text" value="TLPSSs/RckNCa/A/GLPSSs"/>		Soil	<input type="text" value="AminDW/AminSW/AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="30%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input checked="" type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input checked="" type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input checked="" type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value="Manmade ston"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="60%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="10%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

This is a large area of sessile oak (*Quercus petraea*) woodland, situated in an estate (Castlehoward Estate, between Rathdrum and Avoca, Co. Wicklow) with lots of other mixed woodland. Much of the woodland consists of WD1 mixed broadleaf woodland comprising mature oak and beech (*Fagus sylvatica*) with an understorey of mostly young holly (*Ilex aquifolium*). A small area of woodland with Scots pine (*Pinus sylvestris*) in the canopy, and both sessile oak (*Quercus petraea*) and some birch (*Betula pubescens*) in the subcanopy was surveyed. *Vaccinium myrtillus* dominated the ground flora here. The remainder of the site consisted of WN1 oak-birch-holly woodland. Here the height of the oak trees varied between the upper and lower slopes (taller trees on lower slopes). *Vaccinium myrtillus* again dominated the ground flora, except for substantial areas where *Rhododendron ponticum* dominated. The releve was placed at approximately mid-slope in this area of woodland. A number of uncommon plant species were found: *Dryopteris aemula*, *Milium effusum* and *Melica uniflora*.

Site no.	<input type="text" value="0777"/>	FIPS no.	<input type="text" value="83955, 39868, 61569, 61564"/>		
Date surveyed	<input type="text" value="26/07/2005"/>				
Woodland name	<input type="text" value="Glen of the Downs"/>	Townland name	<input type="text" value="Bellevue Demesne, Woodlands"/>		
Conservation rating and score	<input type="text" value="Excellent"/>	<input type="text" value="88"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="8"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="O260112"/>	6 inch sheet	<input type="text" value="WI 3/8"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="719"/>	SAC code	<input type="text" value="719"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input checked="" type="checkbox"/>		
Woodland present in the 1840s	<input type="text" value="Yes"/>				
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="56.3"/>	Max. alt. (m)	<input type="text" value="200"/>
Min. alt. (m)	<input type="text" value="80"/>				
Sub-soil	<input type="text" value="RckNCa/A/TCSsS"/>		Soil	<input type="text" value="AminSW/AlluvMIN/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="70%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="30%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input checked="" type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

This site contains a large area of WN1 oak-birch-holly woodland on both sides of a very steep river valley. On the western side, an area of ash (*Fraxinus excelsior*), sycamore (*Acer pseudoplatanus*) and *Rubus fruticosus* agg. occurs, and a further strip of ash-dominated woodland occurs along the river, on the east side. These two areas most closely resemble WN2 oak-ash-hazel woodland. A number of areas of mixed woodland are found at the north and south ends - these have been excluded (see attached map). The WN1 is dominated by mature sessile oak (*Quercus petraea*). On the western slope *Luzula sylvatica* was the dominant ground flora species. On the eastern side *Vaccinium myrtillus* was more common. Holly (*Ilex aquifolium*) cover was patchy throughout. Both ash-dominated areas were quite variable, with species such as sycamore (*Acer pseudoplatanus*), Hazel (*Corylus avellana*), Wych elm (*Ulmus glabra*), Spindle (*Euonymus europaeus*), Hawthorn (*Crataegus monogyna*) and beech (*Fagus sylvatica*) being found. The ground flora was similarly varied. The western side of this site, although containing a smaller area of WN1, appears to be less disturbed (there are no paths here) and better developed overall. Irish whitebeam (*Sorbus hibernica*) was found in the western portion of woodland, near a rocky outcrop. Deer (species unknown) were seen in the woodland.

Site no.	<input type="text" value="0779"/>	FIPS no.	<input type="text" value="11799, 11892"/>	
Date surveyed	<input type="text" value="03/08/2005"/>			
Woodland name	<input type="text" value="Shelton North"/>	Townland name	<input type="text" value="Shelton"/>	
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="70"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="T217759"/>	6 inch sheet <input type="text" value="WI 40"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="1748"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="20"/>	Max. alt. (m) <input type="text" value="100"/> Min. alt. (m) <input type="text" value="30"/>
Sub-soil	<input type="text" value="RckNCa/A/TLPSsS"/>		Soil <input type="text" value="AminSW/AminSP/AlluvMIN/AminPD/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="90%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="10%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

This is a large site, situated on the north side of the Avoca valley between Arklow and Woodenbridge in Co. Wicklow. The main part of the woodland consists of sessile oak (*Quercus petraea*)-dominated WN1 oak-birch-holly woodland. Large adjacent areas have been clear-felled in the past, giving the edges of the woodland a sparse appearance. Holly (*Ilex aquifolium*) forms dense stands in places, and many trees are very old. *Luzula sylvatica*, *Pteridium aquilinum* and *Rubus fruticosus* agg. are common in the ground flora. The woodland at the east of the site is much more mixed, with ash (*Fraxinus excelsior*), hazel (*Corylus avellana*) and sycamore (*Acer pseudoplatanus*) becoming important canopy species. Between these two sections (i.e. at the east of the WN1) there is a large area dominated by Beech (*Fagus sylvatica*). This was excluded from the survey. The adjacent land is heavily managed for shooting (pheasant and duck). Buzzards were seen and heard at this site.

Site no.	<input type="text" value="0780"/>	FIPS no.	<input type="text" value="60309, 67217, 83856, 60307, 60305, 67218"/>		
Date surveyed	<input type="text" value="22/09/2005"/>				
Woodland name	<input type="text" value="Luggala Lodge"/>	Townland name	<input type="text" value="Ballinastoe, Cloghoge"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="64"/>	Threat rating and score	<input type="text" value="High"/>	<input type="text" value="42"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="O161085"/>	6 inch sheet	<input type="text" value="WI 12"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="2122"/>	SAC code	<input type="text" value="2122"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>		
Woodland present in the 1840s	<input type="text" value="Yes"/>				
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="35"/>	Max. alt. (m)	<input type="text" value="410"/>
Min. alt. (m)	<input type="text" value="280"/>				
Sub-soil	<input type="text" value="RckNCa/TGr/A"/>		Soil	<input type="text" value="AminSRPT/AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="100%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input checked="" type="checkbox"/>	Damp clefts/ravines <input checked="" type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input checked="" type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="4"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats	<input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A large area of mainly WN1 oak-birch-holly woodland adjoining areas of mixed and conifer woodland. Main canopy species is sessile oak (*Quercus petraea*), with no understorey due to heavy overgrazing by deer. Herb layer is almost absent, confined to a few well-grazed *Luzula sylvatica* and ferns. The uncommon fern *Oreopteris limbosperma* is locally frequent along the portion running along the east side of the lake. Bryophyte cover is extensive and diverse. Crown damage to oak was extensive. At the north end, WN1 grades into WD1 mixed woodland. At the south end, the woodland grades into more open, and/or mixed woodland. At the extreme north of the adjacent wooded area, to the west of the Cloghoge River, is a slope with many birch (both species) trees, along with ash (*Fraxinus excelsior*), hazel (*Corylus avellana*) and Scots pine (*Pinus sylvestris*). However, this area was deemed to be too open to qualify for inclusion. The following fauna species were seen on site: Red and grey squirrels, frog, hare and sika deer.

Site no.	<input type="text" value="0781"/>	FIPS no.	<input type="text" value="77607, 40770, 19087, 77604, 39851"/>		
Date surveyed	<input type="text" value="26/09/2005"/>				
Woodland name	<input type="text" value="The Devil's Glen"/>	Townland name	<input type="text" value="Ballymaghroe, Ballymoneen, Birchwood"/>		
Conservation rating and score	<input type="text" value="Excellent"/>	<input type="text" value="82"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="8"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="T246990"/>	6 inch sheet	<input type="text" value="WI 18/WI 24"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="718"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="36.7"/>	Max. alt. (m)	<input type="text" value="215"/>
Min. alt. (m)	<input type="text" value="110"/>				
Sub-soil	<input type="text" value="RckNCa/A/TLPSsS"/>		Soil	<input type="text" value="AminSW/AlluvMIN/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="95%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="5%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input checked="" type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

This area of oak-dominated woodland is located along a very large wooded valley through which the River Vartry flows. It is found approximately 3km northwest of Ashford, Co. Wicklow. The area surveyed (Area 1 on accompanying 6" map) is dominated by mature sessile oak (*Quercus petraea*), with occasional ash (*Fraxinus excelsior*) and birch (*Betula pubescens*), especially at the lower end of the slopes, by the river. Holly (*Ilex aquifolium*) and hazel (*Corylus avellana*) were occasional in the understorey. The ground flora was dominated by *Luzula sylvatica*, with occasional *Vaccinium myrtillus*. A small section of woodland (Area 2) running along by the river at the base of the north-facing slope has also been included. This is quite mixed, with ash, hazel, wych elm (*Ulmus glabra*), and the occasional non-native species. This area was not fully walked (i.e. up-slope) due to time constraints and steepness of terrain. However, the woodland upslope (marked Area 5) was viewed from the opposite slope, and was seen to contain many conifers, and be quite mixed. Areas 3 and 4 were excluded due to its gappy nature and also dominance by non-natives. These latter include *Larix* sp., sycamore (*Acer pseudoplatanus*), sweet chestnut (*Castanea sativa*). The southern section is used for walking, but this amenity use is very largely confined to existing, maintained pathways.

Site no.	<input type="text" value="0783"/>	FIPS no.	<input type="text" value="53556, 53542, 53538, 53557, 53543, 53544, 53530"/>		
Date surveyed	<input type="text" value="21/06/2005"/>				
Woodland name	<input type="text" value="Deputy's Pass"/>	Townland name	<input type="text" value="Ballinacooley, Ballygannon More"/>		
Conservation rating and score	<input type="text" value="Excellent"/>	<input type="text" value="82"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="25"/>
Disco. map	<input type="text" value="56/62"/>	Grid ref.	<input type="text" value="T235905"/>	6 inch sheet	<input type="text" value="WI 30"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="1756, 717"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input checked="" type="checkbox"/>		
Woodland present in the 1840s	<input type="text" value="Yes"/>				
Ownership	<input type="text" value="NPWS"/>	Area (ha)	<input type="text" value="39"/>	Max. alt. (m)	<input type="text" value="130"/>
Min. alt. (m)	<input type="text" value="60"/>				
Sub-soil	<input type="text" value="TLPSSs/A/RckNCA"/>		Soil	<input type="text" value="AlluvMIN/AminDW/AminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="100%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A large area of WN1 oak-birch-holly woodland located just southwest of Glenealy, Co. Wicklow, around the side of a low hill, plus a smaller area to the south, separated by a road. The main woodland type is WN1, dominated by sessile oak (*Quercus petraea*) and holly (*Ilex aquifolium*), with frequent rowan (*Sorbus aucuparia*) and occasional birch (*Betula pubescens*). Ground flora is dominated by *Luzula sylvatica* and *Vaccinium myrtillus*. About one third of the site consists of young birch woodland, with rare rowan and grey willow (*Salix cinerea*) at the edge. Understorey dominated by *Rubus fruticosus* agg. and frequent *Carex echinata*. By the road and path by the river are strips with ash (*Fraxinus excelsior*), hazel (*Corylus avellana*) and grey willow. Southern section (across main road) is more mixed in character, with beech (*Fagus sylvatica*) more common here - see map in site pack for more details. The majority of the east sections of the woodland (numbered 8 and 9 on map) were excluded due to dominance of either beech or conifers. *Prunus laurocerasus* and *Symphoricarpos albus* are found here also, and are spreading. A horseshoe-shaped area in the main part of the site was also excluded due to conifers. A small amount of *Rhododendron ponticum* was found in the northeast of the site.

Site no.	<input type="text" value="0784"/>	FIPS no.	<input type="text" value="62027, 62028, 62032, 62026, 83991, 40518, 40511"/>		
Date surveyed	<input type="text" value="26/04/2005"/>				
Woodland name	<input type="text" value="Oldboleys"/>	Townland name	<input type="text" value="Oldboleys, Ballycoyle, Tonygarrow, Ballygrane"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="33"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="O156166"/>	6 inch sheet	<input type="text" value="WI 7"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="1755"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="28.4"/>	Max. alt. (m)	<input type="text" value="240"/>
Min. alt. (m)	<input type="text" value="160"/>				
Sub-soil	<input type="text" value="TGr/A"/>		Soil	<input type="text" value="AminSRPT/AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="100%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input checked="" type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="4"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A large area of native woodland that is part of the Glencree woods. The outer parts of the site are dominated by large mature sessile oak (*Quercus petraea*) growing amongst abandoned fields. The centre of the site is dominated by younger oak with fewer boulders scattered on the ground. *Vaccinium myrtillus* and *Luzula sylvatica* are important species in the field layer. This site is being managed with an enclosure (approximately 100 x 100 m) in the centre of the site and saplings have been planted within protective plastic tubes near to the enclosure.

Site no.	<input type="text" value="0785"/>	FIPS no.	<input type="text" value="79890, 18372, 3213, 18360, 68661, 3221, 3222"/>		
Date surveyed	<input type="text" value="23/09/2005"/>				
Woodland name	<input type="text" value="Castlekevin"/>	Townland name	<input type="text" value="Castlekevin, Laragh East, Castlekevin East"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="67"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="33"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="T162977"/>	6 inch sheet	<input type="text" value="WI 24"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="34.1"/>	Max. alt. (m)	<input type="text" value="200"/>
Min. alt. (m)	<input type="text" value="160"/>				
Sub-soil	<input type="text" value="A/TLPSsS/RckNCA"/>		Soil	<input type="text" value="AlluvMIN/AminPDPT/AminSRPT"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="40%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="40%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="20%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

The woodland is mainly located on the eastern slopes and the valley floor of the Avonmore river. Adjacent to the river the woodland is dominated by birch (*Betula pubescens*) and willow (*salix* spp.) in the canopy and *Molinia caerulea* and *Sphagnum*s in the ground and field layers. On the valley slopes above the river, sessile oak (*Quercus petraea*) is the main canopy species. The herb and shrub layer are both grazed heavily by deer. Attempts are being made to control *Rhododendron ponticum* in the oak woodland in the northeast of the site

Site no.	<input type="text" value="0786"/>	FIPS no.	<input type="text" value="54362, 77640, 42965, 55114, 55115"/>		
Date surveyed	<input type="text" value="19/09/2005"/>				
Woodland name	<input type="text" value="The Giants Cut & Lugduff"/>	Townland name	<input type="text" value="Derrybawn, Lugduff"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="76"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="25"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="T128965"/>	6 inch sheet	<input type="text" value="WI 23"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="2122"/>
SPA Code	<input type="text" value="4040"/>				
National Park	<input checked="" type="checkbox"/>	Nature Reserve	<input checked="" type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="NPWS"/>	Area (ha)	<input type="text" value="48.1"/>	Max. alt. (m)	<input type="text" value="250"/>
Min. alt. (m)	<input type="text" value="130"/>				
Sub-soil	<input type="text" value="RckNCa/A/TLPSsS"/>		Soil	<input type="text" value="AminSRPT/AlluvMIN/AminPDPT"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="97%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input checked="" type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="3%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A large area of acid oak woodland on the southern side of the Glendalough valley. Mature sessile oak (*Quercus petraea*) dominates the woodland with birch (*Betula pubescens*) and beech (*Fagus sylvatica*) frequent throughout. The herb layer is often dominated by grass species such as *Agrostis stolonifera* and *Deschampsia flexuosa*. A second releve was carried out at the base of the valley in a wetter area dominated by birch with *Molinia caerulea* and *Sphagnum* species. This site was extended to also include the Lugduff area, although a large part of Lugduff is inaccessible

Site no.	<input type="text" value="0789"/>	FIPS no.	<input type="text" value="201, 202, 199, 208, 203, 200, 206, 205, 39887, 77656, 77655"/>	
Date surveyed	<input type="text" value="08/06/2005"/>			
Woodland name	<input type="text" value="Knocksink"/>	Townland name	<input type="text" value="Ballybrew, Monastery, Killegar, Parknasilloge"/>	
Conservation rating and score	<input type="text" value="Excellent"/>	<input type="text" value="88"/>	Threat rating and score	<input type="text" value="Low"/>
		<input type="text" value="8"/>		
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="O212184"/>	6 inch sheet
			<input type="text" value="WI 3/7"/>	County
	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="725"/>	SPA Code
	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input checked="" type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text" value="NPWS"/>	Area (ha)	<input type="text" value="21"/>	Max. alt. (m)
			<input type="text" value="160"/>	Min. alt. (m)
			<input type="text" value="70"/>	
Sub-soil	<input type="text" value="GGr/A/TGr/GLs"/>		Soil	<input type="text" value="AminSP/AlluvMIN/AminSW/AminDW/BminSW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="10%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="80%"/>	Cattle <input type="checkbox"/>	Springs <input checked="" type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input checked="" type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="10%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

Large area of WN1 oak-birch-holly and WN2 oak-ash-hazel woodland in north Co. Wicklow, just northwest of Enniskerry. Located on both sides of a steep valley, with a river flowing through. Many parts are hard to access or inaccessible. The main woodland type is ash (*Fraxinus excelsior*)-dominated WN2, with a varied but typical ground flora (e.g. abundant *Allium ursinum*, *Veronica montana*, *Polystichum setiferum*). A small area of WN1 is also found, dominated by sessile oak (*Quercus petraea*). *Luzula sylvatica* dominates the ground flora and there are local patches of *Vaccinium myrtillus*. Some individual oak trees were inconclusive when assigning to species - may be hybrids. Within the WN2 woodland there are areas which are dominated by mature beech (*Fagus sylvatica*), with a poor ground flora. There are small numbers of scattered conifers throughout the site. The accessible areas are criss-crossed with paths as this woodland is part of the NEEC (National Environmental Education Centre).

Site no.	<input type="text" value="0791"/>	FIPS no.	<input type="text" value="11506"/>	
Date surveyed	<input type="text" value="07/09/2005"/>			
Woodland name	<input type="text" value="Kilmacrea Wood"/>	Townland name	<input type="text" value="Kilmacrea Lower"/>	
Conservation rating and score	<input type="text" value="Very Good"/> <input type="text" value="61"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="T232850"/>	6 inch sheet <input type="text" value="WI 35"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="16.7"/>	Max. alt. (m) <input type="text" value="145"/> Min. alt. (m) <input type="text" value="90"/>
Sub-soil	<input type="text" value="RckNCa/TLPSSs"/>		Soil <input type="text" value="AminSW/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="100%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A medium-sized woodland located just northwest of Redcross, Co. Wicklow. The wood is sessile oak dominated (*Quercus petraea*) WN1 oak-birch-holly woodland, with a good holly (*Ilex aquifolium*) understorey, and frequent birch (*Betula pubescens*) in the canopy. Rowan (*Sorbus aucuparia*) is also occasional to frequent. The ground flora is *Vaccinium myrtillus* and *Luzula sylvatica*, with *Rubus fruticosus* agg. abundant in many parts of the woodland. Towards the edges of the wood hazel (*Corylus avellana*) and ash (*Fraxinus excelsior*) become more common, with *Oxalis acetosella* locally abundant. Overall, however, the wood is even-aged WN1. Locals report that the wood was cut down in 1946, and has regenerated from the cut stumps. Deer rutting site was seen and there was evidence of some bark stripping. An active badger sett was seen in the southeast of the site. At the moment the site has no threats and appears to be developing naturally, but it is owned by a timber contractor in Glenealy who is unsure as to what his future plans for the woods are. Notable species found was *Milium effusum*.

Site no.	<input type="text" value="0792"/>	FIPS no.	<input type="text" value="77673"/>	
Date surveyed	<input type="text" value="13/09/2005"/>			
Woodland name	<input type="text" value="Powerscourt Demesne North"/>	Townland name	<input type="text" value="Powerscourt Demesne"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="High"/> <input type="text" value="42"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="O209160"/>	6 inch sheet <input type="text" value="WI 7"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="1768"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="6"/>	Max. alt. (m) <input type="text" value="110"/> Min. alt. (m) <input type="text" value="80"/>
Sub-soil	<input type="text" value="A/GLs"/>		Soil	<input type="text" value="AlluvMIN/BminSP"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input checked="" type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input checked="" type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A modified native woodland growing on the valley above the River Dargle. Mature ash (*Fraxinus excelsior*) are abundant on the site, sycamore (*Acer pseudoplatanus*) are frequent and there are occasional large sessile oak (*Quercus petraea*) in the canopy. At the bottom of the site alder (*Alnus glutinosa*) is frequent. There are numerous small streams running down through the site. The woodland was originally thought to be larger but areas dominated by non-native tree species have been excluded, as was a large area where *Rhododendron ponticum* dominated all layers other than the canopy (see map).

Site no.	<input type="text" value="0793"/>	FIPS no.	<input type="text" value="79709"/>		
Date surveyed	<input type="text" value="16/08/2005"/>				
Woodland name	<input type="text" value="Altidore Demesne"/>	Townland name	<input type="text" value="Altidore Demesne"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="73"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="O245078"/>	6 inch sheet	<input type="text" value="WI 12"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="12"/>	Max. alt. (m)	<input type="text" value="210"/>
Min. alt. (m)	<input type="text" value="110"/>				
Sub-soil	<input type="text" value="RckNCa/A/GLs"/>		Soil	<input type="text" value="AminSW/AlluvMIN/BminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="35%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input checked="" type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input checked="" type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="15%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="50%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A medium-sized site located at Altidore Castle, just northwest of Newtownmountkennedy, in a steep river valley. A number of woodland types were present (see 6" map attached). Areas 2 and 3A were excluded due to dominance by non-native species. Area 1 was dominated by *Castanea sativa*, but with frequent sessile oak (*Quercus petraea*), and also with holly (*Ilex aquifolium*) in the understorey. It was most similar to area 3 (WN1 - oak-birch-holly woodland) where releve 2 was placed. Area 5 was dominated by ash (*Fraxinus excelsior*) in the canopy, but was highly disturbed due to *Prunus laurocerasus* removal. Relevés were placed in areas 3 and 4. Area 3 was WN1, with dominant sessile oak in the canopy. Holly was the main understorey species, with occasional rowan (*Sorbus aucuparia*) and hazel (*Corylus avellana*). Ground flora was dominated by fern species (e.g. *Pteridium aquilinum* and *Dryopteris dilatata*), *Rubus fruticosus* agg., with *Luzula sylvatica* locally frequent. Area 4 was WN6 wet willow-alder-ash woodland, with canopy composed of a mixture of ash, alder (*Alnus glutinosa*) and grey willow (*Salix cinerea*). Ground flora was very mixed: *Urtica dioica*, *Rubus fruticosus* agg., *Chrysosplenium oppositifolium*, *Geranium robertianum*, *Oxalis acetosella* and *Veronica montana*. Exact delineation of woodland types was difficult due to widespread distribution of some species. For example, ash was common throughout the entire site. Some oak trees were very tall, with a wide girth. Also good fungal diversity. Enclosure for rearing pheasants were noted on site.

Site no.	<input type="text" value="0796"/>	FIPS no.	<input type="text" value="67196"/>		
Date surveyed	<input type="text" value="13/09/2005"/>				
Woodland name	<input type="text" value="Ballyarthur"/>	Townland name	<input type="text" value="Ballyarthur"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="O198773"/>	6 inch sheet	<input type="text" value="WI 40"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="1748"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="2"/>	Max. alt. (m)	<input type="text" value="100"/>
Min. alt. (m)	<input type="text" value="40"/>				
Sub-soil	<input type="text" value="RckNCa/TLPSSs"/>		Soil	<input type="text" value="AminSW/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="100%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A small area of native woodland in the grounds of Ballyarthur House near Woodenbridge, Co. Wicklow. The main woodland type is WN1 (oak-birch-holly woodland), and is dominated by large mature and over mature Sessile oak (*Quercus petraea*). Holly (*Ilex aquifolium*) and *Prunus laurocerasus* are the main understorey species. Ground flora is sparse, with *Dryopteris dilatata*, *Luzula sylvatica*, *Rubus fruticosus* agg. patchy throughout. Bryophytes are also sparse. Dead wood cover from fallen limbs of sessile oak (*Quercus petraea*) is quite high.

Site no.	<input type="text" value="0798"/>	FIPS no.	<input type="text" value="11838, 67321"/>	
Date surveyed	<input type="text" value="22/07/2005"/>			
Woodland name	<input type="text" value="Kiltimon"/>	Townland name	<input type="text" value="Kiltimon, Timmore"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="Low"/>
			<input type="text" value="17"/>	
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="O278028"/>	6 inch sheet
			<input type="text" value="WI 19"/>	County
	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="9"/>	Max. alt. (m)
			<input type="text" value="110"/>	Min. alt. (m)
			<input type="text" value="60"/>	
Sub-soil	<input type="text" value="RckNCa/IrSTCSsS"/>		Soil	<input type="text" value="AminSW/AminPD"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A medium-sized mixed woodland on the west side of the N11, north of Ashford, Co. Wicklow. The dominant canopy species is sessile oak (*Quercus petraea*), but many non-native species (incl. conifers) are also found. The entire woodland is heavily infested with *Rhododendron ponticum* and *Prunus laurocerasus*. A less common shrub component is Holly (*Ilex aquifolium*). As a consequence of the invasive species, ground flora is poor in most areas, with most species diversity being found along pathways. Some of this woodland has been removed due to N11 improvement works. This site holds very many mature sessile oak and holly. Some of the sessile oaks have a DBH > 1m).

Site no.	<input type="text" value="0799"/>	FIPS no.	<input type="text" value="85781, 85780, 67459"/>	
Date surveyed	<input type="text" value="24/06/2005"/>			
Woodland name	<input type="text" value="Ballinagee Wood"/>	Townland name	<input type="text" value="Oakwood"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="O036019"/>	6 inch sheet <input type="text" value="WI 16"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="1750"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="3"/>	Max. alt. (m) <input type="text" value="290"/> Min. alt. (m) <input type="text" value="260"/>
Sub-soil	<input type="text" value="A/TGr"/>		Soil	<input type="text" value="AlluvMIN/AminSRPT"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="100%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input checked="" type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

Oak woodland which was previously underplanted with Sitka spruce (*Picea sitchensis*). Most of the *Picea* has been cut out, with trunks left to rot on the woodland floor. Woodland is dominated by sessile oak (*Quercus petraea*) with occasional birch (*Betula pubescens*), rowan (*Sorbus aucuparia*) and Sitka spruce (*Picea Sitchensis*). The field layer includes *Holcus mollus*, *Agrostis* spp., *Dryopteris dilatata*, *Blechnum spicant* and *Vaccinium myrtillus*.

Site no.	<input type="text" value="0800"/>	FIPS no.	<input type="text" value="77675"/>	
Date surveyed	<input type="text" value="13/09/2005"/>			
Woodland name	<input type="text" value="Powerscourt Demense South"/>	Townland name	<input type="text" value="Powerscourt Demense"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="Moderate"/>
			<input type="text" value="33"/>	
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="O206155"/>	6 inch sheet
			<input type="text" value="WI 7"/>	County
			<input type="text" value="Wicklow"/>	
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="1768"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="8"/>	Max. alt. (m)
			<input type="text" value="150"/>	Min. alt. (m)
			<input type="text" value="130"/>	
Sub-soil	<input type="text" value="A/GLs"/>		Soil	<input type="text" value="AlluvMIN/BminSW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input checked="" type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input checked="" type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

Demesne woodland on steep sided valley above the River Dargle. There are wet flushes calcareous springs and streams on the upper slope. The dominant canopy species are ash (*Fraxinus excelsior*) and hazel (*Corylus avellana*) with birch (*Betula pubescens*) and holly (*Ilex aquifolium*) also common. *Carex pendula* is frequent to abundant throughout the site.

Site no.	<input type="text" value="0801"/>	FIPS no.	<input type="text" value="40759, 3134"/>	
Date surveyed	<input type="text" value="24/08/2005"/>			
Woodland name	<input type="text" value="Brockagh"/>	Townland name	<input type="text" value="Brockagh"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="17"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="T143969"/>	6 inch sheet <input type="text" value="WI 23"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="2122"/>	SAC code <input type="text" value="2122"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="5"/>	Max. alt. (m) <input type="text" value="190"/> Min. alt. (m) <input type="text" value="160"/>
Sub-soil	<input type="text" value="RckNCa/TLPSSs"/>		Soil	<input type="text" value="AminSRPT/AminPDPT"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="100%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

This is a small area of mixed woodland located just northwest of Laragh village in Co. Wicklow. This area (area 1 on 6" map in site pack) is classified as WD2 (Mixed broadleaved/conifer woodland) due to the high proportion (up to 50%) of conifers, mainly *Tsuga heterophylla*. Sessile oak (*Quercus petraea*) was the main deciduous canopy species, with young birch (*Betula pubescens*) common in the understorey. Holly (*Ilex aquifolium*) was largely absent. The ground flora was dominated by *Vaccinium myrtillus*. Moss cover was high. Most of the species marked on the 'pink' sheet were recorded by the river's edge, where diversity was highest. Nearby areas (marked 4, 5 and 6 on 6" map) were excluded from the site. Area 5 could not be accessed due to failure to make contact with the owner. A small area was walked, and it appeared very mixed and disturbed in nature. Areas 4 and 6 appear to be conifer stands with a beech (*Fagus sylvatica*) fringe. The rare fern *Oreopteris limbosperma* was recorded at the site. It is common by the river adjacent to the site, and also along the roadside nearby.

Site no.	<input type="text" value="0802"/>	FIPS no.	<input type="text" value="82431, 59385, 59384, 77569"/>		
Date surveyed	<input type="text" value="28/09/2005"/>				
Woodland name	<input type="text" value="Ballinanty"/>	Townland name	<input type="text" value="Ballinatone Upper, Clonerkin, Ballinanty"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="67"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="8"/>
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="T145863"/>	6 inch sheet	<input type="text" value="WI 29"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="10.2"/>	Max. alt. (m)	<input type="text" value="160"/>
Min. alt. (m)	<input type="text" value="120"/>				
Sub-soil	<input type="text" value="TLPSS/A"/>		Soil	<input type="text" value="AminDW/AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="10%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="5%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="40%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="45%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A medium-sized (10 ha) area of woodland 1km S of Greenan village, Co. Wicklow. Four different woodland types were found here. The western-most part of the site was WN7 bog woodland, with the main species being birch (*Betula pubescens*), grey willow (*Salix cinerea*), *Molinia caerulea* and *Sphagnum* species. A releve was placed in this area. To the east of this, and also south of the river running through the site, WN6 wet willow-alder-ash woodland predominates, with ash (*Fraxinus excelsior*), birch, grey willow (*Salix cinerea*) and alder (*Alnus glutinosa*) the main canopy species. The ground flora included species such as *Mentha aquatica*, *Oenanthe crocata*, *Ranunculus flammula*, and *Valeriana officinalis*. In the middle of the site, to the north of the river, a small area of WN2 oak-ash-hazel woodland was found, with many multi-stemmed hazel (*Corylus avellana*) trees. Typical WN2 flora, including many old *Hyacinthoides non-scripta* stems, was found. This area graded quite suddenly into an area of WN1 oak-birch-holly woodland, where *Luzula sylvatica*, *Vaccinium myrtillus* and other acid oak woodland species were found. Ownership of the WN7 area was known, and the owner contacted. However, ownership of the remainder was less clear-cut (see white cover sheet of site pack), so although we walked this area, we did not feel comfortable enough to place a releve here. Overall, this site shows unusually high habitat diversity, and the presence of a river running throughout enhances it further. Threats appear to be few (slight grazing, but not having significant effect; also a few small plants of *Rhododendron ponticum*), and there is an environmental education centre/open farm adjoining the site at the WN7 end (Wheelers).

Site no.	<input type="text" value="0805"/>	FIPS no.	<input type="text" value="49343"/>		
Date surveyed	<input type="text" value="10/05/2005"/>				
Woodland name	<input type="text" value="Drumbaun"/>	Townland name	<input type="text" value="Drumbaun"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="41"/>	Grid ref.	<input type="text" value="N191716"/>	6 inch sheet	<input type="text" value="LF 14"/>
County	<input type="text" value="Longford"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="3.2"/>	Max. alt. (m)	<input type="text" value="60"/>
Min. alt. (m)	<input type="text" value="50"/>				
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

This is a small site on cutover bog, dominated by birch (*Betula pubescens*) with Sitka spruce. Grey willow (*Salix cinerea*) and hawthorn occur in the shrub layer, and the field layer contains *Pteridium aquilinum*, *Dryopteris dilatata*, *Rubus fruticosus* agg. and *Oxalis acetosella*. The site is bounded by mature conifer plantation to the north and west. There is a pre-thicket stage plantation to the east. Pockets of conifers are scattered throughout the site. Deep drainage ditches intersect the wood. Bog pools are also frequent.

Site no.	<input type="text" value="0806"/>	FIPS no.	<input type="text" value="74654"/>		
Date surveyed	<input type="text" value="22/07/2005"/>				
Woodland name	<input type="text" value="Kiltycreevagh"/>	Townland name	<input type="text" value="Kiltycreevagh"/>		
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="39"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="8"/>
Disco. map	<input type="text" value="34"/>	Grid ref.	<input type="text" value="N195928"/>	6 inch sheet	<input type="text" value="LF 2"/>
County	<input type="text" value="Longford"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="3"/>	Max. alt. (m)	<input type="text" value="90"/>
Min. alt. (m)	<input type="text" value="80"/>				
Sub-soil	<input type="text" value="Cut/TLPSSs"/>		Soil	<input type="text" value="Cut/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

This is a small wood on both peat and mineral soils, dominated by downy birch (*Betula pubescens*) with a grey willow (*Salix cinerea*) shrub layer. Field layer dominated by *Molinia caerulea* and *Rubus fruticosus* agg. The vegetation cover is very homogenous. The site is intersected by ditches which were dry at time of survey. There is some small scale dumping of rubbish on site.

Site no.	<input type="text" value="0807"/>	FIPS no.	<input type="text" value="39094"/>		
Date surveyed	<input type="text" value="11/04/2005"/>				
Woodland name	<input type="text" value="Cashel"/>	Townland name	<input type="text" value="Cashel"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="33"/>
Disco. map	<input type="text" value="40"/>	Grid ref.	<input type="text" value="N013597"/>	6 inch sheet	<input type="text" value="LF 21"/>
County	<input type="text" value="Longford"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="440"/>	SAC code	<input type="text" value="440"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="2"/>	Max. alt. (m)	<input type="text" value="50"/>
Min. alt. (m)	<input type="text" value="40"/>				
Sub-soil	<input type="text" value="TLs"/>		Soil	<input type="text" value="BminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="100%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input checked="" type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

Very open woodland - fairly heavily grazed with poorly defined shrub layer but retaining semi-natural woodland flora. Beech (*Fagus sylvatica*) is frequent in the canopy with heavy leaf litter in places, also numerous seedlings indicating strong regeneration. Degraded stone walls are present in and around the site. The site is open to grazing by cattle except for a fenced compartment to the west of the site. This compartment is marked by mature hazel (*Corylus avellana*) coppice which does not appear to have been managed for 50 years or so. Some small scale felling of timber for firewood and a number of cars and other machinery dumped within the wood.

Site no.	<input type="text" value="0808"/>	FIPS no.	<input type="text" value="48287"/>		
Date surveyed	<input type="text" value="18/07/2005"/>				
Woodland name	<input type="text" value="Grillagh"/>	Townland name	<input type="text" value="Grillagh"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="61"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="0"/>
Disco. map	<input type="text" value="40"/>	Grid ref.	<input type="text" value="N071688"/>	6 inch sheet	<input type="text" value="LF 18"/>
County	<input type="text" value="Longford"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="2"/>	Max. alt. (m)	<input type="text" value="40"/>
Min. alt. (m)	<input type="text" value="40"/>				
Sub-soil	<input type="text" value="Cut/A/TLs"/>		Soil	<input type="text" value="Cut/AlluvMIN/BminPDPT"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="75%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="25%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

The central section of this site has recently been cleared for harvesting of turf (see map). There is currently approx. 0.4 ha of bog woodland in the southern end of the site and approx 1.5ha of ash (*Fraxinus excelsior*) dominated woodland in the northern section of the site. This ash dominated stand has developed on alluvial spoil which was spread following a re-routing of the adjacent watercourse by Bord Na Mona in 1962. The ash has since developed by natural regeneration on this substrate. A narrow strip of old hazel (*Corylus avellana*) coppice remains adjacent to the roadside.

Site no.	<input type="text" value="0809"/>	FIPS no.	<input type="text" value="29078"/>	
Date surveyed	<input type="text" value="01/06/2005"/>			
Woodland name	<input type="text" value="Drumury"/>	Townland name	<input type="text" value="Drumury"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="39"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>	
Disco. map	<input type="text" value="34"/>	Grid ref.	<input type="text" value="N232987"/>	6 inch sheet <input type="text" value="LF 1"/> County <input type="text" value="Longford"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="2.5"/>	Max. alt. (m) <input type="text" value="60"/> Min. alt. (m) <input type="text" value="50"/>
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

Natural regenerated woodland (dominated by grey willow (*Salix cinerea*) and *Betula pubescens*) on cutaway bog site. Shrubby in places with ESB line transecting the site - route of power line is routinely cut back. Drainage is strongly impeded and bog pools are frequent.

Site no.	<input type="text" value="0810"/>	FIPS no.	<input type="text" value="39063"/>		
Date surveyed	<input type="text" value="24/04/2005"/>				
Woodland name	<input type="text" value="Lehery"/>	Townland name	<input type="text" value="Lehery"/>		
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="39"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="25"/>
Disco. map	<input type="text" value="40"/>	Grid ref.	<input type="text" value="N031669"/>	6 inch sheet	<input type="text" value="LF 17"/>
County	<input type="text" value="Longford"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="3"/>	Max. alt. (m)	<input type="text" value="50"/>
Min. alt. (m)	<input type="text" value="40"/>				
Sub-soil	<input type="text" value="TLs/Cut"/>		Soil	<input type="text" value="BminPDPT/BminDW/Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="100%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="4"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

Woodland dominated by ash (*Fraxinus excelsior*) in the canopy with hawthorn (*Crataegus monogyna*) and blackthorn (*Prunus spinosa*) making up the poorly defined shrub layer. Site subject to extensive poaching by over wintered cattle at time of survey. As a result, bare ground was frequent and field layer was species poor.

Site no.	<input type="text" value="0811"/>	FIPS no.	<input type="text" value="48424, 41818"/>	
Date surveyed	<input type="text" value="31/05/2005"/>			
Woodland name	<input type="text" value="Coolnahinch"/>	Townland name	<input type="text" value="Coolnahinch, Mosstown"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>
Disco. map	<input type="text" value="40"/>	Grid ref.	<input type="text" value="N105641"/>	6 inch sheet <input type="text" value="LF 22"/> County <input type="text" value="Longford"/>
NPWS region	<input type="text" value="North midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="1819"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="3"/>	Max. alt. (m) <input type="text" value="67"/> Min. alt. (m) <input type="text" value="64"/>
Sub-soil	<input type="text" value="Cut/TLs"/>		Soil	<input type="text" value="Cut/BminPDPT"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="15%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="75%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="10%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

Coolnahinch woodland is bordered by Lough Bawn Fen to the west, forestry to the south and farm land to the east and north. The forestry was being harvested at the time of the site visit. There is birch (*Betula pubescens*), willow, alder (*Alnus glutinosa*) and bog myrtle scrub along the western boundary of the site. The woodland closest to the forestry is a mixture of mature hazel coppice, old conifer plantation with occasional beech (*Fagus sylvatica*) and sessile oak (*Quercus petraea*). The rest of the site is mainly native woodland with a stream dividing it in two. The eastern half is open to cattle and shows signs of grazing and poaching. The woodland is generally quite open with a birch (*Betula pubescens*) and hazel canopy and carpets of wild garlic (*Allium ursinum*) in the field layer. The western side has a canopy of alder (*Alnus glutinosa*), willow, ash (*Fraxinus excelsior*), rowan (*Sorbus aucuparia*), birch and hawthorn (*Crataegus monogyna*), with a high level of regeneration.

Site no.	<input type="text" value="0814"/>	FIPS no.	<input type="text" value="59836, 59838, 59837"/>		
Date surveyed	<input type="text" value="02/09/2005"/>				
Woodland name	<input type="text" value="Cronroe"/>	Townland name	<input type="text" value="Cronroe"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="70"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="T263963"/>	6 inch sheet	<input type="text" value="WI 25"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="9.5"/>	Max. alt. (m)	<input type="text" value="145"/>
Min. alt. (m)	<input type="text" value="70"/>				
Sub-soil	<input type="text" value="RckNCa/TLPSSs"/>		Soil	<input type="text" value="AminSW/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="90%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="5%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input checked="" type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="5%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

This is quite a large area of oak woodland just west of Ashford village in Co. Wicklow. The site is dominated by sessile oak (*Quercus petraea*) in the canopy and holly (*Ilex aquifolium*) in the shrub, but different areas are very different in character. At the western end it is very open and grassy due to grazing by sheep and horses. At the middle there are some very mature oaks (25-30m tall), and good *Luzula sylvatica* ground cover. There are sections here, however, which are infested with *Prunus laurocerasus* and *Rhododendron ponticum*. Within the woodland there are areas of sycamore (*Acer pseudoplatanus*) coppice, and an area of hazel/conifer/beech at the south.

Site no.	<input type="text" value="0815"/>	FIPS no.	<input type="text" value="61639"/>	
Date surveyed	<input type="text" value="11/07/2005"/>			
Woodland name	<input type="text" value="Kilmacanoge South"/>	Townland name	<input type="text" value="Kilmacanoge South"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="52"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="O248143"/>	6 inch sheet <input type="text" value="WI 7"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="724"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="5.1"/>	Max. alt. (m) <input type="text" value="92"/> Min. alt. (m) <input type="text" value="85"/>
Sub-soil	<input type="text" value="FenPt/TCSsS/A/GLs"/>		Soil <input type="text" value="FenPt/AminDW/AlluvMIN/BminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input checked="" type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A small area of willow-alder-ash wet woodland located at Kilmacanoge South in a valley bottom. The soil is peaty and waterlogged, with many open water channels and pools. Main tree species are grey willow (*Salix cinerea*) and alder (*Alnus glutinosa*), with frequent mature ash (*Fraxinus excelsior*) and abundant ash seedlings. The ground flora consisted of *Agrostis stolonifera* and many water-tolerant plants, e.g. *Mentha aquatica* and *Iris pseudacorus*. *Carex* spp. were common, including *C. paniculata*, *C. nigra* and *C. remota*. *Chrysosplenium oppositifolium* and *Cardamine* spp. were also abundant. Navigation through the site was difficult due to the waterlogged nature of the soil. The edges of the site have been highly altered due to road construction and infill, but it appears that these alterations are not having a major impact on the woodland.

Site no.	<input type="text" value="0818"/>	FIPS no.	<input type="text" value="5383"/>	
Date surveyed	<input type="text" value="14/06/2005"/>			
Woodland name	<input type="text" value="Ballymacsimon"/>	Townland name	<input type="text" value="Ballymacsimon"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="T242941"/>	6 inch sheet <input type="text" value="WI 24"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="1756"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="7"/>	Max. alt. (m) <input type="text" value="200"/> Min. alt. (m) <input type="text" value="150"/>
Sub-soil	<input type="text" value="RckNCa/GLPSsS"/>		Soil	<input type="text" value="AminSW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="100%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input checked="" type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

Small to medium-sized block of WN1 woodland bordered by areas of clear fell. The site and surrounding area are owned by Coillte. The dominant canopy species is Sessile oak (*Quercus petraea*). Scots pine (*Pinus sylvestris*) is frequent. Birch (*Betula pubescens*) and rowan (*Sorbus aucuparia*) are occasional. Holly (*Ilex aquifolium*) is the main understorey species. *Luzula sylvatica* and *Vaccinium myrtillus* are locally dominant in the ground flora, and fern diversity is good. Some planting of *Quercus* has taken place, but these do not appear to be thriving.

Site no.	<input type="text" value="0819"/>	FIPS no.	<input type="text" value="55088"/>		
Date surveyed	<input type="text" value="23/08/2005"/>				
Woodland name	<input type="text" value="Brockagh South"/>	Townland name	<input type="text" value="Brockagh, Laragh East"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="61"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="8"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="T144964"/>	6 inch sheet	<input type="text" value="WI 23"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="2122"/>	SAC code	<input type="text" value="2122"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="6.8"/>	Max. alt. (m)	<input type="text" value="140"/>
Min. alt. (m)	<input type="text" value="130"/>				
Sub-soil	<input type="text" value="A/GGr"/>		Soil	<input type="text" value="AlluvMIN/AminSRPT"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="100%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

This is a fairly small area of WN1 oak-birch-holly woodland, located in Laragh village in Co. Wicklow. The canopy is composed almost exclusively of sessile oak (*Quercus petraea*) and the ground flora is dominated by *Vaccinium myrtillus*. There is little to no holly (*Ilex aquifolium*) understorey, but regeneration of sessile oak is good. There are also many young rowan (*Sorbus aucuparia*) and birch (*Betula pubescens*). Moss cover is quite high. There is a small water treatment plant at the south edge of the site, and when near the river there is a strong smell of sewage.

Site no.	<input type="text" value="0820"/>	FIPS no.	<input type="text" value="53816, 53809, 53840, 53817"/>	
Date surveyed	<input type="text" value="15/06/2005"/>			
Woodland name	<input type="text" value="Barnbawn"/>	Townland name	<input type="text" value="Barnbawn, Ballinakill, Ballydowling"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="Low"/>
			<input type="text" value="8"/>	
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="T215920"/>	6 inch sheet
			<input type="text" value="WI 30"/>	County
	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="1756"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="7.1"/>	Max. alt. (m)
				<input type="text" value="200"/>
		Min. alt. (m)	<input type="text" value="150"/>	
Sub-soil	<input type="text" value="RckNca/TLPSSs"/>		Soil	<input type="text" value="AminSW/AminDW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="100%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input checked="" type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A disturbed area of WN1 oak-birch-holly woodland near Glenealy with adjacent clear fell. Parts of the site were no more than strips of woodland or treelines, only a few trees across. Disturbance due to grazing was evident throughout, but especially in the southwest privately owned lobe of sessile oak (*Quercus petraea*) where there was no regeneration of the herb layer and the ground flora was composed solely of grasses. The woodland was very uniform - composed of even-aged sessile oak, with a patchy holly (*Ilex aquifolium*) understorey. Ground flora consisted of *Luzula sylvatica* and *Pteridium aquilinum*, with small patches of *Vaccinium myrtillus* and *Blechnum spicant*. *Dryopteris aemula* was occasional to frequent. The small northern private area had a higher proportion of hazel (*Corylus avellana*) and ash (*Fraxinus excelsior*), but the main canopy and understorey species were still sessile oak and holly. The size of the site has not been altered but this may need to be reviewed as the linear strips of woodland are not really wide enough to constitute proper native woodland. A pair of buzzards circled above our heads for most of the day - it is presumed that our releve was near a nest site, or potential nest site.

Site no.	<input type="text" value="0821"/>	FIPS no.	<input type="text" value="40516, 56923, 56924, 77764, 56930, 54501, 56926, 56929"/>		
Date surveyed	<input type="text" value="23/09/2005"/>				
Woodland name	<input type="text" value="Ballyboy"/>	Townland name	<input type="text" value="Ballyboy"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="67"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="33"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="T097913"/>	6 inch sheet	<input type="text" value="WI 29"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="2122"/>	SAC code	<input type="text" value="2122"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="28"/>	Max. alt. (m)	<input type="text" value="260"/>
Min. alt. (m)	<input type="text" value="135"/>				
Sub-soil	<input type="text" value="RckNCa/Scree"/>		Soil	<input type="text" value="AminSRPT/Scree"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="30%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input checked="" type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input checked="" type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="70%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

This woodland consists of a medium-sized strip of oak-dominated WN1 oak-birch-holly woodland, and mixed woodland. At the north-western end it is most natural, but also very young. Here the tree species include sessile oak (*Quercus petraea*), birch (*Betula pubescens*), rowan (*Sorbus aucuparia*) and Holly (*Ilex aquifolium*). It is presumed that these species have regenerated naturally after clear felling. The remainder of the woodland has some mature sessile oak, with varying proportions of mature scots pine (*Pinus sylvestris*), beech (*Fagus sylvatica*) and sitka spruce (*Picea sitchensis*) in the shrub layer. Birch, rowan and Holly also occur. Throughout the site are bryophyte-covered boulders. Herb and low woody layers are relatively poor due to grazing by deer. Bark stripping is severe, particularly of Rowan. Some areas have impeded drainage, and Sphagnum and Polytrichum mosses predominate. A releve was not placed in the mixed section of woodland because it was deemed to be a very similar woodland type, but with some non-native species.

Site no.	<input type="text" value="0822"/>	FIPS no.	<input type="text" value="62016"/>	
Date surveyed	<input type="text" value="25/04/2005"/>			
Woodland name	<input type="text" value="Ballyross Wood"/>	Townland name	<input type="text" value="Ballycoyle"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="54"/>	Threat rating and score	<input type="text" value="Moderate"/>
			<input type="text" value="25"/>	
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="O162159"/>	6 inch sheet
			<input type="text" value="WI 7"/>	County
	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="1755"/>	SAC code
			<input type="text" value="1755"/>	SPA Code
	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="5.2"/>	Max. alt. (m)
			<input type="text" value="200"/>	Min. alt. (m)
	<input type="text" value="150"/>			
Sub-soil	<input type="text" value="A/TGr/GGr"/>		Soil	<input type="text" value="AlluvMIN/AminSRPT"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="80%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="20%"/>	Cattle <input type="checkbox"/>	Springs <input checked="" type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="4"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

An upland sessile oak (*Quercus petraea*) and birch (*Betula pubescens*) woodland with many mature trees. Herb diversity at the site is low but this is compensated by high bryophyte diversity. Flushes and springs are occasional within the site. Much of the site is on old abandoned field systems and terraced fields, old stone walls and large granite boulders are common. Hazel coppice was only recorded within some of the old field systems.

Site no.	<input type="text" value="0826"/>	FIPS no.	<input type="text" value="12052"/>	
Date surveyed	<input type="text" value="18/08/2005"/>			
Woodland name	<input type="text" value="Newtownmountkennedy Demesne"/>	Townland name	<input type="text" value="Newtownmountkennedy Demesne"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="39"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="17"/>	
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="O267076"/>	6 inch sheet <input type="text" value="WI 13"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="2"/>	Max. alt. (m) <input type="text" value="96"/> Min. alt. (m) <input type="text" value="95"/>
Sub-soil	<input type="text" value="GLs"/>		Soil	<input type="text" value="BminSW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="100%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input checked="" type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A very small area of oak-dominated woodland, just northeast of Newtownmountkennedy village in Co. Wicklow. The area sampled was dominated by a mixture of pedunculate oak (*Quercus robur*) and *Q. x rosacea*. It is surrounded by WD1 mixed broadleaved woodland, with main species: Horse-chestnut (*Aesculus hippocastanum*), beech (*Fagus sylvatica*), *Tilia* sp. and sycamore (*Acer pseudoplatanus*). No shrub layer existed in the main area of woodland, except for the occasional small holly (*Ilex aquifolium*) and hazel (*Corylus avellana*). The ground flora is dominated by grass species, with *Rubus fruticosus* agg. also common. These trees are unusually large and even-aged. It was difficult to assign some individual *Quercus* trees to species. Grazing pressure is very high at this site.

Site no.	<input type="text" value="0827"/>	FIPS no.	<input type="text" value="54109, 75125, 75126, 54111"/>		
Date surveyed	<input type="text" value="09/06/2005"/>				
Woodland name	<input type="text" value="Glenwood"/>	Townland name	<input type="text" value="Glenwood, Cronbyrne, Moyntiagh"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="0"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="T193934"/>	6 inch sheet	<input type="text" value="WI 24"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="4.5"/>	Max. alt. (m)	<input type="text" value="200"/>
Min. alt. (m)	<input type="text" value="180"/>				
Sub-soil	<input type="text" value="RckNCa/TLPSSs/A"/>		Soil	<input type="text" value="AminSW/AminDW/AminPDPT/AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="90%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="10%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

This site is a small acid oak woodland west of Glenealy, Co. Wicklow. It is surrounded by conifer plantations and bordered also by a small river. It is found on one side of the river valley. Most of the site is WN1 oak-birch-holly woodland, with sessile oak (*Quercus petraea*) being dominant, and a well-developed holly (*Ilex aquifolium*) understorey. Scots pine (*Pinus sylvestris*) is common; rowan (*Sorbus aucuparia*) is occasional. Birch (*Betula pubescens*) dominates at the lower reaches of the slope. The ground flora consists of *Vaccinium myrtillus* (which is locally dominant) and *Luzula sylvatica* (also locally dominant). Fern diversity appeared high, despite relatively low cover. Just south of the middle of the site is a small area dominated by conifers and eucalyptus. Southeast of this the woodland is privately owned. It is not known if it is currently grazed (other than by deer), but the ground flora is much altered (e.g. *Rubus fruticosus* agg., *Urtica dioica*, etc.). Hazel (*Corylus avellana*) and sycamore (*Acer pseudoplatanus*) are found here, and sessile oak (*Quercus petraea*) is less common.

Site no.	<input type="text" value="0828"/>	FIPS no.	<input type="text" value="67306, 62525, 62518, 62522, 40917, 67307"/>		
Date surveyed	<input type="text" value="13/06/2005"/>				
Woodland name	<input type="text" value="Ballyman Glen"/>	Townland name	<input type="text" value="Fassaroe, Monastery, Ballyman"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="58"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="O237185"/>	6 inch sheet	<input type="text" value="WI 3"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="713"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="8.4"/>	Max. alt. (m)	<input type="text" value="90"/>
Min. alt. (m)	<input type="text" value="40"/>				
Sub-soil	<input type="text" value="GLs/A"/>		Soil	<input type="text" value="BminSW/AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input checked="" type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="95%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="5%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A linear strip of WN4 wet pedunculate oak-ash woodland with a small area of WN6 wet willow-alder-ash woodland at Fassaroe near Enniskerry in N Wicklow. Most of this woodland was inaccessible due to unstable slopes and dense Gorse (*Ulex europaeus*) and bramble (*Rubus fruticosus*). The area sampled was dominated by grey willow (*Salix cinerea*) and hazel (*Corylus avellana*), with occasional ash (*Fraxinus excelsior*), holly (*Ilex aquifolium*) and hawthorn (*Crataegus monogyna*). Alder (*Alnus glutinosa*) and birch (*Betula pubescens*) were found mainly in the WN6 area which bordered a small area of fen fed by springs. The perimeter of the site was walked as far as possible and main canopy species appeared uniformly to be as those described above for WN4 area, with frequent elder (*Sambucus nigra*). Ground flora was diverse and well-developed despite areas with remains of shattered clay pigeons (fen area particularly affected). Main species were *Hedera helix*, *Lonicera*, *Sanicula europaea*, *Carex remota* and *Circaea lutetiana*. The easternmost third of the site (from the W side of the dump eastwards to the motorway) was excluded; the eastern section of excluded area is dominated by non-native trees and manager of dump informed us that there is no woodland left between dump and river. The northern side of site was viewed from the south and seen to include conifers. Clematis is also locally abundant in that area. Parts of the woodland may be sited on, or at the edge of, a former landfill site.

Site no.	<input type="text" value="0829"/>	FIPS no.	<input type="text" value="61061, 61072"/>	
Date surveyed	<input type="text" value="30/08/2005"/>			
Woodland name	<input type="text" value="Ballycurragh"/>	Townland name	<input type="text" value="Ballycurragh, Ballyteige"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="39"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="T074835"/>	6 inch sheet <input type="text" value="WI 34"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="3.2"/>	Max. alt. (m) <input type="text" value="200"/> Min. alt. (m) <input type="text" value="150"/>
Sub-soil	<input type="text" value="TLPSSs/RckNCa"/>		Soil <input type="text" value="AminPDPT/AminSRPT/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="100%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input checked="" type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A narrow gorge above a fast flowing stream with steep slopes dominated by hazel (*Corylus avellana*), with occasional ash (*Fraxinus excelsior*) and more rarely pedunculate oak (*Quercus robur*). Field layer dominated by ferns and *Agrostis* spp. Also *Oxalis*, *Stellaria*, *Rubus*, *Luzula pilosa* and *L. sylvatica*. Deer tracks present. Where the slope is more gentle on the northern side the drainage is somewhat impeded and the field layer more grass dominated.

Site no.	<input type="text" value="0830"/>	FIPS no.	<input type="text" value="57388"/>	
Date surveyed	<input type="text" value="30/08/2005"/>			
Woodland name	<input type="text" value="Coolballintaggart"/>	Townland name	<input type="text" value="Coolballintaggart"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="36"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="T083818"/>	6 inch sheet <input type="text" value="WI 34"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="2.8"/>	Max. alt. (m) <input type="text" value="180"/> Min. alt. (m) <input type="text" value="170"/>
Sub-soil	<input type="text" value="RckNCa/TLPSSs"/>		Soil <input type="text" value="AminSW/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="100%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A stand of pedunculate oak (*Quercus robur*) planting among larger conifer area. The stand includes some oaks that pre-date the majority of trees present. Other tree species are infrequent but include rowan (*Sorbus aucuparia*), birch (*Betula pubescens*), hazel (*Corylus avellana*) and beech (*Fagus sylvatica*). Saplings are almost absent but oak seedlings (< 1 year old) are occasional. Deer tracks and droppings present throughout. Some regeneration of sitka spruce (*Picea sitchensis*) within the stand.

Site no.	<input type="text" value="0831"/>	FIPS no.	<input type="text" value="29612"/>	
Date surveyed	<input type="text" value="14/07/2005"/>			
Woodland name	<input type="text" value="Coolattin"/>	Townland name	<input type="text" value="Coolattin"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="30"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="17"/>	
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="T007671"/>	6 inch sheet <input type="text" value="WI 43"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="2"/>	Max. alt. (m) <input type="text" value="160"/> Min. alt. (m) <input type="text" value="150"/>
Sub-soil	<input type="text" value="RckNca"/>		Soil	<input type="text" value="AminSW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="100%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input checked="" type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

This is a small site located on a hillside in Co. Wicklow, with a well drained mineral soil. It is at the edge of a larger conifer stand. The canopy is mostly composed of pedunculate oak (*Quercus robur*) which was planted in 1972, with some sycamore (*Acer pseudoplatanus*), willows (*Salix* spp.) and holly (*Ilex aquifolium*). *Rubus fruticosus*, *Oxalis acetosella* and ferns occur in the field layer.

Site no.	<input type="text" value="0833"/>	FIPS no.	<input type="text" value="5694"/>	
Date surveyed	<input type="text" value="13/06/2005"/>			
Woodland name	<input type="text" value="Hollywood Demesne"/>	Townland name	<input type="text" value="Hollywood Demesne"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="24"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="N943060"/>	6 inch sheet <input type="text" value="WI 9"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="2"/>	Max. alt. (m) <input type="text" value="220"/> Min. alt. (m) <input type="text" value="200"/>
Sub-soil	<input type="text" value="RckNCa/TLPSSs"/>		Soil <input type="text" value="AminSW/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="100%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A small site dominated by mature pedunculate oak (*Quercus robur*) mostly with a dbh >75 cm and 30 m high. The site has a beech (*Fagus sylvatica*) subcanopy. The field layer is disturbed with evidence of cattle and numerous amenity tracks within the site. The site is bordered on one side by another area of mature oak, but here the canopy cover is less than 40%. In other places the site is bordered by coniferous forestry.

Site no.	<input type="text" value="0834"/>	FIPS no.	<input type="text" value="60719, 68479, 60718"/>		
Date surveyed	<input type="text" value="06/09/2005"/>				
Woodland name	<input type="text" value="Poulaphuca Bridge"/>	Townland name	<input type="text" value="Blakestown Lower"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="33"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="N947084"/>	6 inch sheet	<input type="text" value="WI 9"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="731"/>
SPA Code	<input type="text" value="4063"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Other State Body"/>	Area (ha)	<input type="text" value="6.3"/>	Max. alt. (m)	<input type="text" value="170"/>
Min. alt. (m)	<input type="text" value="150"/>				
Sub-soil	<input type="text" value="RckNca/A"/>		Soil	<input type="text" value="AminSW/AlluvMIN/AminSRPT"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="30%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="70%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

This site comprises the wooded slopes of the gorge between two parts of the Poulaphuca reservoir, near to the Poulaphuca Dam. Although the NHA survey data for the site describe it as oak dominated, we found it to be quite different. Large parts are dominated by Beech (*Fagus sylvatica*). Otherwise the site is dominated by an ash (*Fraxinus excelsior*) canopy with hazel (*Corylus avellana*) understorey and scattered sycamore (*Acer pseudoplatanus*). Most of the site is on very steep slopes and the site must not be entered without contacting the ESB, as the gorge is flooded with water by the ESB on occasion.

Site no.	<input type="text" value="0835"/>	FIPS no.	<input type="text" value="69275, 48882"/>	
Date surveyed	<input type="text" value="14/07/2005"/>			
Woodland name	<input type="text" value="Mount Jessop"/>	Townland name	<input type="text" value="Mount Jessop"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="52"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>
Disco. map	<input type="text" value="41"/>	Grid ref.	<input type="text" value="N131704"/>	6 inch sheet <input type="text" value="LF 18"/> County <input type="text" value="Longford"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="1450"/>	SAC code <input type="text" value="1450"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="5"/>	Max. alt. (m) <input type="text" value="50"/> Min. alt. (m) <input type="text" value="40"/>
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

This is a narrow site on cut peat dominated by pedunculate oak (*Quercus robur*) and downy birch (*Betula pubescens*) with holly (*Ilex aquifolium*) in places. The shrub layer is composed of hazel (*Corylus avellana*) and holly, and *Rubus fruticosus*, *Oxalis acetosella* and *Deschampsia cespitosa* occur in the field layer. Numerous earth banks transect the site. The wood is broadest to the north where there are frequent mature specimen trees

Site no.	<input type="text" value="0837"/>	FIPS no.	<input type="text" value="28923"/>	
Date surveyed	<input type="text" value="13/04/2005"/>			
Woodland name	<input type="text" value="Derrydaragh"/>	Townland name	<input type="text" value="Derrydaragh"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="39"/>	Threat rating and score	<input type="text" value="Moderate"/> <input type="text" value="25"/>	
Disco. map	<input type="text" value="40"/>	Grid ref.	<input type="text" value="N030576"/>	6 inch sheet <input type="text" value="LF 25"/> County <input type="text" value="Longford"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="2310"/>	SAC code <input type="text" value="440"/> SPA Code <input type="text" value="4064"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="3"/>	Max. alt. (m) <input type="text" value="40"/> Min. alt. (m) <input type="text" value="30"/>
Sub-soil	<input type="text" value="TLs"/>		Soil	<input type="text" value="BminPD"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="75%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="25%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

Narrow woodland site adjacent to lake. Comprising relatively small dry area planted with mature Scots pine (*Pinus sylvestris*) and a relatively wet area dominated by alder (*Alnus glutinosa*). Site approx 40 metres in width and lined by earth banks to the east. Seasonally flooded with small stream running northwards through the site. Note that the compartment to the south (as per FIPS) was not included in the survey as private and walled in.

Site no.	<input type="text" value="0838"/>	FIPS no.	<input type="text" value="69295"/>	
Date surveyed	<input type="text" value="22/07/2005"/>			
Woodland name	<input type="text" value="Dunbeggan"/>	Townland name	<input type="text" value="Dunbeggan"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>
Disco. map	<input type="text" value="34"/>	Grid ref.	<input type="text" value="N273894"/>	6 inch sheet <input type="text" value="LF 6"/> County <input type="text" value="Longford"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="992"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="1.5"/>	Max. alt. (m) <input type="text" value="60"/> Min. alt. (m) <input type="text" value="60"/>
Sub-soil	<input type="text" value="Cut/TLPSsS"/>		Soil	<input type="text" value="Cut/AminDW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

This is a small, very wet alder (*Alnus glutinosa*) and downy birch (*Betula pubescens*) wood, dissected by roads, which has developed on cutaway bog in Longford. There is a willow (*Salix* spp.) shrub layer, and *Molinia caerulea* hummocks dominate the field layer. The wood is encroaching gradually onto adjacent bog habitat. It is generally very wet underfoot. Bog pools are frequent. Buzzards were observed on site.

Site no.	<input type="text" value="0840"/>	FIPS no.	<input type="text" value="65253"/>		
Date surveyed	<input type="text" value="20/04/2005"/>				
Woodland name	<input type="text" value="Hazel Wood (Monaghan)"/>	Townland name	<input type="text" value="Brandrum"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="54"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="28A"/>	Grid ref.	<input type="text" value="H637323"/>	6 inch sheet	<input type="text" value="MO 9"/>
County	<input type="text" value="Monaghan"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="10"/>	Max. alt. (m)	<input type="text" value="75"/>
Min. alt. (m)	<input type="text" value="60"/>				
Sub-soil	<input type="text" value="TDCSs"/>		Soil	<input type="text" value="AminPD/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input checked="" type="checkbox"/>	WN2 <input type="text" value="100%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

Medium sized ash (*Fraxinus excelsior*) and hazel (*Corylus avellana*) woodland on the side of a drumlin, located 3 km west of Monaghan Town. Exceptionally abundant and luxurious vernal carpet dominated by *Allium ursinum* and *Anemone nemorosa* with *Hyacinthoides non-scripta*, *Ranunculus ficaria*, *Conopodium majus* and *Primula vulgaris*. Many dead standing alders (*Alnus glutinosa*) throughout the site. Small area with European larch (*Larix deciduas*) and beech (*Fagus sylvatica*) in the southeast corner, but beech (*Fagus sylvatica*) has recently been felled in the rest of the site and left largely in situ. Ash has been planted in the gaps. The soil is gleyed and the site is apparently heavily grazed as natural regeneration is rare.

Site no.	<input type="text" value="0842"/>	FIPS no.	<input type="text" value="22647, 81097"/>	
Date surveyed	<input type="text" value="06/09/2005"/>			
Woodland name	<input type="text" value="Derrynanamph"/>	Townland name	<input type="text" value="Derrynanamph, Derrycrossan"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="52"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>
Disco. map	<input type="text" value="28A"/>	Grid ref.	<input type="text" value="H586394"/>	6 inch sheet <input type="text" value="MO 5"/> County <input type="text" value="Monaghan"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="9"/>	Max. alt. (m) <input type="text" value="115"/> Min. alt. (m) <input type="text" value="105"/>
Sub-soil	<input type="text" value="TDCSSs/Cut"/>		Soil <input type="text" value="AminPD/Cut/AminPDPT"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

Substantial area of birch (*Betula pubescens*) woodland 3 km northwest of Scotstown. The south eastern half of the site is on a drier peaty slope dominated by *Rubus fruticosus*, *Dryopteris dilatata*, and *Pteridium aquilinum*. The north western half is wetter (and scrubby in places) with *Molinia caerulea*, *Calluna vulgaris*, *Ulex europeaus*, *Vaccinium myrtillus* and *Sphagnum* spp. and occupies a depression. There is no evidence of grazing, management, or invasives.

Site no.	<input type="text" value="0846"/>	FIPS no.	<input type="text" value="42722, 15094"/>	
Date surveyed	<input type="text" value="03/05/2005"/>			
Woodland name	<input type="text" value="Corlat"/>	Townland name	<input type="text" value="Corlat"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="52"/>	Threat rating and score	<input type="text" value="Moderate"/>
			<input type="text" value="33"/>	
Disco. map	<input type="text" value="28B"/>	Grid ref.	<input type="text" value="H720111"/>	6 inch sheet
			<input type="text" value="MO 27"/>	County
	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="1595"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="6"/>	Max. alt. (m)
			<input type="text" value="123"/>	Min. alt. (m)
			<input type="text" value="104"/>	
Sub-soil	<input type="text" value="TLPSSS/Cut"/>		Soil	<input type="text" value="AminDW/AminPD/Cut"/>

<u>Geography</u>		<u>Woodland habitats</u>		<u>Grazing</u>		<u>Hydrological features</u>	
Esker	<input type="checkbox"/>	WN1	<input type="text" value="0%"/>	Deer	<input type="checkbox"/>	Seasonal flooding	<input checked="" type="checkbox"/>
Drumlin	<input checked="" type="checkbox"/>	WN2	<input type="text" value="0%"/>	Cattle	<input type="checkbox"/>	Springs	<input type="checkbox"/>
Valley	<input type="checkbox"/>	WN3	<input type="text" value="0%"/>	Sheep	<input type="checkbox"/>	Lakes	<input type="checkbox"/>
Lakeside	<input type="checkbox"/>	WN4	<input type="text" value="0%"/>	Rabbits	<input type="checkbox"/>	Rivers/streams	<input type="checkbox"/>
Bogland	<input type="checkbox"/>	WN5	<input type="text" value="0%"/>	Hares	<input type="checkbox"/>	Damp clefts/ravines	<input type="checkbox"/>
Hill	<input type="checkbox"/>	WN6	<input type="text" value="10%"/>	Goats	<input type="checkbox"/>	Other	<input type="text" value=""/>
Plain/Lowlands	<input type="checkbox"/>	WN7	<input type="text" value="0%"/>	Horses	<input type="checkbox"/>		
Island	<input type="checkbox"/>	WS1	<input type="text" value="0%"/>	Other	<input type="text" value=""/>		
Riverside/Floodplain	<input type="checkbox"/>	WD1	<input type="text" value="90%"/>	Grazing level	<input type="text" value="0"/>		
Coastal/Estuary	<input type="checkbox"/>	WD2	<input type="text" value="0%"/>				
		Other habitats	<input type="text" value=""/>				

Field notes

External data source: not all data recorded ☐

An area of modified woodland on a lakeside drumlin 10 km east of Cootehill. Dominated by sessile oak (*Quercus petraea*) and ash (*Fraxinus excelsior*) with sycamore (*Acer pseudoplatanus*). Field layer dominated by *Rubus fruticosus* and *Hyacinthoides non-scripta*. Area on eastern side of drumlin excluded due to beech (*Fagus sylvatica*) dominance and resultant poor field layer. There is a small area of willow (*Salix cinerea*) woodland at the lakeshore on the southern side which adds to the diversity of the site.

Site no.	<input type="text" value="0848"/>	FIPS no.	<input type="text" value="76"/>	
Date surveyed	<input type="text" value="01/06/2005"/>			
Woodland name	<input type="text" value="Island Bridge"/>	Townland name	<input type="text" value="Dawsongrove Demesne"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="52"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>
Disco. map	<input type="text" value="28A"/>	Grid ref.	<input type="text" value="H607166"/>	6 inch sheet <input type="text" value="MO 22/23"/> County <input type="text" value="Monaghan"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="1"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="4"/>	Max. alt. (m) <input type="text" value="80"/> Min. alt. (m) <input type="text" value="79"/>
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

An area of wet woodland between tow lakes in the Cootehill Forest complex. The canopy is dominated by grey willow (*Salix cinerea*) and alder (*Alnus glutinosa*) with osier (*S. viminalis*) and white willow (*S. alba*) locally abundant. The field layer is *Filipendula ulmaria*, *Lycopus europaeus*, *Caltha palustris*, *Myosotis scorpioides*, *Phalaris arundinacea* and *Carex vesicaria*. The soil is an alluvial gley. A noteworthy species frequent here is *Cardamine amara*. The site is bordered by reed beds and marsh on two sides. The tree structure is a tangled mass of fallen willows.

Site no.	<input type="text" value="0849"/>	FIPS no.	<input type="text" value="47859, 47860, 27076"/>		
Date surveyed	<input type="text" value="04/08/2005"/>				
Woodland name	<input type="text" value="Corrybrackan"/>	Townland name	<input type="text" value="Corduff (Kelly), Corrybrackan"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="8"/>
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="H812023"/>	6 inch sheet	<input type="text" value="MO 31"/>
County	<input type="text" value="Monaghan"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="7"/>	Max. alt. (m)	<input type="text" value="60"/>
Min. alt. (m)	<input type="text" value="46"/>				
Sub-soil	<input type="text" value="Cut/TLPSsS/GLPSsS"/>		Soil	<input type="text" value="Cut/AminPD/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="75%"/>	Goats <input type="checkbox"/>	Other <input type="text" value="Ditches"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="25%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

Lakeshore woodland, 3 km southwest of Carrickmacross. The majority of the site comprises wet woodland developed on the lakeshore and low lying areas. Alder (*Alnus glutinosa*) and grey willow (*Salix cinerea*) dominate here. *Phalaris arundinacea*, *Juncus effusus*, *Potentilla palustris* occur in the wetter areas, with *Rubus fruticosus* agg. dominating drier sections. There appears to be large dead conifers, some of which have fallen over, throughout the wood. There are also two sections of modified woodland with abundant coppiced sycamore (*Acer pseudoplatanus*) and oak.

Site no.	<input type="text" value="0852"/>	FIPS no.	<input type="text" value="21421, 14761"/>	
Date surveyed	<input type="text" value="22/09/2005"/>			
Woodland name	<input type="text" value="Tullyglass"/>	Townland name	<input type="text" value="Tullyglass, Bocks Lower"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="52"/>	Threat rating and score	<input type="text" value="Moderate"/>
			<input type="text" value="33"/>	
Disco. map	<input type="text" value="28B"/>	Grid ref.	<input type="text" value="H775107"/>	6 inch sheet
			<input type="text" value="MO 27"/>	County
	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="6"/>	Max. alt. (m)
			<input type="text" value="110"/>	Min. alt. (m)
			<input type="text" value="110"/>	
Sub-soil	<input type="text" value="Cut/Water/TLPSSs/RckNca"/>		Soil	<input type="text" value="Cut/Water/AminPD/AminSW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="70%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="30%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A small woodland around the shore of Bocks Lough, located approximately 3 km east of Shantonagh. In parts of the wood not on the lake shore, Scots pine was a frequent species. Large mature trees were frequent and much taller than the lower canopy formed by birch (*Betula pubescens*), with occasional sally and a few specimens of pedunculate oak (*Quercus robur*), alder (*Alnus glutinosa*) and beech (*Fagus sylvatica*). In the areas where mature Scots pine occurred, holly (*Ilex aquifolium*) and some hawthorn (*Crataegus monogyna*) were present in the shrub layer. The woodland fringing the lake shore was dominated by birch (*Betula pubescens*) with frequent grey willow (*Salix cinerea*) in the canopy. The field layer was made up of *Phalaris arundinacea*, *Phragmites australis*, *Filipendula ulmaria* and *Rubus fruticosus*. Seedlings of ash (*Fraxinus excelsior*) and hawthorn were abundant here also.

Site no.	<input type="text" value="0853"/>	FIPS no.	<input type="text" value="49743, 27034, 49744, 85998, 85999, 49766, 49760"/>		
Date surveyed	<input type="text" value="30/05/2005"/>				
Woodland name	<input type="text" value="Annamarron"/>	Townland name	<input type="text" value="Annamarron, Leeg, Drumboory"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="54"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="25"/>
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="N877991"/>	6 inch sheet	<input type="text" value="MO 34"/>
County	<input type="text" value="Monaghan"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="6"/>	Max. alt. (m)	<input type="text" value="30"/>
Min. alt. (m)	<input type="text" value="28"/>				
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="5%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="15%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="80%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A woodland on cutover bog 7 km southeast of Carrickmacross. The centre of the bog is planted with conifers (*Picea sitchensis*). To the west and southeast the soil is not too impeded and birch (*Betula pubescens*) dominates with some grey willow (*Salix cinerea*) over a species poor field layer of *Rubus fruticosus* and *Pteridium aquilinum*. Along the south-western margin drainage is poor and sally dominates although birch is still abundant. The field layer here contains *Carex paniculata*, *Angelica sylvestris*, *Filipendula ulmaria*, *Molinia caerulea*, *Holcus lanatus*, *Menyanthes trifoliata* and *Ranunculus flammula*. The south-eastern part of the site is a mosaic of young birch woodland and open heathy areas with *Molinia* and *Calluna vulgaris*. The far eastern parts of the site have been felled due to realignment of the N2 which has apparently caused the area of birch woodland in the northeast of the site to become flooded. This is now carpeted with *Sphagnum* spp, but it was not possible to enter this area. In the north-western corner of the site the soils become more mineral enriched: ash (*Fraxinus excelsior*), hawthorn (*Crataegus monogyna*) and blackthorn (*Prunus spinosa*) occur with species such as *Geranium robertianum*, *Circaea lutetiana* and *Arum maculatum*.

Site no.	<input type="text" value="0854"/>	FIPS no.	<input type="text" value="81101"/>	
Date surveyed	<input type="text" value="07/09/2005"/>			
Woodland name	<input type="text" value="Kilmore West"/>	Townland name	<input type="text" value="Kilmore West"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="28A"/>	Grid ref.	<input type="text" value="H554375"/>	6 inch sheet <input type="text" value="MO 8"/> County <input type="text" value="Monaghan"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="6"/>	Max. alt. (m) <input type="text" value="110"/> Min. alt. (m) <input type="text" value="106"/>
Sub-soil	<input type="text" value="Cut/TDCSSs"/>		Soil <input type="text" value="Cut/AminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

Bog woodland on the northwest shore of Kilmore Lough, 6km west of Scotstown. The canopy is dominated by birch (*Betula pubescens*) with some grey willow (*Salix cinerea*). Holly (*Ilex aquifolium*) is frequent in the shrub layer. The ground flora is dominated by areas of *Rubus fruticosus*, *Vaccinium caerulea*, *Molinia caerulea* and *Sphagnum* spp. The ferns *Dryopteris dilatata* and *D. carthusiana* occur occasionally. The northern third of the site comprises more patchy areas of sally developed over more recently abandoned bog, with drains and tracks running through. Semi-natural grassland occurs to the northeast.

Site no.	<input type="text" value="0856"/>	FIPS no.	<input type="text" value="46522, 46524, 27025"/>		
Date surveyed	<input type="text" value="28/09/2005"/>				
Woodland name	<input type="text" value="Clohoge"/>	Townland name	<input type="text" value="Clohoge, Tievadinna, Feegavla"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="54"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="0"/>
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="H874087"/>	6 inch sheet	<input type="text" value="MO 28"/>
County	<input type="text" value="Monaghan"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="6"/>	Max. alt. (m)	<input type="text" value="80"/>
Min. alt. (m)	<input type="text" value="75"/>				
Sub-soil	<input type="text" value="Cut/RckNCa"/>		Soil	<input type="text" value="Cut/AminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="60%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="40%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A medium-sized woodland located approximately 6 km northeast of Carrickmacross. The area owned by Peadar Martin was not surveyed as we did not have access permission. The wood is located in a valley and surrounds two lakes, the margins of which are fairly abrupt and do not support willow- birch woodland. The lower lying parts of the wood that were surveyed supported birch (*Betula pubescens*) and grey willow (*Salix cinerea*) on cutover bog. There are open areas with bracken (*Pteridium aquilinum*) that merge into dense blackthorn (*Prunus spinosa*) scrub with a low canopy ca. 3 m and occasional standard ash (*Fraxinus excelsior*) trees. Ash and hazel (*Corylus avellana*) occur on rocky ground on the lower slope. The ground flora was fairly diverse with numerous herbaceous species and ferns. Hawthorn (*Crataegus monogyna*), blackthorn and elder (*Sambucus nigra*) were common in the shrub layer. Stone walls divided the wood and mounds of stones provided habitat for navelwort.

Site no.	<input type="text" value="0858"/>	FIPS no.	<input type="text" value="6674, 20637"/>	
Date surveyed	<input type="text" value="05/09/2005"/>			
Woodland name	<input type="text" value="Graffagh"/>	Townland name	<input type="text" value="Graffagh, Killytur, Mullatigorry"/>	
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="64"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="28A"/>	Grid ref.	<input type="text" value="H592334"/>	6 inch sheet <input type="text" value="MO 8"/> County <input type="text" value="Monaghan"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="6"/>	Max. alt. (m) <input type="text" value="70"/> Min. alt. (m) <input type="text" value="68"/>
Sub-soil	<input type="text" value="Cut/TDCSs"/>		Soil <input type="text" value="Cut/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input checked="" type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="50%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="50%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A linear strip of woodland 3km south of Scotstown. The northern part of the site is a mixture of ash (*Fraxinus excelsior*), grey willow (*Salix cinerea*), alder (*Alnus glutinosa*) and birch (*Betula pubescens*) with some holly (*Ilex aquifolium*), bird cherry (*Prunus padus*) and sycamore (*Acer pseudoplatanus*). The field layer near the road consists of *Urtica dioica*, and *Circaea lutetiana*, but further south is a small area dominated by ally with *Carex rostrata* dominant in the field layer. South again is an area of cutover bog, dominated by birch and grey willow with holly locally abundant in the drier places. The field layer is composed of *Molinia caerulea*, *Carex echinata*, *Rubus fruticosus*, *Dryopteris dilatata* and *Succisa pratense*. There is no apparent management and no invasives and grazing is low. *Sphagnum* spp patches are frequent throughout the site.

Site no.	<input type="text" value="0860"/>	FIPS no.	<input type="text" value="6672, 44173, 21422"/>		
Date surveyed	<input type="text" value="14/09/2005"/>				
Woodland name	<input type="text" value="Reduff"/>	Townland name	<input type="text" value="Reduff, Tullyglass, Tooa"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="61"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="33"/>
Disco. map	<input type="text" value="28B"/>	Grid ref.	<input type="text" value="H768118"/>	6 inch sheet	<input type="text" value="MO 27"/>
County	<input type="text" value="Monaghan"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="5"/>	Max. alt. (m)	<input type="text" value="135"/>
Min. alt. (m)	<input type="text" value="115"/>				
Sub-soil	<input type="text" value="TLPSS/A/RckNCa"/>		Soil	<input type="text" value="AminDW/AlluvMIN/AminSW/AminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="50%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="50%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

An area of woodland adjacent to two streams 8 km northeast of Shercock. The northern sections of the site are a mixture of hazel (*Corylus avellana*), ash (*Fraxinus excelsior*), birch (*Betula pubescens*), beech (*Fagus sylvatica*), sycamore (*Acer pseudoplatanus*) and holly (*Ilex aquifolium*) with a field layer dominated by *Rubus fruticosus*, *Veronica chamaedrys*, *Hyacinthoides non-scripta*, *Primula vulgaris* and *Ranunculus repens*. The south-western part of the site is dominated by birch with a field layer of *Rubus fruticosus* and various grass species. Cattle grazing occurs through out the site and there are many areas with poached soil. Invasive shrubs are problematic with *Rhododendron ponticum* and *Prunus laurocerasus* dominating substantial areas. Most of the site is on sloping ground and is freely draining although there are some wetter areas along the streams.

Site no.	<input type="text" value="0861"/>	FIPS no.	<input type="text" value="21455"/>		
Date surveyed	<input type="text" value="11/08/2005"/>				
Woodland name	<input type="text" value="Killygally"/>	Townland name	<input type="text" value="Killygally"/>		
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="39"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="8"/>
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="N837991"/>	6 inch sheet	<input type="text" value="MO 34"/>
County	<input type="text" value="Monaghan"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="3.5"/>	Max. alt. (m)	<input type="text" value="70"/>
Min. alt. (m)	<input type="text" value="50"/>				
Sub-soil	<input type="text" value="RckNCa/TLPSSs"/>		Soil	<input type="text" value="AminSW/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="80%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats	<input type="text" value="WS2 20%"/>		

Field notes

External data source: not all data recorded ☐

An area of low canopy woodland around an active limestone quarry, 4km south of Carrickmacross. The eastern part of the site is hazel (*Corylus avellana*) dominated, with hawthorn (*Crataegus monogyna*) abundant and ash (*Fraxinus excelsior*) occasional. The field layer is rather sparse with *Primula vulgaris*, *Hyacinthoides non-scripta*, *Galium odoratum*, *Melica uniflora* and *Arum maculatum* frequent. There is some localised grazing by cattle in this section. *Thamnobryum alopecurum* and *Eurhynchium striatum* are abundant. In the western section hazel is occasional, with elder (*Sambucus nigra*), hawthorn and blackthorn abundant, indeed blackthorn (*Prunus spinosa*) and hawthorn form low (4-5m) thickets in some areas. There is also no grazing in this section which has been reduced in size by recent felling from the quarry side. It is likely that additional sections of the woodland will be removed as quarrying continues.

Site no.	<input type="text" value="0862"/>	FIPS no.	<input type="text" value="27047, 27046, 15322"/>		
Date surveyed	<input type="text" value="02/08/2005"/>				
Woodland name	<input type="text" value="Annahaia"/>	Townland name	<input type="text" value="Annahaia, Corleck, Lisnagunnion"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="25"/>
Disco. map	<input type="text" value="35"/>	Grid ref.	<input type="text" value="H839081"/>	6 inch sheet	<input type="text" value="MO 28"/>
County	<input type="text" value="Monaghan"/>				
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="3.5"/>	Max. alt. (m)	<input type="text" value="80"/>
Min. alt. (m)	<input type="text" value="60"/>				
Sub-soil	<input type="text" value="RckCa/A/TLPSsS"/>		Soil	<input type="text" value="AminSW/AminDW/AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="100%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input checked="" type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A fragmented woodland 4 km north of Carrickmacross. The northern and small eastern sections occur on limestone outcrops with moss covered boulders, exposed bedrock and grykes. *Galium odoratum*, *Alliaria petiolata*, *Glechoma hederacea* and *Polystichum setiferum* occur. The shrub layer has abundant hazel (*Corylus avellana*), hawthorn (*Crataegus monogyna*) and spindle (*Euonymus europaeus*). Ash (*Fraxinus excelsior*) and sycamore form the canopy. The southern section also comprises a canopy of ash and sycamore (*Acer pseudoplatanus*) with a shrub layer of hawthorn. This area does not have exposed bedrock and has a thicker layer of soil, mosses are less abundant. *Petasites fragrans*, *Alliaria petiolata* and *Geranium robertianum* are common in the field layer. An eastern section of the FIPS parcel has been felled. This is the site of a former dump. Old quarry areas occur within the mid section of the woodland and adjacent to the woodland.

Site no.	<input type="text" value="0864"/>	FIPS no.	<input type="text" value="19703"/>	
Date surveyed	<input type="text" value="25/04/2005"/>			
Woodland name	<input type="text" value="Back Wood"/>	Townland name	<input type="text" value="Brandrum"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Moderate"/>
			<input type="text" value="25"/>	
Disco. map	<input type="text" value="28A"/>	Grid ref.	<input type="text" value="H633324"/>	6 inch sheet
			<input type="text" value="MO 9"/>	County
	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="1611"/>	SAC code
			<input type="text" value="-"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="3"/>	Max. alt. (m)
			<input type="text" value="85"/>	Min. alt. (m)
			<input type="text" value="60"/>	
Sub-soil	<input type="text" value="TDCSs/A"/>		Soil	<input type="text" value="AminPD/AminDW/AlluvMIN"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input checked="" type="checkbox"/>	WN2 <input type="text" value="95%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="5%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A small area of ash-beech woodland on the side of a drumlin 3 km west of Monaghan Town. The shrub layer is almost completely absent. The field layer is dominated by *Allium ursinum* which carpets most of the site. *Hyacinthoides non-scripta* and *Anemone nemorosa* replace this species at the top of the slope and in the western arm. Pedunculate oak (*Quercus robur*) is frequent throughout particularly to the west. There has been considerable felling of beech (*Fagus sylvatica*) and planting of the gaps with ash (*Fraxinus excelsior*). The soil is quite sandy and freely draining. The small thumb to the south of the site leads into a grassy strip of beech/ash grazed by cattle.

Site no.	<input type="text" value="0865"/>	FIPS no.	<input type="text" value="65382, 2593"/>	
Date surveyed	<input type="text" value="22/08/2005"/>			
Woodland name	<input type="text" value="Luttrellstown"/>	Townland name	<input type="text" value="Woodlands"/>	
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="64"/>	Threat rating and score	<input type="text" value="Moderate"/>
			<input type="text" value="33"/>	
Disco. map	<input type="text" value="50"/>	Grid ref.	<input type="text" value="O053367"/>	6 inch sheet
			<input type="text" value="DU 17"/>	County
	<input type="text" value="Dublin"/>			
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="1281213"/>	SPA Code
	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="24"/>	Max. alt. (m)
			<input type="text" value="50"/>	Min. alt. (m)
	<input type="text" value="30"/>			
Sub-soil	<input type="text" value="TLs/RckCa/GLs/A"/>		Soil	<input type="text" value="BminDW/BminSW/AlluvMIN"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input checked="" type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

Large area of woodland around the grounds of Luttrellstown Castle and Golf Course. The most native area is on the steep slopes of the River Liffey valley. The area known as the Glen was excluded from the survey as there were too many non-natives. The valley slopes have a canopy of ash (*Fraxinus excelsior*) and pedunculate oak (*Quercus robur*) with a subcanopy and shrub layer of sycamore (*Acer pseudoplatanus*), beech (*Fagus sylvatica*), elder (*Sambucus nigra*) and occasionally wild cherry (*Prunus avium*), hazel (*Corylus avellana*) and elm. The protected species *Hypericum hirsutum* was seen regularly along the paths in the wood.

Site no.	<input type="text" value="0866"/>	FIPS no.	<input type="text" value="65441"/>	
Date surveyed	<input type="text" value="22/04/2005"/>			
Woodland name	<input type="text" value="Brooklawn Wood"/>	Townland name	<input type="text" value="Fonthill"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="36"/>	Threat rating and score	<input type="text" value="High"/> <input type="text" value="42"/>
Disco. map	<input type="text" value="50"/>	Grid ref.	<input type="text" value="O068356"/>	6 inch sheet <input type="text" value="DU 17"/> County <input type="text" value="Dublin"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="128"/>	SAC code <input type="text" value="128"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="2"/>	Max. alt. (m) <input type="text" value="40"/> Min. alt. (m) <input type="text" value="15"/>
Sub-soil	<input type="text" value="RckCa/A/TLs"/>		Soil <input type="text" value="BminSW/AlluvMIN/BminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

Although beech (*Fagus sylvatica*) and conifers dominate areas of the Kings Hospital School site, a small area as shown on the map contained frequent numbers of native tree species and good regeneration of native trees, ash (*Fraxinus excelsior*) and elder (*Sambucus nigra*) being frequent. Also the rare species *Lamiastrum galeobdolon* and *Lathraea squamaria* were recorded at the site and the protected species *Hypericum hirsutum* has been recorded at the site previously. The site does suffer from a high level of *Prunus laurocerasus* but the school has submitted a 15 year management plan (5 of which have been completed) to SDCC which includes trying to control the level of laurel at the site.

Site no.	<input type="text" value="0868"/>	FIPS no.	<input type="text" value="42742"/>	
Date surveyed	<input type="text" value="12/05/2005"/>			
Woodland name	<input type="text" value="Drumillard Big"/>	Townland name	<input type="text" value="Drumillard Big"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="33"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>
Disco. map	<input type="text" value="28B"/>	Grid ref.	<input type="text" value="H815210"/>	6 inch sheet <input type="text" value="MO 20"/> County <input type="text" value="Monaghan"/>
NPWS region	<input type="text" value="North Midlands"/>	NHA code	<input type="text" value="1607"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="2"/>	Max. alt. (m) <input type="text" value="90"/> Min. alt. (m) <input type="text" value="90"/>
Sub-soil	<input type="text" value="Cut/Water"/>		Soil	<input type="text" value="Cut/Water"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input checked="" type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

This is a small area of grey willow (*Salix cinerea*) dominated woodland on fen peat, remarkable for its mono-dominance. The field layer is dominated by *Phalaris arundinacea*, *Deschampsia cespitosa*, *Filipendula ulmaria* and *Solanum dulcamara*. There are many ditches and pools and there is evidence of old peat cutting. The woodland is bordered by lake, reed beds and marshy grassland.

Site no.	<input type="text" value="0870"/>	FIPS no.	<input type="text" value="43215, 43216"/>	
Date surveyed	<input type="text" value="19/07/2005"/>			
Woodland name	<input type="text" value="Coolawinnia"/>	Townland name	<input type="text" value="Coolawinnia"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Low"/>
			<input type="text" value="8"/>	
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="T300968"/>	6 inch sheet
			<input type="text" value="WI 25"/>	County
			<input type="text" value="Wicklow"/>	
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="730"/>	SAC code
			<input type="text" value="2249"/>	SPA Code
			<input type="text" value="4128"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="3.7"/>	Max. alt. (m)
			<input type="text" value="6"/>	Min. alt. (m)
			<input type="text" value="3"/>	
Sub-soil	<input type="text" value="A/GCSsS"/>		Soil	<input type="text" value="AlluvMIN/AminSP"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="100%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

This is a small WN6 wet willow-alder-ash woodland, just northeast of Ashford in Co. Wicklow. It is quite close to the sea, being bordered to the east by reed swamp, which grades into saltmarsh. The wood is interspersed with areas of reed swamp and willow scrub. The woodland-proper is dominated by ash (*Fraxinus excelsior*) and grey willow (*Salix cinerea*), with alder (*Alnus glutinosa*) being frequent, especially at the edges. There is a very high proportion of dead wood - some is willow which has fallen over, much is in the form of snagged/snapped branches and crowns (again, willow). Some of the trees are very mature, including examples of the grey willow, ash, alder and crack willow (*S. fragilis*). The ground flora is dominated by *Carex remota* in places, with *Urtica dioica*, *Rumex sanguineus*, *Cardamine flexuosa* and *Filipendula ulmaria* also being frequent. *Oenanthe crocata* and *Iris pseudacorus* are also found. This woodland is quite impenetrable due to wet ground and the many fallen/snapped trees. However, it appears that cattle do gain access, and the woodland consequently has a 'disturbed' feel in places.

Site no.	<input type="text" value="0871"/>	FIPS no.	<input type="text" value="43312"/>	
Date surveyed	<input type="text" value="18/07/2005"/>			
Woodland name	<input type="text" value="Blackditch"/>	Townland name	<input type="text" value="Blackditch"/>	
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="64"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="O311033"/>	6 inch sheet <input type="text" value="WI 19"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="730"/>	SAC code <input type="text" value="2249"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="19.4"/>	Max. alt. (m) <input type="text" value="3"/> Min. alt. (m) <input type="text" value="3"/>
Sub-soil	<input type="text" value="FenPt/A/IrSTCSsS"/>		Soil <input type="text" value="FenPt/AlluvMIN/AminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A medium-sized wet woodland, just east of Newcastle village. This woodland is very close to the sea, being separated by a raised railway embankment and a wet field. Most of the woodland is dominated by young birch (*Betula pubescens*), with frequent Grey willow (*Salix cinerea*). Ground flora is very grassy in places, with other areas being dominated by *Hedera helix*. The former areas have frequent grasses (e.g. *Molinia caerulea*, *Agrostis stolonifera*) and sedges (e.g. *Carex paniculata*, *Carex flacca*). The site is owned and actively managed by BirdWatch Ireland (path creation and planned grazing regime). Categorisation of the woodland proved difficult - the ground flora and general appearance fits WN6, but the canopy is dominated by birch (*Betula pubescens*).

Site no.	<input type="text" value="0872"/>	FIPS no.	<input type="text" value="11719"/>	
Date surveyed	<input type="text" value="25/08/2005"/>			
Woodland name	<input type="text" value="Seabank"/>	Townland name	<input type="text" value="Seabank"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="T259750"/>	6 inch sheet <input type="text" value="WI 41"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="1746"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="1.5"/>	Max. alt. (m) <input type="text" value="20"/> Min. alt. (m) <input type="text" value="0"/>
Sub-soil	<input type="text" value="A/IrSTLPSsS/RckNca/Mbs"/>		Soil <input type="text" value="AlluvMIN/AminPD/AminSP/MarSands"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="60%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="40%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

This is a very small area of mixed woodland just northeast of Arklow. An area of broadleaf woodland to the west of the site was excluded due to dominance by non-native species (especially *Acer pseudoplatanus*). A further area of conifers to the west of this was also excluded (see 6" map). The greater part of the site was wet woodland (WN6), dominated by alder (*Alnus glutinosa*) and Grey willow (*Salix cinerea*). Ground flora was dominated by aquatic plants such as *Juncus inflexus*, *Oenanthe crocata* and *Angelica sylvestris*. This area would appear to be inundated in winter. A smaller area of ash-sycamore woodland to the north of the wet wood had ground flora dominated mostly by *Rubus fruticosus* agg. and *Polystichum setiferum*. Due to the small area of site, the releve was placed in the more native part of the woodland - i.e. the wet woodland.

Site no.	<input type="text" value="0874"/>	FIPS no.	<input type="text" value="42959"/>	
Date surveyed	<input type="text" value="27/06/2005"/>			
Woodland name	<input type="text" value="Hollywood Glen"/>	Townland name	<input type="text" value="Woodenboley"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="52"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="N933023"/>	6 inch sheet <input type="text" value="WI 15"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="2053"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="1.5"/>	Max. alt. (m) <input type="text" value="260"/> Min. alt. (m) <input type="text" value="210"/>
Sub-soil	<input type="text" value="Granite"/>		Soil	<input type="text" value="Brown Podzolics"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="100%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

This is a small site on the steeply sloping side of a valley in Co. Wicklow, with a freely draining mineral soil. On either side of the wood there are plantations; a young beech (*Fagus sylvatica*) wood to the east and a conifer plantation to the west (these areas were not surveyed). The site is dominated by sessile oak (*Quercus petraea*) over a hazel (*Corylus avellana*) shrub layer. *Hyacinthoides non-scripta*, *Oxalis acetosella* and *Luzula sylvatica* occur in the field layer, along with the ferns *Blechnum spicant* and *Dryopteris dilatata*.

Site no.	<input type="text" value="0875"/>	FIPS no.	<input type="text" value="58797"/>	
Date surveyed	<input type="text" value="09/08/2005"/>			
Woodland name	<input type="text" value="Glennashouk"/>	Townland name	<input type="text" value="Glennashouk"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="52"/>	Threat rating and score	<input type="text" value="Low"/>
		<input type="text" value="0"/>		
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="S954632"/>	6 inch sheet
			<input type="text" value="WI 46"/>	County
	<input type="text" value="Wicklow"/>			
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="781"/>	SPA Code
	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="5.2"/>	Max. alt. (m)
			<input type="text" value="55"/>	Min. alt. (m)
	<input type="text" value="45"/>			
Sub-soil	<input type="text" value="TLPSSs/A"/>		Soil	<input type="text" value="AminPD/AminPDPT/AlluvMIN"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input checked="" type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="100%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

This stand of WN5 woodland occupies the banks of the Derry River, and is part of the larger River Slaney SAC. The canopy is dominated by birch (*Betula pubescens*) with frequent alder (*Alnus glutinosa*) and more occasionally ash (*Fraxinus excelsior*) and pedunculate oak (*Quercus robur*). Sparrowhawks were seen and heard on site. Some shooting evidently takes place here as gun cartridges were also seen.

Site no.	<input type="text" value="0876"/>	FIPS no.	<input type="text" value="79722"/>		
Date surveyed	<input type="text" value="08/08/2005"/>				
Woodland name	<input type="text" value="Roundwood"/>	Townland name	<input type="text" value="Roundwood"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="O191024"/>	6 inch sheet	<input type="text" value="WI 18"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="9"/>	Max. alt. (m)	<input type="text" value="255"/>
Min. alt. (m)	<input type="text" value="240"/>				
Sub-soil	<input type="text" value="RckNca/TLPSSs"/>		Soil	<input type="text" value="AminSW/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="100%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A mid-sized oak woodland just south of Roundwood village in Co. Wicklow. The entire site is very grassy and appears heavily grazed (although no farm animals have been on the land in the past 4 years according to the farm managers). The canopy is dominated by sessile oak (*Quercus petraea*), with beech (*Fagus sylvatica*) and birch (*Betula pubescens*) occurring in patches. Holly (*Ilex aquifolium*) is almost entirely absent; rowan (*Sorbus aucuparia*) forms the understorey, but is patchy. *Agrostis stolonifera* dominates the herb layer. A small lobe of woodland at the northeast (across the road) may be cleared to access (or extend?) the adjacent golf course, although there are no official plans for this yet (a local person provided this information).

Site no.	<input type="text" value="0881"/>	FIPS no.	<input type="text" value="40766, 68664"/>	
Date surveyed	<input type="text" value="13/05/2005"/>			
Woodland name	<input type="text" value="Howth Demesne"/>	Townland name	<input type="text" value="Howth Demesne, Howth"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="39"/>	Threat rating and score	<input type="text" value="Moderate"/>
			<input type="text" value="25"/>	
Disco. map	<input type="text" value="50"/>	Grid ref.	<input type="text" value="O280382"/>	6 inch sheet
			<input type="text" value="DU 15/19"/>	County
	<input type="text" value="Dublin"/>	NPWS region	<input type="text" value="North Eastern"/>	NHA code
	<input type="text" value="202"/>	SAC code	<input type="text" value="-"/>	SPA Code
	<input type="text" value="-"/>	National Park	<input type="checkbox"/>	Nature Reserve
	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>	
Ownership	<input type="text" value="Local Authority"/>	Area (ha)	<input type="text" value="10"/>	Max. alt. (m)
			<input type="text" value="120"/>	Min. alt. (m)
	<input type="text" value="50"/>	Sub-soil	<input type="text" value="RckNca"/>	
		Soil	<input type="text" value="AminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="5%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input checked="" type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="95%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

Highly modified area of woodland dominated by sycamore (*Acer pseudoplatanus*) with beech (*Fagus sylvatica*), ash (*Fraxinus excelsior*) and pedunculate oak (*Quercus robur*). Northern part of the site is excluded as it is a *Rhododendron ponticum* garden, and this shrub is problematic throughout much of the remaining area. There is however a good native field layer with *Allium ursinum*, *Hyacinthoides non-scripta*, *Sanicula europaea*, *Allium triquetrum*, a non-native herb is abundant in the western part of the site. The wood is heavily used by walkers and is of value despite its modified status due to its north Co Dublin location. The northern part of the site merges into lowland heath and consists of birch (*Betula pubescens*) scrub.

Site no.	<input type="text" value="0883"/>	FIPS no.	<input type="text" value="18934"/>	
Date surveyed	<input type="text" value="21/06/2005"/>			
Woodland name	<input type="text" value="Santry Demesne"/>	Townland name	<input type="text" value="Santry Demesne"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="39"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>	
Disco. map	<input type="text" value="50"/>	Grid ref.	<input type="text" value="O167407"/>	6 inch sheet <input type="text" value="DU 14"/> County <input type="text" value="Dublin"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="178"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Local Authority"/>	Area (ha)	<input type="text" value="6"/>	Max. alt. (m) <input type="text" value="48"/> Min. alt. (m) <input type="text" value="55"/>
Sub-soil	<input type="text" value="TLs/A"/>		Soil <input type="text" value="BminPD/BminDW/AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

Two sections of the woodland within the demesne were included within the survey. The north-western section comprises woodland along the course of a river. The canopy here includes ash (*Fraxinus excelsior*), beech (*Fagus sylvatica*), sycamore (*Acer pseudoplatanus*) and wild cherry (*Prunus avium*) with hazel (*Corylus avellana*) and wych elm (*Ulmus glabra*) in the understorey. The ground flora includes *Heracleum sphondylium*, *Geum urbanum*, *Geranium robertianum* and *Phyllitis scolopendrium* in the shadier parts. A tarmacadam footpath fragments this section. The second area in the east has an ash canopy with a well developed understorey of hazel and sycamore. The ground flora was dominated by *Allium ursinum* and *Galium aparine*. The relevé was located here as it is the least fragmented section. The area around the ornamental pond was excluded due to the area of water. Much of the ground flora here is mown and therefore fragmented. The ground flora of most of the southern section has been removed by levelling the site with a digger. The rare plants previously recorded here were not observed during this survey.

Site no.	<input type="text" value="0884"/>	FIPS no.	<input type="text" value="28353, 63174, 63176, 63157, 65477, 40916"/>		
Date surveyed	<input type="text" value="19/04/2005"/>				
Woodland name	<input type="text" value="Glenasmole Valley"/>	Townland name	<input type="text" value="Glenasmole Valley, Ballymace, Ballinascorney"/>		
Conservation rating and score	<input type="text" value="Excellent"/>	<input type="text" value="82"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="50"/>	Grid ref.	<input type="text" value="O093224"/>	6 inch sheet	<input type="text" value="DU 25"/>
County	<input type="text" value="Dublin"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="1209"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Local Authority"/>	Area (ha)	<input type="text" value="35"/>	Max. alt. (m)	<input type="text" value="200"/>
Min. alt. (m)	<input type="text" value="120"/>				
Sub-soil	<input type="text" value="Granite"/>		Soil	<input type="text" value="Brown podzolic"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="10%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="70%"/>	Cattle <input type="checkbox"/>	Springs <input checked="" type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input checked="" type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="5%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="15%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

This is one of the largest areas of native woodland in Co. Dublin. Most of the site is dominated by hazel (*Corylus avellana*) and ash (*Fraxinus excelsior*). However in areas birch (*Betula pubescens*) is abundant and along the lake shore grey willow (*Salix cinerea*) and ash are frequent. Part of the site is mixed with areas dominated by larch or Scots pine (*Pinus sylvestris*). Scots pine has been planted along the top of the site. The FIPS map has been annotated to show the current extent of the native woodland site. The rare species *Lamiastrum galeobdolon* was recorded throughout the site. Also the invasive species *Rhododendron ponticum* and Japanese knotweed (*Fallopia japonica*) were recorded in the site. It should be noted that Howard Fox has collected lichen data for this site. Also calcareous springs were frequent through the site.

Site no.	<input type="text" value="0888"/>	FIPS no.	<input type="text" value="67290"/>	
Date surveyed	<input type="text" value="10/08/2005"/>			
Woodland name	<input type="text" value="Kilquade"/>	Townland name	<input type="text" value="Kilquade"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="17"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="O282071"/>	6 inch sheet <input type="text" value="WI 13"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="6.9"/>	Max. alt. (m) <input type="text" value="75"/> Min. alt. (m) <input type="text" value="65"/>
Sub-soil	<input type="text" value="GLs"/>		Soil	<input type="text" value="BminSW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="90%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input checked="" type="checkbox"/>	WD1 <input type="text" value="10%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text"/>			

Field notes

External data source: not all data recorded ☐

A medium-sized wet woodland southwest of Kilcoole village in Co. Wicklow. The woodland is a long strip, with a small river and numerous drains. The woodland is dominated by ash (*Fraxinus excelsior*), grey willow (*Salix cinerea*) and alder (*Alnus glutinosa*), with *Prunus laurocerasus*, wych elm (*Ulmus glabra*) and sweet chestnut (*Castanea sativa*) towards the edges (WD1 - Mixed broadleaved woodland - in drier edge areas). Ground flora is dominated by *Carex remota*, with frequent *Rubus fruticosus* agg., *Filipendula ulmaria*, *Carex sylvatica* and *Dryopteris dilatata*. This woodland appears free of disturbance and is quite species-rich.

Site no.	<input type="text" value="0892"/>	FIPS no.	<input type="text" value="56995"/>		
Date surveyed	<input type="text" value="15/09/2005"/>				
Woodland name	<input type="text" value="Clonkeen"/>	Townland name	<input type="text" value="Clonkeen"/>		
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="36"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="T073934"/>	6 inch sheet	<input type="text" value="WI 23"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="3.4"/>	Max. alt. (m)	<input type="text" value="160"/>
Min. alt. (m)	<input type="text" value="150"/>				
Sub-soil	<input type="text" value="TGr/A"/>		Soil	<input type="text" value="AminSRPT/AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A small area of bog woodland situated high in Glenmalure Valley, Co. Wicklow. The woodland consists of birch (*Betula pubescens*) and Sitka spruce (*Picea sitchensis*) in the canopy, with mosses dominating the ground layer, including mostly *Sphagnum* spp. and *Polytrichum* spp. The uncommon fern species *Oreopteris limbosperma* was recorded.

Site no.	<input type="text" value="0894"/>	FIPS no.	<input type="text" value="40790"/>	
Date surveyed	<input type="text" value="26/07/2005"/>			
Woodland name	<input type="text" value="Ballyward"/>	Townland name	<input type="text" value="Ballyward"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="17"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="O030152"/>	6 inch sheet <input type="text" value="WI 5"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="16.7"/>	Max. alt. (m) <input type="text" value="270"/> Min. alt. (m) <input type="text" value="200"/>
Sub-soil	<input type="text" value="TGr/A/RckNCa"/>		Soil <input type="text" value="AminPD/AlluvMIN/AminSW/AminSRPT"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="95%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value="WD4 5%"/>		

Field notes

External data source: not all data recorded ☐

A band of WN1 birch (*Betula pubescens*) dominated woodland bordering a larger conifer site. The wood is quite uniform and the flora is fairly restricted with *Blechnum spicant*, *Luzula sylvatica* and *Deschampsia flexuosa*. The site is subject to moderate grazing levels and sika deer (*Cervus nippon*) or perhaps their hybrids (with red deer) were seen on site.

Site no.	<input type="text" value="0895"/>	FIPS no.	<input type="text" value="14969"/>	
Date surveyed	<input type="text" value="02/06/2005"/>			
Woodland name	<input type="text" value="Deerpark (Wicklow)"/>	Townland name	<input type="text" value="Deerpark"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="30"/>	Threat rating and score	<input type="text" value="High"/> <input type="text" value="42"/>	
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="N970153"/>	6 inch sheet <input type="text" value="WI 5"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="13.5"/>	Max. alt. (m) <input type="text" value="260"/> Min. alt. (m) <input type="text" value="220"/>
Sub-soil	<input type="text" value="GLs"/>		Soil	<input type="text" value="BminSW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

This wood is located on freely draining mineral soil in a valley in Co. Wicklow. The canopy is composed of blocks of downy birch (*Betula pubescens*) mixed with other species including beech (*Fagus sylvatica*), sycamore (*Acer pseudoplatanus*) and hornbeam. Understorey species present include elder (*Sambucus nigra*), hawthorn (*Crataegus monogyna*) and conifers. *Rubus fruticosus*, *Agrostis capillaris*, and *Dryopteris dilatata* occur in the field layer.

Site no.	<input type="text" value="0896"/>	FIPS no.	<input type="text" value="14678"/>	
Date surveyed	<input type="text" value="14/06/2005"/>			
Woodland name	<input type="text" value="Rathsallagh Demense"/>	Townland name	<input type="text" value="Rathsallagh Demense"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="39"/>	Threat rating and score	<input type="text" value="Moderate"/> <input type="text" value="33"/>	
Disco. map	<input type="text" value="55"/>	Grid ref.	<input type="text" value="S849987"/>	6 inch sheet <input type="text" value="WI 14"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="3.4"/>	Max. alt. (m) <input type="text" value="130"/> Min. alt. (m) <input type="text" value="120"/>
Sub-soil	<input type="text" value="TLPSSs/Made"/>		Soil <input type="text" value="AminDW/Made"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input checked="" type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="100%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

Old demesne wood at edge of golf course. Very large pedunculate oak (*Quercus robur*) trees are abundant with dbh > 50cm and height over 30m. The field layer is variable, in some areas grass species dominate and in others there is abundant tree regeneration with abundant bramble (*Rubus fruticosus*). In one area box (*Buxus sempervirens*) is a serious invasive and in another area there is a patch of *Cornus sericea*

Site no.	<input type="text" value="0899"/>	FIPS no.	<input type="text" value="38786, 68936, 61236, 61294, 83931, 61291, 61290"/>		
Date surveyed	<input type="text" value="09/08/2005"/>				
Woodland name	<input type="text" value="Askakeagh"/>	Townland name	<input type="text" value="Askakeagh, Carrigoe, Corndog, Sleivemweel"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="70"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="0"/>
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="T058758"/>	6 inch sheet	<input type="text" value="WI 38/33"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="12"/>	Max. alt. (m)	<input type="text" value="150"/>
Min. alt. (m)	<input type="text" value="130"/>				
Sub-soil	<input type="text" value="TLPSSs/A"/>		Soil	<input type="text" value="AminDW/AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="30%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input checked="" type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="70%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

This woodland comprised a steep dry bank with WN1 hazel coppice above the flatter wetter area adjacent to the river dominated by *Carex remota* (WN5). The canopy in the drier area is dominated by sessile oak (*Quercus petraea*) and ash (*Fraxinus excelsior*), with a shrub layer of hazel (*Corylus avellana*) and holly (*Ilex aquifolium*). Ferns such as *Blechnum spicant*, *Dryopteris affinis* and *Dryopteris dilatata* are frequent here. In wetter areas, alder (*Alnus glutinosa*) and grey willow dominate the canopy over downy birch (*Betula pubescens*) and hazel. The field layer here is primarily composed of grasses such as *Glyceria fluitans*, *Holcus lanatus* and *Molinia caerulea*. Adjacent abandoned fields are reverting to scrub.

Site no.	<input type="text" value="0902"/>	FIPS no.	<input type="text" value="68933, 86412"/>	
Date surveyed	<input type="text" value="12/08/2005"/>			
Woodland name	<input type="text" value="Mungacullin"/>	Townland name	<input type="text" value="Mungacullin"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="36"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>	
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="S960689"/>	6 inch sheet <input type="text" value="WI 42"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="2.9"/>	Max. alt. (m) <input type="text" value="180"/> Min. alt. (m) <input type="text" value="165"/>
Sub-soil	<input type="text" value="TLPSSs"/>		Soil	<input type="text" value="AminDW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input checked="" type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

This is an area of wet WN6 wet willow-alder-ash woodland fed by springs and flushes, on the lower slopes and flat area below a larger coniferous stand that was originally included in the site boundary but excluded during field survey. The stand is dominated by birch (*Betula pubescens*) and *Salix* spp. with some *Corylus* and ash (*Fraxinus excelsior*) also present.

Site no.	<input type="text" value="0903"/>	FIPS no.	<input type="text" value="29697, 29693"/>	
Date surveyed	<input type="text" value="15/07/2005"/>			
Woodland name	<input type="text" value="Laragh"/>	Townland name	<input type="text" value="Laragh"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="S980719"/>	6 inch sheet <input type="text" value="WI 43"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="5.4"/>	Max. alt. (m) <input type="text" value="180"/> Min. alt. (m) <input type="text" value="165"/>
Sub-soil	<input type="text" value="TGr"/>		Soil	<input type="text" value="AminDW/AminPD"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

This is a small wood in a valley with poorly drained, mineral soil, in county Wicklow. The canopy consists of birch (*Betula pubescens*) and alder (*Alnus glutinosa*) with some grey willow (*Salix cinerea*) below. Holly (*Ilex aquifolium*) forms the shrub layer. Old individuals of birch (*Betula pubescens*) and *Salix* spp. occur throughout the wood. There is a grass-rich field layer, with *Agrostis capillaris*, *Glyceria fluitans*, *Holcus lanatus*, *Holcus mollis* and *Molinia caerulea*, as well as *Vaccinium myrtillus*, *Chrysosplenium oppositifolium* and *Oxalis acetosella*. The site is adjacent to species rich fen and grassland.

Site no.	<input type="text" value="0904"/>	FIPS no.	<input type="text" value="29668, 60777, 60778"/>		
Date surveyed	<input type="text" value="12/07/2005"/>				
Woodland name	<input type="text" value="Cronelea"/>	Townland name	<input type="text" value="Cronelea, Mungacullin"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="0"/>
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="S970692"/>	6 inch sheet	<input type="text" value="WI 43"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="3.7"/>	Max. alt. (m)	<input type="text" value="100"/>
Min. alt. (m)	<input type="text" value="90"/>				
Sub-soil	<input type="text" value="A/TLPSsS"/>		Soil	<input type="text" value="AlluvMin/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A woodland on the slope running away from road down to river and extending onto the river plain. While there are mature pedunculate oak (*Quercus robur*) and ash (*Fraxinus excelsior*) along the roadside, the majority of the site is dominated by alder (*Alnus glutinosa*) and ash. The wood has a stock fence running through it (to keep cattle away from the river at the western side) and to the west of this fence the area is grazed and eutrophic and dominated by *Urtica*. Raven heard on site.

Site no.	<input type="text" value="0906"/>	FIPS no.	<input type="text" value="83852, 60269"/>	
Date surveyed	<input type="text" value="06/09/2005"/>			
Woodland name	<input type="text" value="Knockraheen"/>	Townland name	<input type="text" value="Knockraheen, Mullinaveigh"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="39"/>	Threat rating and score	<input type="text" value="Low"/>
		<input type="text" value="0"/>		
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="O200040"/>	6 inch sheet
			<input type="text" value="WI 18"/>	County
	<input type="text" value="Wicklow"/>			
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="1771"/>	SAC code
		<input type="text" value="-"/>	SPA Code	<input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
			<input type="text" value="No"/>	
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="5"/>	Max. alt. (m)
			<input type="text" value="220"/>	Min. alt. (m)
	<input type="text" value="210"/>			
Sub-soil	<input type="text" value="A/TLPSsS"/>		Soil	<input type="text" value="AlluvMIN/AminDW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="100%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A very small area of woodland northeast of Roundwood village in Co. Wicklow. It is dominated by birch (*Betula pubescens*) and grey willow (*Salix cinerea*), with occasional sessile oak (*Quercus petraea*). The ground flora is either *Rubus fruticosus* dominated, or grassy (with *Deschampsia cespitosa*, *Agrostis stolonifera* and *A. capillaris* common). Lichen cover and diversity is high. There is likely to be a number of foxes living here. At the southwest end there is a large area of willow scrub, into which this woodland grades. These woods are under the management of the Water Works of Dublin Corporation. We spoke with Ned Fleming, the engineer in charge. He is very interested in knowing how best to manage the woods to allow them to develop naturally. He reports a badger sett in the woods.

Site no.	<input type="text" value="0907"/>	FIPS no.	<input type="text" value="40959"/>		
Date surveyed	<input type="text" value="14/07/2005"/>				
Woodland name	<input type="text" value="Coolkenna"/>	Townland name	<input type="text" value="Coolkenna"/>		
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="33"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="8"/>
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="S942711"/>	6 inch sheet	<input type="text" value="WI 42"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="1.6"/>	Max. alt. (m)	<input type="text" value="155"/>
Min. alt. (m)	<input type="text" value="145"/>				
Sub-soil	<input type="text" value="TGr"/>		Soil	<input type="text" value="AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input checked="" type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

This is a small piece of wet woodland on a hillside at the base of a sloping farmed field in Co. Wicklow, with a poorly drained mineral soil. Dominated by *Salix* spp., with birch (*Betula pubescens*) in the shrub layer, the field layer is dominated by grasses such as *Glyceria fluitans*, *Agrostis capillaris* and *Anthoxanthum odoratum* and sedges with bramble (*Rubus fruticosus*) in some places.

Site no.	<input type="text" value="0908"/>	FIPS no.	<input type="text" value="60946"/>		
Date surveyed	<input type="text" value="10/08/2005"/>				
Woodland name	<input type="text" value="Money Upper East"/>	Townland name	<input type="text" value="Money Upper"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="0"/>
Disco. map	<input type="text" value="61/62"/>	Grid ref.	<input type="text" value="S930920"/>	6 inch sheet	<input type="text" value="WI 42"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="5.2"/>	Max. alt. (m)	<input type="text" value="150"/>
Min. alt. (m)	<input type="text" value="120"/>				
Sub-soil	<input type="text" value="TGr"/>		Soil	<input type="text" value="AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="90%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="10%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

The western leg of this site was a mosaic of scrub and wet grassland contained within a wide tree-line that is similar to the woodland part of the site. This WN6 wet willow-alder-ash woodland is dominated by alder (*Alnus glutinosa*) and birch (*Betula pubescens*) with hazel (*Corylus avellana*) and ash (*Fraxinus excelsior*). A slight slope on the southern side of the site gave rise to drier conditions and ash was more abundant in this part.

Site no.	<input type="text" value="0909"/>	FIPS no.	<input type="text" value="29659"/>	
Date surveyed	<input type="text" value="14/07/2005"/>			
Woodland name	<input type="text" value="Money Upper West"/>	Townland name	<input type="text" value="Money Upper"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="39"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="S920690"/>	6 inch sheet <input type="text" value="WI 42"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="4.4"/>	Max. alt. (m) <input type="text" value="170"/> Min. alt. (m) <input type="text" value="160"/>
Sub-soil	<input type="text" value="TGr/RckNCa"/>		Soil <input type="text" value="AminDW/AminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="100%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input checked="" type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

This small wood is located on fairly freely draining mineral soil on a hillside in Co. Wicklow. The canopy contains mature trees and is dominated by ash (*Fraxinus excelsior*), with hawthorn (*Crataegus monogyna*) occurring in the shrub layer. *Rubus fruticosus* agg. is abundant in the field layer. Some tracks are maintained though the wood and a barn is located to the south eastern end. The ivy (*Hedera helix*) has been cut on many of the mature trees.

Site no.	<input type="text" value="0910"/>	FIPS no.	<input type="text" value="62945, 62919, 62931"/>		
Date surveyed	<input type="text" value="09/08/2005"/>				
Woodland name	<input type="text" value="Kilruddery Deerpark"/>	Townland name	<input type="text" value="Kilruddery Deerpark, Paddock"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="8"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="O272147"/>	6 inch sheet	<input type="text" value="WI 8"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="7.4"/>	Max. alt. (m)	<input type="text" value="120"/>
Min. alt. (m)	<input type="text" value="90"/>				
Sub-soil	<input type="text" value="TCSsS/IrSTCSsS"/>		Soil	<input type="text" value="AminDW/AminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

This wood forms part of a large estate (Kilruddery Estate) and is surrounded by mixed woodland. The area surveyed was mostly WN6 wet willow-alder-ash woodland. The area was dominated by ash (*Fraxinus excelsior*), with frequent alder (*Alnus glutinosa*) and sycamore (*Acer pseudoplatanus*). The ground flora was dominated by *Rubus fruticosus* agg., *Filipendula ulmaria*, *Ranunculus repens*, *Dryopteris dilatata* and *Athyrium filix-femina*. *Chrysosplenium oppositifolium* was also frequent. The ground was very wet underfoot, and many aquatic species were frequent, e.g. *Mentha aquatica* and *Iris pseudacorus*. Surrounding woodland areas were excluded due to the presence of non-native species, e.g. Beech (*Fagus sylvatica*) and conifers (see 6" map attached). A small area to the south was visited and found to have patchy canopy cover and ground flora, and a mix of native and non-native trees. This area is not included in the site. Buzzards were seen and heard at the site.

Site no.	<input type="text" value="0914"/>	FIPS no.	<input type="text" value="61711, 61686"/>	
Date surveyed	<input type="text" value="14/09/2005"/>			
Woodland name	<input type="text" value="Ballinagee"/>	Townland name	<input type="text" value="Ballinagee, Bahana"/>	
Conservation rating and score	<input type="text" value="Very Good"/> <input type="text" value="61"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="17"/>	
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="O207140"/>	6 inch sheet <input type="text" value="WI 7"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="1768"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="9"/>	Max. alt. (m) <input type="text" value="140"/> Min. alt. (m) <input type="text" value="100"/>
Sub-soil	<input type="text" value="GLs/TLPSsS/A"/>		Soil <input type="text" value="BminSW/AminDW/AlluvMIN"/>	

<u>Geography</u>		<u>Woodland habitats</u>		<u>Grazing</u>		<u>Hydrological features</u>	
Esker	<input type="checkbox"/>	WN1	<input type="text" value="0%"/>	Deer	<input checked="" type="checkbox"/>	Seasonal flooding	<input checked="" type="checkbox"/>
Drumlin	<input type="checkbox"/>	WN2	<input type="text" value="0%"/>	Cattle	<input type="checkbox"/>	Springs	<input checked="" type="checkbox"/>
Valley	<input checked="" type="checkbox"/>	WN3	<input type="text" value="0%"/>	Sheep	<input type="checkbox"/>	Lakes	<input type="checkbox"/>
Lakeside	<input type="checkbox"/>	WN4	<input type="text" value="100%"/>	Rabbits	<input type="checkbox"/>	Rivers/streams	<input checked="" type="checkbox"/>
Bogland	<input type="checkbox"/>	WN5	<input type="text" value="0%"/>	Hares	<input type="checkbox"/>	Damp clefts/ravines	<input type="checkbox"/>
Hill	<input type="checkbox"/>	WN6	<input type="text" value="0%"/>	Goats	<input type="checkbox"/>	Other	<input type="text"/>
Plain/Lowlands	<input type="checkbox"/>	WN7	<input type="text" value="0%"/>	Horses	<input type="checkbox"/>		
Island	<input type="checkbox"/>	WS1	<input type="text" value="0%"/>	Other	<input type="text"/>		
Riverside/Floodplain	<input type="checkbox"/>	WD1	<input type="text" value="0%"/>	Grazing level	<input type="text" value="3"/>		
Coastal/Estuary	<input type="checkbox"/>	WD2	<input type="text" value="0%"/>				
		Other habitats	<input type="text"/>				

Field notes

External data source: not all data recorded ☐

The most native area of woodland within the Powerscourt complex. The soil was a type of clay and with calcareous springs within the site there were small areas of standing water which would be larger during the winter. Also the River Dargle would seasonally flood the lower part of the site. The canopy was dominated by ash (*Fraxinus excelsior*) and alder (*Alnus glutinosa*), with *Corylus* dominating the subcanopy. Some large sessile oak (*Quercus petraea*) trees were recorded within the site. Due to heavy deer grazing there was no regeneration seen of the main canopy species except for ash seedlings

Site no.	<input type="text" value="0915"/>	FIPS no.	<input type="text" value="81645, 29872"/>	
Date surveyed	<input type="text" value="20/06/2005"/>			
Woodland name	<input type="text" value="Malahide Demesne"/>	Townland name	<input type="text" value="Malahide Demesne"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="30"/>	Threat rating and score	<input type="text" value="Moderate"/> <input type="text" value="33"/>	
Disco. map	<input type="text" value="50"/>	Grid ref.	<input type="text" value="O217454"/>	6 inch sheet <input type="text" value="DU 12"/> County <input type="text" value="Dublin"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park <input type="checkbox"/>	Nature Reserve <input type="checkbox"/>	Woodland present in the 1840s		<input type="text" value="Yes"/>
Ownership	<input type="text" value="Local Authority"/>	Area (ha)	<input type="text" value="3.1"/>	Max. alt. (m) <input type="text" value="15"/> Min. alt. (m) <input type="text" value="11"/>
Sub-soil	<input type="text" value="TLs"/>		Soil	<input type="text" value="BminDW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text"/>			

Field notes

External data source: not all data recorded ☐

Two areas of modified woodland within the Malahide Demesne. The majority of the woodland was excluded from the survey due to high percentage of non-native species in the canopy such as Sitka spruce (*Picea sitchensis*), sycamore (*Acer pseudoplatanus*) and beech (*Fagus sylvatica*) and areas of heavy infestation with cherry laurel (*Prunus laurocerasus*) and snowberry (*Symphoricarpos albus*). Two areas were identified that are dominated by ash (*Fraxinus excelsior*) with sycamore (*Acer pseudoplatanus*) on a freely draining podzolic soil. There is an understorey of wych elm (*Ulmus glabra*) and hazel (*Corylus avellana*). The field layer is of low diversity being dominated by *Hedera helix*, *Rubus fruticosus* and *Lonicera periclymenum*. The ferns *Polystichum setiferum* and *Phyllitis scolopendrium* also occur.

Site no.	<input type="text" value="0916"/>	FIPS no.	<input type="text" value="40940"/>		
Date surveyed	<input type="text" value="24/06/2005"/>				
Woodland name	<input type="text" value="Newbridge Demesne"/>	Townland name	<input type="text" value="Newbridge Demesne"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="High"/>	<input type="text" value="42"/>
Disco. map	<input type="text" value="50"/>	Grid ref.	<input type="text" value="O210499"/>	6 inch sheet	<input type="text" value="DU 12"/>
County	<input type="text" value="Dublin"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Local Authority"/>	Area (ha)	<input type="text" value="11.3"/>	Max. alt. (m)	<input type="text" value="9"/>
Min. alt. (m)	<input type="text" value="5"/>				
Sub-soil	<input type="text" value="A/TLs"/>		Soil	<input type="text" value="AlluvMIN/BminDW/BminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value="Ditch"/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

Area of modified woodland 2 km west of Donabate. The canopy is dominated by pedunculate oak (*Quercus robur*), ash (*Fraxinus excelsior*) and sycamore (*Acer pseudoplatanus*) with hawthorn (*Crataegus monogyna*), wych elm (*Ulmus glabra*) and elder (*Sambucus nigra*) beneath. Beech (*Fagus sylvatica*) is occasional and there are some regenerating conifers present; largely European silver-fir (*Abies alba*). The field layer is dominated by *Rubus fruticosus*, *Filipendula ulmaria*, *Hedera helix* and *Polystichum setiferum*. The soil is slightly gleyed. There are several exotic shrubs present but none are currently problematic. Despite its modified nature the site is one of the most native stands in Fingal County Council, which would benefit from some minor management.

Site no.	<input type="text" value="0917"/>	FIPS no.	<input type="text" value="65385"/>		
Date surveyed	<input type="text" value="28/06/2005"/>				
Woodland name	<input type="text" value="Pumphouse Wood"/>	Townland name	<input type="text" value="Newbridge demesne"/>		
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="36"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="33"/>
Disco. map	<input type="text" value="50"/>	Grid ref.	<input type="text" value="O223496"/>	6 inch sheet	<input type="text" value="DU 12"/>
County	<input type="text" value="Dublin"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Local Authority"/>	Area (ha)	<input type="text" value="4.4"/>	Max. alt. (m)	<input type="text" value="7"/>
Min. alt. (m)	<input type="text" value="5"/>				
Sub-soil	<input type="text" value="A/TLs"/>		Soil	<input type="text" value="AlluvMIN/BminDW/BminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value="Drainage ditch"/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

Low lying mixed broadleaf woodland site on the Newbridge Estate. Canopy comprised mainly sycamore (*Acer pseudoplatanus*), ash (*Fraxinus excelsior*) and horse-chestnut (*Aesculus hippocastanum*). Pedunculate oak (*Quercus robur*) is occasional but distributed throughout the site, some tall specimens being up to 30m tall. The subcanopy is dominated by wych elm (*Ulmus glabra*), which is frequent throughout the site. The shrub layer is dominated by sycamore and elder (*Sambucus nigra*). The field layer is relatively species poor and dominated by *Hedera helix* (>75% cover). The site is generally dry with some ditches transecting the site. There is a small area in the northwest planted with ash (approx 15 years old). A stand of *Rhododendron ponticum* occurs in the southeast corner of the site.

Site no.	<input type="text" value="0918"/>	FIPS no.	<input type="text" value="65483"/>	
Date surveyed	<input type="text" value="07/04/2005"/>			
Woodland name	<input type="text" value="Loughlinstown Wood"/>	Townland name	<input type="text" value="Loughlinstown"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="54"/>	Threat rating and score	<input type="text" value="Moderate"/>
			<input type="text" value="25"/>	
Disco. map	<input type="text" value="50"/>	Grid ref.	<input type="text" value="O248232"/>	6 inch sheet
			<input type="text" value="DU 26"/>	County
	<input type="text" value="Dublin"/>	NPWS region	<input type="text" value="North Eastern"/>	NHA code
	<input type="text" value="1211"/>	SAC code	<input type="text" value="-"/>	SPA Code
	<input type="text" value="-"/>	National Park	<input type="checkbox"/>	Nature Reserve
	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>	
Ownership	<input type="text" value="Local Authority"/>	Area (ha)	<input type="text" value="1.1"/>	Max. alt. (m)
			<input type="text" value="35"/>	Min. alt. (m)
	<input type="text" value="30"/>	Sub-soil	<input type="text" value="A/TLs"/>	
		Soil	<input type="text" value="AlluvMIN/BminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="80%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="10%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="10%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

This small area of wet woodland grows either side of the Shanganagh River. The site boundary is a wall next to the N11 in the west and an old boundary wall in the east. The wood extends up the slope beyond the old boundary wall but these areas were not included within the native woodland site as the canopy was dominated by sycamore (*Acer pseudoplatanus*) and beech (*Fagus sylvatica*). Dumped rubbish is frequent on the site. The North American marsh plant skunk cabbage (*Lysichiton americanum*) was found on the site. Also giant hogweed (*Heracleum sphondylium*) was frequent on the site.

Site no.	<input type="text" value="0919"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="15/04/2005"/>			
Woodland name	<input type="text" value="Fitzsimons Wood"/>	Townland name	<input type="text" value="Balally"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>
Disco. map	<input type="text" value="50"/>	Grid ref.	<input type="text" value="O179256"/>	6 inch sheet <input type="text" value="DU 22"/> County <input type="text" value="Dublin"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="1753"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Local Authority"/>	Area (ha)	<input type="text" value="5.6"/>	Max. alt. (m) <input type="text" value="150"/> Min. alt. (m) <input type="text" value="140"/>
Sub-soil	<input type="text" value="RckNCa/TGr"/>		Soil <input type="text" value="AminSW/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="80%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="20%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

This site is birch (*Betula pubescens*) woodland surrounded by scrub. There are many paths within and surrounding the woodland and these paths separate the old mature woodland from younger regenerating birch scrub to the north. Within the woodland holly (*Ilex aquifolium*) is dominant in the understorey with downy birch, ash (*Fraxinus excelsior*) and sessile oak (*Quercus petraea*) dominating the canopy. The field layer is dominated by low woody species such as *Hedera helix* and *Lonicera periclymenum* whilst a few herbs such as *Oxalis acetosella* and *Ranunculus ficaria* may also be found.

Site no.	<input type="text" value="0921"/>	FIPS no.	<input type="text" value="29898"/>	
Date surveyed	<input type="text" value="05/08/2005"/>			
Woodland name	<input type="text" value="Brackenstown Wood"/>	Townland name	<input type="text" value="Brackenstown, Brazil"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="30"/>	Threat rating and score	<input type="text" value="High"/> <input type="text" value="50"/>	
Disco. map	<input type="text" value="50"/>	Grid ref.	<input type="text" value="O160466"/>	6 inch sheet <input type="text" value="DU 11"/> County <input type="text" value="Dublin"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="2.5"/>	Max. alt. (m) <input type="text" value="50"/> Min. alt. (m) <input type="text" value="36"/>
Sub-soil	<input type="text" value="TLs/A/RckCa"/>		Soil <input type="text" value="BminDW/AlluvMIN/BminSW/BminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A small site, confined to the banks of the Ward River, located 3 km northeast of Dublin Airport. A larger surrounding area of woodland was excluded due to *Prunus laurocerasus* invasion and non-native trees in the canopy. The eastern portion of the site surrounding a rectangular pond was not surveyed at this time. The site consisted of modified broadleaved woodland. Ash dominated the canopy and sycamore (*Acer pseudoplatanus*) and alder were frequent. The field layer was poor and was dominated by *Hedera helix* with *Rubus fruticosus*, *Filipendula ulmaria* and *Urtica dioica*. The soil type was grey brown podzolic, moderately freely draining with evidence of seasonal flooding.

Site no.	<input type="text" value="0922"/>	FIPS no.	<input type="text" value="68633"/>		
Date surveyed	<input type="text" value="13/07/2005"/>				
Woodland name	<input type="text" value="Dunganstown West"/>	Townland name	<input type="text" value="Dunganstown West"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="70"/>	Threat rating and score	<input type="text" value="High"/>	<input type="text" value="42"/>
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="T280866"/>	6 inch sheet	<input type="text" value="WI 31"/>
County	<input type="text" value="Wicklow"/>				
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="10.7"/>	Max. alt. (m)	<input type="text" value="42"/>
Min. alt. (m)	<input type="text" value="25"/>				
Sub-soil	<input type="text" value="TLPSSs/RckNCa/A"/>		Soil	<input type="text" value="AminPD/AminSP/AlluvMIN"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="5%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="70%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value="Drains"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="25%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A medium-sized (~11 ha) area of woodland, consisting predominantly of oak-ash-hazel, but with a small pocket (~5%) of oak-birch-holly, and about 25% of highly modified woodland. This area included species such as Hornbeam (*Carpinus betulus*), sycamore (*Acer pseudoplatanus*), *Prunus laurocerasus* and *Laurus nobilis*. This part of the site was included in the site area, although the proportion of non-native species was sometimes >50 %. The entire site, especially the north-eastern half, was highly grazed, with poaching and bare soil very noticeable. A notable feature of the site was the large number of big drains criss-crossing the site. Soil was waterlogged in parts, but drier towards the south. Main canopy species were ash (*Fraxinus excelsior*), with frequent pedunculate oak (*Quercus robur*) and birch (*Betula pubescens*). Grey willow (*Salix cinerea*) was also frequent throughout the site, particularly at the edges and in wetter ground, with many individuals at canopy level. Understorey was mostly Hazel (*Corylus avellana*), with occasional Holly (*Ilex aquifolium*). Ground flora was generally quite poor, due to grazing. *Stellaria holostea* and *Agrostis stolonifera* were locally abundant. Bird cherry (*Prunus padus*) (one small damaged tree) was also recorded, but requires confirmation (sample sent to Mike Wyse Jackson who agrees, but will cross-check with botanic garden specimens). Two badger setts (probably disused) seen on site.

Site no.	<input type="text" value="0923"/>	FIPS no.	<input type="text" value="11672, 11671"/>	
Date surveyed	<input type="text" value="14/07/2005"/>			
Woodland name	<input type="text" value="Ballard Lower"/>	Townland name	<input type="text" value="Ballard Lower, Ballard Upper"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Moderate"/>
			<input type="text" value="33"/>	
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="T264875"/>	6 inch sheet
			<input type="text" value="WI 31"/>	County
	<input type="text" value="Wicklow"/>			
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="3.5"/>	Max. alt. (m)
			<input type="text" value="70"/>	Min. alt. (m)
	<input type="text" value="35"/>			
Sub-soil	<input type="text" value="TLPSSs/RckNCA"/>		Soil	<input type="text" value="AminSW/AminDW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="70%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input checked="" type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="30%"/>	Grazing level <input type="text" value="4"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A small parcel of mainly WN1 woodland, with approximately 30% WD1 woodland, of which the dominant species was Beech (*Fagus sylvatica*). The entire site was heavily grazed, with a marked scarcity of herbaceous species and a definite browse line. The ground was poached, although the high litter fall concealed much of the bare soil. Main canopy species was sessile oak (*Quercus petraea*), with some good mature individuals present. Holly (*Ilex aquifolium*) was the main understorey species. Rowan (*Sorbus aucuparia*) was occasional. Tree density overall was quite low. A narrow strip to the north, running parallel to the road, was also included, and this included such species as alder (*Alnus glutinosa*) and grey willow (*Salix cinerea*), with a range of herb spp, e.g. *Filipendula ulmaria*, *Geum urbanum*, *Geranium robertianum*, *Stachys sylvatica*, *Carex* spp., *Lapsana communis*, etc. A small stream also ran close to this part of the site. Wood cutting activity was heard in the wood, but was probably confined to chopping up naturally fallen deadwood, observed earlier. There is a possibility that road improvements to the N11 may prove a threat to this wood, but this is not confirmed. Two grey squirrels and a frog were seen on site.

Site no.	<input type="text" value="0924"/>	FIPS no.	<input type="text" value="67433"/>	
Date surveyed	<input type="text" value="15/08/2005"/>			
Woodland name	<input type="text" value="Kelshabeg"/>	Townland name	<input type="text" value="Kelshabeg, Kelsha"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="52"/>	Threat rating and score	<input type="text" value="Low"/>
			<input type="text" value="8"/>	
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="S937880"/>	6 inch sheet
			<input type="text" value="WI 27"/>	County
	<input type="text" value="Wicklow"/>	NPWS region	<input type="text" value="South Eastern"/>	NHA code
	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>	SPA Code
	<input type="text" value="-"/>	National Park	<input type="checkbox"/>	Nature Reserve
	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>	
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="6.7"/>	Max. alt. (m)
			<input type="text" value="240"/>	Min. alt. (m)
	<input type="text" value="210"/>	Sub-soil	<input type="text" value="RckNCa"/>	
		Soil	<input type="text" value="AminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="90%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="2%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input checked="" type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="8%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

An upland acid oak woodland with abundant sessile oak (*Quercus petraea*) and birch (*Betula pubescens*) and frequent rowan (*Sorbus aucuparia*) in the canopy. The field layer is often dominated by *Luzula sylvatica*. The site is grazed by deer and horses. Towards the bottom of the site there are more non native tree species including scots pine (*Pinus sylvestris*) and beech (*Fagus sylvatica*). At the very bottom of the site there is a less acidic soil; ash (*Fraxinus excelsior*) was recorded with a more calcareous plant flora.

Site no.	<input type="text" value="0925"/>	FIPS no.	<input type="text" value="84219, 63280, 65460"/>		
Date surveyed	<input type="text" value="11/04/2005"/>				
Woodland name	<input type="text" value="Crookslin Glen"/>	Townland name	<input type="text" value="Crookslin"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="33"/>
Disco. map	<input type="text" value="50"/>	Grid ref.	<input type="text" value="O035244"/>	6 inch sheet	<input type="text" value="DU 21/24"/>
County	<input type="text" value="Dublin"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="211"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="5"/>	Max. alt. (m)	<input type="text" value="200"/>
Min. alt. (m)	<input type="text" value="170"/>				
Sub-soil	<input type="text" value="TLPSSs/A/GLs/RckNCa"/>		Soil	<input type="text" value="AminDW/AlluvMIN/BminSW/AminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

This is a small wood on freely draining soil on a valley-side in Co. Dublin. The site is dominated by beech (*Fagus sylvatica*), but native tree species are frequent. Oak hybrid (*Quercus x rosacea*) dominates in places, and ash (*Fraxinus excelsior*) occurs. *Dryopteris dilatata* occurs in the field layer. Due to the scarcity of native woodland in Co. Dublin, this site was included in the survey.

Site no.	<input type="text" value="0927"/>	FIPS no.	<input type="text" value="16803, 75492, 75491, 16804, 41341, 16731, 16728, 75501, 41338, 41340, 16778, 16727, 16726, 16707, 80629, 16781, 16773, 16777, 16775, 80628, 41337, 16711, 16710"/>		
Date surveyed	<input type="text" value="09/05/2005"/>				
Woodland name	<input type="text" value="Donadea Forest Park"/>	Townland name	<input type="text" value="Donadea Demense"/>		
Conservation rating and score		<input type="text" value="Very Good"/>	<input type="text" value="64"/>	Threat rating and score	
				<input type="text" value="Moderate"/>	<input type="text" value="33"/>
Disco. map	<input type="text" value="49"/>	Grid ref.	<input type="text" value="N829328"/>	6 inch sheet	<input type="text" value="KD 9"/>
				County	<input type="text" value="Kildare"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="1391"/>
				SPA Code	<input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	
				<input type="text" value="Yes"/>	
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="67"/>	Max. alt. (m)	<input type="text" value="90"/>
				Min. alt. (m)	<input type="text" value="78"/>
Sub-soil	<input type="text" value="TLs/RckCa/Cut/Water"/>		Soil	<input type="text" value="BminDW/BminSW/Cut/Water"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input checked="" type="checkbox"/>	Lakes <input checked="" type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="2%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="98%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

Only northern part of site was considered native woodland (refer to Coillte map for survey notes). Small localised patches of ash (*Fraxinus excelsior*) woodland are present to the south of the site. Most of these are young trees with more mature ash and beech (*Fagus sylvatica*) to the very south. The woodland is managed intensively by Coillte with both conifer and broadleaf stands of trees thinned out and replanted as management requires. Ash is regenerating in most areas of the broadleaf woodland with wych elm (*Ulmus glabra*) regenerating underneath thinned out ash plantation.

Site no.	<input type="text" value="0930"/>	FIPS no.	<input type="text" value="15988"/>	
Date surveyed	<input type="text" value="11/07/2005"/>			
Woodland name	<input type="text" value="Blackwood"/>	Townland name	<input type="text" value="Beechwood"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="33"/>	Threat rating and score	<input type="text" value="Moderate"/> <input type="text" value="33"/>	
Disco. map	<input type="text" value="50"/>	Grid ref.	<input type="text" value="O236442"/>	6 inch sheet <input type="text" value="DU 15"/> County <input type="text" value="Dublin"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park <input type="checkbox"/>	Nature Reserve <input type="checkbox"/>	Woodland present in the 1840s		<input type="text" value="Yes"/>
Ownership	<input type="text" value="Local Authority"/>	Area (ha)	<input type="text" value="2.1"/>	Max. alt. (m) <input type="text" value="25"/> Min. alt. (m) <input type="text" value="20"/>
Sub-soil	<input type="text" value="TLs/Made/RckCa"/>		Soil <input type="text" value="BminDW/Made/BminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

Small area of modified woodland on a low hill 1mk west of Portmarnock. The canopy is dominated by ash (*Fraxinus excelsior*) and sycamore (*Acer pseudoplatanus*) with elder (*Sambucus nigra*) abundant beneath. The field layer is a mix of *Urtica dioica*, *Heracleum sphondylium*, *Hedera helix* and *Rubus fruticosus* with several non-native shrub species including snowberry (*Symphoricarpos albus*). There is extensive littering on the site with beer cans and some recent felling. Overall; a poor site in terms of native status but included due to the lack of north Co. Dublin sites.

Site no.	<input type="text" value="0931"/>	FIPS no.	<input type="text" value="63238, 63239"/>	
Date surveyed	<input type="text" value="13/06/2005"/>			
Woodland name	<input type="text" value="Balcarrick"/>	Townland name	<input type="text" value="Balcarrick"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="24"/>	Threat rating and score	<input type="text" value="Moderate"/> <input type="text" value="25"/>	
Disco. map	<input type="text" value="50"/>	Grid ref.	<input type="text" value="O249498"/>	6 inch sheet <input type="text" value="DU 12"/> County <input type="text" value="Dublin"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="2.3"/>	Max. alt. (m) <input type="text" value="15"/> Min. alt. (m) <input type="text" value="8"/>
Sub-soil	<input type="text" value="RckNCa/TLs"/>		Soil <input type="text" value="AminSW/BminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="60%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="40%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A small area of modified woodland 2 km east of Donabate, adjacent to a golf course and farmland. The eastern part of the site is a mix of ash (*Fraxinus excelsior*), beech (*Fagus sylvatica*), sycamore (*Acer pseudoplatanus*) and exotic conifers, whilst the western portion is dominated by ash with sycamore and *Picea* sp. The field layer is largely *Hedera helix*, *Heracleum sphondylium*, *Polystichum setiferum*, *Galium aparine* and *Geranium robertianum*. The ground layer is poor with *Kindbergia praelonga* dominant. There is a considerable amount of dead wood from fallen trees. This is a poor site in terms of content of native trees and diversity but is surveyed due to its north Co. Dublin location and proximity to the coast.

Site no.	<input type="text" value="0934"/>	FIPS no.	<input type="text" value="5065"/>	
Date surveyed	<input type="text" value="15/06/2005"/>			
Woodland name	<input type="text" value="Rush Demesne"/>	Townland name	<input type="text" value="Rush Demesne"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="24"/>	Threat rating and score	<input type="text" value="High"/> <input type="text" value="42"/>	
Disco. map	<input type="text" value="43"/>	Grid ref.	<input type="text" value="O266558"/>	6 inch sheet <input type="text" value="DU 8"/> County <input type="text" value="Dublin"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Local Authority"/>	Area (ha)	<input type="text" value="3.7"/>	Max. alt. (m) <input type="text" value="22"/> Min. alt. (m) <input type="text" value="14"/>
Sub-soil	<input type="text" value="A/RckCa/TLs"/>		Soil <input type="text" value="AlluvMIN/BminSW/BminDW/BminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A small highly modified urban woodland along a small stream, 1 km north of Rush. The canopy is dominated by sycamore (*Acer pseudoplatanus*) and ash (*Fraxinus excelsior*) with elder frequent in the shrub layer. Field layer is dominated by *Hedera helix*, *Heracleum sphondylium* and a variety of ferns. There are several paths throughout the wood. There is a small grove of yew near the southern end. This is a poor site with regard to its native status, but it was surveyed due to the rarity of sites in north Co. Dublin.

Site no.	<input type="text" value="0935"/>	FIPS no.	<input type="text" value="38761"/>	
Date surveyed	<input type="text" value="27/04/2005"/>			
Woodland name	<input type="text" value="Bray Head Woodland"/>	Townland name	<input type="text" value="Newcourt"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="Moderate"/>
			<input type="text" value="25"/>	
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="O278175"/>	6 inch sheet
			<input type="text" value="WI 08"/>	County
	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="714"/>	SPA Code
			<input type="text" value="-"/>	
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text" value="Local Authority"/>	Area (ha)	<input type="text" value="2.5"/>	Max. alt. (m)
			<input type="text" value="120"/>	Min. alt. (m)
			<input type="text" value="60"/>	
Sub-soil	<input type="text" value="RckNCa"/>		Soil	<input type="text" value="AminSW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input checked="" type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

Small area of woodland on a coastal headland. Used extensively as a public amenity for walking. The woodland is fragmented with many pathways running through it. Sessile oak (*Quercus petraea*) dominates the canopy in places but sycamore (*Acer pseudoplatanus*) is frequent in the field, shrub and canopy layer. There is a diverse field layer with two wetter sections adding to the floral diversity of the site.

Site no.	<input type="text" value="0938"/>	FIPS no.	<input type="text" value="75399, 3039, 75400, 75403, 75402"/>		
Date surveyed	<input type="text" value="20/07/2005"/>				
Woodland name	<input type="text" value="Carton Demense"/>	Townland name	<input type="text" value="Carton Demense, Kellystown, Blakestown"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="64"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="33"/>
Disco. map	<input type="text" value="50"/>	Grid ref.	<input type="text" value="N968380"/>	6 inch sheet	<input type="text" value="KD 6"/>
County	<input type="text" value="Kildare"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="1398"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="42"/>	Max. alt. (m)	<input type="text" value="70"/>
Min. alt. (m)	<input type="text" value="47"/>				
Sub-soil	<input type="text" value="TLs"/>		Soil	<input type="text" value="BminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="5%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="95%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

Old demesne woodland which is managed as part of the Carton House golf course landscape. There are many large mature beech (*Fagus sylvatica*), sycamore (*Acer pseudoplatanus*), oaks (*Quercus* spp.), ash (*Fraxinus excelsior*) and conifers throughout the woodland. Carton house has two resident tree surgeons and trees throughout the demesne show signs of management.

Site no.	<input type="text" value="0939"/>	FIPS no.	<input type="text" value="43533"/>	
Date surveyed	<input type="text" value="01/09/2005"/>			
Woodland name	<input type="text" value="Kilteel Wood"/>	Townland name	<input type="text" value="Kilteel Lower"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="36"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>	
Disco. map	<input type="text" value="50"/>	Grid ref.	<input type="text" value="N982217"/>	6 inch sheet <input type="text" value="KD 20"/> County <input type="text" value="Kildare"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="1394"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="4.9"/>	Max. alt. (m) <input type="text" value="245"/> Min. alt. (m) <input type="text" value="230"/>
Sub-soil	<input type="text" value="RckNCa/TLPSSs"/>		Soil <input type="text" value="AminSW/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="100%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

Remarkably uniform sessile oak wood (*Quercus robur*) with only very occasional beech (*Fagus sylvatica*) and birch (*Betula pubescens*) present. No holly (*Ilex aquifolium*) observed and *Hedera helix* confined to a single tree at wood edge. Small clearing contains dry heath with *Ulex europaeus*. Frequent small oak seedlings in field layer but few saplings of any species observed. Animal tracks (badger/fox) through site but no evidence of browsers.

Site no.	<input type="text" value="0942"/>	FIPS no.	<input type="text" value="41362, 17859, 41361, 75219"/>		
Date surveyed	<input type="text" value="20/06/2005"/>				
Woodland name	<input type="text" value="Carbury Wood"/>	Townland name	<input type="text" value="Carbury, Haggard"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="49"/>	Grid ref.	<input type="text" value="N694356"/>	6 inch sheet	<input type="text" value="KD 8"/>
County	<input type="text" value="Kildare"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="1388"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="6.5"/>	Max. alt. (m)	<input type="text" value="90"/>
Min. alt. (m)	<input type="text" value="90"/>				
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input checked="" type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A birch (*Betula pubescens*) and ash (*Fraxinus excelsior*) woodland on cutover bog. Very large holly (*Ilex aquifolium*) and birch trees are present on the site. Most of the mature ash, holly and *Salix* spp. trees show signs of bark damage from goats. The bark damage generally seems old and there is abundant regeneration of holly and ash.

Site no.	<input type="text" value="0943"/>	FIPS no.	<input type="text" value="83342"/>	
Date surveyed	<input type="text" value="22/06/2005"/>			
Woodland name	<input type="text" value="Templelyon Lower"/>	Townland name	<input type="text" value="Templelyon Lower"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="T264832"/>	6 inch sheet <input type="text" value="WI 36"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="1.6"/>	Max. alt. (m) <input type="text" value="32"/> Min. alt. (m) <input type="text" value="31"/>
Sub-soil	<input type="text" value="TLPSSs/IrSTLPSSs"/>		Soil	<input type="text" value="AminPD"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A very small wet woodland dominated by ash (*Fraxinus excelsior*) and alder (*Alnus glutinosa*), with frequent grey willow (*Salix cinerea*) and holly (*Ilex aquifolium*). A large number of other tree species were also recorded, mainly at the woodland edge. We classified this as WN6 wet willow-alder-ash, due to species composition and water regime, but there are also overlaps with WN4 wet pedunculate oak-ash woodland. The understorey ground flora is rich in herbs, with abundant *Carex remota*, *Filipendula ulmaria*, *Lysimachia nemorum*, *Ranunculus repens*, *Rubus fruticosus* agg., *Ajuga reptans*, *Agrostis stolonifera*, etc. This varied, however, with pockets of waterlogged soil and some with drier vegetation such as *Primula vulgaris*. This site, though small, is a good example of WN6 due to lack of disturbance.

Site no.	<input type="text" value="0944"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="23/06/2005"/>			
Woodland name	<input type="text" value="Rahaval"/>	Townland name	<input type="text" value="Rahaval"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="39"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="T259840"/>	6 inch sheet <input type="text" value="WI 36"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="1.2"/>	Max. alt. (m) <input type="text" value="50"/> Min. alt. (m) <input type="text" value="50"/>
Sub-soil	<input type="text" value="TLPSSs"/>		Soil	<input type="text" value="AminPD"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="100%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A very small area of WN2 oak-ash-hazel woodland on very well-drained soil, 2 km east of Redcross, Co. Wicklow. Part of the woodland had been cleared for the adjacent landfill. This area did not appear on the 6" map, so was probably of relatively recent origin. However it did contain some large trees. The main canopy species in the remaining woodland were sessile oak (*Quercus petraea*) and ash (*Fraxinus excelsior*), with a small pocket of Beech (*Fagus sylvatica*). Many of these trees were mature or over-mature, with very heavy *Hedera helix*. Understorey was of holly (*Ilex aquifolium*) and Hazel (*Corylus avellana*), with frequent Hawthorn (*Crataegus monogyna*) saplings. Ground flora consisted of *Viol* sp., *Hedera helix* and *Rubus fruticosus* agg. (all locally abundant). Bryophytes were occasional, mainly on tree bases. The landfill clearance has only taken place in the last year and it is not known what the long-term plan for this landfill is. At the moment, only earth (not rubbish) is visible. It is run by Wicklow County Council.

Site no.	<input type="text" value="0947"/>	FIPS no.	<input type="text" value="60658, 60661, 60662, 81501, 75273"/>		
Date surveyed	<input type="text" value="07/06/2005"/>				
Woodland name	<input type="text" value="Russellswood"/>	Townland name	<input type="text" value="Russellswood"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="8"/>
Disco. map	<input type="text" value="49"/>	Grid ref.	<input type="text" value="N632394"/>	6 inch sheet	<input type="text" value="KD 2"/>
County	<input type="text" value="Kildare"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="21.8"/>	Max. alt. (m)	<input type="text" value="80"/>
Min. alt. (m)	<input type="text" value="70"/>				
Sub-soil	<input type="text" value="GLs"/>		Soil	<input type="text" value="BminSP/BminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

This is a mature woodland with 50% of the canopy pedunculate oak (*Quercus robur*) and 50% Beech (*Fagus sylvatica*). There were many large mature trees with dbh >40 cm within this WD1 wood. Abundant regeneration of ash (*Fraxinus excelsior*) and pedunculate oak was noted. A large badger sett was recorded within the site. This site is called Rahin wood by Coillte

Site no.	<input type="text" value="0948"/>	FIPS no.	<input type="text" value="75271, 75270, 31330"/>		
Date surveyed	<input type="text" value="23/06/2005"/>				
Woodland name	<input type="text" value="Rahin Wood (Kildare)"/>	Townland name	<input type="text" value="Rahin"/>		
Conservation rating and score	<input type="text" value="Very Good"/>	<input type="text" value="70"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="8"/>
Disco. map	<input type="text" value="49"/>	Grid ref.	<input type="text" value="N619383"/>	6 inch sheet	<input type="text" value="KD 2"/>
County	<input type="text" value="Kildare"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="28"/>	Max. alt. (m)	<input type="text" value="80"/>
Min. alt. (m)	<input type="text" value="70"/>				
Sub-soil	<input type="text" value="A/GLs"/>		Soil	<input type="text" value="AlluvMIN/BminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="5%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="25%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input checked="" type="checkbox"/>	WD1 <input type="text" value="70%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A large modified site with oak (*Quercus robur*) abundant throughout most of it. In the north of the site, bordering the river, there is a smaller area of 20 year old ash (*Fraxinus excelsior*) planted on the flood plain; the first releve was recorded in this area. The second releve was recorded in one of the less modified oak dominated areas of the site. Evidence of cattle was seen throughout the site with heavy poaching in places.

Site no.	<input type="text" value="0951"/>	FIPS no.	<input type="text" value="11858, 11859"/>	
Date surveyed	<input type="text" value="31/08/2005"/>			
Woodland name	<input type="text" value="Kilcarra West"/>	Townland name	<input type="text" value="Kilcarra West, Rostygah"/>	
Conservation rating and score	<input type="text" value="Very Good"/> <input type="text" value="73"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="17"/>	
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="T194767"/>	6 inch sheet <input type="text" value="WI 40"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="1748"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="24"/>	Max. alt. (m) <input type="text" value="100"/> Min. alt. (m) <input type="text" value="40"/>
Sub-soil	<input type="text" value="RckNCa/A/TLPSsS"/>		Soil <input type="text" value="AminSW/AlluvMIN/AminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="15%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="40%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="5%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="40%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

The site surveyed was large - 50 ha, but many areas were excluded (see 6" map) due to dominance of non-natives. Four areas were retained, but it should be noted that delineations between woodland types are approximate. The first main area was WD2 (mixed broadleaved/conifer woodland), with the main species being Scots pine (*Pinus sylvestris*), sessile oak (*Quercus petraea*), and an understorey of holly (*Ilex aquifolium*) and Rowan (*Sorbus aucuparia*). In spite of the high proportion of conifers there was a well-developed WN1-like (oak-birch-holly woodland) ground flora - e.g. *Vaccinium myrtillus*, *Luzula sylvestris*. The other area was classified as WN2 (oak-ash-hazel woodland), being dominated by mature ash (*Fraxinus excelsior*), of which many were notably tall. Understorey was mainly holly and elder (*Sambucus nigra*). Ground flora was mixed, with a high proportion of ferns. Dumping (household) was prevalent in this area. Two other small areas of woodland were retained in the site. One consists of a small area of birch (*Betula pubescens*) scrub/young trees which are regenerating after clear felling (no. 5 on 6" map). The other area is dominated by *Rhododendron ponticum*, with frequent young birch (*Betula pubescens*), and occasional very mature sessile oak (no. 4 on map). *Rhododendron ponticum* was not given an invasive score for the site, as this would have been misleading on the whole. It was rare throughout the rest of the site.

Site no.	<input type="text" value="0952"/>	FIPS no.	<input type="text" value="11448, 84248"/>	
Date surveyed	<input type="text" value="12/09/2005"/>			
Woodland name	<input type="text" value="Avondale"/>	Townland name	<input type="text" value="Rockstown Lwr, Balleese Wood"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="42"/>	Threat rating and score	<input type="text" value="Low"/>
		<input type="text" value="0"/>		
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="T196860"/>	6 inch sheet
			<input type="text" value="WI 30/35"/>	County
	<input type="text" value="Wicklow"/>			
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code
			<input type="text" value="-"/>	SPA Code
	<input type="text" value="-"/>			
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s
				<input type="text" value="Yes"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="3"/>	Max. alt. (m)
			<input type="text" value="75"/>	Min. alt. (m)
	<input type="text" value="65"/>			
Sub-soil	<input type="text" value="A/RckNCa"/>		Soil	<input type="text" value="AlluvMIN/AminSW"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="70%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="30%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

The Avondale woodlands are extensive (70ha), but only approximately 3 ha were deemed suitable for inclusion in the survey. The remainder are dominated by conifers and other non-native trees. The area surveyed was WN1 oak-birch-holly woodland, with sessile oak (*Quercus petraea*), scots pine (*Pinus sylvestris*) and beech (*Fagus sylvatica*) making up the canopy. Holly (*Ilex aquifolium*) was the main understorey species, with *Luzula sylvatica* and *Rubus fruticosus* agg. dominating the field layer. The ground is very uneven, with many rocks. A small area of WD2 is included due to the presence there of very mature oaks (*Quercus petraea*). See 6" map for details of areas excluded.

Site no.	<input type="text" value="0955"/>	FIPS no.	<input type="text" value="67423"/>	
Date surveyed	<input type="text" value="10/08/2005"/>			
Woodland name	<input type="text" value="Graigue"/>	Townland name	<input type="text" value="Graigue"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="39"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>	
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="S938863"/>	6 inch sheet <input type="text" value="WI 27"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="4.4"/>	Max. alt. (m) <input type="text" value="150"/> Min. alt. (m) <input type="text" value="150"/>
Sub-soil	<input type="text" value="TGr"/>		Soil	<input type="text" value="AminPD"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="80%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="20%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A plantation (1976) of birch (*Betula pubescens*), ash (*Fraxinus excelsior*) and alder (*Alnus glutinosa*) adjacent to a larger more coniferised area. The area has drains throughout but remains fairly waterlogged throughout. The flora is dominated by grasses and bryophytes are also frequent.

Site no.	<input type="text" value="0956"/>	FIPS no.	<input type="text" value="83587, 56636"/>	
Date surveyed	<input type="text" value="29/08/2005"/>			
Woodland name	<input type="text" value="Fiddancoyle"/>	Townland name	<input type="text" value="Fiddancoyle"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>
Disco. map	<input type="text" value="62"/>	Grid ref.	<input type="text" value="S956853"/>	6 inch sheet <input type="text" value="WI 27"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="6.2"/>	Max. alt. (m) <input type="text" value="170"/> Min. alt. (m) <input type="text" value="150"/>
Sub-soil	<input type="text" value="TGr/A/GGr"/>		Soil <input type="text" value="AminDW/AlluMIN/AminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

This block of WN6 wet willow-ash woodland is owned by Mr. David Eager, whose farm extends above the wood. In the past hurley ash (*Fraxinus excelsior*) and firewood have been harvested but the site has been unmanaged in recent years except for the raising of some pheasants. The site is poorly drained and dominated by alder (*Alnus glutinosa*) and downy birch (*Betula pubescens*). Some parts are accessible to grazing cattle. A single plant of *Rhododendron ponticum* was seen on site, and no other stand was observed in the immediate area.

Site no.	<input type="text" value="0961"/>	FIPS no.	<input type="text" value="61477"/>	
Date surveyed	<input type="text" value="09/08/2005"/>			
Woodland name	<input type="text" value="Knockloe"/>	Townland name	<input type="text" value="Knockloe"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="30"/>	Threat rating and score	<input type="text" value="Moderate"/> <input type="text" value="25"/>	
Disco. map	<input type="text" value="61"/>	Grid ref.	<input type="text" value="S889737"/>	6 inch sheet <input type="text" value="WI 37"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="2.8"/>	Max. alt. (m) <input type="text" value="145"/> Min. alt. (m) <input type="text" value="130"/>
Sub-soil	<input type="text" value="RckNca"/>		Soil <input type="text" value="AminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="30%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input checked="" type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="70%"/>	Grazing level <input type="text" value="3"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

This small woodland is the only remaining wooded area in what was formerly the Knockloe estate, now managed as a farm. The wood persists on a rocky knoll and is evidently used as seasonal shelter/grazing for cattle. The canopy is quite disturbed with exotics such as beech (*Fagus sylvatica*), sycamore (*Acer pseudoplatanus*) and sweet chestnut (*Castanea sativa*) common among the less abundant sessile oak (*Quercus petraea*) and ash (*Fraxinus excelsior*).

Site no.	<input type="text" value="0963"/>	FIPS no.	<input type="text" value="2896, 75366, 41367, 80461, 12644, 12600"/>		
Date surveyed	<input type="text" value="19/07/2005"/>				
Woodland name	<input type="text" value="Killinthomas Wood"/>	Townland name	<input type="text" value="Killinthomas, Killyguire"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="48"/>	Threat rating and score	<input type="text" value="High"/>	<input type="text" value="42"/>
Disco. map	<input type="text" value="49"/>	Grid ref.	<input type="text" value="N667220"/>	6 inch sheet	<input type="text" value="KD 17"/>
County	<input type="text" value="Kildare"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="32.3"/>	Max. alt. (m)	<input type="text" value="80"/>
Min. alt. (m)	<input type="text" value="80"/>				
Sub-soil	<input type="text" value="Cut/TLs"/>		Soil	<input type="text" value="Cut/BminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="60%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="40%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

Large mixed broadleaf and conifer plantation. The woodland is owned and managed by Coillte for forestry and as public amenity. The undergrowth has been selectively felled beneath patches of ash (*Fraxinus excelsior*) and beech (*Fagus sylvatica*). The woodland is much modified and has no natural examples of ash or oak woodland despite ash and oak (*Quercus* spp.) being frequent over the site. Woody species such as *Rubus fruticosus* and *Hedera helix* are abundant in the field layer and herbs such as *Hyacinthoides non-scripta*, *Potentilla sterilis* and *Circea lutetiana* also occur. The woodland has also been thinned and trees have had side branches cut to encourage straight timber trees.

Site no.	<input type="text" value="0966"/>	FIPS no.	<input type="text" value="95224, 60734"/>	
Date surveyed	<input type="text" value="26/07/2005"/>			
Woodland name	<input type="text" value="Ballymore Eustace"/>	Townland name	<input type="text" value="Ballymore Eustace West"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="33"/>	Threat rating and score	<input type="text" value="High"/> <input type="text" value="42"/>	
Disco. map	<input type="text" value="55"/>	Grid ref.	<input type="text" value="N917102"/>	6 inch sheet <input type="text" value="KD 29"/> County <input type="text" value="Kildare"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="393"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="6"/>	Max. alt. (m) <input type="text" value="140"/> Min. alt. (m) <input type="text" value="120"/>
Sub-soil	<input type="text" value="TLs/A/GLs"/>		Soil <input type="text" value="BminDW/AlluvMIN/BminSW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input checked="" type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="100%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

This strip of woodland is on a steep slope overlooking the Liffey meander belt. There are wych elm (*Ulmus glabra*), ash (*Fraxinus excelsior*), hazel (*Corylus avellana*) and hawthorn (*Crataegus monogyna*) present among abundant sycamore (*Acer pseudoplatanus*) and beech (*Fagus sylvatica*). Many of the larger ash have been cut and hurley wood extracted so that cut trunks and snagged stems are frequent. *Symphoricarpos album* forms small clumps at the western end of the wood, particularly close to the road. There are several places along the road above that are evidently used as dumping spots and old fridges and other domestic waste is present within the wood.

Site no.	<input type="text" value="0967"/>	FIPS no.	<input type="text" value="75350, 62072"/>	
Date surveyed	<input type="text" value="03/08/2005"/>			
Woodland name	<input type="text" value="Mullaghreelan Wood"/>	Townland name	<input type="text" value="Mullaghreelan"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="27"/>	Threat rating and score	<input type="text" value="High"/> <input type="text" value="42"/>	
Disco. map	<input type="text" value="61"/>	Grid ref.	<input type="text" value="S760878"/>	6 inch sheet <input type="text" value="KD 37/38"/> County <input type="text" value="Kildare"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="5.5"/>	Max. alt. (m) <input type="text" value="140"/> Min. alt. (m) <input type="text" value="11"/>
Sub-soil	<input type="text" value="RckNCa/TLs"/>		Soil <input type="text" value="AminSW/BminDW"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input checked="" type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="60%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="40%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

This woodland consists of two types - the north western edge is mixed broadleaved and conifer woodland. Mature ash (*Fraxinus excelsior*) forms the canopy while Norway spruce (*Picea abies*) and Douglas fir (*Pseudotsuga menziesii*) form the subcanopy. The shrub layer is sparse and is mainly hazel (*Corylus avellana*) and hawthorn (*Crataegus monogyna*). The field layer is dominated by *Hedera helix*, *Rubus fruticosus* and ferns. The ground layer is dominated by *Thamnobryum alopecurum* and *Eurhynchium striatum*. The rest of the woodland surveyed is mixed broadleaved with mature ssh in the canopy and beech (*Fagus sylvatica*) in the subcanopy. The shrub layer is poor with hazel and hawthorn. The field layer is dominated by *H. Helix*, *Hyacinthoides non-scripta* and ferns. The ground layer is dominated by *T. alopecurum* and *E. striatum*.

Site no.	<input type="text" value="0968"/>	FIPS no.	<input type="text" value="16809"/>	
Date surveyed	<input type="text" value="13/05/2005"/>			
Woodland name	<input type="text" value="Drehid Wood"/>	Townland name	<input type="text" value="Drehid"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="52"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>
Disco. map	<input type="text" value="49"/>	Grid ref.	<input type="text" value="N746340"/>	6 inch sheet <input type="text" value="KD 8"/> County <input type="text" value="Kildare"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="9.1"/>	Max. alt. (m) <input type="text" value="80"/> Min. alt. (m) <input type="text" value="80"/>
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="30%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="70%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

This is a small site on poorly drained cut-over bog in county Kildare. It is an interesting site, composed mostly of downy birch dominated woodland with holly in the shrub layer and a bilberry (*Vaccinium myrtillus*) field layer. 30% of the site is dominated by ash (*Fraxinus excelsior*) and hawthorn (*Crataegus monogyna*) with alder (*Alnus glutinosa*), hazel (*Corylus avellana*) and guelder-rose (*Viburnum opulus*) and a more diverse ground flora including primrose (*Primula vulgaris*) and enchanter's nightshade (*Circea lutetiana*).

Site no.	<input type="text" value="0970"/>	FIPS no.	<input type="text" value="1807"/>		
Date surveyed	<input type="text" value="24/05/2005"/>				
Woodland name	<input type="text" value="Pluckerstown"/>	Townland name	<input type="text" value="Pluckerstown"/>		
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="33"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="17"/>
Disco. map	<input type="text" value="49"/>	Grid ref.	<input type="text" value="N734212"/>	6 inch sheet	<input type="text" value="KD 17"/>
County	<input type="text" value="Kildare"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="2.2"/>	Max. alt. (m)	<input type="text" value="80"/>
Min. alt. (m)	<input type="text" value="80"/>				
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="95%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="5%"/>		
Other habitats	<input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

A young downy birch (*Betula pubescens*) woodland with most of the trees approximately 20 years old, although there are occasional older and larger birch trees. Sitka spruce (*Picea sitchensis*) is found around the edge of the woodland but it is often stunted with many dead trees. More mature spruce trees are found in the adjacent plantations.

Site no.	<input type="text" value="0971"/>	FIPS no.	<input type="text" value="75332"/>	
Date surveyed	<input type="text" value="25/05/2005"/>			
Woodland name	<input type="text" value="Derryvullagh Island"/>	Townland name	<input type="text" value="Cloney"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="8"/>
Disco. map	<input type="text" value="55"/>	Grid ref.	<input type="text" value="N685006"/>	6 inch sheet <input type="text" value="KD 31"/> County <input type="text" value="Kildare"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="1390"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="Yes"/>
Ownership	<input type="text" value="Bórd na Móna"/>	Area (ha)	<input type="text" value="6"/>	Max. alt. (m) <input type="text" value="70"/> Min. alt. (m) <input type="text" value="70"/>
Sub-soil	<input type="text" value="Cut/TLS"/>		Soil	<input type="text" value="Cut/BminPDPT"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="5%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="95%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

This is a small wood on a mineral island surrounded by cutover peat bog in Kildare. The centre of the wood is dominated by beech (*Fagus sylvatica*) and conifers (see map). The remainder of the site is dominated by mature hazel (*Corylus avellana*), hawthorn (*Crataegus monogyna*) and ash (*Fraxinus excelsior*). Birch (*Betula pubescens*) is frequent on the edges of the site. *Lathraea squamaria* was found.

Site no.	<input type="text" value="0974"/>	FIPS no.	<input type="text" value="75451"/>	
Date surveyed	<input type="text" value="16/05/2005"/>			
Woodland name	<input type="text" value="Moods"/>	Townland name	<input type="text" value="Moods"/>	
Conservation rating and score	<input type="text" value="Poor"/>	<input type="text" value="33"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="17"/>
Disco. map	<input type="text" value="49"/>	Grid ref.	<input type="text" value="N807250"/>	6 inch sheet <input type="text" value="KD 13"/> County <input type="text" value="Kildare"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Coillte"/>	Area (ha)	<input type="text" value="1.3"/>	Max. alt. (m) <input type="text" value="90"/> Min. alt. (m) <input type="text" value="90"/>
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="90%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="10%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

This is a small site on cut peat at the edge of a bog in Co. Kildare. The site was mixed with spruce growing in the east and downy birch dominant in the west of the site. The native portion of the site was surveyed. This was a wet site with many dead conifers amongst the birch (*Betula pubescens*). Due to the relatively open canopy there was a rich herb flora which includes *Filipendula ulmaria*, *Solanum dulcamara*, *Juncus effusus* and *Valeriana officinalis*.

Site no.	<input type="text" value="0975"/>	FIPS no.	<input type="text" value="39330"/>		
Date surveyed	<input type="text" value="06/05/2005"/>				
Woodland name	<input type="text" value="Royal Oak"/>	Townland name	<input type="text" value="Royal Oak"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Moderate"/>	<input type="text" value="25"/>
Disco. map	<input type="text" value="49"/>	Grid ref.	<input type="text" value="N699418"/>	6 inch sheet	<input type="text" value="KD 3"/>
County	<input type="text" value="Kildare"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="6"/>	Max. alt. (m)	<input type="text" value="80"/>
Min. alt. (m)	<input type="text" value="80"/>				
Sub-soil	<input type="text" value="Cut"/>		Soil	<input type="text" value="Cut"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input checked="" type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="100%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

A birch (*Betula pubescens*) dominated woodland growing on old cutover around the edge of a degraded raised bog (drains and ditches associated with old cutover are frequent on the site). Although the area of woodland >40 m wide and with a closed canopy is not very large birch is colonising large areas of the bog. If this trend continues the area of this woodland will increase. The current area of native woodland >40 m wide and with a closed canopy is shown on the 6 inch FIPS printout. In the northeast of the site there was some evidence of old coppice and in this area the introduced species *Chelidonium majus* was frequent.

Site no.	<input type="text" value="0978"/>	FIPS no.	<input type="text" value="12450"/>	
Date surveyed	<input type="text" value="15/07/2005"/>			
Woodland name	<input type="text" value="Pollardstown Wood"/>	Townland name	<input type="text" value="Pollardstown"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="39"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="0"/>	
Disco. map	<input type="text" value="55"/>	Grid ref.	<input type="text" value="N767158"/>	6 inch sheet <input type="text" value="KD 23"/> County <input type="text" value="Kildare"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="120"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="1.2"/>	Max. alt. (m) <input type="text" value="90"/> Min. alt. (m) <input type="text" value="90"/>
Sub-soil	<input type="text" value="Cut/TLPDSs"/>		Soil <input type="text" value="Cut/AminPDPT/AminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input checked="" type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input checked="" type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input checked="" type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text"/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="2"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A small ash (*Fraxinus excelsior*) and alder (*Alnus glutinosa*) woodland with a stream and numerous ditches within it. This site borders Pollardstown Fen. There were calcareous springs within the wood.

Site no.	<input type="text" value="0981"/>	FIPS no.	<input type="text" value="Non FIPS"/>	
Date surveyed	<input type="text" value="22/07/2005"/>			
Woodland name	<input type="text" value="Newbridge School Wood"/>	Townland name	<input type="text" value="Great Connell, Old Connell"/>	
Conservation rating and score	<input type="text" value="Poor"/> <input type="text" value="30"/>	Threat rating and score	<input type="text" value="High"/> <input type="text" value="42"/>	
Disco. map	<input type="text" value="55"/>	Grid ref.	<input type="text" value="N827146"/>	6 inch sheet <input type="text" value="KD 23"/> County <input type="text" value="Kildare"/>
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Multiple"/>	Area (ha)	<input type="text" value="1.1"/>	Max. alt. (m) <input type="text" value="80"/> Min. alt. (m) <input type="text" value="80"/>
Sub-soil	<input type="text" value="A/Made"/>		Soil	<input type="text" value="AlluMIN/Made"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input checked="" type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="100%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="0%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value=""/>	
Riverside/Floodplain <input checked="" type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="0"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text" value=""/>		

Field notes

External data source: not all data recorded ☐

This is a small riparian woodland in Co. Kildare, part of which is on a small island. Lots of large willow (*Salix* spp.) and alder (*Alnus glutinosa*) occur, but the canopy cover is occasionally patchy. The field layer contains species such as *Phalaris arundinacea*, *Oenanthe crocata*, *Filipendula ulmaria*, and *Iris pseudacorus*. Red-osier dogwood (*Cornus sericea*) and sycamore (*Acer pseudoplatanus*) are present on the site but are localised.

Site no.	<input type="text" value="0982"/>	FIPS no.	<input type="text" value="12752"/>		
Date surveyed	<input type="text" value="27/07/2005"/>				
Woodland name	<input type="text" value="Greatconnell"/>	Townland name	<input type="text" value="Greatconnell"/>		
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="52"/>	Threat rating and score	<input type="text" value="Low"/>	<input type="text" value="8"/>
Disco. map	<input type="text" value="55"/>	Grid ref.	<input type="text" value="N827146"/>	6 inch sheet	<input type="text" value="KD 23"/>
County	<input type="text" value="Kildare"/>				
NPWS region	<input type="text" value="North Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code	<input type="text" value="-"/>
SPA Code	<input type="text" value="-"/>				
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s	<input type="text" value="Yes"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="5.1"/>	Max. alt. (m)	<input type="text" value="80"/>
Min. alt. (m)	<input type="text" value="80"/>				
Sub-soil	<input type="text" value="GLs/Cut/TLs"/>		Soil	<input type="text" value="BminSP/Cut/BminPD"/>	

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text" value=""/>
Plain/Lowlands <input type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input checked="" type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
Other habitats <input type="text" value=""/>			

Field notes

External data source: not all data recorded ☐

This small wood is located on a flood plain in Co. Kildare, and the soil at the site is a stagno humic gley. The canopy at the site comprises ash (*Fraxinus excelsior*), alder (*Alnus glutinosa*), birch (*Betula pubescens* and *B. pendula*) and oak (*Quercus robur* and *Q. petraea*). *Rubus fruticosus* agg., *Deschampsia cespitosa*, *Geranium robertianum*, *Filipendula ulmaria* and *Galium aparine* occur in the field layer. The roots of old alder trees are exposed above the current soil level suggesting that the site was once much wetter.

Site no.	<input type="text" value="0984"/>	FIPS no.	<input type="text" value="11480"/>	
Date surveyed	<input type="text" value="05/07/2005"/>			
Woodland name	<input type="text" value="Coolbeg"/>	Townland name	<input type="text" value="Coolbeg"/>	
Conservation rating and score	<input type="text" value="Moderate"/>	<input type="text" value="46"/>	Threat rating and score	<input type="text" value="Low"/> <input type="text" value="0"/>
Disco. map	<input type="text" value="56"/>	Grid ref.	<input type="text" value="T282903"/>	6 inch sheet <input type="text" value="WI 31"/> County <input type="text" value="Wicklow"/>
NPWS region	<input type="text" value="South Eastern"/>	NHA code	<input type="text" value="-"/>	SAC code <input type="text" value="-"/> SPA Code <input type="text" value="-"/>
National Park	<input type="checkbox"/>	Nature Reserve	<input type="checkbox"/>	Woodland present in the 1840s <input type="text" value="No"/>
Ownership	<input type="text" value="Private - Single"/>	Area (ha)	<input type="text" value="4"/>	Max. alt. (m) <input type="text" value="44"/> Min. alt. (m) <input type="text" value="43"/>
Sub-soil	<input type="text" value="GLPSsS"/>		Soil	<input type="text" value="AminSP"/>

<u>Geography</u>	<u>Woodland habitats</u>	<u>Grazing</u>	<u>Hydrological features</u>
Esker <input type="checkbox"/>	WN1 <input type="text" value="0%"/>	Deer <input type="checkbox"/>	Seasonal flooding <input checked="" type="checkbox"/>
Drumlin <input type="checkbox"/>	WN2 <input type="text" value="0%"/>	Cattle <input type="checkbox"/>	Springs <input type="checkbox"/>
Valley <input type="checkbox"/>	WN3 <input type="text" value="0%"/>	Sheep <input type="checkbox"/>	Lakes <input type="checkbox"/>
Lakeside <input type="checkbox"/>	WN4 <input type="text" value="0%"/>	Rabbits <input type="checkbox"/>	Rivers/streams <input type="checkbox"/>
Bogland <input type="checkbox"/>	WN5 <input type="text" value="0%"/>	Hares <input type="checkbox"/>	Damp clefts/ravines <input type="checkbox"/>
Hill <input type="checkbox"/>	WN6 <input type="text" value="100%"/>	Goats <input type="checkbox"/>	Other <input type="text" value="Large drains"/>
Plain/Lowlands <input checked="" type="checkbox"/>	WN7 <input type="text" value="0%"/>	Horses <input type="checkbox"/>	
Island <input type="checkbox"/>	WS1 <input type="text" value="0%"/>	Other <input type="text" value="Unknown"/>	
Riverside/Floodplain <input type="checkbox"/>	WD1 <input type="text" value="0%"/>	Grazing level <input type="text" value="1"/>	
Coastal/Estuary <input type="checkbox"/>	WD2 <input type="text" value="0%"/>		
	Other habitats <input type="text"/>		

Field notes

External data source: not all data recorded ☐

A small wet willow and birch woodland, just southeast of the Beehive pub crossroads, west of Wicklow town. The woodland consists of pockets of grey willow (*Salix cinerea*), especially along the edge, with birch (*Betula pubescens*) abundant in the centre. The ground is extremely wet underfoot - being quaking in places (auger went down to at least 1m, with no resistance). Ground flora consisted mainly of *Rubus fruticosus* agg. and *Filipendula ulmaria*, with some *Caltha palustris* and *Mentha aquatica*. At the edge *Hedera helix* was common. Tussocks of *Carex paniculata* were frequent. The area to the east was not surveyed due to access and time restrictions (see 6 " map).